



Juniper

Exam Questions JN0-104

Junos - Associate (JNCIA-Junos)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

Which command allows you to execute operational mode commands while in configuration mode?

- A. activate
- B. show
- C. run
- D. set

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

Which statement is true about a virtual router routing instance?

- A. It can be used for Layer 3 VPN implementations.
- B. It can be used to create a separate routing table.
- C. An interface in the routing instance can also reside in the default routing instance.
- D. It automatically has import and export policies applied.

Answer: B

NEW QUESTION 3

- (Exam Topic 1)

Click the Exhibit button.

The next hop identified in the static route command is not directly connected to your router. Referring to the exhibit, what must be added to the command for the static route to work?

- A. retain
- B. resolve
- C. readvertise
- D. install

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

Which statement about the forwarding table is correct?

- A. It contains all known routes including IPv6
- B. It is only available on the PFE
- C. It is only available on the RE
- D. It is available on both the RE and the PFE.

Answer: B

NEW QUESTION 5

- (Exam Topic 1)

Click the Exhibit button

A packet destined to the 172.27. 102.65 IP address is received by the ge-0/0/1.0 interface on your Junos device. The input firewall filter shown in the exhibit is applied to the ge-0/0/1.0 interface.

Which two actions are performed in this scenario? (Choose two.)

- A. The packet is logged
- B. The packet is accepted
- C. The packet is counted
- D. The packet is discarded.

Answer: BC

NEW QUESTION 6

- (Exam Topic 1)

Click the Exhibit button.

Referring to the exhibit, if the router forwards traffic destined for 192.168.77.29, which next hop will be used?

- A. 10.10.1.2
- B. 10.10.11.2
- C. 10.10.0.2
- D. 10.10.20.2

Answer: C

NEW QUESTION 7

- (Exam Topic 1)

You must verify that interface ge-0/0/0.0 is administratively up and that the link is up. In this scenario, which command will accomplish this task?

- A. show configuration interfaces ge-0/0/0.0
- B. show chassis fpc pic-status
- C. show system information
- D. show interfaces terse

Answer: D

NEW QUESTION 8

- (Exam Topic 1)

Click the Exhibit button.

You want to make the OSPF route shown in the exhibit the active route for the 10.10.10.0/24 IP address. Which action is required to accomplish this task?

- A. Set the static route to no-readvertise.
- B. Set the OSPF route preference to 4.
- C. Set the static route preference to 0
- D. Set the OSPF metric to 0

Answer: B

NEW QUESTION 9

- (Exam Topic 1)

What information is provided by the show route forwarding-table command?

- A. the routing table stored on the RE
- B. the protocol from where the route was learned
- C. the outgoing interface(s) associated with the destination prefixes
- D. the number of routes that are active, hidden, or in a hold-down state

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

Click the Exhibit button

Referring to the exhibit, what will be the source address for packets egressing et-0/0/34.07

- A. 10.20.0.1
- B. 10.30.0.1
- C. 10.10.0.1
- D. 10.40.0.1

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

A user entered configuration mode and modified the candidate configuration. In this scenario, what are two results? (Choose two.)

- A. Other users cannot enter configuration mode.
- B. Other users cannot enter configuration mode using the exclusive parameter
- C. Other users cannot log into the device.
- D. Other users cannot enter configuration mode using the private parameter.

Answer: BD

NEW QUESTION 13

- (Exam Topic 1)

Which statement regarding transit traffic processing is correct?

- A. Transit traffic is processed by both the control plane and forwarding plane.
- B. Transit traffic is only processed by the control plane.
- C. Transit traffic is only processed by the forwarding plane
- D. Transit traffic is not processed by the local device.

Answer: C

NEW QUESTION 17

- (Exam Topic 1)

Which two statements describe the RE on Junos OS devices? (Choose two.)

- A. The RE is considered the control plane.
- B. The RE forwards traffic based on its local copy of the forwarding table.
- C. The RE provides hardware status messages for the PFE

D. The RE maintains the routing tables.

Answer: AD

NEW QUESTION 21

- (Exam Topic 1)

What are two functions of the PFE? (Choose two.)

- A. to maintain the forwarding tables
- B. to apply the class of service function
- C. to forward transit traffic
- D. to monitor the chassis

Answer: AC

NEW QUESTION 24

- (Exam Topic 1)

Click the Exhibit button.

Which operational mode command in Junos OS produces the output shown in the exhibit?

- A. show system users
- B. show system connections
- C. show system commit
- D. show system reboot

Answer: C

NEW QUESTION 26

- (Exam Topic 1)

You are creating a route filter that will match the network address of 192.168.64.0/24. In this scenario, which configuration statement will accomplish this task?

- A. from route-filter 192.168.32.0/24 longer
- B. from route-filter 152.168.128.0/24 orlonger
- C. from route-filter 192.168.64.0/24 longer
- D. from route-filter 192.168.64.0/24 orlonger

Answer: D

NEW QUESTION 27

- (Exam Topic 1)

Which statement describes the ulst next-hop type that appears in the output of the show route forwarding-table command?

- A. A list of unicast or multicast forwarding entries waiting to be resolved.
- B. A list of unicast destination prefixes for which packets will be silently discarded.
- C. A list of unicast next hops used for a given destination for which load balancing is enabled.
- D. A list of unicast or multicast destination prefixes for which packets will be silently discarded.

Answer: C

NEW QUESTION 29

- (Exam Topic 1)

Which protocol is responsible for learning an IPv6 neighbor's IMAC address?

- A. Neighbor Discovery Protocol (NDP)
- B. Media Access Control Security (MACsec)
- C. Address Resolution Protocol (ARP)
- D. Network Address Translation (NAT)

Answer: A

NEW QUESTION 31

- (Exam Topic 1)

Which step is required when performing a Junos software upgrade?

- A. You must create a user account named maintenance-user.
- B. You must reboot the device.
- C. You must load the factory default configuration.
- D. You must zeroize the device.

Answer: B

NEW QUESTION 32

- (Exam Topic 1)

What are two important steps when upgrading an SRX300 Series device? (Choose two.)

- A. Verify that enough space exists to upload the software package.
- B. Clear all alarms.
- C. Reboot the device.
- D. Verify that the NETCONF protocol is enabled.

Answer: AC

NEW QUESTION 36

- (Exam Topic 1)

Which two parameters are considered action modifiers in the firewall filters then statement? (Choose two.)

- A. next term
- B. reject
- C. policer
- D. counter

Answer: AB

NEW QUESTION 38

- (Exam Topic 1)

Which layer of the OSI model does a router use to make forwarding decisions?

- A. Layer 3
- B. Layer 4
- C. Layer 5
- D. Layer 2

Answer: A

NEW QUESTION 43

- (Exam Topic 1)

Which command allows multiple users to edit a configuration while conning only their unique changes?

- A. configure exclusive
- B. configure batch
- C. configure private
- D. configure dynamic

Answer: C

Explanation:

The configure private command allows multiple users to edit different parts of a configuration at the same ti and commit only their changes or roll back, without interfering with each other's changes. When the configure private command is used, you work in a private candidate configuration, which is a copy of the most recently committed configuration.

<https://kb.juniper.net/InfoCenter/index?page=content&id=KB19653&actp=METADATA>

NEW QUESTION 48

- (Exam Topic 1)

Which two statements about exception traffic processing are correct? (Choose two.)

- A. When congestion occurs, only exception traffic is given preference.
- B. By default, a rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane
- C. When congestion occurs, local and control traffic are given preference.
- D. By default, no rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane.

Answer: BC

NEW QUESTION 53

- (Exam Topic 2)

Which two interfaces are considered physical interfaces? (Choose two.)

- A. xe-10/2/1
- B. ge-0/0/0
- C. et-3/0/0/0:0.501
- D. et-7/1/4.0

Answer: AB

NEW QUESTION 56

- (Exam Topic 2)

You must archive log messages for an extended period of time for audit and troubleshooting purposes. Which syslog setting should you configure on the Junos device in this scenario?

- A. host
- B. facility
- C. console
- D. severity

Answer: A

NEW QUESTION 61

- (Exam Topic 2)

A packet enters a Junos device. No matching destination entry exists in the forwarding table. How will the device respond?

- A. The RE responds to the source with a destination unreachable notification message
- B. The PFE responds to the destination with a source unreachable notification message
- C. The PFE responds to the source with a destination unreachable notification message
- D. The RE responds to the destination with a source unreachable notification message

Answer: B

NEW QUESTION 62

- (Exam Topic 2)

Routing policies contain which two types of statements? (Choose two.)

- A. from
- B. then
- C. default
- D. and

Answer: AB

NEW QUESTION 65

- (Exam Topic 2)

Which command allows you to verify the syntax and consistency of your configuration without actually activating your configuration?

- A. User Interfaces
- B. commit verify
- C. commit check
- D. check commit
- E. commit no-activate

Answer: C

NEW QUESTION 66

- (Exam Topic 2)

Click the Exhibit button.

Referring to the exhibit, which logical interface is able to forward IP traffic?

- A. ge-0/0/0
- B. ge-0/0/2.0
- C. ge-0/0/2
- D. ge-0/0/1.0

Answer: D

NEW QUESTION 69

- (Exam Topic 2)

Which two statements are correct about the inet.0 routing table? (choose two.)

- A. It is used for populating the Ethernet switching table.
- B. It stores information learned from routing protocols and other sources.
- C. It is used for populating the forwarding table.
- D. It is used for populating the forwarding policy.

Answer: BC

NEW QUESTION 71

- (Exam Topic 2)

Refer to the exhibit.

A customer reports that they have recently lost connectivity to a remote site over a shared architecture. Referring to the exhibit, what is the problem?

- A. The remote link is down.
- B. The remote router has been powered off.
- C. The authentication method or key has been changed.
- D. The remote site router has been configured for OSPF.

Answer: C

NEW QUESTION 73

- (Exam Topic 2)

How does the PFE determine how to forward transit traffic?

- A. The PFE performs a destination lookup based on its own routing table.
- B. The PFE determines network destinations itself based on the RE's routing table.
- C. The PFE uses the following table provided by the RE.
- D. The PFE uses the routing table provided by the RE.

Answer: C

NEW QUESTION 76

- (Exam Topic 2)

How does the PFE determine how to forward transit traffic?

- A. The PFE determines network destinations itself based on the RE's routing table.
- B. The PFE uses the forwarding table provided by the RE.
- C. The PFE performs a destination lookup based on its own routing table.
- D. The PFE uses the routing table provided by the

Answer: B

NEW QUESTION 79

- (Exam Topic 2)

Referring to the exhibit, what will be the result?

- A. The device will boot in single-user mode at the operational prompt.
- B. The device will boot into single-user mode at the shell prompt.
- C. The device will boot into multi-user mode at the shell prompt.
- D. The device will boot in multi-user mode at the configuration prompt.

Answer: C

NEW QUESTION 80

- (Exam Topic 2)

Exhibit:

While working on a Junos Device, you receive the message shown. In this scenario, what would you do to stop the shutdown process?

- A. Issue the clear system commit command
- B. Issue the clear system reboot command
- C. Issue the request system halt in command
- D. Issue the request system power-off in command

Answer: B

NEW QUESTION 84

- (Exam Topic 2)

Which two statements describe PFE functions are true?

- A. The PFE implements rate limiting using policers
- B. The PFE stores the master copy of the layer 2 and layer 3 forwarding tables
- C. The PFE provides access to the CLI and Jweb
- D. The PFE stores a local copy of the layer 2 and layer 3 forwarding tables

Answer: AD

NEW QUESTION 88

- (Exam Topic 2)

Exhibit.

You have the policy configuration shown in the exhibit applied to your BGP peering. You find that your customer routes coming from the 10.1.1.0/24 network are being rejected.

Which command should be used to correct the problem?

- A. [edit policy-options policy-statement my-policy] user@router# insert term 1 before term 2
- B. [edit policy-options policy-statement my-policy] user@router# insert term 2 before term 1
- C. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 0
- D. [edit policy-options policy-statement my-policy]

Answer: B

NEW QUESTION 92

- (Exam Topic 2)

Which source of routing information is preferred by default?

- A. static

- B. RIP
- C. direct
- D. BGP

Answer: A

NEW QUESTION 96

- (Exam Topic 2)

Click the Exhibit button.

Which statement is correct regarding the configuration shown in the exhibit?

- A. When the ospf-trace file has created five files, it will stop logging additional information.
- B. When the ospf-trace file reaches the 64 KB file size, it is renamed and begins a new file.
- C. The ospf-trace file will automatically replace any existing trace file with the same name.
- D. Timestamp information will not be included for each line of ospf-trace

Answer: B

NEW QUESTION 99

- (Exam Topic 2)

Referring to the exhibit.

which action would synchronize a new router's clock with the NTP Server? Or
Which action would synchronize the local router's clock with the NTP server?

- A. Reboot the router.
- B. Configure the NTP server using the set server 172.25.11.254 configuration command under the [edit system ntp] hierarchy.
- C. Configure the correct NTP trusted key using the set trusted-key <key-value> configuration command under the [edit system ntp] hierarchy.
- D. Issue the set date ntp operational

Answer: D

NEW QUESTION 104

- (Exam Topic 2)

Which statement is true about default route preferences?

- A. RIP is lower than RIPng.
- B. OSPF AS external is lower than OSPF internal.
- C. Direct is lower than Static.
- D. IBGP is lower than EBGP.

Answer: D

NEW QUESTION 107

- (Exam Topic 2)

What is a valid IPv6 address?

- A. 00:05:85:23:45:67
- B. 127.0.0.1
- C. 2001:0db8:3000:2215:0000:0000:aaaa:llll
- D. 49.0001.0192.0168.1001.00

Answer: C

NEW QUESTION 109

- (Exam Topic 2)

Referring to the exhibit, which command will change the 172.16.10.1/24 IP address to 172.16.100.1/24 IP address?

- A. copy interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to address 172.16.100.1/24
- B. set interfaces ge-0/0/2 unit 0 family inet address 172.16.100.1/24
- C. rename interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to address 172.16.100.1/24
- D. insert interface ge-0/0/2 unit 0 family inet address 172.16.10.1/24 before address 172.16.100.1/24

Answer: C

Explanation:

https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/rename.html

NEW QUESTION 112

- (Exam Topic 2)

You have configuration groups applied on your router.
Which command would you use to see all components of the interface hierarchy?

- A. show configuration interfaces | display detail
- B. show configuration interfaces | display changed
- C. show configuration interfaces | display set
- D. show configuration interfaces | display inheritance

Answer: D

NEW QUESTION 115

- (Exam Topic 2)

The PFE receives which two tables from the RE? (Choose two.)

- A. Layer 5 forwarding table
- B. Layer 2 forwarding table
- C. Layer 3 forwarding table
- D. Layer 4 forwarding table

Answer: BC

NEW QUESTION 119

- (Exam Topic 2)

What is the name of the volume containing the software and files used for the day-to-day operation of a device using Junos with upgraded FreeBSD?

- A. /var
- B. /active
- C. /junos
- D. /oam

Answer: C

NEW QUESTION 124

- (Exam Topic 2)

What are two examples of transit traffic? (Choose two.)

- A. SFTP traffic that enters one interface and is destined for another interface on the local router.
- B. SCP traffic that enters one interface and exits another interface on the local router.
- C. SFTP traffic that enters and exits the same interface on the local router.
- D. SCP traffic that is destined for the router's loopback interface.

Answer: BC

NEW QUESTION 126

- (Exam Topic 2)

What is an "X" release of the Junos OS?

- A. a standard feature release
- B. a special feature release
- C. a feature velocity release
- D. a feature beta release

Answer: B

NEW QUESTION 130

- (Exam Topic 2)

Which two firewall filter actions will affect a packet's class-of-service setting? (Choose two.)

- A. scheduler
- B. queue
- C. forwarding-class
- D. loss-priority

Answer: CD

NEW QUESTION 132

- (Exam Topic 2)

Exhibit:

Refer to exhibit, What will be the result?

- A. The device will boot in a multi-user mode at the configuration prompt
- B. The device will boot in a Single-user mode at the operational prompt
- C. The device will boot in a multi-user mode at the shell prompt
- D. The device will boot in a Single-user mode at the shell prompt

Answer: A

NEW QUESTION 135

- (Exam Topic 2)

You are performing the initial configuration of an SRX Series device.

What must you set before the device will allow you to commit your configuration?

- A. management interface
- B. system time
- C. hostname
- D. root authentication

Answer: D

NEW QUESTION 136

- (Exam Topic 2)

Click the Exhibit button.

Referring to the exhibit, which command was issued to generate the output?

- A. show chassis routing-engine
- B. show chassis hardware
- C. show chassis environment
- D. show chassis fpc

Answer: B

NEW QUESTION 140

- (Exam Topic 2)

What's is the minimum system-defined user class required to issue clear commands?

- A. read-only
- B. operator
- C. authorized
- D. super-user

Answer: B

NEW QUESTION 144

- (Exam Topic 2)

What is responsible for processing multicast transit traffic?

- A. Control plane
- B. Management plane
- C. RE
- D. PFE

Answer: D

NEW QUESTION 145

- (Exam Topic 2)

Click the Exhibit button.

Your Junos device is using the configuration shown in the exhibit. You notice that the 172.17.23.10/30 address is incorrect and should be 172.17.23.9/30.

What are two commands that would solve this problem? (choose two.)

- A. [edit interfaces]user@router# delete ge-0/0/2.0 family inet address 172-17.23.10
- B. [edit interfaces]user@router# rename ge-0/0/Z0 family inet address 172.17.23-10/30 to address 172.17.23.9/30
- C. [edit interfaces]user@router# replace pattern 1721723.10 with 172.17.23.9
- D. [edit interfaces]user@router# set ge-0/0/2.0 family inet address

Answer: BC

NEW QUESTION 149

- (Exam Topic 2)

Which two statements about the Junos OS are true? (Choose two.)

- A. It uses a different software source code base for each platform.
- B. It supports Java for automation on all platforms.
- C. It supports XML for automation on all platforms.
- D. It uses the same software source code base for all platforms.

Answer: CD

NEW QUESTION 153

- (Exam Topic 2)

Click the Exhibit Button.

You are asked to limit traffic on interface xe-0/0/3 to 1G using the policer shown in the exhibit.
Which configuration would accomplish this task?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 156

- (Exam Topic 2)
Referring to the exhibit.

which OSPF feature would connect Area 2 to Area 0?

- A. route summarization
- B. equal-cost multipath
- C. virtual link
- D. database synchronization

Answer: C

NEW QUESTION 158

- (Exam Topic 2)
What statement is true about the orlonger route-filter match type?

- A. All routes within the specified prefix that are longer than the given prefix are considered a match
- B. All routes within the specified prefix that are longer or equal to the given prefix up to a defined acceptable prefix length are considered a match
- C. All routes within the specified prefix that are longer or equal to the given prefix are considered a match
- D. All routes within the specified prefix that are longer than the given prefix up to a defined acceptable prefix length are considered a match

Answer: A

NEW QUESTION 160

- (Exam Topic 2)
What is the decimal equivalent of 00000100?

- A. 2
- B. 4
- C. 9
- D. 12

Answer: B

NEW QUESTION 163

- (Exam Topic 2)
Which statement is correct regarding exception traffic on Junos devices?

- A. The Junos OS does not provide congestion control for exception traffic sent to the RE.
- B. The built-in rate limiter for exception traffic is configurable.
- C. All exception traffic destined for the RE is sent over the out-of-band management link.
- D. The Junos OS has a built-in rate limiter for exception traffic.

Answer: D

NEW QUESTION 166

- (Exam Topic 2)
Click the Exhibit button.
Exhibit is Missing
Referring to the exhibit, how many received packets are classified as exception traffic?

- A. 20814681

- B. 14442602
- C. 12417
- D. 27824

Answer: B

NEW QUESTION 170

- (Exam Topic 2)

Which two conditions must exist in a Junos device for traffic to transit the device to a specific destination? (Choose two.)

- A. A routing table entry for that destination must exist.
- B. A firewall filter must exist to allow traffic to reach that destination.
- C. A forwarding table entry for that destination must exist.
- D. A routing policy must be in place on the device.

Answer: AC

NEW QUESTION 175

- (Exam Topic 2)

The monitor traffic command provides access to which utility?

- A. tcpdump
- B. telnet
- C. traceroute
- D. netstat

Answer: A

NEW QUESTION 177

- (Exam Topic 2)

Which two statements describe the default behavior for OSPF? (Choose two)

- A. OSPF imports all routes into the inet4.0 routing table.
- B. OSPF exports all static routes into the OSPF database.
- C. OSPF imports all routes into the inet.0 routing table.
- D. OSPF does not export static routes into the OSPF database.

Answer: CD

NEW QUESTION 179

- (Exam Topic 2)

A BGP route does not match any term within a routing policy applied to BGP. Which action is taken by the router for this route?

- A. It discards the route by the implicit 'discard all' at the end of the policy.
- B. It advertises the route according to BGP rules.
- C. It discards the route by the default routing protocols policy.
- D. It discards the route because it is unable to match the route to a configured action.

Answer: B

NEW QUESTION 180

- (Exam Topic 2)

What are three characteristics of Layer 2 switches? (Choose Three)

- A. Layer 2 switches separates multicast domains.
- B. Layer 2 switches separates collision domains.
- C. Layer 2 switches forward traffic addressed to hosts that reside on the same collision domain.
- D. Layer 2 switches forward traffic addressed to hosts that reside on a different collision domain.
- E. Layer 2 switches forward broadcast traffic.

Answer: BDE

NEW QUESTION 183

- (Exam Topic 2)

What is the default firewall filter behavior when a term is matched but no terminating action is specified?

- A. an implicit deny and the filter evaluation terminates
- B. an implicit accept and the filter evaluation terminates
- C. an implicit accept and the filter evaluation continues to the next term
- D. an implicit deny and the filter evaluation continues to the next term

Answer: C

NEW QUESTION 188

- (Exam Topic 2)

Which two interfaces are considered physical interface? Choose TWO

- A. Ge-0/0/0
- B. Et-3/0/0:0.501
- C. Et-7/1/4:0
- D. Xe-10/2/1

Answer: AD

NEW QUESTION 192

- (Exam Topic 2)

When you first log in to a router, how does the router indicate that factory defaults are being used? Junos Configuration Basics

- A. The router's host name is Amnesiac.
- B. The password you used to log in is junos.
- C. The router immediately enters configuration mode after you log in.
- D. The router allows you to enter configuration mode without logging in.

Answer: A

NEW QUESTION 193

- (Exam Topic 2)

You are troubleshooting an issue and want to monitor syslog in real time. Which operational command accomplishes this task?

- A. show log messages | refresh 1
- B. monitor traffic interface fxp0.0
- C. monitor start messages
- D. show log messages

Answer: C

Explanation:

https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/monitor-start.html

NEW QUESTION 194

- (Exam Topic 2)

Which parameter must be included when executing operational mode commands from within configuration mode?

- A. run
- B. prompt
- C. insert
- D. do

Answer: A

NEW QUESTION 196

- (Exam Topic 2)

Which command is used to replace the current configuration?

- A. load replace
- B. load patch
- C. load override
- D. load set

Answer: C

NEW QUESTION 200

- (Exam Topic 2)

Referring to the exhibit,

which dynamic routing protocol would be used for this topology?

- A. IGMPv3
- B. OSPFv2
- C. RIPng
- D. RIP

Answer: C

NEW QUESTION 203

- (Exam Topic 2)

You issue a "request system zeroize" command. Which statement is correct in this scenario?

- A. All data files remain unchanged but all configuration settings returned to factory defaults.
- B. All data files are deleted and all configuration settings are returned to factory defaults.
- C. All data files are deleted and all configuration settings remain unchanged
- D. Disk space is freed by rotating log files and a proposed list of files to be deleted is presented.

Answer: B

NEW QUESTION 206

- (Exam Topic 2)

At which hierarchy would you configure a static MAC address for interface ge-0/0/0?

- A. [edit interfaces ge-0/0/0 unit 0]
- B. [edit interfaces ge-0/0/0]
- C. [edit interfaces ge-0/0/0 unit 0 family inet]
- D. [edit interfaces ge-0/0/0 unit 0 family inet address 172.25.11.2/24]

Answer: D

NEW QUESTION 209

- (Exam Topic 2)

You are connected to your Junos device using an SSH connection to the fxp0 interface. No other interface are currently configured beyond their default setting. You commit a configuration that makes the fxp0 interface unreachable from your management network. In this scenario, how would you re-establish communication with the device?

- A. Unplug the network cable and plug it back in.
- B. Power off and power on the device.
- C. Establish an SSH connection to the loopback interface.
- D. Connect to the console of the device.

Answer: D

NEW QUESTION 210

- (Exam Topic 2)

Exhibit:

Which statement is true about the command shown in the exhibit?

- A. There needs to be a ; after top for the command to be accepted as a valid command.
- B. Only top should be used, no other options are allowed on the same line.
- C. The command shown in the exhibit would be accepted as a valid command.
- D. If you replace top with up command, it becomes valid.

Answer: C

NEW QUESTION 214

- (Exam Topic 2)

How would you change the display so that 40 lines will be displayed in the terminal program when you are logged into a junos device?

- A. Set the window size of your terminal program
- B. Issue that set cli screen-length 40 command from operational mode
- C. Set the display options in your terminal program
- D. Issue that set cli screen-length 40 command from Configuration mode

Answer: B

NEW QUESTION 217

- (Exam Topic 2)

For the interface ge-1/2/3.4, what does "ge" represent?

- A. SONET/SDH
- B. Gigabit EthernetC Aggregated Ethernet
- C. GRE

Answer: B

NEW QUESTION 220

- (Exam Topic 2)

What is the default route preference for OSPF internal?

- A. 100
- B. 150
- C. 5
- D. 10

Answer: D

NEW QUESTION 223

- (Exam Topic 2)

Which two statements describe a routing policy?

- A. Active and inactive routes are available for export from the routing table.
- B. A routing policy allows you to control the flow of information into the routing table.
- C. Routing policy are used to choose which routes are sent to neighbors using dynamic routing Protocols
- D. Attribute changes applied to export policies always affect the local routing table

Answer: BC

NEW QUESTION 224

- (Exam Topic 2)

You issue the request system zeroize command. Which statement is correct in this scenario?

- A. All data files are deleted and all configuration setting are returned to factory defaults.
- B. All data files remain unchanged but all configuration setting are returned to factory defaults.
- C. Disk space is freed by rotating log files and a proposed list of files to delete is presented.
- D. All data files are deleted and the configuration settings remain unchanged.

Answer: A

NEW QUESTION 229

- (Exam Topic 2)

Click the Exhibit button.

Referring to the exhibit, what happens to a packet that has a destination address of 172.17.0.1?

- A. The packet is forwarded to the next hop defined in the default route.
- B. The packet is silently discarded.
- C. The packet is rejected and an ICMP network unreachable message is sent to the source address.
- D. The packet is forwarded to the next hop of the management network.

Answer: C

NEW QUESTION 234

- (Exam Topic 2)

What information would you find using the CLI help function? (Choose two.)

- A. tip of the day
- B. Junos technical publications
- C. explanation of specific system log error messages
- D. explanation of traceoption events

Answer: AC

NEW QUESTION 236

- (Exam Topic 2)

In which directory are trace option files stored by default?

- A. /var/tmp/
- B. /var/log/
- C. /var/home/
- D. /var/db/

Answer: B

NEW QUESTION 239

- (Exam Topic 2)

Which command displays all IPv4 routes in the default routing instance?

- A. show route table inet.0
- B. show route table inet.2
- C. show route table inet6.0
- D. show route table inet.1

Answer: A

NEW QUESTION 243

- (Exam Topic 2)

What are three benefits of using a dynamic routing protocol? (Choose three.)

- A. increased network security
- B. decreased network latency
- C. increased network availability
- D. greater network scalability
- E. lower administrative overhead

Answer: CDE

NEW QUESTION 246

- (Exam Topic 2)

Exhibit:

Which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is counted and accepted
- B. The traffic is counted and rejected
- C. The traffic is only rejected
- D. The traffic is only accepted

Answer: B

NEW QUESTION 251

- (Exam Topic 2)

Which set of IP addresses are in the same subnet?

- A. 185.114.16.91/28 and 185.114.16.96/28
- B. 185.114.16.77/28 and 185.114.16.82/28
- C. 185.114.16.40/28 and 185.114.16.45/28
- D. 185.114.16.59/28 and 185.114.16.82/28

Answer: C

NEW QUESTION 252

- (Exam Topic 2)

Which command will show files stored in the /var/home/tab directory?

- A. lab@router> file list
- B. lab@router> file show
- C. lab@router> ls
- D. [edit] lab@router# rollback ?

Answer: A

NEW QUESTION 254

- (Exam Topic 2)

Which command causes the Junos OS to temporarily activate a configuration?

- A. commit and-quit
- B. commit synchronize
- C. commit check
- D. commit confirmed

Answer: D

NEW QUESTION 256

- (Exam Topic 2)

What is the purpose of the discard action of a firewall filter?

- A. The system drops the packet and logs the entry.
- B. The system drops the packet and sends an ICMP message.
- C. The system silently drops the packet.
- D. The system evaluates the next term in the policy.

Answer: C

NEW QUESTION 260

- (Exam Topic 2)

Which two interfaces are considered logical interfaces? (Choose two.)

- A. xe-1/1/1
- B. ge-2/0/2.0
- C. et-5/0/0
- D. ae1.1

Answer: CD

NEW QUESTION 264

.....

Relate Links

100% Pass Your JN0-104 Exam with ExamBible Prep Materials

<https://www.exambible.com/JN0-104-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>