

CRT-450 Dumps

Salesforce Certified Platform Developer I (SU18)

<https://www.certleader.com/CRT-450-dumps.html>



NEW QUESTION 1

What are two benefits of the Lightning Component framework? (Choose two.)

- A. It simplifies complexity when building pages, but not applications.
- B. It provides an event-driven architecture for better decoupling between components.
- C. It promotes faster development using out-of-box components that are suitable for desktop and mobile devices.
- D. It allows faster PDF generation with Lightning component

Answer: BC

NEW QUESTION 2

A developer needs to create a Visualforce page that displays Case data. The page will be used by both support reps and support managers. The Support Rep profile does not allow visibility of the Customer_Satisfaction c field, but the Support Manager profile does.

How can the developer create the page to enforce Field Level Security and keep future maintenance to a minimum?

- A. Create one Visualforce Page for use by both profiles.
- B. Use a new Support Manager permission set.
- C. Create a separate Visualforce Page for each profile.
- D. Use a custom controller that has the with sharing keyword

Answer: D

NEW QUESTION 3

A developer has the controller class below.

```
public with sharing class myFooController {  
    public integer prop { get; private set; }  
}
```

Which code block will run successfully in an execute anonymous window?

- A. myFooController m = new myFooController();System.assert(m.prop !=null);
- B. myFooController m = new myFooController();System.assert(m.prop ==0);
- C. myFooController m = new myFooController();System.assert(m.prop ==null);
- D. myFooController m = new myFooController();System.assert(m.prop ==1);

Answer: C

NEW QUESTION 4

Which three tools can deploy metadata to production? (Choose three.)

- A. Change Set from Developer Org
- B. Force.com IDE
- C. Data Loader
- D. Change Set from Sandbox
- E. Metadata API

Answer: ADE

NEW QUESTION 5

Which set of roll-up types are available when creating a roll-up summary field?

- A. COUNT, SUM, MIN, MAX
- B. AVERAGE, SUM, MIN, MAX
- C. SUM, MIN, MAX
- D. AVRAGE, COUNT, SUM, MIN, MAX

Answer: A

NEW QUESTION 6

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?

- A. Create a Sharing Rule comparing the custom object owner to the account owner.
- B. Create a validation rule on the custom object comparing the record owners on both records.
- C. Include the sharing related list on the custom object page layout.
- D. Ensure that the relationship between the objects is Master-Detai

Answer: D

NEW QUESTION 7

Which tool allows a developer to send requests to the Salesforce REST APIs and view the responses?

- A. REST resource path URL
- B. Workbench REST Explorer

- C. Developer Console REST tab
- D. Force.com IDE REST Explorer tab

Answer: B

NEW QUESTION 8

What is the requirement for a class to be used as a custom Visualforce controller?

- A. Any top-level Apex class that has a constructor that returns a PageReference
- B. Any top-level Apex class that extends a PageReference
- C. Any top-level Apex class that has a default, no-argument constructor
- D. Any top-level Apex class that implements the controller interface

Answer: D

NEW QUESTION 9

When an Account's custom picklist field called Customer Sentiment is changed to a value of "Confused", a new related Case should automatically be created. Which two methods should a developer use to create this case? (Choose two.)

- A. Process Builder
- B. Apex Trigger
- C. Custom Button
- D. Workflow Rule

Answer: AB

NEW QUESTION 10

A developer needs to join data received from an integration with an external system with parent records in Salesforce. The data set does not contain the Salesforce IDs of the parent records, but it does have a foreign key attribute that can be used to identify the parent. Which action will allow the developer to relate records in the data model without knowing the Salesforce ID?

- A. Create and populate a custom field on the parent object marked as Unique.
- B. Create a custom field on the child object of type External Relationship.
- C. Create and populate a custom field on the parent object marked as an External ID.
- D. Create a custom field on the child object of type Foreign Key.

Answer: D

NEW QUESTION 10

A developer needs to test an Invoicing system integration. After reviewing the number of transactions required for the test, the developer estimates that the test data will total about 2 GB of data storage. Production data is not required for the integration testing. Which two environments meet the requirements for testing? (Choose two.)

- A. Developer Sandbox
- B. Full Sandbox
- C. Developer Edition
- D. Partial Sandbox
- E. Developer Pro Sandbox

Answer: BD

NEW QUESTION 14

A developer executes the following query in Apex to retrieve a list of contacts for each account:

```
List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;
```

Which two exceptions may occur when it executes? (Choose two.)

- A. CPU limit exception due to the complexity of the query.
- B. SOQL query row limit exception due to the number of contacts.
- C. SOQL query limit exception due to the number of contacts.
- D. SOQL query row limit exception due to the number of account

Answer: CD

NEW QUESTION 15

A developer writes the following code:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];  
Delete acc;  
Database.emptyRecycleBin(acc);
```

```
System.Debug(Limits.getDMLStatements() + ', ' + Limits.getLimitDMLStatements());
```

What is the result of the debug statement? A. 1, 100

- A. 1, 150
- B. 2, 150
- C. 2, 200

Answer: C

NEW QUESTION 17

Where can a developer identify the time taken by each process in a transaction using Developer Console log inspector?

- A. Performance Tree tab under Stack Tree panel
- B. Execution Tree tab under Stack Tree panel
- C. Timeline tab under Execution Overview panel
- D. Save Order tab under Execution Overview panel

Answer: C

NEW QUESTION 22

A newly hired developer discovers that there are multiple triggers on the case object. What should the developer consider when working with triggers?

- A. Developers must dictate the order of trigger execution.
- B. Trigger execution order is based on creation date and time.
- C. Unit tests must specify the trigger being tested.
- D. Trigger execution order is not guaranteed for the same sObject

Answer: D

NEW QUESTION 24

How should a developer avoid hitting the governor limits in test methods?

- A. Use @TestVisible on methods that create records.
- B. Use Test.loadData() to load data from a static resource.
- C. Use @IsTest (SeeAllData=true) to use existing data.
- D. Use Test.startTest() to reset governor limit

Answer: D

NEW QUESTION 27

Which data type or collection of data types can SOQL statements populate or evaluate to? (Choose 3)

- A. A single sObject
- B. An integer
- C. A string
- D. A list of sObjects
- E. A Boolean

Answer: ABD

NEW QUESTION 31

In an organization that has enabled multiple currencies, a developer needs to aggregate the sum of the Estimated_value c currency field from the CampaignMember object using a roll-up summary field called Total_estimated_value c on Campaign.

- A. The values in Campaignmember.Estimated_value c are converted into the currency of the Campaign record and the sum is displayed using the currency on the Campaign record.
- B. The values in CampaignMember.Estimated_value c are converted into the currency on the majority of the CampaignMember records and the sum is displayed using that currency.
- C. The values in CampaignMember.Estimated_value c are summed up and the resulting Total_estimated_value c field is displayed as a numeric field on the Campaign record.
- D. The values In CampaignMember.Estimated_value c are converted into the currency of the current user, and the sum is displayed using the currency on the Campaign record.

Answer: A

NEW QUESTION 35

Where can debug log filter settings be set? Choose 2 answers

- A. The Filters link by the monitored user's name within the web UI.
- B. The Show More link on the debug log's record.
- C. On the monitored user's name.
- D. The Log Filters tab on a class or trigger detail pag

Answer: AD

NEW QUESTION 36

What is the accurate statement about with sharing keyword? choose 2 answers

- A. Inner class do not inherit the sharing setting from the container class
- B. Both inner and outer class can be declared as with sharing
- C. Either inner class or outer classes can be declared as with sharing but not both

D. Inner class inherit the sharing setting from the container class

Answer: AB

NEW QUESTION 39

What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?

- A. By accessing the content from Chatter Files.
- B. By uploading the content in the Documents tab.
- C. By accessing the content from a third -party CON.
- D. By uploading the content as a Static Resourc

Answer: D

NEW QUESTION 44

Which statement would a developer use when creating test data for products and pricebooks?

- A. `Id pricebookId = Test.getStandardPricebookId();`
- B. `Pricebook pb = new Pricebook();`
- C. `IsTest(SeeAllData = false);`
- D. `List objList = Test.loadData(Account.sObjectType, 'myResource');`

Answer: A

NEW QUESTION 48

A company wants a recruiting app that models candidates and interviews; displays the total number of interviews on each candidate record; and defines security on interview records that is independent from the security on candidate records. What would a developer do to accomplish this task? Choose 2 answers

- A. Create a roll -up summary field on the Candidate object that counts Interview records.
- B. Create a master -detail relationship between the Candidate and Interview objects.
- C. Create a lookup relationship between the Candidate and Interview objects.
- D. Create a trigger on the Interview object that updates a field on the Candidate objec

Answer: CD

NEW QUESTION 51

A developer writes a SOQL query to find child records for a specific parent. How many levels can be returned in a single query?

- A. 1
- B. 7
- C. 5
- D. 3

Answer: C

NEW QUESTION 56

In a single record, a user selects multiple values from a multi-select picklist. How are the selected values represented in Apex?

- A. As a String with each value separated by a comma
- B. As a Set with each value as an element in the set
- C. As a String with each value separated by a semicolon
- D. As a List with each value as an element in the list Previous

Answer: C

NEW QUESTION 58

Which data structure is returned to a developer when performing a SOSL search?

- A. A list of lists of sObjects.
- B. A map of sObject types to a list of sObjects
- C. A map of sObject types to a list oflists of subjects
- D. A list of sObject

Answer: A

NEW QUESTION 63

A developer needs to create records for the object Property c. The developer creates the following code block:
`List propertiesToCreate = helperClass.createProperties();try { // line 3 } catch (Exception exp) { //exception handling }`
Which line of code would the developer insert at line 3 to ensure that at least some records are created, even if a few records have errors and fail to be created?

- A. `Database.insert(propertiesToCreate, false);`
- B. `insert propertiesToCreate;`
- C. `Database.insert(propertiesToCreate, System.ALLOW_PARTIAL);`
- D. `Database.insert(propertiesToCreate);`

Answer: A

NEW QUESTION 67

An org has different Apex Classes that provide Account -related functionality. After a new validation rule is added to the object, many of the test methods fail. What can be done to resolve the failures and reduce the number of code changes needed for future validation rules? Choose 2 answers:

- A. Create a method that creates valid Account records, and call this method from within test methods.
- B. Create a method that loads valid Account records from a Static Resource, and call this method within test methods.
- C. Create a method that performs a callout for a valid Account record, and call this method from within test methods.
- D. Create a method that queries for valid Account records, and call this method from within test method

Answer: AB

NEW QUESTION 70

On a Visualforce page with a custom controller, how should a developer retrieve a record by using an ID that is passed on the URL?

- A. Use the constructor method for the controller.
- B. Use the `$Action.View` method in the Visualforce page.
- C. Create a new PageReference object with the Id.
- D. Use the tag in the Visualforce pag

Answer: A

NEW QUESTION 71

A developer needs to confirm that an Account trigger is working correctly without changing the organization's data. What would the developer do to test the Account trigger?

- A. Use the Test menu on the developer Console to run all test classes for the account trigger.
- B. Use the New button on the Salesforce Accounts Tab to create a new Account record.
- C. Use the Open Execute Anonymous feature on the Developer Console to run an 'insert Account' DML statement.
- D. Use Deploy from the Force.com IDE to deploy an 'insert Account' Apex clas

Answer: A

NEW QUESTION 76

In the Lightning Component framework, where is client-side controller logic contained?

- A. Apex
- B. Visualforce
- C. HTML
- D. JavaScript

Answer: D

NEW QUESTION 81

A developer wrote a workflow email alert on case creation so that an email is sent to the case owner manager when a case is created. When will the email be sent?

- A. After Committing to database.
- B. Before Trigger execution.
- C. After Trigger execution.
- D. Before Committing to databas

Answer: A

NEW QUESTION 83

What features are available when writing apex test classes? (Choose 2 Answers)

- A. The ability to select error types to ignore in the developer console.
- B. The ability to write assertions to test after a `@future` method.
- C. The ability to set and modify the CreatedDate field in apex tests.
- D. The ability to set breakpoints to freeze the execution at a given point.
- E. The ability to select testing data using csv files stored in the syste

Answer: CE

NEW QUESTION 84

What is the result when a Visualforce page calls an Apex controller, which calls another Apex class, which then results in hitting a governor limit?

- A. Any changes up to the error are saved.
- B. Any changes up to the error are rolled back.
- C. All changes before a savepoint are saved.
- D. All changes are saved in the first Apex clas

Answer: B

NEW QUESTION 86

What is a good practice for a developer to follow when writing a trigger? (Choose 2)

- A. Using @future methods to perform DML operations.
- B. Using the Map data structure to hold query results by ID.
- C. Using the Set data structure to ensure distinct records.
- D. Using synchronous callouts to call external system

Answer: BC

NEW QUESTION 91

What must the Controller for a Visualforce page utilize to override the Standard Opportunity view button?

- A. The StandardSetController to support related lists for pagination.
- B. The Opportunity StandardController for pre -built functionality.
- C. A callback constructor to reference the StandardController.
- D. A constructor that initializes a private Opportunity variabl

Answer: B

NEW QUESTION 93

A developer runs the following anonymous code block:

```
List<Account> acc = [SELECT Id FROM Account LIMIT 10];Delete acc;Database.emptyRecycleBin(acc);system.debug(Limits.getDMLStatements()+ ' ', '+Limits.getLimitDMLStatements());What is the result?
```

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

Answer: D

NEW QUESTION 95

How can a developer refer to, or instantiate a PageReference in Apex? Choose 2 answers

- A. By using a PageReference with a partial or full URL.
- B. By using the Page object and a Visualforce page name.
- C. By using the ApexPages.Page() method with a Visualforce page name.
- D. By using the PageReference.Page() method with a partial or full UR

Answer: AB

NEW QUESTION 97

Which statement should a developer avoid using inside procedural loops? (Choose 2)

- A. System.debug('Amount of CPU time (in ms) used so far: ' + Limits.getCpuTime());
- B. List contacts = [SELECT Id, Salutation, FirstName, LastName, Email FROM Contact WHERE AccountId = :a.Id];
- C. If(o.accountId == a.id)
- D. Update contactList;

Answer: BD

NEW QUESTION 102

What is a valid way of loading external JavaScript files into a Visualforce page? (Choose 2) A. Using an (apex:includeScript)* tag. \>

- A. Using an (apex:define)* tag.
- B. Using a (link)* tag.
- C. Using a (script)* ta

Answer: AD

NEW QUESTION 106

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record. Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

Answer: AC

NEW QUESTION 110

A reviewer is required to enter a reason in the comments field only when a candidate is recommended to be hired. Which action can a developer take to enforce

this requirement?

- A. Create a required Visualforce component.
- B. Create a formula field.
- C. Create a required comments field.
- D. Create a validation rule

Answer: D

NEW QUESTION 111

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

Answer: C

NEW QUESTION 115

A developer creates a method in an Apex class and needs to ensure that errors are handled properly. What would the developer use? (There are three correct answers.)

- A. ApexPages.addErrorMessage()
- B. A custom exception
- C. .addError()
- D. Database.handleException()
- E. A try/catch construct

Answer: BCE

NEW QUESTION 116

A developer has the following trigger that fires after insert and creates a child Case whenever a new Case is created. `List<Case> childCases = new List<Case>(); for (Case parent : Trigger.new){Case child = new Case (ParentId = parent.Id, Subject = parent.Subject);childCases.add(child);}insert childCases;` What happens after the code block executes?

- A. Multiple child cases are created for each parent case in Trigger.new.
- B. Child case is created for each parent case in Trigger.new.
- C. The trigger enters an infinite loop and eventually fails.
- D. The trigger fails if the Subject field on the parent is blank

Answer: B

NEW QUESTION 121

The initial value for a number field on a record is 1. A user updated the value of the number field to 10. This action invokes a workflow field update, which changes the value of the number field to 11. After the workflow field update, an update trigger fires. What is the value of the number field of the object that is obtained from Trigger.old?

- A. Null
- B. 11
- C. 1
- D. 10

Answer: C

NEW QUESTION 125

How would a developer change the field type of a custom field on the Account object from string to an integer?

- A. Make the changes in the developer console, and then the change will automatically be reflected in the Apex code.
- B. Make the change in the declarative UI, then update the field type to an integer field in the Apex code.
- C. Make the change in the declarative UI, and then the change will automatically be reflected in the Apex code.
- D. Remove all references in the code, make the change in the declarative UI, and restore the references with the new type

Answer: D

NEW QUESTION 129

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CRT-450 Exam with Our Prep Materials Via below:

<https://www.certleader.com/CRT-450-dumps.html>