

# IBM

## Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration



#### NEW QUESTION 1

What are three valid ways to configure Virtual Delivery Agent (VDA) registration? (Choose three.)

- A. CONFIG.XML file
- B. Group Policy Object (GPO)
- C. Organizational Unit (OU) based Controller discovery
- D. DHCP Options
- E. MCS-based PERSONALITY.INI

**Answer:** BCE

#### NEW QUESTION 2

Which account is used by FlexCast Management Architecture (FMA) services to access the Citrix Virtual Apps and Desktops SQL databases?

- A. Delivery Controller's machine account
- B. Local System account
- C. Network Service account
- D. Domain user account

**Answer:** A

#### NEW QUESTION 3

Scenario: A Citrix Administrator needs to configure StoreFront to allow external users access to internal resources. The external users will authenticate on StoreFront.

Which StoreFront authentication method can the administrator configure?

- A. Smart card
- B. Pass-through from NetScaler Gateway
- C. HTTP Basic
- D. Username and password

**Answer:** B

#### NEW QUESTION 4

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects.

Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

**Answer:** CD

#### NEW QUESTION 5

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

**Answer:** A

#### NEW QUESTION 6

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails. What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. It is in sync with UTC time instead of local time.
- B. Enhanced Security Configuration (ESC) is set to 'off'.
- C. It cannot run on a machine template cloned across multiple machines.
- D. It is NOT joined to the domain.

**Answer:** D

#### NEW QUESTION 7

Which PowerShell command should a Citrix Administrator run to obtain the name of a deployment, the local host cache configuration and the license level?

- A. Get-BrokerCatalog
- B. Get-BrokerController
- C. Get-BrokerResource
- D. Get-BrokerSite

**Answer:** D

#### NEW QUESTION 8

Scenario: A Citrix Administrator has configured an HTTP load-balancing virtual server with Least Response Time as the load-balancing algorithm. The administrator notices that requests to the virtual server appear to be using the Round Robin load-balancing algorithm. What could be causing the virtual server to use the Round Robin load-balancing algorithm?

- A. The Citrix ADC configuration has NOT been saved yet.
- B. The virtual server is in startup round robin mode.
- C. The services that are bound to the HTTP virtual server are using the PING monitor.
- D. Least Response Time CANNOT be used as a load-balancing algorithm on an HTTP virtual server.

**Answer:** B

#### NEW QUESTION 9

Scenario: A Citrix Administrator configured Citrix ADC with multiple admin partitions, with different resources running on each. The administrator receives an SNMP alert stating 'a Load Balanced Virtual Server is down'. When the administrator checks the Citrix ADC, the resource on the partition that was usually managed is NOT there.

Now, the administrator has to check each partition to find the load balanced virtual server that is down.

What can the administrator do to add the partition information to the SNMP traps to avoid this from happening in the future?

- A. Configure additional SNMP trap listeners.
- B. Change SNMP trap options.
- C. Add the partition information to the SNMP traps.
- D. Configure the SNMP Manager to send the partition information.

**Answer:** C

#### NEW QUESTION 10

Scenario: A Citrix Administrator needs to configure persistence on a Global Server Load Balancing (GSLB) virtual server to which a service is bound, so that the service continues to serve requests from the client even after it is disabled manually, accepting new requests or connections only to honor persistence. After a configured period of time, no new requests or connections are directed to the service and all of the existing connections are closed.

Which parameter can the administrator configure while disabling the service to achieve this requirement?

- A. Request Threshold
- B. Persistence Time-Out
- C. Persistence Threshold
- D. Wait Time

**Answer:** B

#### NEW QUESTION 10

Scenario: A Citrix Administrator needs to power-manage a group of Server OS Virtual Delivery Agent (VDA) machines that are all in the same Delivery Group. The administrator needs all the machines to be restarted once a week during the weekend. Additionally, a subset of the machines should be restarted every day during non-peak hours.

Which feature must the administrator change from the default values in order to fulfill the requirements?

- A. Restart duration
- B. Weekday and weekend hours
- C. Peak and non-peak hours
- D. Tag restrictions

**Answer:** D

#### NEW QUESTION 13

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

**Answer:** D

#### NEW QUESTION 18

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.

D. Process the packets.

**Answer:** C

#### NEW QUESTION 21

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24. Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC.IN\_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)
- B. CLIENT.IP.SRC.IN\_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- C. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- D. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

**Answer:** B

#### NEW QUESTION 25

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)
Done
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1
Done
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

**Answer:** B


#### NEW QUESTION 30

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page.

However, after executing the command, the webpage access entered a loop, as shown in the second screenshot.

Click on the 'Exhibit' buttons to view the screenshots.

```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302
Done
> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act
Done
> bind lb vserver lb_vsrv_www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST
Done
>
>
```



How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to http.REQ.URL.Contains("/")
- C. Change Responder Action expression to http.REQ.URL
- D. Change Responder Policy expression to http.REQ.URL.EQ("/")

**Answer: D**

#### NEW QUESTION 33

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Users should NOT be able to migrate their application sessions between devices throughout the work day.  
The administrator needs to modify the Citrix Workspace Control settings to prevent users from migrating their sessions between devices. (Choose the correct option to complete the sentence.)

- A. in the Site configuration within Citrix Studio
- B. in the StoreFront console
- C. through a Group Policy object
- D. in the Citrix Workspace app

**Answer: B**

#### NEW QUESTION 35

Scenario: A Citrix Administrator has deployed a Citrix Cloud-managed Citrix Virtual Apps and Desktops Site with one on-premises resource location and two Cloud Connectors. An on-premises StoreFront server group is used to access published resources. During user acceptance testing, due to adverse weather conditions, network connectivity between the on-premises location and Citrix Cloud was broken for several hours.  
Which statement describes what will occur in this scenario?

- A. One of the Citrix Cloud Connectors at the resource location is elected to be the primary broker and uses its Local Host Cache to broker new sessions and manage existing HDX connections.
- B. Users will NOT be able to access published resources, and existing sessions will be disconnected until network connectivity to Citrix Cloud is restored.
- C. The Citrix Cloud Connectors at the resource location will continue to manage existing sessions, but no new sessions can be initiated until network connectivity to Citrix Cloud is restored.
- D. Each Citrix Cloud Connector at the resource location will continue to broker new connections, for certain FlexCast models, using Connection Leasing and existing HDX connections will NOT be impacted.

**Answer: A**

#### NEW QUESTION 40

Which step does a Citrix Administrator need to take to enable Citrix XML Service trust for user access within a Citrix Virtual Apps and Desktops infrastructure?

- A. Enable XML Service trust using the StoreFront console.
- B. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort \$true PowerShell command from within a Virtual Delivery Agent (VDA) machine.



- C. Run the Set-BrokerSite -TrustRequestsSentToTheXMLServicePort \$true PowerShell command from within a Controller.
- D. Configure the appropriate XML Service trust settings using HDX policy within Citrix Studio.

**Answer:** C

#### NEW QUESTION 41

Scenario: A Citrix Administrator is in the process of creating a new machine catalog. The administrator discovers that the option to power-manage the catalog is NOT available.  
What is causing this issue?

- A. The Site database is offline.
- B. The Virtual Delivery Agent (VDA) is NOT installed on the master image.
- C. The master image has a version older than 7.6 installed on the Virtual Delivery Agent (VDA).
- D. No resource connection is defined in Citrix Studio.

**Answer:** D

#### NEW QUESTION 42

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parametetr using the below command on Citrix ADC to enhance security.  
set ssl parameter -denySSLReneg <option>  
Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND\_CLIENT
- D. NO
- E. ALL

**Answer:** AC

#### NEW QUESTION 45

Which tool should a Citrix Administrator use when a user reports “event ID 1022: The Citrix Desktop Service Failed to register with any controller”?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

**Answer:** D

#### NEW QUESTION 46

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.  
Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

**Answer:** C

#### NEW QUESTION 50

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Access
- B. Hardware
- C. Resource
- D. Control

**Answer:** A

#### NEW QUESTION 52

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.  
The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Lingering
- D. Application Prelaunch

**Answer:** D

#### NEW QUESTION 57

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

**Answer: A**

#### NEW QUESTION 62

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of to the services attached to the servers. (Choose the correct option to complete the sentence.)

- A. 50; new
- B. 2; old
- C. 50; old
- D. 2; new

**Answer: D**

#### NEW QUESTION 64

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

**Answer: A**

#### NEW QUESTION 67

Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair. When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.

What can the administrator configure to resolve this issue?

- A. Virtual MAC
- B. Independent Network Configuration (INC) mode
- C. Route Monitor
- D. HA monitor

**Answer: A**

#### NEW QUESTION 68

Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

In which order will the policies be evaluated?

- A. POL\_2, POL\_3
- B. POL\_2
- C. POL\_2, POL\_3, POL\_4, POL\_1
- D. POL\_2, POL\_3, POL\_4

**Answer: C**

#### NEW QUESTION 70

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- C. Make the same change on all StoreFront servers in the group using remote PowerShell commands.
- D. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.

**Answer: D**

#### NEW QUESTION 72

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.  
Which hosting platform should the administrator choose to meet these requirements?

- A. Service provider
- B. On-premises
- C. Public Cloud-hosted
- D. Citrix Cloud

**Answer: D**

#### NEW QUESTION 76

Which Citrix ADC hardware or software platform offers a Multi-Tenant solution?

- A. VPX
- B. MPX
- C. CPX
- D. SDX

**Answer: D**

#### NEW QUESTION 78

Scenario: A Citrix Administrator is concerned about the amount of health checks the Citrix ADC is sending to the backend resources. The administrator would like to find a way to remove health checks from specific bound services.  
How can the administrator accomplish this?

- A. Use reverse condition monitoring.
- B. Use the No-Monitor option.
- C. Unbind the current monitor.
- D. Use Service Groups to minimize health checks.

**Answer: B**

#### NEW QUESTION 83

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

**Answer: B**

#### NEW QUESTION 88

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 1Y0-204 Practice Exam Features:

- \* 1Y0-204 Questions and Answers Updated Frequently
- \* 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- \* 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1Y0-204 Practice Test Here](#)**