

## MS-500 Dumps

### Microsoft 365 Security Administrator

<https://www.certleader.com/MS-500-dumps.html>



**NEW QUESTION 1**

An administrator configures Azure AD Privileged Identity Management as shown in the following exhibit.

**Exchange Administrator - Members**

+ Add member X Remove member v Access reviews ↓ Export ↻ Refresh

Assignment type

Search

Member	Email	ASSIGNMENT TYPE	EXPIRATION
Admin1	Admin1@M365x901434.onmicrosoft.com	Permanent	-
Admin2	Admin2@M365x901434.onmicrosoft.com	Eligible	-

What should you do to meet the security requirements?

- A. Change the Assignment Type for Admin2 to Permanent
- B. From the Azure Active Directory admin center, assign the Exchange administrator role to Admin2
- C. From the Azure Active Directory admin center, remove the Exchange administrator role to Admin1
- D. Change the Assignment Type for Admin1 to Eligible

**Answer: D**

**NEW QUESTION 2**

HOTSPOT

You plan to configure an access review to meet the security requirements for the workload administrators. You create an access review policy and specify the scope and a group.

Which other settings should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set the frequency to:

One time	v
Weekly	
Monthly	

To ensure that access is removed if an administrator fails to respond, configure the:

Upon completion settings	v
Advanced settings	
Programs	
Reviewers	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Set the frequency to:

One time	v
Weekly	
Monthly	

To ensure that access is removed if an administrator fails to respond, configure the:

Upon completion settings	v
Advanced settings	
Programs	
Reviewers	

**NEW QUESTION 3**

You need to recommend a solution to protect the sign-ins of Admin1 and Admin2. What should you include in the recommendation?

- A. a device compliance policy
- B. an access review
- C. a user risk policy

D. a sign-in risk policy

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-user-risk-policy>

**NEW QUESTION 4**

You need to recommend a solution that meets the technical and security requirements for sharing data with the partners. What should you include in the recommendation? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create an access review.
- B. Assign the Global administrator role to User1.
- C. Assign the Guest inviter role to User1.
- D. Modify the External collaboration settings in the Azure Active Directory admin center.

**Answer:** AC

**NEW QUESTION 5**

You need to resolve the issue that targets the automated email messages to the IT team. Which tool should you run first?

- A. Synchronization Service Manager
- B. Azure AD Connect wizard
- C. Synchronization Rules Editor
- D. IdFix

**Answer:** B

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/enterprise/fix-problems-with-directory-synchronization>

Case Study: 2 Litware, Inc Overview

Litware, Inc. is a financial company that has 1,000 users in its main office in Chicago and 100 users in a branch office in San Francisco.

Existing Environment

Internal Network Infrastructure

The network contains a single domain forest. The forest functional level is Windows Server 2016. Users are subject to sign-in hour restrictions as defined in Active Directory.

The network has the IP address range shown in the following table.

Location	IP address range
Chicago office internal network	192.168.0.0/20
Chicago office perimeter network	172.16.0.0/24
Chicago office external network	131.107.83.0/28
San Francisco office internal network	192.168.16.0/20
San Francisco office perimeter network	172.16.16.0/24
San Francisco office external network	131.107.16.218/32

The offices connect by using Multiprotocol Label Switching (MPLS).

The following operating systems are used on the network:

- Windows Server 2016
- Windows 10 Enterprise
- Windows 8.1 Enterprise

The internal network contains the systems shown in the following table.

Office	Name	Configuration
Chicago	DC1	Domain controller
Chicago	DC2	Domain controller
San Francisco	DC3	Domain controller
Chicago	Server1	SIEM-server

Litware uses a third-party email system.

Cloud Infrastructure

Litware recently purchased Microsoft 365 subscription licenses for all users.

Microsoft Azure Active Directory (Azure AD) Connect is installed and uses the default authentication settings. User accounts are not yet synced to Azure AD.

You have the Microsoft 365 users and groups shown in the following table.

Name	Object type	Description
Group 1	Security group	A group for testing Azure and Microsoft 365 functionality
User1	User	A test user who is a member of Group1
User2	User	A test user who is a member of Group1
User3	User	A test user who is a member of Group1
User4	User	An administrator
Guest1	Guest user	A guest user

Planned Changes

Litware plans to implement the following changes: Migrate the email system to Microsoft Exchange Online Implement Azure AD Privileged Identity Management Security Requirements

Litware identifies the following security requirements:

- Create a group named Group2 that will include all the Azure AD user accounts. Group2 will be used to provide limited access to Windows Analytics

- Create a group named Group3 that will be used to apply Azure Information Protection policies to pilot users. Group3 must only contain user accounts
- Use Azure Advanced Threat Protection (ATP) to detect any security threats that target the forest
- Prevent users locked out of Active Directory from signing in to Azure AD and Active Directory
- Implement a permanent eligible assignment of the Compliance administrator role for User1
- Integrate Windows Defender and Windows Defender ATP on domain-joined servers
- Prevent access to Azure resources for the guest user accounts by default
- Ensure that all domain-joined computers are registered to Azure AD

Multi-factor authentication (MFA) Requirements

Security features of Microsoft Office 365 and Azure will be tested by using pilot Azure user accounts. You identify the following requirements for testing MFA. Pilot users must use MFA unless they are signing in from the internal network of the Chicago office. MFA must NOT be used on the Chicago office internal network.

If an authentication attempt is suspicious, MFA must be used, regardless of the user location Any disruption of legitimate authentication attempts must be minimized

General Requirements

Litware want to minimize the deployment of additional servers and services in the Active Directory forest.

**NEW QUESTION 6**

DRAG DROP

You need to configure threat detection for Active Directory. The solution must meet the security requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Configure the Directory services setting in Azure ATP	
Download and install the ATA Gateway on DC1, DC2, and DC3	
Download and install the Azure ATP sensor package on DC1, DC2, and DC3	
Configure a site-to-site VPN	
Create a workspace in Azure ATP	
Download and install the ATA Center on Server1	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Create a workspace in Azure ATP

Download and install the Azure ATP sensor package on DC1, DC2, and DC3

Configure the Directory services setting in Azure ATP

**NEW QUESTION 7**

Which user passwords will User2 be prevented from resetting?

- A. User6 and User7
- B. User4 and User6
- C. User4 only
- D. User7 and User8
- E. User8 only

Answer: C

**NEW QUESTION 8**

HOTSPOT

You are evaluating which devices are compliant in Intune.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device5 is compliant.	<input type="radio"/>	<input type="radio"/>
Device6 is compliant.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Device2 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>
Device5 is compliant.	<input type="radio"/>	<input checked="" type="radio"/>
Device6 is compliant.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 9**

HOTSPOT

Which policies apply to which devices? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

DevicePolicy1:

DevicePolicy2:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

DevicePolicy1:

DevicePolicy2:

**NEW QUESTION 10**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Compliance Manager Contributor
User2	Compliance Manager Assessor
User3	Compliance Manager Administrator
User4	Portal Admin

You discover that all the users in the subscription can access Compliance Manager reports. The Compliance Manager Reader role is not assigned to any users. You need to recommend a solution to prevent a user named User5 from accessing the Compliance Manager reports. Solution: You recommend modifying the licenses assigned to User5. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Case Study: 4 Mix Questions

**NEW QUESTION 10**

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription that is associated to a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.

You use Active Directory Federation Services (AD FS) to federate on-premises Active Directory and the tenant. Azure AD Connect has the following settings:

- Source Anchor: objectGUID
- Password Hash Synchronization: Disabled
- Password writeback: Disabled
- Directory extension attribute sync: Disabled
- Azure AD app and attribute filtering: Disabled
- Exchange hybrid deployment: Disabled
- User writeback: Disabled

You need to ensure that you can use leaked credentials detection in Azure AD Identity Protection. Solution: You modify the Azure AD app and attribute filtering settings.

Does that meet the goal?


- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 14**

**HOTSPOT**

You configure Microsoft Azure Active Directory (Azure AD) Connect as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

If you reset a password in Azure AD, the password will [answer choice].

be overwritten	v
be synced to Active Directory	
be subject to the Active Directory password policy	

If you join a computer to Azure AD,[answer choice].

an object will be provisioned in the Computers container	v
an object will be provisioned in the RegisteredDevices container	
the device object in Azure will be deleted during synchronization	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-device-writeback>

**NEW QUESTION 17**

You have a hybrid Microsoft 365 environment. All computers run Windows 10 and are managed by using Microsoft Intune. You need to create a Microsoft Azure Active Directory (Azure AD) conditional access policy that will allow only Windows 10 computers marked as compliant to establish a VPN connection to the on- premises network. What should you do first?

- A. From the Azure Active Directory admin center, create a new certificate
- B. Enable Application Proxy in Azure AD
- C. From Active Directory Administrative Center, create a Dynamic Access Control policy
- D. From the Azure Active Directory admin center, configure authentication methods

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/windows-server/remote/remote-access/vpn/ad-ca-vpn- connectivitywindows10>

**NEW QUESTION 21**

You configure several Advanced Threat Protection (ATP) policies in a Microsoft 365 subscription. You need to allow a user named User1 to view ATP reports in the Threat management dashboard. Which role provides User1 with the required role permissions?

- A. Security reader
- B. Message center reader
- C. Compliance administrator
- D. Information Protection administrator

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/view-reports-for-atp#what-permissions-areneeded-to-view-the-atp-reports>

**NEW QUESTION 24**

You have a Microsoft 365 E5 subscription and a hybrid Microsoft Exchange Server organization. Each member of a group named Executive has an on-premises mailbox. Only the Executive group members have multi-factor authentication (MFA) enabled. Each member of a group named Research has a mailbox in Exchange Online. You need to use Microsoft Office 365 Attack simulator to model a spear-phishing attack that targets the Research group members. The email address that you intend to spoof belongs to the Executive group members. What should you do first?

- A. From Azure ATP admin center, configure the primary workspace settings
- B. From the Microsoft Azure portal, configure the user risk settings in Azure AD Identity Protection
- C. Enable MFA for the Research group members
- D. Migrate the Executive group members to Exchange Online

**Answer:** C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/attack-simulator>

**NEW QUESTION 27**

You have a Microsoft 365 tenant.  
 You have 500 computers that run Windows 10.  
 You plan to monitor the computers by using Windows Defender Advanced Threat Protection (Windows Defender ATP) after the computers are enrolled in Microsoft Intune.  
 You need to ensure that the computers connect to Windows Defender ATP. How should you prepare Intune for Windows Defender ATP?

- A. Configure an enrollment restriction
- B. Create a device configuration profile
- C. Create a conditional access policy
- D. Create a Windows Autopilot deployment profile

**Answer: B**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/intune/advanced-threat-protection>

**NEW QUESTION 30**

Your company uses Microsoft Azure Advanced Threat Protection (ATP).  
 You enable the delayed deployment of updates for an Azure ATP sensor named Sensor1. How long after the Azure ATP cloud service is updated will Sensor1 be updated?

- A. 7 days
- B. 24 hours
- C. 1 hour
- D. 48 hours
- E. 12 hours

**Answer: B**

**Explanation:**

Note: The delay period was 24 hours. In ATP release 2.62, the 24 hour delay period has been increased to 72 hours.

**NEW QUESTION 32**

**DRAG DROP**

You have a Microsoft 365 subscription. All users use Microsoft Exchange Online. Microsoft 365 is configured to use the default policy settings without any custom rules. You manage message hygiene.

Where are suspicious email messages placed by default? To answer, drag the appropriate location to the correct message types. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Locations		Answer Area
ATP quarantine	Messages that contain word-filtered content:	Location
The Junk Email folder of a user's mailbox	Messages that are classified as phishing:	Location
The Chatter folder a user's mailbox		

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

	Answer Area
Messages that contain word-filtered content:	The Junk Email folder of a user's mailbox
Messages that are classified as phishing:	The Junk Email folder of a user's mailbox

**NEW QUESTION 37**

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant. You create a label named CompanyConfidential in Microsoft Azure Information Protection.

You add CompanyConfidential to a global policy.

A user protects an email message by using CompanyConfidential and sends the label to several external recipients. The external recipients report that they cannot open the email message.

You need to ensure that the external recipients can open protected email messages sent to them. Solution: You create a new label in the global policy and instruct the user to resend the email message.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**NEW QUESTION 41**

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant. You create a label named CompanyConfidential in Microsoft Azure Information Protection.

You add CompanyConfidential to a global policy.

A user protects an email message by using CompanyConfidential and sends the label to several external recipients. The external recipients report that they cannot open the email message.

You need to ensure that the external recipients can open protected email messages sent to them. Solution: You modify the content expiration settings of the label.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 45**

**HOTSPOT**

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the groups shown in the following table.

Name	Type	Email address
Group1	Security Group – Domain Local	Group1@contoso.com
Group2	Security Group – Universal	None
Group3	Distribution Group – Global	None
Group4	Distribution Group – Universal	Group4@contoso.com

The domain is synced to a Microsoft Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group11	Security group	Assigned
Group12	Security group	Dynamic
Group13	Office	Assigned
Group14	Mail-enabled security group	Assigned

You create an Azure Information Protection policy named Policy1. You need to apply Policy1.

To which groups can you apply Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**On-premises Active Directory groups:**

Group4 only	<input checked="" type="checkbox"/>
Group1 and Group4 only	<input type="checkbox"/>
Group3 and Group4 only	<input type="checkbox"/>
Group1, Group3, and Group4 only	<input type="checkbox"/>
Group1, Group2, Group3, and Group4	<input type="checkbox"/>

**Azure AD groups:**

Group13 only	<input checked="" type="checkbox"/>
Group13 and Group14 only	<input type="checkbox"/>
Group11 and Group12 only	<input type="checkbox"/>
Group11, Group13, and Group14 only	<input type="checkbox"/>
Group11, Group12, Group13, and Group14 only	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/prepare>

**NEW QUESTION 50**

You recently created and published several labels policies in a Microsoft 365 subscription.

You need to view which labels were applied by users manually and which labels were applied automatically.

What should you do from the Security & Compliance admin center?

- A. From Search & investigation, select Content search
- B. From Data governance, select Events
- C. From Search & investigation, select eDiscovery
- D. From Reports, select Dashboard

**Answer:** B

**NEW QUESTION 53**

You have a Microsoft 365 subscription.

The Global administrator role is assigned to your user account. You have a user named Admin1. You create an eDiscovery case named Case1. You need to ensure that Admin1 can view the results of Case1. What should you do first?

- A. From the Azure Active Directory admin center, assign a role group to Admin1.
- B. From the Microsoft 365 admin center, assign a role to Admin1.
- C. From Security & Compliance admin center, assign a role group to Admin1.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/assign-ediscovery-permissions>

**NEW QUESTION 54**

You create a label that encrypts email data. Users report that they cannot use the label in Outlook on the web to protect the email messages they send. You need to ensure that the users can use the new label to protect their email. What should you do?

- A. Modify the priority order of label policies
- B. Wait six hours and ask the users to try again
- C. Create a label policy
- D. Create a new sensitive information type

**Answer:** B

**NEW QUESTION 56**

Your company has a Microsoft 365 subscription that includes a user named User1.

You suspect that User1 sent email messages to a competitor detailing company secrets.

You need to recommend a solution to ensure that you can review any email messages sent by User1 to the competitor, including sent items that were deleted. What should you include in the recommendation?

- A. Enable In-Place Archiving for the mailbox of User1
- B. From the Security & Compliance, perform a content search of the mailbox of User1
- C. Place a Litigation Hold on the mailbox of User1
- D. Configure message delivery restrictions for the mailbox of User1

**Answer:** C

**NEW QUESTION 57**

You have a Microsoft 365 subscription.

Yesterday, you created retention labels and published the labels to Microsoft Exchange Online mailboxes.

You need to ensure that the labels will be available for manual assignment as soon as possible. What should you do?

- A. From the Security & Compliance admin center, create a label policy
- B. From Exchange Online PowerShell, run Start-RetentionAutoTagLearning
- C. From Exchange Online PowerShell, run Start-ManagedFolderAssistant
- D. From the Security & Compliance admin center, create a data loss prevention (DLP) policy

**Answer:** C

**NEW QUESTION 60**

**HOTSPOT**

You have a Microsoft 365 E5 subscription.

Users and device objects are added and removed daily. Users in the sales department frequently change their device.

You need to create three following groups:

Group	Requirement
1	All the devices of users where the Department attributes is set to Sales
2	All the devices where the Department attribute is set to Sales
3	All the devices where the deviceOwnership attribute is set to Company

The solution must minimize administrative effort.

What is the minimum number of groups you should create for each type of membership? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Groups that have assigned membership:

	▼
0	
1	
2	
3	

Groups that have dynamic membership:

	▼
0	
1	
2	
3	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:

<https://github.com/MicrosoftDocs/azure-docs/blob/master/articles/active-directory/users-groups-roles/groups-dynamic-membership.md>

**NEW QUESTION 63**

Your company has a main office and a Microsoft 365 subscription.

You need to enforce Microsoft Azure Multi-Factor Authentication (MFA) by using conditional access for all users who are NOT physically present in the office. What should you include in the configuration?

- A. a user risk policy
- B. a sign-in risk policy
- C. a named location in Azure Active Directory (Azure AD)
- D. an Azure MFA Server

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

**NEW QUESTION 67**

**HOTSPOT**

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member	Multi-factor authentication (MFA) status
User1	Group1	Disabled
User2	Group1, Group2	Enabled

You create and enforce an Azure AD Identity Protection user risk policy that has the following settings:

- Assignments: Include Group1, Exclude Group2
- Conditions: Sign in risk of Low and above
- Access: Allow access, Require password change

You need to identify how the policy affects User1 and User2.

What occurs when User1 and User2 sign in from an unfamiliar location? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Must change their password:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

Prompted for MFA:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Must change their password:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

Prompted for MFA:

	▼
User1 only	
User2 only	
Both User1 and User2	
Neither User1 not User2	

**NEW QUESTION 72**

You have a Microsoft 365 Enterprise E5 subscription.  
You use Windows Defender Advanced Threat Protection (Windows Defender ATP).  
You need to integrate Microsoft Office 365 Threat Intelligence and Windows Defender ATP. Where should you configure the integration?

- A. From the Microsoft 365 admin center, select Settings, and then select Services & add-ins.
- B. From the Security & Compliance admin center, select Threat management, and then select Explorer.
- C. From the Microsoft 365 admin center, select Reports, and then select Security & Compliance.
- D. From the Security & Compliance admin center, select Threat management and then select Threat tracker.

**Answer:** B

**Explanation:**

References:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/integrate-office-365-ti-with-wdatp>

**NEW QUESTION 74**

You have a Microsoft 365 subscription that uses a default domain name of fabrikam.com. You create a safe links policy, as shown in the following exhibit.

Safe links policy for your organization

**Settings that apply to content across Office 365**  
When users click a blocked URL, they're redirected to a web page that explains why the URL is blocked.  
Block the following URLs:

-	
<input type="text" value="Enter a valid URL"/>	+
*.phishing.* malware.*com *.contoso.com	

**Settings that apply to content except email**  
These settings don't apply to email messages. If you want to apply them for email, create a safe links policy for email recipients.

Use safe links in:

- Office 365 ProPlus, Office for iOS and Android
- Office Online of above applications

For the locations selected above:

- Do not track when users click safe links:
- Do not let users click through safe links to original URL:

Which URL can a user safely access from Microsoft Word Online?

- A. fabrikam.phishing.fabrikam.com
- B. malware.fabrikam.com
- C. fabrikam.contoso.com

D. [www.malware.fabrikam.com](http://www.malware.fabrikam.com)

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-a-custom-blocked-urls-list-with-atp>

**NEW QUESTION 76**

You have a Microsoft 365 subscription that includes a user named User1.

You have a conditional access policy that applies to Microsoft Exchange Online. The conditional access policy is configured to use Conditional Access App Control.

You need to create a Microsoft Cloud App Security policy that blocks User1 from printing from Exchange Online.

Which type of Cloud App Security policy should you create?

- A. an app permission policy
- B. an activity policy
- C. a Cloud Discovery anomaly detection policy
- D. a session policy

**Answer:** D

**NEW QUESTION 79**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have a user named User1. Several users have full access to the mailbox of User1.

Some email messages sent to User1 appear to have been read and deleted before the user viewed them.

When you search the audit log in Security & Compliance to identify who signed in to the mailbox of User1, the results are blank.

You need to ensure that you can view future sign-ins to the mailbox of User1. You run the `Set-Mailbox -Identity "User1" -AuditEnabled $true` command. Does that meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/set-mailbox?view=exchange-ps>

**NEW QUESTION 80**

You have a Microsoft 365 subscription.

You create and run a content search from the Security & Compliance admin center. You need to download the results of the content search.

What should you obtain first?

- A. an export key
- B. a password
- C. a certificate
- D. a pin

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/export-search-results>

**NEW QUESTION 84**

**HOTSPOT**

You have a Microsoft 365 subscription that include three users named User1, User2, and User3.

A file named File1.docx is stored in Microsoft OneDrive. An automated process updates File1.docx every minute.

You create an alert policy named Policy1 as shown in the following exhibit.

Policy1

✎ Edit policy
🗑 Delete policy

<b>Status</b>	<input checked="" type="checkbox"/> On	
<b>Description</b>	Policy1 description	
<b>Severity</b>	<span style="color: blue;">●</span> Low	<a href="#">Edit</a>
<b>Category</b>	Threat management	
<hr/>		
<b>Conditions</b>	Activity is Copied file and File name is Like any of File1.docx	
<b>Aggregation</b>	Aggregated	
<b>Threshold</b>	10 activities	<a href="#">Edit</a>
<b>Window</b>	60 minutes	
<b>Scope</b>	All users	
<hr/>		
<b>Email recipients</b>	prvi@sk180920.onmicrosoft.com	
<b>Daily notifications limit</b>	Do not send email notifications	<a href="#">Edit</a>

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

If User1 runs a scheduled task that copies File1.docx to a local folder every five minutes. [answer choice].

	▼
Policy1 will not be triggered	
Policy1 will be triggered after 45 minutes	
Policy1 will be triggered after 60 minutes	

If User1, User2, and User3 each run a scheduled task that copies File1.docx to a local folder every 10 minutes. [answer choice].

	▼
Policy1 will not be triggered	
Policy1 will be triggered within 20 minutes	
Policy1 will be triggered within 45 minutes	
Policy1 will be triggered after 60 minutes	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

References:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/alert-policies>

**NEW QUESTION 85**

You have a Microsoft 365 subscription.  
You create a retention policy and apply the policy to Exchange Online mailboxes.  
You need to ensure that the retention policy tags can be assigned to mailbox items as soon as possible.  
What should you do?

- A. From Exchange Online PowerShell, run Start-RetentionAutoTagLearning
- B. From Exchange Online PowerShell, run Start-ManagedFolderAssistant
- C. From the Security & Compliance admin center, create a data loss prevention (DLP) policy
- D. From the Security & Compliance admin center, create a label policy

**Answer:** D

**Explanation:**

References:  
<https://docs.microsoft.com/en-us/office365/securitycompliance/labels>

**NEW QUESTION 90**

You have a Microsoft 365 subscription.  
You need to ensure that users can manually designate which content will be subject to data loss prevention (DLP) policies.  
What should you create first?

- A. A retention label in Microsoft Office 365
- B. A custom sensitive information type
- C. A Data Subject Request (DSR)

D. A safe attachments policy in Microsoft Office 365

**Answer:** C

**Explanation:**

References:

<https://docs.microsoft.com/en-us/office365/securitycompliance/manage-gdpr-data-subject-requests-with-thedsr-case-tool#more-information-about-using-the-dsr-case-tool>

**NEW QUESTION 92**

You have a Microsoft 365 subscription.

You have a team named Team1 in Microsoft Teams. You plan to place all the content in Team1 on hold.

You need to identify which mailbox and which Microsoft SharePoint site collection are associated to Team1.

Which cmdlet should you use?

- A. Get-UnifiedGroup
- B. Get-MailUser
- C. Get-TeamMessagingSettings
- D. Get-TeamChannel

**Answer:** A

**NEW QUESTION 95**

You have a Microsoft 365 subscription. You enable auditing for the subscription.

You plan to provide a user named Auditor with the ability to review audit logs. You add Auditor to the Global administrator role group.

Several days later, you discover that Auditor disabled auditing.

You remove Auditor from the Global administrator role group and enable auditing.

- A. Security operator
- B. Security reader
- C. Security administrator
- D. Compliance administrator

**Answer:** D

**NEW QUESTION 99**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Active Directory domain named contoso.com.

You install and run Azure AD Connect on a server named Server1 that runs Windows Server. You need to view Azure AD Connect events.

You use the Directory Service event log on Server1. Does that meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

References:

<https://support.pingidentity.com/s/article/PingOne-How-to-troubleshoot-an-AD-Connect-Instance>

**NEW QUESTION 103**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some questions sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises Active Directory domain named contoso.com.

You install and run Azure AD Connect on a server named Server1 that runs Windows Server. You need to view Azure AD Connect events.

You use the System event log on Server1. Does that meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

References:

<https://support.pingidentity.com/s/article/PingOne-How-to-troubleshoot-an-AD-Connect-Instance>

**NEW QUESTION 104**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your MS-500 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/MS-500-dumps.html>