

70-778 Dumps

Analyzing and Visualizing Data with Microsoft Power BI (beta)

<https://www.certleader.com/70-778-dumps.html>



NEW QUESTION 1

You have an app workspace named Retail Analysis in the Power BI service. You need manage the members that have access to the app workspace. What should you do?

- A. From the Power BI Admin portal, click Usage metrics.
- B. From the Office 365 Admin center, click Users.
- C. From the Office 365 Admin center, click Groups.
- D. From the Power BI Admin portal, click Tenant settings.

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-manage-app-workspace-in-power-bi-and-office-365>

NEW QUESTION 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate. Date contains one column named Date.

The tables have the following relationships: The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create a calculated table. You create a measure that uses the new table. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 3

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables. You update the tables each day.

You need to ensure that the visualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE. More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

- Download and install an on-premises data gateway (personal).
- Configure the Gateway Connection settings for the dataset.
- Add subscriptions for the reports.
- Download and install Power BI Desktop.
- Configure the Schedule Refresh settings for the dataset.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

NEW QUESTION 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app workspace that contains a report. The report contains sensitive data.

You need to ensure that you can embed the report into a custom application that will be accessed by external users. The external users will NOT have a Microsoft Azure Active Directory user account or Power BI licenses.

Solution: Configure the app workspace to be read-only for members and to run in a shared capacity. Does this meet the goal?

- A. Yes

B. No

Answer: B

NEW QUESTION 5

You are creating a report in Power BI Desktop that has two visualizations on a page as shown in the following exhibit.



You need to ensure that when you click the bar of a country, only the values for that country are shown on the Revenue by Year and Manufacturer chart.

- A. Click the Revenue by Year and Manufacturer char
- B. On the Format tab, click Edit Interaction
- C. On the Units by Country chart, click Filter.
- D. Click the Revenue by Year and Manufacturer char
- E. On the Format tab, click Edit Interaction
- F. On the Units by Country chart, click Highlight.
- G. Click the Units by Country char
- H. On the Format tab, click Edit Interaction
- I. On the Revenue by Year and Manufacturer chart, click Filter.
- J. Click the Units by Country char
- K. On the Format tab, click Edit Interaction
- L. On the Revenue by Year and Manufacturer chart, click Highlight.

Answer: C

Explanation:

References:
<https://docs.microsoft.com/en-us/power-bi/service-reports-visual-interactions>

NEW QUESTION 6

You have a query that retrieves data from a Microsoft Azure SQL database. You discover that column named ErrorCode has several values starting with a space character, and a column named SubStatus contains several non-printable characters. You need to remove all the leading whitespaces from ErrorCode and all the non-printable characters from SubStatus. All other data must be retained. What should you do on each column? To answer, drag the appropriate tasks to the correct columns. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Answer Area

ErrorCode:

▼

From the Extract menu, click First Characters.
From the Extract menu, click Length.
From the Extract menu, click Clean.
From the Extract menu, click Trim.

SubStatus:

▼

From the Extract menu, click First Characters.
From the Extract menu, click Length.
From the Extract menu, click Clean.
From the Extract menu, click Trim.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/mt260494.aspx> <https://msdn.microsoft.com/en-us/library/mt253328.aspx>

NEW QUESTION 7

You have the following tables.

Table name	Column name	Data Type
Subscriber	SubscriberID	Whole Number
	StartDate	Date
	EndDate	Date
Date	Date	Date
	Day	Text
	Month	Text
	Year	Whole Number

There is a many-to-one relationship from Subscriber to Date that uses Subscriber[StartDate] and Date[Date]. The Cross filter direction of the relationship is set to Single.

You plan to create a column chart that displays the following two measures:

Count of SubscriberID by Month based on the StartDate

Count of SubscriberID by Month based on the EndDate What should you do before you create the measures?

- A. Create an active one-to-one relationship from Subscriber[StartDate] to Date[Date].
- B. Change the Cross filter direction of the active relationship to Both.
- C. Change the active relationship for many-to-one.
- D. Create an inactive many-to-one relationship from Subscriber[StartDate] to Date[Date].

Answer: B

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 8

You plan to use Power BI Desktop optimized for Power BI Report Server to create a report. The report will be published to Power BI Report Server.

You need to ensure that all the visualization in the report can be consumed by users.

Which three types of visualizations should you include in the report? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. bubble maps
- B. custom visuals
- C. R visuals
- D. breadcrumbs
- E. funnel charts

Answer: ABE

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/report-server/install-powerbi-desktop>

NEW QUESTION 9

You plan to use Power BI Desktop to create a report. The report will consume data from an on-premises tabular named SalesDB in Microsoft SQL Server Analysis Services (SSAS). The report will be published to the Power BI service.

You need to ensure that the report published to the Power BI service will access the current data in SalesDB. What should you do?

- A. Deploy an on-premises data gateway and configure the connection to SalesDB to use the Import DataConnectivity mode.
- B. Deploy an on-premises data gateway and configure the connection to SalesDB to use the Connect live option.
- C. Deploy an on-premises data gateway (personal mode) and configure to SalesDB to use the DirectQuery Data Connectivity mode.
- D. Deploy an on-premises data gateway and configure the connection to SalesDB to use the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/desktop-use-directquery>

NEW QUESTION 10

You have a power BI model that contains the following tables:

Assets(AssetsID, AssetName, Purchase_DateID, Value)

Date(DateID, Date, Month, Week, Year)

The tables have relationship. Date is marked as a date table in the Power BI model.

You need to create a measure to calculate the percentage that the total assets value increased since one year ago.

Which DAX formula should you use?

- A. $(\text{sum}(\text{Assets}[\text{Value}]) - \text{CALCULATE}(\text{sum}(\text{Assets}[\text{Value}]), \text{SAMEPERIODLASTYEAR}('Date'[\text{Date}]))) / \text{CALCULATE}(\text{sum}(\text{Assets}[\text{Value}]), \text{DATESYTD}('Date'[\text{Date}]))$
- B. $\text{CALCULATE}(\text{sum}(\text{Assets}[\text{Value}]), \text{DATESYTD}('Date'[\text{Date}])) / \text{sum}(\text{Assets}[\text{Value}])$
- C. $\text{sum}(\text{Assets}[\text{Value}]) - \text{CALCULATE}(\text{sum}(\text{Assets}[\text{Value}]), \text{SAMEPERIODLASTYEAR}('Date'[\text{Date}]))$
- D. $\text{CALCULATE}(\text{sum}(\text{Assets}[\text{Value}]), \text{SAMEPERIODLASTYEAR}('Date'[\text{Date}])) / \text{sum}(\text{Assets}[\text{Value}])$

Answer: C

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://docs.microsoft.com/en-us/power-bi/desktop-quickstart-learn-dax-basics>

<https://msdn.microsoft.com/en-us/library/ee634972.aspx>

NEW QUESTION 10

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Datetime
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Datetime
	Store_ID	Varchar(100)
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain data information:

Date[Month] in the mmyyyy format

Date[Date_ID] in the ddmmmyyyy format

Date[Date_name] in the mm/dd/yyyy format

Monthly_returns[Month_ID] in the mmyyyy format

The Order table contains more than one million rows.

The Store table has relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI desktop to create an analytics solution for the data. End of repeated scenario.

You need to display the month as a three-letter abbreviation, followed by the year, such as jan2017. You add a calculated column in Power BI.

Which DAX formula should you use for the calculated column? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

- Combin
- CombinA
- CONCATENATE
- CONCATENATEX
- M
- MM
- MMM
- MMMM

Answer Area

Column= [] (FORMAT (MONTH ([Date_name])
, " []"), FORMAT(MONTH ([Date_name]), "yyyy"))

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

CONCATENATE MMM

References: <https://msdn.microsoft.com/en-us/library/ee634811.aspx>

NEW QUESTION 12

You have a Power BI app named App1. The privacy for the App1 app workspace is set to Private. A user named User1 reports that App1 does not appear in the My organization AppSource. App1 appears in the My organization AppSource for your account. You need to ensure that User1 sees App1 from the My organization AppSource. What should you do?

- A. From the app workspace, click Update app, configure the Access setting, and then click Update app.
- B. From the app workspace, share the dashboard.
- C. From the app workspace settings, add a member.
- D. From the app workspace, click Update app, configure the Content settings, and then click Update app.

Answer: A

NEW QUESTION 17


Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a user named User1. User1 is a member of a security group named Contoso PowerBI. User1 has access to a workspace named Contoso Workspace. You need to prevent User1 from exporting data from the visualizations in Contoso Workspace. Solution: From the Microsoft Office 365 Admin center, you remove User1 from the All Users security group. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 21

You open powerbi.com as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

A tenant administrator created a data classification that has a shorthand of [answer choice.]

- Customers
- Insurance
- Insurance Data
- Sale

The dashboard uses a dataset named [answer choice].

- Customers
- Insurance
- Insurance Data
- Sale

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-data-classification>

NEW QUESTION 25

You have an on-premises Power BI Report Server.

You plan to create a report in Power BI Desktop and publish the report to the report server. Which data source should the report use?

- A. Microsoft Azure SQL Database
- B. a Microsoft SQL Server database
- C. a Microsoft SQL Server Analysis Services (SSAS) database
- D. Microsoft Excel

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/report-server/quickstart-create-powerbi-report> <https://docs.microsoft.com/en-us/power-bi/report-server/connect-data-sources>

NEW QUESTION 29

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 1,000 users in a Microsoft Office 365 subscription.

A Power BI administrator named Admin1 creates 20 dashboards and shares them with 50 users. You discover that a user name User1 can access all the dashboards.

You need to prevent User1 from accessing all the dashboards.

Solution: From the Power BI Admin portal, you modify the Dashboard settings. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-admin-administering-power-bi-in-your-organization#how-do>

NEW QUESTION 31

In the Power BI service, you create an app workspace that contains several dashboards.

You need to provide a user named user1@contoso.com with the ability to edit and publish dashboards. What should you do?

- A. Modify the members of the app workspace.
- B. Configure security for the dataset used by the app.
- C. Share the dashboard, and then modify the Access settings of the dashboard.
- D. From the app workspace, click Update app, and then configure the Access settings.

Answer: C

NEW QUESTION 35

You need to create a custom visualization for Power BI. What should you install first?

- A. jQuery
- B. Node.js
- C. Microsoft Azure PowerShell
- D. Microsoft.NET

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-custom-visuals-getting-started-with-developer-tools>

NEW QUESTION 36

You have a Power BI model for sales data.

You need to create a measure to calculate the year-to-date sales and to compare those sales to the previous year for the same time period.

Which DAX function should you use?

- A. PARALLELPERIOD
- B. SAMEPERIODLAST YEAR
- C. DATESYTD
- D. PREVIOUSYEAR

Answer: A

Explanation:

References: <https://msdn.microsoft.com/en-us/library/ee634873.aspx>

NEW QUESTION 37

Note: This question is a part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate.

Date contains two columns named Date and Time.

The tables have the following relationships:

Sales [DueDate] and Date [Date]

Sales [ShipDate] and Date [Date]

Sales [OrderDate] and Date [Date]

The active relationship is on Sales [DueDate].

You need to create measures to count the number of orders by [ShipDate] and orders by [OrderDate]. You must meet the goal without loading any additional data.

Solution: You create measures that use the CALCULATE, COUNT, and FILTER DAX functions. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://msdn.microsoft.com/en-us/library/ee634966.aspx> <https://msdn.microsoft.com/en-us/library/ee634825.aspx> <https://msdn.microsoft.com/en-us/library/ee634791.aspx>

NEW QUESTION 39

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query for a table named Sales. Sales has a column named CustomerID. The Data Type of CustomerID is Whole Number.

You refresh the data and find several errors. You discover that new entries in the Sales table contain nonnumeric values.

You need to ensure that nonnumeric values in the CustomerID column are set to 0.

Solution: From Query Editor, open Advanced Editor and add the following query step.


#"Replaced Errors" - Table.ReplaceErrorValues(s"Changed Type", {"CustomerID", 0}) Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 41

You attempt to publish a Microsoft Excel file to Power BI, and you receive the error message shown in the exhibit. (Click the Exhibit button.)



The file is in c:\data\.

You need to ensure that you can publish the file to Power BI. What should you do first?

- A. Save the file in a Microsoft SharePoint document library.
- B. Decrypt the workbook.
- C. Add a digital signature to the workbook.
- D. Set the file attributes to read-only.

Answer: B

NEW QUESTION 42

You have a workspace that contains 10 dashboards. A dashboard named Sales Data from two datasets. You discover that users are unable to find data on the dashboard by using natural language queries. You need to ensure that the users can find data by using natural language queries.

What should you do?

- A. From the settings of the workspace, modify the Language Settings.
- B. From the properties of the dashboard, modify the Q&A settings.
- C. From the Sales Data dashboard, modify the dashboard as a Favorite.
- D. From the properties of the datasets, modify the Q&A and Cortana settings.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-q-and-a-direct-query#limitations-during-public-preview>

NEW QUESTION 45

You have a query that retrieves sales data. A sample of the data is shown in the following table.

Date	CustomerId	ProductId	Quantity
10/10/2016	8877	8878	5
<i>null</i>	8877	8879	5
<i>null</i>	8877	8880	5
10/11/2016	5723	1234	2
<i>null</i>	5723	1235	3
<i>null</i>	5723	1236	5
<i>null</i>	5723	1237	10
10/12/2016	4356	4401	11
<i>null</i>	5723	4908	2

You need to ensure that the values in the Date column contain a date. Null values must be replaced with the date from the previous row. What should you click on the Transform tab in Query Editor?

- A. Format, and then Clean
- B. Date, and then Earliest
- C. Fill, and then Down
- D. Replace Values, and then Replace Errors


Answer: C

Explanation:

References:
<https://www.excelcampus.com/library/fill-down-blank-null-cells-power-query/>

NEW QUESTION 50

Your organization has a Microsoft Office 365 subscription. When the users attempt to access the Power BI Service, they receive the error message shown in the exhibit. (Click the Exhibit button.)



You need to ensure that all the users can access the Power BI service. What should you do first?

- A. From the Microsoft Azure Active Directory admin center, assign a Power BI (free) license to each user.
- B. From the Power BI Admin portal, modify the Tenant settings.
- C. From Microsoft Azure PowerShell, run the Set-MsolCompanySettings cmdlet.
- D. From the properties of each dashboard, modify the Share dashboard settings.

Answer: C

Explanation:

You need to run the following cmdlet: Set-MsolCompanySettings -AllowAdHocSubscriptions \$true

NEW QUESTION 55

You plan to create a report in Power BI Desktop. You have the following tables.

Table name	Column name
Sales	OrderID
	Product
	ProductCategory
	ProductSubCategory
	OrderDate
	SalesAmount
Date	DateID
	Date
	Year
	Month
	Week
	Day

You have a measure that uses the following DAX formula. Total Sales = SUM('Sales'[SalesAmount])

You plan to create a report to display TotalSales by ProductCategory and ProductSubCategory. You need to create a measure to calculate the percentage of TotalSales for each ProductCategory.

How should you complete the DAX formula? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
ALL	Measure1 = <input style="width: 100px;" type="text" value="Value"/> ([TotalSales], CALCULATE([TotalSales],
ALLEXCEPT	<input style="width: 100px;" type="text" value="Value"/> (Sales[<input style="width: 100px;" type="text" value="Value"/>], Sales[<input style="width: 100px;" type="text" value="Value"/>])))
ALLSELECTED	
CALCULATE	
DIVIDE	
Product	
ProductCategory	
ProductSubcategory	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://support.office.com/en-us/article/when-to-use-calculated-columns-and-calculated-fields-ca18d63a-5b6d-4>

NEW QUESTION 58

You are creating a report in Power BI Desktop. You are consuming the following tables.

Total name	Column name	Data type
Sales	SalesID	Integer
	SalesDate	Datetime
	TotalPrice	Float
	CustomerID	Integer
	SalesShipDate	Datetime
	StoreID	Integer
Date	Date	Datetime
	DateKey	Integer
	DateName	Datetime
	MonthNumber	Integer
	Week	Integer
	MonthName	Varchar(3)
	Year	Integer

Date[Date] is in the mm/dd/yyyy format. Date[DateKey] is in the ddmmyyy format. Date[MonthNumber] is in the mm format. Date[MonthName] is in the mmm format.

You create the report shown in the exhibit. (Click the Exhibit button.)



You need to ensure that the months appear in the order of the calendar. How should you sort the MonthName column?

- A. by MonthNumber
- B. ascending
- C. descending
- D. by DateKey

Answer: A

Explanation:

References:
<http://ppmworks.com/sorting-month-names-chronologically-in-microsoft-power-bi-reports/>

NEW QUESTION 62

You have a Power BI Desktop project that uses DirectQuery to access an on-premises Microsoft SQL Server database. From Power BI Desktop, you can query the database.

When you publish the Power BI Desktop project to the Power BI service, the visualizations cannot display the data. What should you do to resolve the issue?

- A. Locate the published dataset for the project in the Power BI service and configure the data source credentials.
- B. Install the on-premises data gateway (personal mode) and republish the project.
- C. Install the on-premises data gateway and configure a data source.
- D. Configure a Microsoft Azure ExpressRoute connection between the on-premises network and the Power BI service.

Answer: A

NEW QUESTION 64

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the


stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets. You need to recreate the Power View sheets as reports in the Power BI service. Solution: From Excel, click Publish to Power BI, and then click Export. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 67

You open the Power BI Admin portal as shown in the following graphic.



All the app workspaces use the customer's capacity. Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

You can scale up the customers capacity by changing the [answer choice].

▼

- pricing tier from the Azure portal
- settings of the workspace
- subscription from the Office 365 admin center
- Tenant settings from the Power BI Admin portal

When designing a custom application that embeds reports from the customers capacity, the developer [answer choice].

▼

- can use both the user owns data model and the app owns data model
- must use the app owns data model
- must use the user owns data model

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/power-bi-embedded/scale-capacity> <https://docs.microsoft.com/en-us/power-bi/developer/embed-sample-for-customers>

NEW QUESTION 71

You have the following tables.

Table name	Column name
Sales	SalesOrderID
	SalesDate
	OrderQty
	UnitPrice
	SalesAmount
	CustomerID
Customers	CustomerID
	CustomerName
	Phone
	Email

You need to create a new table that displays the top 10 customers by the total of SalesAmount.
 How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Top Customers =

(SUM(Sales[Profit]),

(10, Customer, SUM(Sales[Profit]))

(10, Customer, SUM(Sales[Profit]))

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Top Customers =

(SUM(Sales[Profit]),

(10, Customer, SUM(Sales[Profit]))

NEW QUESTION 76

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit button.)

dimGeography
[GeographyKey]
[City]
[StateProvinceCode]
[StateProvinceName]
[CountryRegionCode]
[EnglishCountryRegionName]
[PostalCode]
[SalesTerritoryKey]
[IpAddressLocator]

dimCustomer
[CustomerKey]
[GeographyKey]
[DisplayName]
[MaritalStatus]
[Gender]
[YearlyIncome]


Sales
[ProductKey]
[OrderDateKey]
[DueDateKey]
[ShipDateKey]
[CustomerKey]
[PromotionKey]
[CurrencyKey]
[SalesTerritoryKey]
[SalesOrderNumber]
[SalesOrderLineNumber]
[OrderQuantity]
[UnitPrice]
[ExtendedAmount]
[UnitPriceDiscountPct]
[DiscountAmount]
ProductStandardCost]
[TotalProductCost]
[SalesAmount]
[TaxAmt]
[Freight]
[OrderDate]
[DueDate]
[ShipDate]

dimProduct
[ProductKey]
[ProductSubcategoryKey]
[EnglishProductName]
[Color]
[ListPrice]
[Size]
[StartDate]
[EndDate]
[Status]

dimProductSubcategory
[ProductSubcategoryKey]
[ProductSubcategoryAlternateKey]
[EnglishProductSubcategoryName]
[SpanishProductSubcategoryName]
[FrenchProductSubcategoryName]
[ProductCategoryKey]

dimProductCategory
[ProductCategoryKey]
[ProductCategoryAlternateKey]
[EnglishProductCategoryName]
[SpanishProductCategoryName]
[FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit button.)



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory[Subcategory] contains NULL values. End of Repeated Scenario. You implement the Power BI model.

You need to create a hierarchy that has Category, Subcategory, and Product.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Answer Area

- To the Product Subcategory table, add a calculated measure that uses the RELATED ('Product Category' [Category]) DAX function.
- To the Product table, add a column named Category that uses the RELATED ('Product Category' [Category]) DAX function.
- To the Product table, add a calculated measure that uses the RELATED ('Product Category' [Category]) DAX function.
- Create a hierarchy.
- To the Product table, add a column named SubCategory that uses the RELATED ('Product Subcategory' [Subcategory]) DAX function.
- To the Product Subcategory table, add a column named Category that uses the RELATED ('Product Category' [ProductCategoryKey]) DAX function.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://intelligentsql.wordpress.com/2013/05/08/tabular-hierarchies-across-multiple-tables/> <https://www.desertislesql.com/wordpress1/?p=1629>

NEW QUESTION 80

You have the datasets shown in the following graphic.

NAME	ACTIONS	LAST REFRESH	NEXT REFRESH	API ACCESS
Dataset1		1/24/2018, 2:32:12 PM	N/A	Streaming
Dataset1		1/24/2018, 2:32:12 PM	N/A	Hybrid

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

Note: Each selection is worth one point.

When designing a dashboard that uses Dataset1, you can use [answer choice].

- only report visualizations
- only streaming data tiles
- both report visualizations and streaming data tiles

When designing a dashboard that uses Dataset2, you can use [answer choice].

- only report visualizations
- only streaming data tiles
- both report visualizations and streaming data tiles

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming>

<http://radacad.com/integrate-power-bi-into-your-application-part-6-real-time-streaming-and-push-data>

NEW QUESTION 83

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-778 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-778-dumps.html>