

# HPE2-T36 Dumps

## Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



**NEW QUESTION 1**

When deploying the HPE OneView virtual appliance in a VMware ESXi environment, what disk format does HPE recommend to use?

- A. Thick Provision Lazy Zeroed
- B. Full Provision
- C. Thick Provision Eager Zeroed
- D. Thin Provision

**Answer: C**

**NEW QUESTION 2**

What is the earliest Server generation supported in HPE OneView for Secure Boot configuration within the Server Profile Template?

- A. Gen7
- B. Gen9
- C. Gen10
- D. Gen8

**Answer: B**

**NEW QUESTION 3**

What must be disabled when strict two-factor authentication is enabled?

- A. emergency local login
- B. SSL certificates
- C. local login
- D. REST API

**Answer: B**

**NEW QUESTION 4**

What are benefits of using templates with HPE OneView? (Select two.)

- A. to define a standard configuration for storage volumes
- B. to prepare configuration objects that can be easily reused or quickly modified
- C. displays the volumes that are managed by HPE OneView
- D. allow for REST API functions to be used on third party systems
- E. specific WWN and MAC addresses assigned to each server

**Answer: AB**

**NEW QUESTION 5**

What is required when creating an Ethernet Network in HPE OneView? (Choose two.)

- A. Network Name
- B. VLAN Type
- C. CHAP Password
- D. association with subnet ID
- E. WWPN

**Answer: AB**

**NEW QUESTION 6**

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want use HPE OneView Server Profile Templates to update the firmware while the systems are online. Click on the place they should select within the server profile template to update the firmware while the systems are online.

Edit
ESXi on BL460c Gen9
Server Profile ▾

---

**Server Profile**

**Firmware**

Firmware baseline

Service Pack for ProLiant version 2017.04.0 ▾

☐ Force installation

Installation Method

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

Activate firmware

☒ Immediately
☐ At a scheduled date and time
☐ Not scheduled

OK
Cancel

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Edit
ESXi on BL460c Gen9
Server Profile ▾

---

**Server Profile**

**Firmware**

Firmware baseline

Service Pack for ProLiant version 2017.04.0 ▾

☒ Force installation

Installation Method

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☒ Firmware only

Activate firmware

☒ Immediately
☐ At a scheduled date and time
☐ Not scheduled

OK
Cancel

#### NEW QUESTION 7

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. QoS  
B. M-LAG  
C. Smart Link  
D. VxLAN

**Answer:** C

#### NEW QUESTION 8

Click where the server administrator can see the server profiles using the selected firmware Bundle.

The screenshot shows the HP OneView interface. On the left, there is a table of firmware bundles. The selected bundle is 'Service Pack for ProLiant, 2017.04.0'. The right pane shows the details for this bundle, including its version, size, type, and description. The 'Used by' section is highlighted with a red 'X' and the text '16 server profiles' and '2 server profile templates'.

Name	Version	Size	Type
Service Pack for ProLiant	2017.04.0	6.57 GB	SPP
Service Pack for ProLiant	2017.07.1	4.65 GB	SPP

**Service Pack for ProLiant, 2017.04.0** General

**General**

Version: 2017.04.0  
Size: 6.57 GB  
Type: SPP  
Description: The Service Pack for ProLiant (SPP) is a comprehensive systems software and firmware update solution, which is delivered as a single ISO image. This solution uses HP Smart Update Manager (HP SUM) as the deployment tool and is tested on all HPE ProLiant Gen9, Gen8 and earlier servers as defined in the Service Pack for ProLiant Server Support Guide found at [www.hpe.com/servers/spp/documentation](http://www.hpe.com/servers/spp/documentation).

Used by: ~~16 server profiles~~  
2 server profile templates

Locations: Internal

**Release Date**

8/30/18

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**  
16 server profiles

#### NEW QUESTION 9

A customer wants to restrict certain business units from accessing resources owned by other groups, click the area where you would begin to configure this type of security measure.

The screenshot shows the HP OneView Settings page. The 'Security' section is highlighted with a red box. The 'Security' section contains the following settings:

- Directories: Local default
- Message context: Local

The 'Activity' section contains the following settings:

- Active alerts: 1

The 'Remote Support' section contains the following settings:

- Remote Support: Disabled
- Connected to HPE: No
- Registration status: Not registered
- Insight Online: Disabled

The 'Notifications' section contains the following settings:

- Alert email filters: Disabled
- Filters: none

The 'SNMP' section contains the following settings:

- SNMPv1 read: vTINSS
- SNMPv1 read community string: 657b7995a21c88b0c6b1b1e1b1e1b1e1
- SNMPv1 write: none
- Trap destinations: none

The 'Storage' section contains the following settings:

- Repository template: No
- Repository: create all

The 'Scopes' section contains the following settings:

- Scope: none
- Create scope: Create scope

The 'Addresses and Identifiers' section contains the following settings:

- IPv4 Address: Available
- IPv4 Address: 10.10.10.10
- MAC Address: 10:10:10:10:10:10
- World Wide Name: 10:10:10:10:10:10
- Serial Number: 45655

The 'Repository' section contains the following settings:

- Repository: 12.00 GB maximum 1.82 GB available
- Repository: none

- A. Mastered
- B. Not Mastered

**Answer: A**

## Explanation:



### NEW QUESTION 10

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. REST API
- B. VMware autodeploy
- C. Image Streamer
- D. Grow Cluster

**Answer: D**

### NEW QUESTION 10


What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

**Answer: C**

### NEW QUESTION 12

A customer would like to apply a server profile to the server in the exhibit. What is the first action they must take to successfully apply the server profile?



- A. Apply the correct HPE OneView license
- B. Power off the server
- C. Click on the server hardware type.



D. Click on the create profile hyperlink.

**Answer:** B

**NEW QUESTION 13**

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. MAC address virtualization
- B. OS deployment
- C. network connection definition
- D. BIOS configuration
- E. firmware update

**Answer:** BE

**NEW QUESTION 17**

An administrator is configuring a server profile template, but does not see the Ethernet network called “VLAN 210” that had been created earlier. What could be the cause?

- A. VLAN 210 was never configured in the Logical Interconnect Group.
- B. VLAN 210 is already in a Network Set.
- C. VLAN 210 does not exist on the upstream switches.
- D. VLAN 210 has Private Network enabled.

**Answer:** C

**NEW QUESTION 19**

Match the HPE OneView element to its function.

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	
server profile template	used to simplify and standardize server connections	
network set	specified server configuration that enables quickly bringing new server hardware under management	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	server profile
server profile template	used to simplify and standardize server connections	network set
network set	specified server configuration that enables quickly bringing new server hardware under management	server profile template

**NEW QUESTION 20**

What information is required to complete a first time setup of an HPE OneView appliance? (Select two.)

- A. Frame Link Module IP address subnet mask for Frame 1
- B. Onboard Administrator IP address/subnet mask
- C. appliance IP address/subnet mask
- D. appliance host name
- E. Virtual Connect IP address/subnet mask

**Answer:** CD

**NEW QUESTION 21**

An administrator wants to create new volumes using a server profile. What limitations must the administrator consider?

- A. Only private volumes can be created through a server profile.
- B. Volumes created through the server profile cannot be bigger than 1TB.
- C. A volume template must be used to create new volumes using server profile.
- D. Creating shared volumes using server profiles is possible only with Flat SAN implementation.

**Answer:** A

#### NEW QUESTION 23

Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
- B. HPE Global Dashboard can be used to enable HPE OneView high availability
- C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
- D. HPE OneView can be connected to two different databases to provide high availability

**Answer:** C

#### NEW QUESTION 24

A customer has forgotten the administrator to their HPE OneView appliance. What do they need to provide to HPE support during the password reset process?

- A. License key
- B. HPE Passport login
- C. Request code
- D. Composer serial number

**Answer:** C

#### NEW QUESTION 25

Which parameter does the server profile assign to a Flex-10 adapter in a blade server profile?

- A. MAC address
- B. Hardware iSCSI initiator name
- C. WWN
- D. iLO IP address

**Answer:** A

#### NEW QUESTION 30

A server that is managed by HPE OneView is having issues, and HPE support has requested that you reapply the server profile. What action must first be executed?

- A. Delete the server profile template.
- B. The server hardware must be powered off.
- C. Reboot the HPE OneView appliance.
- D. Rename the server profile.

**Answer:** B

#### NEW QUESTION 32

If a SAN Manager is properly added to HPE OneView and a managed storage pool is available, which storage management task can be completed using HPE OneView?

- A. volume attachment
- B. CPG configuration
- C. data replication
- D. Virtual Domain creation

**Answer:** A

#### NEW QUESTION 33

Your customer is running ESXi on an HPE BladeSystem managed by HPE OneView. They want to be able to add networks to the ESXi system without modifying the Virtual Connect configuration. Which type of network should be used?

- A. mapped
- B. tagged
- C. tunnel
- D. untagged

**Answer:** C

#### NEW QUESTION 34

Your customer needs to downgrade the firmware on a number of blades because they experienced issues with the current firmware. The customer modifies the server profile to the required firmware baseline and selects update, but the firmware downgrade is not successful. What step needs to be taken to ensure the firmware downgrade is applied?

- A. Set the firmware baseline to “Managed Manually”
- B. Select the “Force installation” option to downgrade the firmware
- C. Create and assign a new server profile for the affected servers
- D. Contact HPE support to obtain a one-time password to enable firmware downgrade

**Answer:** B

#### NEW QUESTION 37

What is a benefit of using HPE OneView UI instead of the REST API when configuring secure boot in a server profile?

- A. Secure boot configuration via REST API is not supported on HPE ProLiant rack servers
- B. HPE OneView automatically disables invalid combinations of settings
- C. REST API does not return configuration validation
- D. Not all configuration settings are available via the REST API

**Answer:** B

#### NEW QUESTION 39

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. Smartcard
- B. Self-signed certificate
- C. SMS
- D. One-time Passwords

**Answer:** A

#### NEW QUESTION 40

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

```
{ "userName": "administrator", "password": "iloverest", "authDomain": "LOCAL" }
```

#### [ - ] Response

Headers   Response   Preview

```
{ "errorSource": null, "nestedErrors": [], "errorCode": "GENERIC_HTTP_403", "data": {}, "recommendedActions": [ "Check the request & URL, then resend the request." ], "details": "You are not allowed to access the requested resource.", "message": "Forbidden" }
```

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the POST method to PUT
- D. change the "login-sessions" string in the URL to "login-session"

**Answer:** C

#### NEW QUESTION 43

Which condition will prevent HPE OneView from reapplying a server profile?

- A. The server hardware matches the server hardware type defined in the profile.
- B. The server profile is assigned to the server hardware.
- C. The server hardware is in a degraded state.
- D. The server hardware is powered off.

**Answer:** B

#### NEW QUESTION 46

Which actions can be taken on alerts in the Activity page in HPE OneView?

- A. re-send email notification for specific alerts
- B. delete alerts
- C. assigning alerts to a specific user
- D. mark an alert as fixed

**Answer:** C

#### NEW QUESTION 48

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Choose two.)

- A. Add the domain group in Users and Groups menu.



- B. Define the Active Directory domain and associated directory server(s) in Directory settings.
- C. Add the domain group as Base DN in Directory settings.
- D. Add the domain group as Organization Unit in Directory settings.
- E. Add the Active directory server in Users and Groups menu.

**Answer:** BE

#### NEW QUESTION 49

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)

- A. HPE OneView Advanced license
- B. firmware baseline
- C. iLO IP address
- D. Enclosure Group name
- E. iLO credentials

**Answer:** AB

#### NEW QUESTION 51

Which license is required to remotely access the DL server console and event logs?

- A. HPE OneView Advanced
- B. Insight Remote Support
- C. iLO Amplifier pack
- D. Global Dashboard

**Answer:** C

#### NEW QUESTION 52

A company wants to integrate an acquired company's infrastructure into their existing Synergy 3 frame environment. They currently have 286 VLANs in their operational network set. They want to add 153 new VLANs into the configuration. What would you recommend?

- A. Integrate the new networks into the existing network set.
- B. Purchase a second three frame configuration for the new company.
- C. Create a second network set for the new VLANs.
- D. Add a second fabric domain to the existing configuration to support the new networks.

**Answer:** A

#### NEW QUESTION 56

Refer to the exhibit.



An administrator is creating new volumes in preparation for a new Hyper-V cluster. On the Create Volume screen, the storage administrator notices that the capacity of the volume can't be edited. What is preventing the administrator from increasing the volume size?

- A. The administrator doesn't have permissions to create volumes.
- B. The wrong storage system is selected.
- C. The storage pool is out of capacity, so no additional storage can be allocated.
- D. The capacity is a locked value in the volume template.

**Answer:** B

#### NEW QUESTION 59

In HPE OneView, which server profile attributes are configurable on HPE ProLiant server blades but not on HPE ProLiant rack servers? (Choose two.)

- A. Boot order
- B. SAN storage
- C. BIOS settings
- D. Local storage
- E. FlexNICs and FlexHBAs

**Answer:** BE

**NEW QUESTION 60**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/HPE2-T36-dumps.html>