

## 70-779 Dumps

### Analyzing and Visualizing Data with Microsoft Excel (beta)

<https://www.certleader.com/70-779-dumps.html>



### NEW QUESTION 1

You have a table that contains data relating to exam candidates and their associated scores.

You need to visualize the exam data by separating the data into quartiles. The visualization must display the mean score and must identify any outliers.

Which type of chart should you use?

- A. line
- B. histogram
- C. pie
- D. box and whisker

**Answer: D**

#### Explanation:

<https://support.office.com/en-us/article/create-a-box-and-whisker-chart-62f4219f-db4b-4754-aca8-4743f6190f0>

### NEW QUESTION 2

You have a table in a Microsoft SQL Server database that has more than 5 columns. A sample of the data and some of the columns are shown in the following table.

OrderID	OrderDate	ClientID	ClientName	ClientPhone	ProductID	ProductName	ProductWeight	OrderAmount
667	2017/01/05	156	ClientA	555-555-1010	665	Product1	10	300
668	2017/01/05	156	ClientA	555-555-1010	665	Product1	10	250
669	2017/01/05	156	ClientA	555-555-1010	664	Product2	12	100
670	2017/01/05	222	ClientB	555-555-1567	664	Product2	12	175

The table contains more than two million rows. You have 100 clients and 10 products.

You need to load the data to Excel. The solution must minimize the amount of memory used by the model. What should you do?

- A. Move the database to a Microsoft Azure SQL databas
- B. Load the table to the data model.
- C. Load the data to the data model as three tables named Clients, Orders, and Product
- D. Ensure that each table has only the relevant column
- E. Remove duplicate rows from Clients and Products.
- F. Load the data to one worksheet.
- G. Load the data to three worksheets named Clients, Orders, and Product
- H. Ensure that each worksheet has only the relevant column
- I. Remove duplicate rows from Clients and Products.

**Answer: B**

### NEW QUESTION 3

You use a workbook query to import a table named Customers that contains a column named CustomerName. CustomerName has names in the format of Lastname, Firstname.

You need the CustomerName column to contain names in the format of Firstname Lastname. A space must separate Firstname and Lastname.

Which two commands should you use? To answer, drag the appropriate fields to the correct areas. Each field may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Commands	Answer Area
Append Queries	First command: Command
Merge Columns	Second command: Command
Merge Queries	
Move to Beginning	
Replace Values...	
Split Column by Delimiter	

- A. Mastered
- B. Not Mastered

**Answer: A**

#### Explanation:

- ▶ Split Column By Delimiter
- ▶ Merge Columns

<https://support.office.com/en-us/article/split-a-column-of-text-power-query-5282d425-6dd0-46ca-95bf-8e0da9539662>

<https://support.office.com/en-us/article/merge-columns-power-query-80ec9e1e-1eb6-4048-b500-d5d42d9f0>

### NEW QUESTION 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query named Query1 that retrieves the user information from two Excel files. One of the Excel files does not contain location information. A sample of the data retrieved by the query is shown in the following table.

UserName	UserId	Location
User1	1001	null
User1	1001	Seattle
User2	1002	null
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null

You need to ensure that values in UserName are unique. The solution must ensure that the locations are retained. A sample of desired output is shown in the following table.

UserName	UserId	Location
User1	1001	Seattle
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null
User5	1005	null

Solution: You select the UserName and Location columns, and then you click Keep Duplicates. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

### NEW QUESTION 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query named Query1 that retrieves the user information from two Excel files. One of the Excel files does not contain location information. A sample of the data retrieved by the query is shown in the following table.

UserName	UserId	Location
User1	1001	null
User1	1001	Seattle
User2	1002	null
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null

You need to ensure that values in UserName are unique. The solution must ensure that the locations are retained. A sample of desired output is shown in the following table.

UserName	UserId	Location
User1	1001	Seattle
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null
User5	1005	null

Solution: You select the UserName and Location columns, and then you click Remove Duplicates. Does this meet the goal?

- A. Yes
- B. No


**Answer: A**

### NEW QUESTION 6

You need to create a PivotChart as shown in the exhibit. (Click the Exhibit button.) Exhibit:



Which field should you use for each area? To answer, drag the appropriate fields to the correct areas. Each field may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Legend: BrandName Axis: MonthName

#### NEW QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a query named Query1 that retrieves the user information from two Excel files. One of the Excel files does not contain location information. A sample of the data retrieved by the query is shown in the following table.

UserName	UserId	Location
User1	1001	null
User1	1001	Seattle
User2	1002	null
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null

You need to ensure that values in UserName are unique. The solution must ensure that the locations are retained. A sample of desired output is shown in the following table.

UserName	UserId	Location
User1	1001	Seattle
User2	1002	Seattle
User3	1003	Montreal
User4	1004	null
User5	1005	null

Solution: You sort the UserName column in ascending order. You select the UserName column, and then you click Remove Duplicates. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### NEW QUESTION 8

You have a workbook query that loads data from C:\Data\Users.xlsx. You move Users.xlsx to a shared folder on the network.

You need to ensure that you can refresh the data from Users.xlsx. What should you do?

- A. From the Linked Table tab in Power Pivot, modify the Update Mode.
- B. From Query Editor, modify the Source step.
- C. From the Insert tab in Excel, click My Add-ins, and then manage the add-ins.
- D. From the Data tab in Excel click Connections, and then modify the properties of the connection.

**Answer:** D

#### NEW QUESTION 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

Your company has sales offices in several cities.

You create a table that represents the amount of sales in each city by month as shown in the exhibit.



	A	B	C	D	E	F	G	H
1	City	January	February	March	April	May	June	July
2	Montreal	20.00	90.00	170.00	200.00	200.00	400.00	420.00
3	Toronto	0.00	30.00	75.00	60.00	85.00	190.00	203.00
4	Miami	0.00	25.00	105.00	75.00	70.00	155.00	140.00
5	Madrid	220.00	440.00	650.00	610.00	424.00	500.00	542.00
6	Los Angeles	0.00	10.00	25.00	55.00	40.00	45.00	75.00
7	Brussels	3,400.00	3,000.00	3,300.00	3,700.00	2,300.00	2,700.00	2,340.00
8	Antwerp	2,500.00	2,350.00	2,300.00	2,400.00	1,800.00	1,970.00	1,690.00
9	Tel Aviv	100.00	150.00	190.00	230.00	260.00	230.00	115.00
10	Melbourne	90.00	75.00	140.00	120.00	110.00	175.00	65.00

You need to ensure that all values lower than 250 display a red icon. The solution must ensure that all values greater than 500 display a green icon.  
Solution: You modify the conditional formatting rule, and then set a new value for the yellow icon. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 10

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have the following data.

OrderDate	OrderNumber	ProductName	OrderQuantity
1/28/2018	998989	Product1	10
1/28/2018	998990	Product1	22
1/28/2018	998991	Product2	21
1/29/2018	998992	Product3	43
1/29/2018	998993	Product2	56
1/29/2018	998994	Product3	12

You need to retrieve a list of the unique ProductName entries.  
Solution: Open the Advanced Filter dialog box, select Filter the list, in-place, and then select Unique records only.  
Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

#### NEW QUESTION 10

You are building a KPI.  
You need to configure the KPI to display a red icon when the sales from a month is less than nine percent of the sales from the last 12 months.  
What should you use to define the target value?

- A. an absolute value
- B. a calculated column
- C. a calculated field
- D. a measure

**Answer: A**

#### Explanation:

[https://msdn.microsoft.com/en-us/library/hh272049\(v=sql.110\).aspx](https://msdn.microsoft.com/en-us/library/hh272049(v=sql.110).aspx)

#### NEW QUESTION 13

You have an Excel workbook query that loads data to a worksheet and the data model. You need to ensure that the data is refreshed whenever you open the workbook.  
What should you do?

- A. From the File tab, click Option, and then modify the Data option.
- B. From the File tab, click Options, and then modify the General options.
- C. From the Data tab, click Queries & Connections, and then edit the properties of the query.
- D. From the Power Pivot model, modify the Table Behavior setting.

**Answer: C**

#### Explanation:

<https://support.office.com/en-us/article/refresh-an-external-data-connection-in-excel-2016-for-windows-152417>

#### NEW QUESTION 14

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear in the review screen.  
You have an Excel workbook that contains a table named Table1. A sample of the data in Table1 is shown in the following table.

ProductID	ProductName	ProductCategory	ProductSubCategory	Price
1	Product1	Category1	Subcategory1	10.22
2	Product2	Category1	Subcategory1	10.44
3	Product3	Category1	Subcategory1	10.33
4	Product4	Category1	Subcategory2	11.19
5	Product5	Category1	Subcategory2	11.19
6	Product6	Category2	Subcategory3	10.15
7	Product7	Category2	Subcategory3	10.77
8	Product8	Category2	Subcategory3	10.55
9	Product9	Category2	Subcategory4	10.19
10	Product10	Category2	Subcategory4	10.88

You need to create a PivotTable in PowerPivot as shown in the exhibit.

Row Labels	Sum of Price
<b>Category1</b>	
<b>Subcategory1</b>	
Product1	10.22
Product2	10.44
Product3	10.33
<b>Subcategory1</b>	
<b>Total</b>	<b>30.99</b>
<b>Subcategory2</b>	
Product4	11.19
Product5	11.19
<b>Subcategory2</b>	
<b>Total</b>	<b>22.38</b>
<b>Category1 Total</b>	<b>53.37</b>
<b>Category2</b>	
<b>Subcategory3</b>	
Product6	10.15
Product7	10.77
Product8	10.55
<b>Subcategory3</b>	
<b>Total</b>	<b>31.47</b>
<b>Subcategory4</b>	
Product10	10.88
Product9	10.19
<b>Subcategory4</b>	
<b>Total</b>	<b>21.07</b>
<b>Category2 Total</b>	<b>52.54</b>
<b>Grand Total</b>	<b>105.91</b>

Solution: You create a hierarchy named Products that contains ProductCategory,

Solution: You create a measure named Products the uses the DataTable DAX Function. You add a PivotTable. You drag products to the Rows field. You drag Price to the Values field.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 17

You need to configure a PivotChart as shown in the following exhibit.



Which chart element should you enable?



- A. Data Labels
- B. Axis Titles
- C. Data Table
- D. Error Bars

Answer: B

NEW QUESTION 19

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.  
Start of repeated scenario.

You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit. (Click the Exhibit button.)  
Data Sample exhibit:

**DailyRepairs**

Date	WorkshopID	RepairTypeID	Hours	Revenue
2016-10-01	1	4	2	£ 432
2016-10-01	6	8	16	£ 4,144
2016-10-01	3	8	12	£ 564
2016-10-01	6	5	4	£ 1,680
2016-10-01	5	4	12	£ 1,968
2016-10-01	3	4	14	£ 854
2016-10-01	2	4	15	£ 3,030
2016-10-01	1	1	0	£ -

**Workshops**

ID	Workshop Name	Workshop Manager	Manager Since	IsLatest
1	Cambridge	Alex Rankin	2012-11-10	1
2	Bedford	Ben Miller	2015-04-22	1
3	Camden	Karl Furse	2015-08-29	1
4	Belvoir	Don Gebel	2016-02-14	1
5	Reading	Iosh Edwards	2009-11-07	1
6	Kilburn	Karen Toth	2013-02-20	1
6	Kilburn	Tia Conrath	2009-06-06	0


**Dates**

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

**RepairTypes**

ID	Repair Type
1	Engine
2	Radiator
3	Gearbox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



The tables in the model contain the following data:

- DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue column.
- Workshops have a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.
- RepairTypes has a list of all the repair types
- Dates has a list of dates from 2015 to 2018

End of repeated scenario.

You need to add a custom column to the workbook query for Workshops that contains the email address of the workshop manager. The format of the email address is firstname.lastname@contoso.com.

How should you complete the query from Query Editor? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Text.Insert

Text.Replace

Text.Split

Text.Start

{{Workshop Manager}}, " ", "."

&"@Contoso.com"

&"@Contoso.com"

+"@Contoso.com"


++"@Contoso.com"

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text.Replace([Workshop Manager], " ", ".")&Contoso.com



ID	Workshop Name	Workshop Manager	ManagerSince	IsLatest	Email Address
1	Cambridge	Alex Hankin	11/10/2012 12:00:00 AM	1	Alex.HankinContoso.com
2	Redford	Ben Miller	4/22/2015 12:00:00 AM	1	Ben.MillerContoso.com
3	Camden	Karl Furse	8/25/2015 12:00:00 AM	1	Karl.FurseContoso.com
4	Reading	Ron Gabel	2/14/2016 12:00:00 AM	1	Ron.GabelContoso.com
5	Kilburn	Karen Toh	11/2/2009 12:00:00 AM	1	Karen.TohContoso.com
6	Kilburn	Eva corets	6/6/2009 12:00:00 AM	1	Eva.coretsContoso.com

#### NEW QUESTION 21

You have the following data sample.

OrderDate	OrderQuantity	UnitPrice	SalesAmount
7/3/2017	3	12.00	36.00
7/3/2017	2	19.99	28.00
7/3/2017	2	22.00	44.00
7/4/2017	1	29.99	29.00
7/4/2017	2	31.99	62.00
7/3/2017	1	38.00	38.00

You need to create a PivotTable that presents the data as shown in the following table.

Unit Price Range	Sum of Sales Amount
10-20	54.00
20-30	73.00
30-40	100.00

- A. Create a PivotTabl
- B. Add UnitPrice to the Rows area and add SalesAmount to the Values area.Right-click a cell value for UnitPrice and modify the Group settings.
- C. Create a PivotTabl
- D. Add SalesAmount to the Rows area and add UnitPrice to the Values area.Right-click a cell value for SalesAmount and modify the Group settings.
- E. Create a PivotTabl
- F. Add UnitPrice to the Rows area and add SalesAmount to the Values area.Right-click a cell value for SalesAmount and modify the Field Settings.
- G. Create a PivotTabl
- H. Add SalesAmount to the Rows area and add UnitPrice to the Values area.Right-click a cell value for UnitPrice and modify the Field Settings.

**Answer: A**

#### NEW QUESTION 24

You have a model that contains data relating to corporate profits. The model contains a measure named Profit.


You need to create a PivotTable to display the Profit measure in three different formats by using the Show Value As feature. The PivotTable must produce the results shown in the following table.

Date	Profit	Annual Total	% Profit of Grand Total
<b>2016</b>	<b>\$58,000</b>	<b>100.0%</b>	<b>49.6%</b>
Jan	\$10,000	17.2%	8.6%
Feb	\$8,000	13.8%	6.8%
Mar	\$12,000	20.7%	10.3%
Apr	\$13,000	22.4%	11.1%
May	\$9,000	15.5%	7.7%
Jun	\$6,000	10.3%	5.1%
<b>2017</b>	<b>\$58,950</b>	<b>100.0%</b>	<b>50.4%</b>
Jan	\$11,000	18.7%	9.4%
Feb	\$7,800	13.2%	6.7%
Mar	\$11,450	19.4%	9.8%
Apr	\$13,200	22.4%	11.3%
May	\$10,000	17.0%	8.6%
Jun	\$5,500	9.3%	4.7%
<b>Grand Total</b>	<b>\$116,950</b>		<b>100.0%</b>

How should you configure the Show Value As feature for % Profit of Annual Total and % profit of Grand Total? To answer, select the appropriate options in the



answer area.  
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

% Profit of Annual Total: % of Parent Total  
% Profit of Grand Total: % of Column Total  
<https://support.office.com/en-us/article/show-different-calculations-in-pivottable-value-fields-014d2777-baaf-480b-a32b-98431f48bfec>

NEW QUESTION 28

You have an Excel workbook that displays two PivotCharts. One chart displays sales by month. The other chart displays sales by year. You add a slicer for month. You discover that when you select a month in the slicer, the data in the sales by year PivotChart changes. You need to prevent the slicer from affecting the sales by year PivotChart. What should you do?

- A. Remove all the fields from the Filters area of the sales by month PivotChart.
- B. Modify the Value Field Settings for the values of the sales by year PivotChart.
- C. Modify the Report Connections of the slicer.
- D. Remove all the fields from the Filters area of the sales by year PivotChart.

Answer: C

NEW QUESTION 30

You need to create a combo chart to display the count of orders by month and profit by month as shown in the exhibit. (Click the Exhibit tab.)



How should you configure the combo chart? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area


Series Name	Chart Type	Secondary Axis
Order count	<div>100% stacked bar 100% stacked column Clustered bar Stacked column</div>	<div>No Yes</div>
Profit	<div>100% stacked line Area Line Radar</div>	<div>No Yes</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Order Count:Stacked columnNo Profit:LineYes  
<http://www.excel-easy.com/examples/combination-chart.html>



NEW QUESTION 33

You have the PivotTable shown in the following exhibit.

LineTotal	All
Row Labels	Sum of LineTotal
AWC Logo Cap	61.63623912
Bike Wash - Dissolver	71.96453572
Chain	48.576
Classic Vest, M	431.8
Classic Vest, S	602.90075
Front Brakes	219.0857142
Front Derailleur	237.874
Half-Finger Gloves, L	186.124
Half-Finger Gloves, M	127.348
Half-Finger Gloves, S	117.552
Hitch Rack - 4-Bike	576
HL Bottom Bracket	546.705
HL Crankset	1457.964
Grand Total	4685.530239

You need to display only rows in the PivotTable in which the sum of LineTotal is greater than 100. What should you do?

- A. From Row Label, configure a Label filter.
- B. Add a slicer for LineTotal and select the values from the slicer.
- C. From Row Label, configure a Value Filter.
- D. Add LineTotal to the Filters area of PivotTable Field
- E. Configure the Filters value.

Answer: B

NEW QUESTION 34

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.  
Start of repeated scenario.  
You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit. (Click the Exhibit button.)



Data Sample exhibit:

DailyRepairs						Workshops			
Date	WorkshopID	RepairTypeID	Hours	Revenue		ID	Workshop Name	Workshop Manager	Manager Since
2016-10-01	1	4	2	£	432	1	Cambridge	Alex Hankin	2
2016-10-01	6	8	16	£	4,144	2	Bedford	Ben Miller	2
2016-10-01	3	6	12	£	564	3	Camden	Karl Furze	2
2016-10-01	6	5	4	£	1,680	4	Belsize	Ron Gabel	2
2016-10-01	5	4	12	£	1,968	5	Reading	Josh Edwards	2
2016-10-01	3	4	14	£	854	6	Kilburn	Karen Toh	2
2016-10-01	2	4	15	£	3,030	6	Kilburn	Eva Corets	2
2016-10-01	1	1	0	£	-				


  

ID	Date	Month	Year	MonthID
20160101	2016-01-01	Jan '16	2016	201601
20160102	2016-01-02	Jan '16	2016	201601
20160103	2016-01-03	Jan '16	2016	201601
20160104	2016-01-04	Jan '16	2016	201601
20160105	2016-01-05	Jan '16	2016	201601
20160106	2016-01-06	Jan '16	2016	201601
20160107	2016-01-07	Jan '16	2016	201601
20160108	2016-01-08	Jan '16	2016	201601
20160109	2016-01-09	Jan '16	2016	201601

ID	Repair Type
1	Engine
2	Radiator
3	Gearbox
4	Clutch
5	Brakes
6	Tires
7	Bodywork
8	Windscreen
9	Other

The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



The tables in the model contain the following data:

- DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue column.
- Workshops have a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.
- RepairTypes has a list of all the repair types
- Dates has a list of dates from 2015 to 2018

End of repeated scenario.

You need to create a PivotChart that displays the month, the hours of the month, and the hours of the previous month, as shown in the following exhibit.

Row Labels	Total Hours	Total Hours Last Month
Oct '16	9,265	
Nov '16	9,152	9,265
Dec '16	9,196	9,152
Jan '17	9,392	9,196
Feb '17	8,809	9,392
Mar '17	7,585	8,809
Grand Total	53,399	53,399

Which DAX formula should you use for the Total Hours Last Month measure? To answer, drag the appropriate fields to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

VALUES

BLANK

CALCULATE

DATEADD

DATESBETWEEN

IF

NULL

-1

1

ANSWER AREA

Value

(ISBLANK([Total Hours]),

Value

([Total Hours],

Value

(tblDates[Date],

Value

(-1,MONTH)))

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

IF (ISBLANK([Total Hours]),BLANK(), CALCULATE([total Hours], DATEADD(tblDates(Date), -1,MONTH)))

## NEW QUESTION 37

You have a workbook query that loads data from a table named Products. Products contains a column named InternalPrice that has a Data Type of Decimal.



From Query Editor you create a custom column named ResellerPrice that uses a formula to multiply InternalPrice by 1.2, and then you remove the InternalPrice column.


What will occur when you load the data to a worksheet?

- A. All the columns except InternalPrice will load to the worksheet The values in ResellerPrice will be correct.
- B. An error message will appear and all the data will fail to load.
- C. An error message will appear and all the columns except InternalPnce and ResellerPrice will load to the worksheet.
- D. All the columns except InternalPrice will load to the workshee
- E. The values in ResellerPrice will be null.

**Answer: D**

#### NEW QUESTION 42

You have the data model shown in the exhibit.



You need to create a hierarchy from DimProductSubcategory[ProduaSubcategoryName]andDimProduct[ProductName]. What should you do before you create the hierarchy?

- A. Create a relationship between the table
- B. To DimProductSubcategory, add a calculated column named ProductName that uses the LOOKUPVALUE(DimProduct[ProductName],DimProduct[ProductKey],[ProductKey]) DAX formula.
- C. To DimProduct, add a calculated column named ProductSubcategoryName that uses the LOOKUPVALUE(DimProductSubcategory [ProductSubcategoryName],DimProductSubcategory[ProductCategoryKey],[ProductSubcategoryKey]) DAX formula.
- D. Create a relationship between the table
- E. To DimProduct, add a calculated column named ProductSubcategoryName that uses the RELATEDTABLE (DimProductSubcategory[ProductSubcategoryName]) DAX formula.
- F. To DimProduct, add a calculated column named ProductSubcategoryName that uses the VALUES(DimProductSubcategory[ProductSubcategoryName]) DAX formula.

**Answer: B**

#### NEW QUESTION 46

Your company has sales offices in several cities.

You create a table that represents the amount of sales in each city by month as shown in the exhibit.

	A	B	C	D	E	F	G	H
1	City	January	February	March	April	May	June	July
2	Montreal	20.00	90.00	170.00	200.00	200.00	400.00	420.00
3	Toronto	0.00	30.00	75.00	60.00	85.00	190.00	203.00
4	Miami	0.00	25.00	105.00	75.00	70.00	155.00	140.00
5	Madrid	220.00	440.00	650.00	610.00	424.00	500.00	542.00
6	Los Angeles	0.00	10.00	25.00	55.00	40.00	45.00	75.00
7	Brussels	3,400.00	3,000.00	3,300.00	3,700.00	2,300.00	2,700.00	2,340.00
8	Antwerp	2,500.00	2,350.00	2,300.00	2,400.00	1,800.00	1,970.00	1,690.00
9	Tel Aviv	100.00	150.00	190.00	230.00	260.00	230.00	115.00
10	Melbourne	90.00	75.00	140.00	120.00	110.00	175.00	65.00

You need to ensure that all values lower than 250 display a red icon. The solution must ensure that all values greater than 500 display a green icon. Solution: You create a measure, and then define a target value. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 51

You have the following table.

Product	LineTotal
AWC Logo Cap	31.5
AWC Logo Cap	31.8
AWC Logo Cap	40.1
Bike Wash - Dissolver	35.98
Bike Wash - Dissolver	35.96
Bike Wash - Dissolver	35.77
Chain	24.28
Chain	24.28
Chain	24.28
Classic Vest, M	215.95
Classic Vest, M	220.99
Classic Vest, M	225.05

You need to create a PivotTable as shown in the following exhibit.

Row Labels	Total Sales	Biggest Sale
AWC Logo Cap	103.4	40.1
Bike Wash - Dissolver	107.71	35.98
Chain	72.84	24.28
Classic Vest, M	661.99	225.05
<b>Grand Total</b>	<b>945.94</b>	<b>225.05</b>

What should you do?

- A. Add Product to the Rows are
- B. Add LineTotal to the Values area twice.
- C. Add LineTotal to the Rows are
- D. Add Product to the Values area twice.
- E. Add Product to the Rows are
- F. Add LineTotal to the Columns area twice.
- G. Add LineTotal to the Rows are
- H. Add Product to the Values area twice.

**Answer: B**

#### NEW QUESTION 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it As a result, these questions will not appear in the review screen.

You have an Excel workbook that contains a table named Table1. A sample of the data in Table1 is shown in the following table.

ProductID	ProductName	ProductCategory	ProductSubCategory	Price
1	Product1	Category1	Subcategory1	10.22
2	Product2	Category1	Subcategory1	10.44
3	Product3	Category1	Subcategory1	10.33
4	Product4	Category1	Subcategory2	11.19
5	Product5	Category1	Subcategory2	11.19
6	Product6	Category2	Subcategory3	10.15
7	Product7	Category2	Subcategory3	10.77
8	Product8	Category2	Subcategory3	10.55
9	Product9	Category2	Subcategory4	10.19
10	Product10	Category2	Subcategory4	10.88

You need to create a PivotTable in PowerPivot as shown in the exhibit.



Row Labels	Sum of Price
<b>Category1</b>	
<b>Subcategory1</b>	
Product1	10.22
Product2	10.44
Product3	10.33
<b>Subcategory1</b>	
<b>Total</b>	<b>30.99</b>
<b>Subcategory2</b>	
Product4	11.19
Product5	11.19
<b>Subcategory2</b>	
<b>Total</b>	<b>22.38</b>
<b>Category1 Total</b>	<b>53.37</b>
<b>Category2</b>	
<b>Subcategory3</b>	
Product6	10.15
Product7	10.77
Product8	10.55
<b>Subcategory3</b>	
<b>Total</b>	<b>31.47</b>
<b>Subcategory4</b>	
Product10	10.88
Product9	10.19
<b>Subcategory4</b>	
<b>Total</b>	<b>21.07</b>
<b>Category2 Total</b>	<b>52.54</b>
<b>Grand Total</b>	<b>105.91</b>

Solution: You create a hierarchy named Products that contains ProductCategory, ProductSubCategory, and ProductName. You add a PivotTable. You drag Products to the Rows field. You drag Price to the Values field. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Hierarchy Products that contains ProductCategory, ProductSubCategory, and ProductName  
[https://www.tutorialspoint.com/excel\\_power\\_pivot/excel\\_power\\_pivot\\_hierarchies.htm](https://www.tutorialspoint.com/excel_power_pivot/excel_power_pivot_hierarchies.htm)

**NEW QUESTION 59**

You create a new workbook and add a table to a data model. The data is shown in the following table.


Order Date	ProductID	UnitPrice
1/12/02 12:00 AM	500	\$809.76
2/20/02 12:00 AM	500	\$1,376.99
7/6/02 12:00 AM	501	\$158.43
2/18/02 12:00 AM	502	\$1,391.99
7/25/02 12:00 AM	503	\$48.59
5/16/02 12:00 AM	503	\$41.99
9/15/02 12:00 AM	504	\$323.99
9/17/02 12:00 AM	504	\$323.99

You need to create a visualization as shown in the following exhibit.

Row Labels	Average of Unit Price	Average of Unit Price Status
500	1093.375	
501	158.43	
502	1391.99	
503	45.29	
504	323.99	
<b>Grand Total</b>	<b>559.46625</b>	

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.





- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**


Create a Pivot Table. Create a measure.  
Create a Power View Report

**NEW QUESTION 62**


Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario

You have six workbook queries that each extracts a table from a Microsoft Azure SQL database. The table are loaded to the data model, but the data is not loaded to any worksheets. The data model is shown in the Data Model exhibit. (Click the Exhibit button.)



Your company has 100 products subcategories and more than 10,000 products. End of repeated scenario.  
You need to create a chart as shown in the following exhibit.



Which field should you use for each area? To answer, drag the appropriate field to the correct areas. Each field may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
NOTE: Each correct selection is worth one point.

The screenshot shows a drag-and-drop interface for a data visualization tool. On the left, the 'Fields' pane contains four fields: 'ChannelName', 'Month Year', 'SalesAmount', and 'Year'. On the right, the 'Answer Area' has three fields: 'Axis:', 'Legend:', and 'Values:', each followed by a 'Field' placeholder. The 'Month Year' field is the correct selection for the 'Axis:' field, 'ChannelName' is the correct selection for the 'Legend:' field, and 'SalesAmount' is the correct selection for the 'Values:' field.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Axis: Month Year Legend: Channel Name Values: SalesAmount

**NEW QUESTION 64**

You have a measure named SalesGrowth that calculates the percent of sales growth. The measure uses the following formula.

$$\frac{([Total\ Sales\ Current\ Year] - [Total\ Sales\ Last\ Year])}{[Total\ Sales\ Last\ Year]}$$

Total Sales Current Year is a measure that calculates the sales from the current calendar year. Total Sales Last Year is a measure that calculates the sales from the previous calendar year.

You need to create a KPI that displays a red icon when the sales growth is less than last year. What should you use to define the target value?

- A. an absolute value of 0
- B. the Total Sales Current Year measure
- C. an absolute value of 100
- D. the Total Sales Last Year measure

**Answer:** D

**NEW QUESTION 69**

You add two tables named Date and Invoices to a data model, Invoices contains a column named InvoiceDate that has a Data Type of Date, Date contains a column named DateID that has a Data Type of which Number. DateID is in the format of YYYYMMDD.

You need to create a relationship between Date and Invoices. What should you do first?

- A. Change the Data Type of InvoiceDate and DateID to Text.
- B. Create a measure in Invoices that uses the Format DAX Function.
- C. Change the Data Type of DateID to Date.
- D. Create a calculated column in Invoices that uses the Format DAX function.

**Answer:** C

**Explanation:**

<https://support.office.com/en-us/article/data-types-in-data-models-e2388f62-6122-4e2b-bcad-053e3da9ba90?ui=en>

**NEW QUESTION 72**

You have a query that retrieves the following data.

Vendor_ID	Quantity
110	10
110	10
110	5
110	5
111	3
111	2
111	3
112	1
112	1
113	10

You need to configure the query to ensure that the data appears as shown in the following table.

Vendor_ID	Quantity
110	30
111	8
112	2
113	10

What should you do?

- A. From the Transform tab, use the sum function on the Vendor\_ID column
- B. Group by Vendor\_ID and add a SUM aggregation
- C. Unpivot the table on the Vendor\_ID column
- D. Pivot the table on the Vendor\_ID column

**Answer: B**

#### NEW QUESTION 75

You have a workbook query that loads the following table

ID	Key	Value
1	Student	Bob
1	Class	2
1	Score	80
2	Student	Sam
2	Class	1
2	Score	80
3	Student	Dave
3	Class	1
3	Score	80

You pivot the table on the Key column by using Value as the values column, and you receive the results shown in the following table.

ID	Student	Class	Score
1	1	1	1
2	1	1	1
3	1	1	1

You need to ensure that the data appears as shown in the following table.

ID	Student	Class	Score
1	Bob	2	80
2	Sam	1	80
3	Dave	1	80

What should you do?

- A. Change the aggregate value function of the pivot.
- B. Select the ID column, and then click Unpivot Columns
- C. Change the Data Type of the Value column.
- D. Delete the Picoted Column ste
- E. Select the Key column, and the click UnpivotColumns.

**Answer: B**

#### Explanation:

References:

<https://support.office.com/en-us/article/unpivot-columns-power-query-0f7bad4b-9ea1-49c1-9d95-f588221c7098>

#### NEW QUESTION 79

You have a PivotChart template named Template1. You add a PivotChart to a worksheet.

You need to apply the template to the PivotChart. What should you do?

- A. On the Design tab, click Change Chart Type.
- B. On the Format tab, click Format Selection.



- C. Right-click the chart and then click PivotChart Options.
- D. Right-click the chart and then click Format Chart Area.

Answer: A

Explanation:

- Click the chart
  - On the Charts tab, under Change Chart Type, click Other, and then under Templates, click the chart template that you created.
- <https://stackoverflow.com/questions/17386777/how-to-apply-a-saved-chart-template-to-an-existing-chart>

NEW QUESTION 82

You create an Excel workbook named SalesResults.xlsx. You create a workbook query that connects to a Microsoft SQL Server Database and loads data to the data model. You create a PivotTable and PivotChart.

You plane to share SalesResults.slsx to several users outside of your organization.

You need to ensure that the users can see the PivotTable and the PivotChart when they open the file. The data in the model must be removed.

What should you do?

- A. Modify the source of the query.
- B. From Query Editor, open the Data Source Setting and delete the credentials.
- C. Run the Document inspector.
- D. Save the workbook as an Excel Binary Workbook (xlsx)

Answer: A

Explanation:

References:  
<https://support.office.com/en-us/article/data-source-settings-power-query-9f24a631-f7eb-4729-88dd-6a4921380>

NEW QUESTION 85

Note: This question is part of a series of questions that use the same scenario, For your convenience is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.


Start of repeated scenario

You are creating reports for a car repair company. You have four datasets in Excel spreadsheets. Four workbook queries load the datasets to a data model. A sample of the data is shown in the Data Sample exhibit.

DailyRepairs					Workshops			
Date	WorkshopID	RepairTypeID	Hours	Revenue	ID	Workshop Name	Workshop Manager	Ma
2016-10-01	1	4	2	£ 432	1	Cambridge	Alex Hankin	2
2016-10-01	6	8	16	£ 4,144	2	Bedford	Ben Miller	2
2016-10-01	3	6	12	£ 564	3	Camden	Kari Furse	2
2016-10-01	6	5	4	£ 1,680	4	Belsize	Ron Gabel	2
2016-10-01	5	4	12	£ 1,968	5	Reading	Josh Edwards	2
2016-10-01	3	4	14	£ 854	6	Kilburn	Karen Toh	2
2016-10-01	2	4	15	£ 3,030	6	Kilburn	Eva Corets	2
2016-10-01	1	1	0	£ -				

Dates					RepairTypes	
ID	Date	Month	Year	MonthID	ID	Repair Type
20160101	2016-01-01	Jan '16	2016	201601	1	Engine
20160102	2016-01-02	Jan '16	2016	201601	2	Radiator
20160103	2016-01-03	Jan '16	2016	201601	3	Gearbok
20160104	2016-01-04	Jan '16	2016	201601	4	Clutch
20160105	2016-01-05	Jan '16	2016	201601	5	Brakes
20160106	2016-01-06	Jan '16	2016	201601	6	Tires
20160107	2016-01-07	Jan '16	2016	201601	7	Bodywork
20160108	2016-01-08	Jan '16	2016	201601	8	Windscreen
20160109	2016-01-09	Jan '16	2016	201601	9	Other

The data model is shown in the Data Model exhibit.



The tables in the model contain the following data:

DailyRepairs has a log of hours and revenue for each day, workshop, and repair type. Every day, a log entry is created for each workshop, even if no hours or revenue are recorded for that day. Total Hours and Total Revenue are two measures defined in DailyRepairs. Total Hours sums the Hours column, and Total Revenue sums the Revenue column.

Workshops has a list of all the workshops and the current and previous workshop managers. The format of the Workshop Manager column is always Firstname Lastname. A value of 1 in the IsLatest column indicates that the workshop manager listed in the record is the current workshop manager.

RepairTypes has a list of alt the repair types. Dates has a list of dates from 2015 to 2018. End of repeated scenario.

You create a measure named Average Revenue Per Hour that calculates the average revenue per hour.

You need to populate a cell in a worksheet to display the Average Revenue Per Hour where Repair Type is Engine.

Which Excel formula should you use?

A.	=CUBEVALUE("ThisWorkbookDataModel", "[DailyRepairs].[Avg Revenue Per Hour]", CUBEVALUE("ThisWorkbookDataModel", "[Dimensions].[Repair Type].[Engine]"))
B.	=CUBEVALUE("ThisWorkbookDataModel", "[Measures].[Avg Revenue Per Hour]", CUBEVALUE("ThisWorkbookDataModel", "[Dimensions].[Repair Type].[Engine]"))
C.	=CUBEVALUE("ThisWorkbookDataModel", "[DailyRepairs].[Avg Revenue Per Hour]", CUBEVALUE("ThisWorkbookDataModel", "[RepairTypes].[Repair Type].[Engine]"))
D.	=CUBEVALUE("ThisWorkbookDataModel", "[Measures].[Avg Revenue Per Hour]", CUBEVALUE("ThisWorkbookDataModel", "[RepairTypes].[Repair Type].[Engine]"))

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** D

#### NEW QUESTION 88

You have two queries named Client and Invoices. A sample of Client is shown in the following table.

ClientID	ClientName
1	Client1
2	Client2
3	Client3
4	Client4

A sample of Invoices is shown in the following table.

InvoiceID	ClientID	InvoiceDate	InvoiceAmount
1	1	07-07-2017	15.99
2	1	07-09-2017	20.88
3	2	08-17-2017	5.03
4	3	08-24-2017	8.98

You need to create a new table that has the following information.

ClientID	ClientName	InvoiceID	ClientID.1	InvoiceDate	InvoiceAmount
1	Client1	1	1	07-07-2017	15.99
1	Client1	2	1	07-09-2017	20.88
2	Client2	3	2	08-17-2017	5.03
3	Client3	4	3	08-24-2017	8.98
4	Client4	null	null	null	null

Which join kind should you use?

- A. Inner
- B. Left Outer
- C. Right Anti
- D. Left Anti

**Answer:** B

#### Explanation:

<https://www.excelguru.ca/blog/2015/12/16/merge-tables-using-outer-joins-in-power-query/>

#### NEW QUESTION 90

You have a query that retrieves customers and their locations. You have a sample of the data as shown in the following table.

Customer	Locations
Customer A	FL, TX
Customer B	CA, TX
Customer C	FL, TX, GA

Additional customers and locations are added frequently.

You need to transform the data as shown in the following table.

Customer	Locations
Customer A	FL
Customer A	TX
Customer B	CA
Customer B	TX
Customer C	FL
Customer C	TX
Customer C	GA

What should you do?

- A. Select the Locations columns and then select Split Column by Delimite
- B. Use a comma as the delimiter and split into rows.
- C. Select the Locations columns and then select Split Column by Delimite
- D. Use a comma as the delimiter and split into columns.
- E. Select the Customer columns, and then click Unpivot Columns.
- F. Select the Customer columns, and then click Unpivot Other Columns.

Answer: A

NEW QUESTION 91

You have a table named Sales that has three columns named Region, Country, and SalesAmount. You create a PivotTable as shown in the following exhibit.

Row Labels	Sum of SalesAmount
Europe	
France	180571.692
Germany	234206.7202
United Kingdom	288012.2494
North America	
Canada	146829.8074
United States	1075679.84
Pacific	
Australia	1297816.57
Grand Total	3223116.878

You need to ensure that the PivotTable appears in three columns as shown in the following exhibit.

Region	Country	Sum of SalesAmount
Europe	France	180571.692
	Germany	234206.7202
	United Kingdom	288012.2494
North America	Canada	146829.8074
	United States	1075679.84
Pacific	Australia	1297816.57
Grand Total		3223116.878

What should you do?

- A. On the Design tab, click Report Layout and then click Show in Compact Form.
- B. Move Country from the Rows area to the Columns area.
- C. Move Country from the Rows area to the Values area.
- D. On the Design tab, click Report Layout and then click Show in Tabular Form.

Answer: D

NEW QUESTION 95

You have a data model that contains a table named SalesOrders has four columns named OrderId, SalesAmount, OrderDate, and Territory. You plan to create a PivotChart that will display the percentage of SalesAmount for each Territory. You need to create a measure to calculate the percentage of sales of each territory. How should you complete the DAX formula? To answer, drag the appropriate value to the correct targets. Each value may be used once, more than once, or not at all. You need to drag the split bar between panes or scroll to view content.

Values

ALL(SalesOrders)

CALCULATE

FILTER

FIND

SUM([SalesAmount])

Answer Area

Sales By Territory:=

Value / Value ( Value \* Value )

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

SUM([SalesAmount) / ALL(SalesOrders) /(FILTER , ALL(SalesOrders))

NEW QUESTION 96

You have an Excel spreadsheet that contains a PivotChart. You install Microsoft Power BI Publisher for Excel. You need to add a tile for the PivotChart to a Power BI dashboard. What should you do?

- A. From the Power BI tab in Excel, click Pin.
- B. From the File menu in Excel, click Publish.
- C. From powerbi.com, upload the excel workbook.
- D. From powerbi.com, click Get apps.




Answer: A

**NEW QUESTION 98**

You have a date column named [Date] in the format of mm-dd-yyyy.  
You need to create a column named Quarter that displays the yearly quarter. A sample of the desired data is shown in the following table.

Date	Quarter
01-01-2017	Qtr 1
03-30-2017	Qtr 1
04-01-2017	Qtr 2
06-30-2017	Qtr 2
07-01-2017	Qtr 3
09-30-2017	Qtr 3
10-01-2017	Qtr 4
12-31-2017	Qtr 4

How should you complete the DAX formula? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**


MONTH3  
="Qtr " & ROUNDUP(MONTH([Date])/3,0)  
="Qtr " & ROUNDUP(MONTH([Date])/3,0)  
<http://www.decisivedata.net/blog/quickly-create-week-month-quarter-and-year-fields-from-a-date-using-dax>

**NEW QUESTION 102**

You have a model that contains data relating to corporate profits. The model contains a measure named Profit.  
You need to create a PivotTable to display the Profit measure in three different formats by using the Show Value As feature. The PivotTable must produce the results shown in the following table.

Date	Profit	% Profit of Annual Total	% Profit of Grand Total
2016	\$58,000	100.0%	49.6%
Jan	\$10,000	17.2%	8.6%
Feb	\$8,000	13.8%	6.8%
Mar	\$12,000	20.7%	10.3%
Apr	\$13,000	22.4%	11.1%
May	\$9,000	15.5%	7.7%
Jun	\$6,000	10.3%	5.1%
2017	\$58,950	100.0%	50.4%
Jan	\$11,000	18.7%	9.4%
Feb	\$7,800	13.2%	6.7%
Mar	\$11,450	19.4%	9.8%
Apr	\$13,200	22.4%	11.3%
May	\$10,000	17.0%	8.6%
Jun	\$5,500	9.3%	4.7%
Grand Total	\$116,950		100.0%

How should you configure the Show Value As feature for % Profit of Annual Total and % Profit of Grand Total? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

% Profit of Annual Total: % of Parent Total

% Profit of Grand Total: % of Column Total

<https://support.office.com/en-us/article/show-different-calculations-in-pivottable-value-fields-014d2777-ba>


**NEW QUESTION 106**

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

Start of repeated scenario.

You have six workbook queries that each extracts a table from a Microsoft Azure SQL database. The tables are loaded to the data model, but the data is not loaded to any worksheets. The data model is shown in the exhibit. (Click the Exhibit button.)

Exhibit:



Your company has 100 product subcategories and more than 10,000 products. End of repeated scenario.

You need to create a chart as shown in the following exhibit.



Which type of chart should you use?

- A. Line with markers
- B. clustered column
- C. stacked column
- D. combo

**Answer:** D

**Explanation:**

<https://support.office.com/en-us/article/available-chart-types-in-office-a6187218-807e-4103-9e0a-27cdb19afb90>

**NEW QUESTION 109**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen. You have the following data.

OrderDate	OrderNumber	ProductName	OrderQuantity
1/28/2018	998989	Product1	10
1/28/2018	998990	Product1	22
1/28/2018	998991	Product2	21
1/29/2018	998992	Product3	43
1/29/2018	998993	Product2	56
1/29/2018	998994	Product3	12

You need to retrieve a list of the unique ProductName entries.

Solution: Create a PivotTable that uses the ProductName field in the Values area. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### NEW QUESTION 111

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 70-779 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/70-779-dumps.html>