

VMware

Exam Questions 3v0-624

VMware Certified Advanced Professional 6.5 - Data Center Virtualization Design Exam



NEW QUESTION 1

You have been tasked with creating a vSphere 6.5 data center design for an organization. The organization is evaluating various design options and their impact on the design. For each design option, determine the design characteristic that would be affected by utilizing the option. Match each Design Option on the left to the Characteristic on the right by dragging the red button (O1-O5) over the text of the appropriate Characteristic.
 NOTE: Design Options can be mapped to more than one Characteristic or none at all.

Design Option

O1

Fewer large servers, fully populated with compute resources

O2

Many servers with partially populated compute resources

O3

A fully-redundant physical switching topology

O4

An off-site, cloud-based backup solution

O5

An on-site, encrypted backup solution

Characteristic

Availability

Manageability

Performance

Recoverability

Security

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Design Option

O1

Fewer large servers, fully populated with compute resources

O2

Many servers with partially populated compute resources

O3

A fully-redundant physical switching topology

O4

An off-site, cloud-based backup solution

O5

An on-site, encrypted backup solution

Characteristic

Availability O2 O3

Manageability O1

Performance O5

Recoverability O1 O3

Security O4

NEW QUESTION 2

A company has requested assistance with a new cross-site failover design between two sites which will support business-critical applications. Latency between the sites is less than 5ms round-trip. The company requires:

- application must be restarted quickly in the event of a total site failure
- allow for planned migration during maintenance
- applications must be kept online even when migrated due to planned maintenance

Drag each statement to its correct concept

Statement

Applications must be restarted quickly.

Application downtime will result in significant financial loss.

Latency between the two sites will remain at or below 5ms.

Applications must be kept online during planned migration between sites.

Concept

Risk

Constraint


Assumption

Requirement

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 3

A company is consolidating its IT operations efforts by moving the Finance, IT, and QA departments towards a self-service environment, following SDDC best practices.

- All departments have different priorities and expectations for uptime of the required infrastructure and applications.
- Project stakeholders are still discussing final approvals for the budget with the CFO.
- To drive down the operating cost of the environment, only blade servers will implement this project.
- To ensure business continuity, a colocation provider was chosen to fail over virtual machines.
- The implementation of the project will follow a public reference architecture provided by VMware. What is the assumption in this scenario?


- A. The chosen architecture is sufficient.
- B. All departments demand different SLAs.
- C. Final budget approvals are being discussed.
- D. The environment will be shared by several departments.

Answer: A

NEW QUESTION 4

You have been tasked with creating a vSphere 6.5 design for an organization. The organization has a mission critical application that must be able to obtain its required CPU and memory resources even if contention occurs. You must determine which vSphere service(s) will allow for resources to be reserved. Associate the vSphere Service on the left with the corresponding Reservation Type on the right by dragging the red button (S1-S6) over the text of the Reservation Type.


NOTE: A vSphere Service may allow for more than one Reservation Type or none at all.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 5

When implementing update policies for the vSphere environment, which would be the VMware-recommended way to update the vCenter Server Appliance (VCSA) when an underlying operating system (OS) patch is released?


- A. Introduce a policy that requires a system administrator to check if a new appliance update (which might include an OS update) is available from the downloads section of MyVMware portal, and follow the VCSA documentation to apply the update.
- B. Do nothing - the VCSA applies all OS updates automatically without any human interaction.
- C. Introduce a policy that requires a system administrator to go online and check with the OS vendor to see if a new version is available.
- D. If it is, download it manually, log in to the VCSA with the root credentials, and proceed with the OS update.
- E. Configure VMware Update Manager to download the OS update and apply it on a scheduled basis.

Answer: A

NEW QUESTION 6

The customer has two sites that must operate independently of each other in the event of a WAN failure. During normal operations, administrators from each site must be able to manage the other site through the vSphere Web Client.

Which vCenter Server Appliance (VCSA) and Platform Services Controller (PSC) diagram shows the VMware-recommended design that satisfies these requirements?



- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Answer: D

Explanation:

<https://www.opvizzor.com/understanding-the-impacts-of-mixed-version-vmware-vmware-server-deployments/>

NEW QUESTION 7

A solution architect has been tasked with designing a new environment that meets the needs of a growing company, and has obtained this information:

- The current capacity will be exhausted in 180 days, and the new infrastructure must be deployed and in production prior to that.
- The new servers have a 90-day delivery time.
- A data center for disaster recovery has been selected, and it is 20 miles away and connected by MPLS.
- The security team will continue to utilize its current investments and VM Encryption for the new environment.
- The backup team currently uses Data Domain, and reports show an 8:1 compression and deduplication ratio for backups.

Based on the information obtained, which two statements are risks for the new design? (Choose two.)

- A. MPLS will be used to connect the two data centers.
- B. The Change Advisory Board will approve all changes.
- C. Current back up space will not be sufficient if using VM Encryption.
- D. The current firewalls will support the additional workloads.

Answer: AB

NEW QUESTION 8

A company provides critical financial and statistical data for several major banks.

- The company ensures that the bank's customer data is secure and that analytics data is available when needed.
- Customers rely on this data before making crucial business and financial decisions.
- Just a few minutes of downtime can result in loss of revenue and trust.
- To meet high-availability requirements, the company's IT infrastructure components must be redundant.
- The company established three data centers across the globe and interconnected them with high-speed WAN links.
- Due to the rapid growth of its customers and their increasing demands, the compute, network, and storage were procured and managed by the company's enterprise system administrators group. What are its two key challenges? (Choose two)

- A. Data centers across the globe possess manageability problems.
- B. Availability of business applications must be ensured.
- C. Regulatory requirements must be met.
- D. Hardware-defined data centers have limitations.

Answer: AD

NEW QUESTION 9

When considering server consolidation, plan on running vCPUs per core.

- A. 1 to 2
- B. 3 to 4
- C. 4 to 6
- D. 6 to 8


Answer: A

NEW QUESTION 10

A company is outsourcing its support operations to an external service provider and plans to complete the project by April 1.

- The external Support engineers must have the ability to power cycle, create, and edit virtual machines settings within their assigned vSphere site.
- The company maintains three vCenter servers in Enhanced Linked Mode that are run as virtual machines in the supported infrastructure.
- The vCenter servers will be supposed by the external service provider.
- Each vCenter server is connected to its own local Platform Services Controller and MSSQL database server.
- The company will provide escalation support and physical access on a per request basis.
- 99.9% ESXi host uptime is required in this environment, but no SLA has been specified for the hosted applications.

Drag each statement to its appropriate concept.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Risk --> Missing the April 1 deadline...
 Constraint --> Remote support...
 Assumption --> The company is...
 Requirement --> The SLA allows for..

NEW QUESTION 10

View the exhibit.



Referring to the exhibit, which appliance or device belongs in the square with the question mark?

- A. Firewall Appliance
- B. Load Balance
- C. Platform Services Controller
- D. vCenter Server Appliance

Answer: A

NEW QUESTION 15

Customer Information

The Customer Labtown has a new vSphere 5 environment with one of their line of business applications recently being virtualized. Labtown requires that their Webserver, Database Server, and Fileserver for their line of business app be created into a vAPP. The VM's should start up in a specific order to insure the application starts correctly after an outage or reboot. Labtown also wants the best performance possible out of each VM. There is three hosts in the cluster each running the same CPU and Memory specifications. each host is running at 60% utilization right now. Labtown doesn't have any budget for more hosts.

Create a logical vAPP design for Labtowns Line of Business Application Requirements

- The server must boot in the following order: DB, Fileserver, WebServer
- Each VM must perform the best it can with the current cluster configuration Instructions
- Place the three VM's on the vAPP
- Place the boot order boxes ontop of each VM to indicate the VM's boot order
- Place the VM stencil for each VM in the DRS rules section if you wish to apply DRS rules to the design
- As long as VM's are on the vAPP stencil marks will be scored


See the solution below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Check below for answer solution



NEW QUESTION 16

A company is a leading provider for an online travel booking system with over a \$1,000,000 turnover each day. The company wants to leverage VMware cloud solutions to consolidate, scale, and ensure high availability for all of its data centers.

Match each business requirement to its appropriate design concept.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Performance --> Infrastructure must be properly provisioned...Recoverability --> Design should require less than 5' to restore...Security --> WAN links between..Manageability --> DCs should be administered by a centralized consoleAvailability --> Architecture must support DC level resiliency

NEW QUESTION 18

A leading steel manufacturer relies on SAP for purchase, sales, add invoice processing.

- It is planning to virtualize its servers to reduce CAPEX and OPEX.
- However, its CIO is concerned about the availability, performance, manageability, recoverability, and security for the SAP database and ERP instance.

Match the business requirement with the appropriate design concept.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Manageability --> The App must support clustering...Performance --> The App must generate 200...Recoverability --> The App must be restored in 30...Security --> The App data must be encrypted...Availability --> The App must scale within 2h..

NEW QUESTION 21

A customer has storage arrays from two different storage vendors at two different sites. The customer wants to restore operations at the secondary site in the event of a disaster.

Which VMware technology must be used to meet this requirement?

- A. vSphere replication
- B. vSphere Data Protection
- C. array-based replication
- D. vSphere Fault Tolerance

Answer: A

NEW QUESTION 25

A company is designing a new vSphere cluster to support a mission-critical application.

- The application requires 100% availability and cannot be restarted to recover from an ESXi host failure.
- The application consists of a group of 16 virtual machines, each with 8 vCPU configured. Which solution satisfies the availability requirements?

- A. Guest OS-based software clustering
- B. vSphere High Availability
- C. vSphere High Availability Application Monitoring
- D. vSphere Fault Tolerance
- E. vSphere Site Recovery Manager

Answer: A

NEW QUESTION 29

Customer Information

The Customer labtown is looking to purchase a new storage system and has hired you to create a logical design. Labtown requires no single points of failure when it comes to the fabric connecting the storage. Labtown has already decided that the new storage system will be using fibre to re-use as much of the previous hardware as possible to increase ROI. Labtown would also like a tiered disk system broken into three categories with the database sitting in the fastest tier, the two web servers sitting in the medium tier, and the file server sitting in the slowest tier.

Create a logical design for Labtown's new Storage System Requirements

- Create a tiered storage system for Labtown - No single points of failure - Insure storage performance SLA's are met with the four line of business VM's Instructions

- Place VM's on the bottom of the page and connect them with the connector to the storage LUN they will belong to.
- Connect the storage LUN with the service processor with the connector
- Connect the storage processors to the SAN switch
- Place HBA's just below the host, as long as they are close to the host points will be scored
- Connect HBA's to SAN switches with either the Fixed, MRU, or RR Connector to dictate the PSP Policy for storage on the ESXi host.


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Check below for answer solution

C:\WORK\Cert Paper Exams\VMware\3V0-622\Sim9Aph.jpg



NEW QUESTION 31

You are a platform designer constructing a physical design from an existing approved logical design. Out of the vendor proposals, there are two proposed solutions that could be used. Which of the following options is the most important factor when making a decision?

- A. Community and vendor-based best practices
- B. Existing vendor relationships
- C. Project requirements
- D. Project budget

Answer: C

NEW QUESTION 32

An organization is trying to determine whether it should use the Windows version of the vCenter Server or use the vCenter Server Appliance (VCSA). The organization will be using an external Oracle database, and it will manage about 30 ESXi hosts and about 200 virtual machines on 1 vCenter Server, but it would also like to see another group's vCenter Server from the same vSphere client window. Which type of vCenter Server should it use, and why?

- A. The vCenter Server Appliance (VCSA) because it can be used with Oracle
- B. The VCSA because it can support 30 ESXi hosts
- C. The Windows version because it can support Oracle
- D. The Windows version because it can support Linked mode

Answer: A

NEW QUESTION 36

Customer Requirements:

You have been tasked with creating a vSphere 6.5 data center design for an organization. The organization is looking to virtualize their physical email application. The company has provided a list of requirements that must be included in the design:





- E-mail database is replicated between two servers at a logical level, with no shared disk configurations.
- E-mail databases meet corporate criteria for LUN provisioning, and must reside directly on storage array.
- Operating system disks do not meet corporate requirements for LUN provisioning, and per policy should not share the same VMFS storage location for redundancy reasons.
- Internal users currently point to three Client Access Servers for load balancing.
- External users currently point to three Web Client Access Servers for load balancing.
- Customer requires discrete hardware to provide security between internal servers and externally available servers, as well as between externally available servers, and client connections from offsite.


Design Requirements:





Create a solution that shows the service dependencies required for virtualizing the email application, including:

- All required storage for Mail DB VM(s) only
- All required network and security connection(s)
- All required virtual machine(s)
- All required user(s)

Place all items in required container(s). Connect VMFS datastore(s) to required virtual machine(s). Place disk(s) over the required storage type(s). Connect firewall(s) to container(s).












- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Check below for answer solution





NEW QUESTION 40

You have been tasked with creating a vSphere 6.5 design for an organization. The organization is looking to implement a Virtual SAN into their environment. You have been tasked with determining whether a given Virtual SAN logical design decision meets the technical requirements of their infrastructure. For each Design Decision on the left drag the red Decision buttons (D1-D8) on the right and place it on the proper Technical Requirement. NOTE: Not all Design Decisions will be used.

Design Decision	Technical Requirement
D1 2 each 1 Gbps NICs	Data Availability
D2 2 each 10Gbps NICs	
D3 FTT = 2	
D4 4 hosts 2U each + 1 Blade server	Throughput
D5 4 hosts 4U each	
D6 4 hosts 2U each + 2 Blade servers	Write Performance
D7 Stripe Width = 1	
D8 Stripe Width = 3	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Design Decision	Technical Requirement
D1 2 each 1 Gbps NICs	Data Availability D2 D5 D8
D2 2 each 10Gbps NICs	
D3 FTT = 2	
D4 4 hosts 2U each + 1 Blade server	Throughput D2 D6 D7
D5 4 hosts 4U each	
D6 4 hosts 2U each + 2 Blade servers	Write Performance D1 D3 D5
D7 Stripe Width = 1	
D8 Stripe Width = 3	Cluster Size D4

NEW QUESTION 45

A company's CTO is very concerned about web server outages that are caused by server hardware failures. Which feature can protect the web server virtual machine from this kind of outage?

- A. vCenter High Availability
B. Proactive High Availably
C. High Availability Orchestrated Restart
D. High Availability Admission Control

Answer: B

Explanation:

<http://www.vmwarearena.com/vsphere-6-5-high-availability-new-features-proactive-ha/> vSphere 6.5 High Availability (HA) now also detect the hardware conditions of the ESXi host and allow you to evacuate the Virtual machines before the hardware issues cause an outage to Virtual machines with the help of Proactive HA.

NEW QUESTION 48

A validation plan is used to do which of the following? (Select all that apply.)

- A. Verify the design
B. Verify that the system is functional

- C. Verify that the system meets requirements
- D. Meet current best practices

Answer: ABC

NEW QUESTION 51


The ability to live-migrate all virtual machines between two clusters is a requirement in the customer's design. Which two clusters and EVC configurations will accomplish this? (Choose two)

- A. Cluster 1• ESXi 6.0• Intel Skylake CPUs• EVC Enabled: AMD Opteron™ "Steamroller" Generation Cluster 2• ESXi 6.5• AMD Steamroller CPUs• EVC Enabled: AMD Opteron™ "Steamroller" Generation
- B. Cluster 1• ESXi 5.6• Intel® Broadwell CPUs• EVC Disabled Cluster 2• ESXi 6.5• Intel® Broadwell CPUs• EVC Disabled
- C. Cluster 1• ESXi 5.5• AMD Piledriver CPUs• EVC Enabled: AMD Opteron™ "Piledriver" Generation Cluster 2• ESXi 6.5• AMD Steamroller CPUs• EVC Enabled: AMD Opteron™ "Piledriver" Generation
- D. Cluster 1• ESXi 6.5• Intel Broadwell CPUs• EVC Enabled: Intel® "Broadwell" Generation Cluster 2• ESXi 6.5• Intel Sandy Bridge CPUs• EVC Enabled: Intel® "Sandy Bridge" Generation

Answer: BC

NEW QUESTION 53

Sort the traffic by whether it can be encrypted natively by vSphere.



- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

vmotion--> it is supported
 snmpv3 --> Natively supports message integrity, auth and encryption
 vsphere client --> Using IPSec for IPv6

NEW QUESTION 57

View the Exhibit.



Referring to the Exhibit, identify the two single points of failure in this design. (Choose two.)

- A. Intranet Switch
- B. Intranet Uplink
- C. Intranet vSwitch
- D. DMZ Switch
- E. DMZ Uplink
- F. DMZ vSwitch

Answer: EF

NEW QUESTION 61

A host has three dual-port network cards. What is the maximum number of vSwitches that can be integrated with the physical network, assuming that network redundancy is not a requirement?

- A. 3
- B. 6
- C. 256
- D. 512

Answer: B

NEW QUESTION 64

A solution architect has been tasked with designing a new environment that meets the needs of a growing company, and has obtained this information:

- The current capacity will be exhausted in 180 days, and the new infrastructure must be deployed and in production prior to that.
- The new servers have a 90-day delivery time.
- A data center for disaster recovery has been selected, and it is 20 miles away and connected by MPLS.
- The security team will continue to utilize its current investments and VM Encryption for the new environment.
- The backup team currently uses Data Domain, and reports show an 8:1 compression and deduplication ratio for backups.

Based on the information obtained, which two statements are assumptions for the new design? (Choose two.)

- A. MPLS will be used to connect the two data centers.
- B. There is 180 days left of current capacity.
- C. Data Domain will get an 8:1 compression and deduplication ratio with the new workloads.
- D. A disaster will NOT affect both data centers.

Answer: BD

NEW QUESTION 69

A customer is deploying a mission-critical Oracle database with high SLA requirements, including high performance and high availability. The customer has chosen to purchase an All-Flash vSAN solution.

Which three storage policies should be used? (Choose three.)

- A. RAID5/6 for data disk and RAID1 for OS disk with FTT=2.
- B. IOPS limit and checksum should be enabled.
- C. RAID5/6 for OS disk and RAID1 for data disk with FTT=2.
- D. Configure multiple disk stripes.
- E. Deduplication and Compression should be disabled.

Answer: CDE

NEW QUESTION 74

You have been tasked with creating a vSphere 6.5 design for an organization. The customer wants to ensure isolation in the network but does not know when to incorporate physical networks, VLANs and PVLANs.

Evaluate the design requirement and determine the isolation method to satisfy the design.

Match each Design Requirement on the left by dragging the red Requirement buttons (R1-R5) over the text of the appropriate Isolation Method.

NOTE: Multiple Design Requirements may fit each Isolation Method.

Design Requirements

R1

Physical network ports equal networks required.

R2

Physical network ports are less than networks required.

R3

Need to limit communication between servers in the same layer 2 network.

R4

Customer has a 10Gb network.

R5

Isolation is particularly important for servers in networks that have some degree of public access, like the servers in a DMZ network.

Isolation Method

Physical network separation


VLAN

PVLAN

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 78

You have been provided with a list of requirements for a vSphere Design. For each requirement, categorize the requirement as a component of the WRT, RTO, RPO, MTD, and Recoverability.
Drag a requirement button (R1-R8) over to the green space provided beside the corresponding Design Phase.

Requirement

R1

Determines the maximum acceptable amount of data loss measured in time.

R2

Determines the maximum tolerable amount of time needed to bring all critical systems back online

R3

Determines the maximum tolerable amount of time that is needed to verify the system and/or data integrity

R4

Defines the total amount of time that a business process can be disrupted without causing any unacceptable consequences

R5

Is how easy to recover infrastructure/services from a failure

Design Phase

WRT (Work Recovery Time)

RTO (Recovery Time Objective)

RPO (Recovery Point objective)

MTD(Maximum Tolerable Downtime)

Recoverability

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Requirement

Determines the maximum acceptable amount of data loss measured in time.

Determines the maximum tolerable amount of time needed to bring all critical systems back online

Determines the maximum tolerable amount of time that is needed to verify the system and/or data integrity

Defines the total amount of time that a business process can be disrupted without causing any unacceptable consequences

Is how easy to recover infrastructure/services from a failure

Design Phase

R1

WRT (Work Recovery Time)

R2

RTO (Recovery Time Objective)

R3

RPO (Recovery Point objective)

R4

MTD(Maximum Tolerable Downtime)

R5

Recoverability

NEW QUESTION 82

A business organization has different types of network traffic, and all the types of traffic must be kept separated. The design architect knows that the number of required networks is greater than the number of physical ports in the system.
Which three choices can the architect use to keep the traffic separated? (Choose three.)

- A. Combine vMotion, Management, and vSAN to one VMkernel port.
- B. Configure VLANs to create separate networks.
- C. Purchase hardware that supports a greater number of network ports.
- D. Utilize Private VLANs.

Answer: BCD

NEW QUESTION 87

You have been tasked with creating a vSphere 6.5 center design for an organization. The organization is currently evaluating vSphere network technologies that can be utilized with their existing infrastructure. Evaluate each statement provided through requirements gathering and determine the network technologies that can be used to meet that requirement. The technology(s) chosen should be limited to what is needed to meet, but not exceed, the given requirement.
Match Statements on the left by dragging the red buttons (S1-S6) over the text of the appropriate Solution. NOTE: Statements can match more than one Solution or none at all.

Statement	Solution
S1 The design should be able to support six ESXi hosts, four portgroups, vMotion, and iSCSI.	vSphere Standard Switch
S2 We plan to add ten additional VLANs to our physical network to allow communication to our remote office over a site-to-site VPN.	vSphere Distributed Switch
S3 We plan to utilize Link Aggregation in the future, and integrate traffic monitoring into our existing NetFlow configuration.	VMware NSX
S4 We would like to load balance our VM traffic, and we want to segment traffic with separate gateways for hosted customers.	PVLANs
S5 We want to determine if our infrastructure can support virtual machine migration over long distance.	Multiple TCP/IP Stacks
S6 We would like to gain greater control over our individual traffic types, and are thinking of adding Network I/O Control to the design.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statement	Solution
S1 The design should be able to support six ESXi hosts, four portgroups, vMotion, and iSCSI.	vSphere Standard Switch S5
S2 We plan to add ten additional VLANs to our physical network to allow communication to our remote office over a site-to-site VPN.	vSphere Distributed Switch S1 S3
S3 We plan to utilize Link Aggregation in the future, and integrate traffic monitoring into our existing NetFlow configuration.	VMware NSX S2
S4 We would like to load balance our VM traffic, and we want to segment traffic with separate gateways for hosted customers.	PVLANs S4
S5 We want to determine if our infrastructure can support virtual machine migration over long distance.	Multiple TCP/IP Stacks S6
S6 We would like to gain greater control over our individual traffic types, and are thinking of adding Network I/O Control to the design.	

NEW QUESTION 88

A customer has requested a vSphere 6.5 deployment design that utilizes vCenter Server and the use of VMware-recommended best practices for securing vCenter Server.
Which three actions would satisfy these requirements? (Choose three.)

- A. Utilizing vSphere CLI and vSphere SDK for Perl scripts.
- B. Restricting vCenter Server access to only the management network
- C. Assigning the default Administrator role to all administrator users.

- D. Synchronizing time in vCenter Server with a NIP source.
- E. Removing expired and revoked certificates from vCenter Server system.

Answer: BDE

NEW QUESTION 93

You have been tasked with creating a vSphere 6.5 data center design for an organization. During the key stakeholder and SME interviews, a set of goals, requirements, assumptions and constraints were identified. Evaluate each of the requirements, assumptions, and constraints (RAC) and determine which design characteristics apply.
Match each of the Requirements, Assumptions and Constraints by dragging the RAC buttons (R1-R5) over the text of the appropriate Design Characteristic.
NOTE: RACs may fit one or more of the Design Characteristics.

RAC

R1

All hosts per location are configured uniformly and all differences or changes are tracked.

R2

The implementation should be easily repeatable.

R3

Deployment of system and services should be automated.

R4

The custom order processing system at the primary site must be kept running with no downtime.

R5

All production servers should be segregated.

Design Characteristic

Availability

Manageability

Performance

Recoverability

Security

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

RAC

R1

All hosts per location are configured uniformly and all differences or changes are tracked.

R2

The implementation should be easily repeatable.

R3

Deployment of system and services should be automated.

R4

The custom order processing system at the primary site must be kept running with no downtime.

R5

All production servers should be segregated.

Design Characteristic

Availability

R3

R4

Manageability

R5

Performance

R4

Recoverability

R2

Security

R1

NEW QUESTION 96

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

3v0-624 Practice Exam Features:

- * 3v0-624 Questions and Answers Updated Frequently
- * 3v0-624 Practice Questions Verified by Expert Senior Certified Staff
- * 3v0-624 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 3v0-624 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 3v0-624 Practice Test Here](#)