

VMCE2020 Dumps

Veeam Certified Engineer 2020

<https://www.certleader.com/VMCE2020-dumps.html>



NEW QUESTION 1

A company needs to recover a domain controller from a backup file they have on premises which was created by the Veeam Agent for Microsoft Windows. Which of the following would provide the fastest access to the domain controller?

- A. Use the Veeam Explorer for Active Directory to recover the domain controller
- B. Perform an Instant VM Recovery to recover the domain controller to a VM on their VMware host
- C. Perform a bare metal recovery of their domain controller back to the original system
- D. Recover the domain controller to an AWS EC2 instance using the restore to Amazon EC2

Answer: B

NEW QUESTION 2

A company has replicated their critical application VMs to a second data center in another region. Their key application includes two database VMs and three application VMs. For proper operation, the database VMs need to start before the application VMs. What needs to be configured in Veeam to prepare for a disaster recovery situation?

- A. Use a failover plan
- B. Use a planned failover
- C. Use Instant VM Recovery
- D. Use on-click failover

Answer: C

NEW QUESTION 3

A company has been running off replicated, business-critical VMs at their disaster recovery location since an earthquake near the primary data center occurred. Since the threat has passed, they want to stop the replicas and switch to the VMs at the primary data center without losing data. Which of the following actions is the first step they should take?

- A. Failover
- B. Permanent failover
- C. Commit failback
- D. Failback to production
- E. Planned failover
- F. Undo failover

Answer: C

NEW QUESTION 4

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

Answer: CE

NEW QUESTION 5

When planning to back up files and folders from shared sources, that is the correct method to connect to the file share from the Veeam backup server?

- A. Add the file share into the store infrastructure
- B. Add the file share into the physical infrastructure
- C. Add the file share into the inventory
- D. Add the file share into the managed servers

Answer: D

NEW QUESTION 6

A backup administrator needs to restore two data drives to a VM where the operating system remains intact. The target machine must remain powered on. What recovery option is most appropriate to perform this operation?

- A. Instant VM Recovery
- B. Instant disk recovery
- C. Restore entire VM
- D. Restore VM files

Answer: A

NEW QUESTION 7

To suppress Veeam ONE alarms under specific conditions or when a specific event occurs, which of these options can be selected? (Choose three.)

- A. High CPU usage
- B. Veeam backup activity
- C. Snapshot creation

- D. Storage snapshot deletion
- E. Storage snapshot creation
- F. Snapshot deletion

Answer: BCF

NEW QUESTION 8

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

Answer: D

NEW QUESTION 9

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. 1. Replication job2. Failover plan3. Permanent failover
- B. 1. Backup job2. Instant VM Recovery3. Finalize the Instant VM Recovery
- C. 1. Replication job2. Failback3. Commit failback
- D. 1. Replication job2. Planned failover3. Permanent failover

Answer: A

NEW QUESTION 10

A company has separate networks for management traffic and data traffic. All Veeam components are communicating over the management network. How would they define the data network for backup data transfers?

- A. Re-add all Veeam components involved in data transfer through the required interfaces
- B. Update routing tables on the components involved in data transfer
- C. Create a global network traffic rule, set appropriate source and target IP range
- D. Use the preferred network settings to switch to data network for the backup traffic

Answer: C

NEW QUESTION 10

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the ??failback?? action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.
- C. Data from 1 a.
- D. to 2 p.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

Answer: B

NEW QUESTION 14


When deploying an advanced single-host virtual lab in a VMware environment, what will Veeam create?

- A. A distributed virtual switch with uplink(s)
- B. A standard virtual switch with uplink(s)
- C. A distributed virtual switch without uplink(s)
- D. A standard virtual switch without uplink(s)

Answer: B

NEW QUESTION 19

Figure A shows the backup files on a Scale-out Backup Repository (SOBR) created by a single Veeam backup job. The SOBR is configured to offload to capacity tier in move mode. If the offload was completed successfully, what will remain on the performance extents for the files uploaded to the capacity tier?



- A. VIB files (metadata and data)
- B. VBM files (metadata only)
- C. VIB and VBK files (metadata only)
- D. VBK files (metadata and data)
- E. VIB and VBK files (data blocks only)

Answer: C

NEW QUESTION 20

Which of the following is a backup mode that can be configured within a Veeam Agent for Windows backup job?

- A. Reverse incremental with periodic active full backups
- B. Forward incremental and reverse incremental, both with optional periodic synthetic and/or active full backups
- C. Forward incremental with optional periodic synthetic and/or active full backups
- D. Reverse incremental with optional periodic synthetic full backups

Answer: D

NEW QUESTION 24

Look at the diagram. This daily backup job has been running for over 30 days and no active full backups have been taken since the first run. Which of the following best describes the backup job?

- A. This is a reverse incremental backup, keeping seven restore points
- B. This is a forward incremental backup with Sunday and Wednesday synthetic full, keeping seven restore points
- C. This is a forward incremental backup with transform enabled, keeping four restore points
- D. This is forever forward incremental backup, keeping seven restore points

Answer: A

NEW QUESTION 26

Which of the following scenarios properly applies the 3-2-1 rule to backup jobs?

- A. Use a backup job to back up to a Scale-out Backup Repository configured with capacity tier using AWS S3 and enable move mode
- B. Use a backup job to back up to a local repository; perform a backup copy job to a repository in another location
- C. Use backup jobs to back up directly to tape; ship the tapes off site
- D. Use a backup job to back up to a local repository; perform a backup copy job to the same repository

Answer: D

NEW QUESTION 30

Select the correct description of a synthetic full backup.

- A. A synthetic full backup will generate a new VBK file by getting data from the hypervisor
- B. A synthetic full backup combines a VIB file with one or more VBK files from a repository to generate a new VBK file
- C. A synthetic full backup combines a VBK file with one or more VIB files from a repository to generate a new VBK file
- D. A synthetic full backup will update the existing VBK with data from the hypervisor and generate a new VRB file

Answer: A

NEW QUESTION 33

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VMs need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file

E. The VMs were moved to different datastores manually

Answer: BE

NEW QUESTION 37

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under ??Run the following script before the job:??

Answer: C

NEW QUESTION 41

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your VMCE2020 Exam with Our Prep Materials Via below:

<https://www.certleader.com/VMCE2020-dumps.html>