



HP

Exam Questions HPE0-V14

Building HPE Hybrid IT Solutions

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You have configured a port on an HPE FlexFabric 5900 series switch that is connected to a VMware ESXi server to support multiple VLANs.

```
interface Ten-GigabitEthernet 1/0/11 description server ESXi01 -eth1 port link-type trunk
port trunk permit vlan 50 port trunk permit vlan 2 port trunk pvid vlan 50
```

Given the configuration above, what should happen to any of the untagged traffic coming from the VMware ESXi host?


- A. The untagged traffic will be dropped.
- B. The untagged traffic will be transmitted in vlan 2.
- C. The untagged traffic will be transmitted in vlan 50.
- D. The untagged traffic will be transmitted in vlan 1.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

Refer to the exhibit.



```
172.16.5.1 - PuTTY
K11-S14-A: admin> portshow 0/0/1
portIndex:      1
portName: port1
portHealth:      Fabric vision license not present. Please install the license and retry the operation.

Authentication: None
portDisableReason: None
portCFlags: 0x1
portFlags: 0x20b03 PRESENT ACTIVE F_PORT G_PORT U_PORT LOGICAL_ONLINE LOGIN NOELP ACCEPT FLOGI
LocalSwcFlags: 0x0
portType: 18.0
PDP Port: Port is licensed
portState: 1 Online
Protocol: FC
portPhys: 6 In_Sync portScn: 32 F_Port
port generation number: 0
state transition count: 1

portId: 010100
portIfId: 43020015
portWwn: 20:01:c4:f5:7c:b3:25:e1
portWwn of device(s) connected:
    56:c9:ce:90:20:50:68:01
Distance: normal
portSpeed: N8Gbps

Credit Recovery: Inactive
Aoq: Inactive
FAA: Inactive
F_Trunk: Inactive
LE domain: 0
Peer beacon: Off
```

The information shown is displayed for a Nimble array you are installing. The customer's administrator has asked you for the speed at which the Nimble ports are connecting to their SAN switches, and you have run the command shown to determine the number of gigabits per second used by this port connection. What speed does the exhibit indicate is in use?

- A. 18
- B. 32
- C. 6
- D. 8

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

An HPE customer wants to perform a simplified update of firmware and drivers among their 100 HPE Gen9 and Gen10 racked servers. Which HPE software tool should the customer use to minimize the time required to perform this activity.

- A. HPE Smart Update Manager
- B. HPE OneView Standard
- C. HPE ProLiant Support Pack
- D. HPE iLO Amplifier Pack

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

A customer is considering an upgrade of their networking infrastructure with HPE FlexFabric 5940 series switch. Match the fan tray option with the airflow direction.

Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	<input type="text" value="Back to front"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
<input type="text" value="Front to back"/>	<input type="text" value="Front to back"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
<input type="text" value="Back to front"/>	<input type="text" value="Front to back"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text" value="Back to front"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

NEW QUESTION 5

- (Exam Topic 1)

When is it appropriate for a customer to implement HPE OneView Standard?

- A. To manage multiple servers
- B. To monitor their services
- C. To enable the Advanced iLO license
- D. To update firmware

Answer: B

NEW QUESTION 6

- (Exam Topic 1)

A customer needs a single, dual-processor server for an Enterprise Resource Planning solution for a single office. The customer application uses a mix of HDDs and SSDs and up to 3TB of RAM.

Which HPE Solution should you propose?

- A. HPE Synergy Solution
- B. HPE Apollo 2000 Server
- C. HPE ML350 Gen10
- D. HPE ML110 Gen10

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

What is a primary benefit of DAS?

- A. It takes advantage of Common Internet File System (CIFS).
- B. It is presented as an iSCSI LUN to the attached server.
- C. It can be accessed by both server and non-server devices simultaneously.
- D. It is connected directly to a server.

Answer: C

NEW QUESTION 8

- (Exam Topic 1)

You are creating a configuration for a new Nimble HF40 array.
Which tool should you use to ensure that you include adequate cache in the configuration?

- A. HPE NinjaSTARS
- B. HPE Storage Sizer
- C. HPE OneView
- D. HPE SPOCK

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

HPE Support asks you to generate an SSD wear gauge report for local storage on an HPE DL360 Gen10 server running VMware.
Which procedure will ensure that the server will boot directly into a maintenance state so you can generate the requested report?

- A. Changing the one-time boot option to Smart Storage Administrator in iLO web-based user interface
- B. Use Always On functionality of Intelligent Provisioning
- C. Changing the one-time boot option to Intelligent Provisioning in iLO web-based user interface
- D. Click Boot to System Setup Utilities in iLO web-based user interface
- E. Changing the one-time boot option to Intelligent Provisioning in HPE OneView

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

Indicate whether each management feature manages or monitors a single system or multiple systems.

Answer Area

		HPE 3PAR SSMC
ManagingMonitoring a Single System		HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems		HPE Intelligent Provisioning
		HPE Smart Storage Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	ManagingMonitoring a Single System	HPE 3PAR SSMC
ManagingMonitoring a Single System	Managing/Monitoring Multiple Systems	HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems	ManagingMonitoring a Single System	HPE Intelligent Provisioning
	Managing/Monitoring Multiple Systems	HPE Smart Storage Administrator

NEW QUESTION 10
- (Exam Topic 1)
Match each adapter to its characteristic.

Adapter

FlexLOM

FlexFabric

Smart Array

HBA

provide RAID configuration using disks internal to the server

allow choice of network interface on the motherboard

connect to native Fibre Channel SAN with a PCIe adapter

connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Adapter

FlexLOM

FlexFabric

Smart Array

HBA

Smart Array

FlexLOM

HBA

FlexFabric

provide RAID configuration using disks internal to the server

allow choice of network interface on the motherboard

connect to native Fibre Channel SAN with a PCIe adapter

connect to a Fibre Channel over Ethernet (FCoE) SAN environment with a PCIe adapter

NEW QUESTION 12
- (Exam Topic 1)
A customer wants to install an HPE Proliant server that has a single dual port 10Gb NIC.
Which NIC feature should you introduce to allow each 10Gb port to be seen as four individual adapters in the operating system?

- A. NPAR
B. RoCE
C. FCoE
D. RDMA

Answer: A

NEW QUESTION 14
- (Exam Topic 1)
Which protocol can be used to access a shared directory on a network-attached storage device?

- A. SNMP
B. SMB
C. FCP

Answer: B

NEW QUESTION 18

- (Exam Topic 1)

Match each HPE solution to its corresponding technology usage.

Answer Area

HPE Solution		Usage
HPE OneView Advanced		single-pane management and monitoring for selected HPE devices
HPE ProLiant		industry-leading server platform for a broad range of workloads
HPE Simplivity		purpose-built hyperconverged solution

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

HPE Solution		Usage
HPE OneView Advanced	HPE OneView Advanced	single-pane management and monitoring for selected HPE devices
HPE ProLiant	HPE ProLiant	industry-leading server platform for a broad range of workloads
HPE Simplivity	HPE Simplivity	purpose-built hyperconverged solution

NEW QUESTION 20

- (Exam Topic 1)

A customer environment is being managed and monitored with HPE OneView. A review of the OneView log shows that there have been several trap storm events. Which series of events must take place for OneView to insert a Trap Storm event entry into the log of system events?

- A. SNMP traps from three or more identical hosts have been logged within the past 256 seconds.
- B. Four or more identical SNMP traps have been logged within the past 30 seconds.
- C. Three or more SNMP trap messages have been logged with increasingly critical variable string values.
- D. Four or more ports on the same network switch have reported sequential SNMP trap messages

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

A customer needs to verify inbound packet statistics for interface. Ten-GigabitEthernet 1/0/10 on an HPE FlexFabric 5900 series switch used by an iSCSI storage array. Which command can be used in the CLI to perform this operation?

- A. show inbound counters port 1/0/10
- B. display counters inbound interface Ten-GigabitEthernet 1/0/10
- C. display all statistics from port 1/0/10
- D. interface Ten-GigabitEthernet 1/0/10 show counters

Answer: D

NEW QUESTION 28

- (Exam Topic 1)

What is the most important difference between an HPE ProLiant DL380 Gen10 server and an HPE ProLiant DL385 Gen10 server?

- A. Disk Drives
- B. Power Supplies
- C. Network Cards
- D. Processors

Answer: A

NEW QUESTION 30

- (Exam Topic 1)

You are validating a configuration prior to quoting it for the customer. You plan to propose the following configuration:

Two HPE DL380 Gen10 servers with dual processors, 256GB of memory, dual 10Gb NICs, SN1100Q 16Gb dual port FC HBA, dual 800W power supplies, and high temperature fan kit

HPE Nimble HF20H with 11TB storage, 960GB of cache, dual port 10GbE NIC, and 16Gb dual port FC adapter kit

Two SN3000B FC Switches

Which tool should you use to verify firmware compatibility between the storage and server components in this proposed solution?

- A. HPE NinjaSTARS
- B. HPE One Configuration Advanced
- C. HPE OneView Advanced
- D. HPE SPOCK

Answer: D

NEW QUESTION 33

- (Exam Topic 1)

A client complains about systems reliability issues caused by their staff's inability to identify the root cause of failures. The client's lead administrator wants to automatically send data from HPE OneView to additional listeners in the network.

What should you configure in HPE OneView to enable the external monitoring of the managed devices?

- A. Configure a scope to include the listener.
- B. Configure SNMP Trap Forwarding.
- C. Configure scheduled reports to export the data to the listener.
- D. Configure the listener as a managed device.

Answer: B

NEW QUESTION 36

- (Exam Topic 1)

What is a feature of the MSA 1050 that will help your Storage Customer better utilize storage resources?

- A. block, file, and object access
- B. Triple+ parity RAID
- C. Automated Tiering
- D. 99.9999% guaranteed availability

Answer: C

NEW QUESTION 40

- (Exam Topic 1)

Refer to the exhibit.

```
<Switch-A>display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 Current state: UP
Line protocol state: UP IP packet frame type: Ethernet II, hardware address: d894-03fb-793d
Description: Ten-GigabitEthernet1/0/1 Interface Bandwidth: 10000000 kbps Loopback is not
set Media type is stack wire, port hardware type is STACK_SFP_PLUS 10Gbps-speed mode, full-
duplex mode Link speed type is autonegotiation, link duplex type is autonegotiation Flow-
control is not enabled Maximum frame length: 10000 Allow jumbo frames to pass Broadcast
max-ratio: 100% Multicast max-ratio: 100% Unicast max-ratio: 100% PVID: 1 MDI type:
Automdix Port link-type: Trunk VLAN Passing: 10, 20 VLAN permitted: 10, 20 Trunk port
encapsulation: IEEE 802.1q Port priority: 0 <SNIP>
```

An administrator connected a hypervisor to interface Ten-GigabitEthernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. VLAN 10 is configured to be tagged, and VLAN 20 is configured to be untagged on the hypervisor.

The administrator found that all the virtual machines in VLAN 20 can communicate with each other, but not with any virtual machines on VLAN 20 external to the hypervisor.

Given the output in the exhibit, what should you do to resolve the issue?

- A. Permit VLAN 1 on the interface.
- B. Configure the PVID of the interface to be VLAN 20.
- C. Configure the interface as an access port.
- D. Configure the interface as an IRF port.

Answer: D

NEW QUESTION 41

- (Exam Topic 1)
What is an access port on an Ethernet switch?

- A. A port that carries FCP frames inside the network
- B. A port that carries mulitple VLANs
- C. A port that is connected to an FCF
- D. A port that carries untagged frames inside the network

Answer: D

NEW QUESTION 44

- (Exam Topic 2)
You need to install 10 HPE ProLiant servers in an environment without DHCP. Which tool can you use to set up remote management?

- A. Intelligent Provisioning
- B. UEFI System Utilities
- C. Intelligent Management Center
- D. iLO 5 Configuration Utility

Answer: C

NEW QUESTION 45

- (Exam Topic 2)
Match each workload profile description with the corresponding profile. (Select all that apply.)

Profile		Description
Mission Critical	<input type="text"/>	Maximizes processor speed
Transactional Application Processing	<input type="text"/>	Large number of database operations
General Peak Frequency Compute	<input type="text"/>	Trades performance for reliability

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Missing Critical - Large number of database operations
Transactional Application Processing - Trades performance for reliability
General Peak Frequency Compute - Maximize processor speed

NEW QUESTION 48

- (Exam Topic 2)
Which statement is true regarding configuring memory in an HPE ProLiant server?

- A. LRDIMMS in 64 GB and 128 GB can be mixed.
- B. RDIMM and LRDIMMs can be mixed in one system.
- C. Different capability DIMMs of the same speed can be mixed.
- D. The first CPU memory channel must be fully populated before the second.

Answer: C

NEW QUESTION 50

- (Exam Topic 2)
A customer needs to create a large RAID set for archive storage on large-capacity drives. Which RAID level is recommended for this customer?

- A. RAID 0
- B. RAID 5+0
- C. RAID 1+0
- D. RAID 6

Answer: D

NEW QUESTION 53

- (Exam Topic 2)
A customer needs a video archive repository initially starting at 30TB internal storage. The repository is expected to grow at 20% annually and should have a lifespan of 3 years.

Which HPE ProLiant server solution meets the customer's requirements?

- A. HPE ProLiant DL560 Gen10 with LFF SAS drives
- B. HPE ProLiant DL380 Gen10 with LFF SAS drives
- C. HPE ProLiant ML110 with SFF SAS drives
- D. HPE ProLiant DL560 Gen9 with SFF SAS drives

Answer: B

NEW QUESTION 58

- (Exam Topic 2)

You are configuring a FlexFabric switch for a customer environment. The customer has requested specific SFP+ transceivers, power options, and cables.

Which HPE tool enables you to select and configure a switch according to precise specifications?

- A. Single Point of Connectivity Knowledge (SPOCK)
- B. Networking Online Configurator
- C. One Config Simple (OCS)
- D. Switch Selector

Answer: C

NEW QUESTION 60

- (Exam Topic 2)

Exhibit:

-2vCPU
-8 GB RAM
-1 Gb dedicated network
-50 GB Disk

Which HPE ProLiant Server meets the customer's requirements?

☐ HPE ProLiant DL360 Gen10 with:
-1 dual 1 GB NIC
-2 CPU
-4 10 Gb port NIC
-2 CNA
-4 10 Gb FlexLOM

☐ HPE ProLiant DL380 Gen10 with:
-1 dual 1 GB NIC
-2 CPU
-4 10 Gb port NIC
-2 FC HBA
-4 10 Gb FlexLOM

☐ HPE ProLiant DL380 Gen10 with:
-2 CPU
-4 10 Gb port NIC
-1 dual port FC HBA
-4 10 Gb FlexLOM

☐ HPE ProLiant DL360 Gen10 with:
-1 CPU
-4 10 Gb ports NIC
-2 FC HBA
-4 10 Gb FlexLOM

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 62

- (Exam Topic 2)

A customer has an application that consumes 500 GB storage and requires an RTO and PRO of 15 minutes.

Which backup and recovery technology enables the customer to meet their requirements in the most cost-effective manner?

- A. offsite tape backup
- B. remote storage replication
- C. log shipping
- D. disk-to-disk appliance

Answer: D

NEW QUESTION 66

- (Exam Topic 2)

You are troubleshooting a customer's HPE ProLiant rack-mount server. The customer has configured the server in Legacy Boot BIOS Mode and is trying to boot from a USB 3.0 drive. The server will not boot from the drive.

What should you do?

- A. Set the USB 3.0 mode to Enabled.
- B. Set the USB 3.0 mode to Auto.
- C. Use the internal USB 3.0 connector.
- D. Use the front-facing USB 3.0 connector.

Answer: A

NEW QUESTION 71

- (Exam Topic 2)

A customer needs a solution that will maintain data availability in their campus location. They require a multi-node system that can sustain multiple failures, including a full building outage.

Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreVirtual
- C. StoreEasy
- D. MSA

Answer: D

NEW QUESTION 76

- (Exam Topic 2)

You are troubleshooting an HPE ProLiant ML350 Gen server. You determine that the active ROM is corrupt and the system has not automatically switched to the redundant ROM. You need to manually switch the ROM.

What should you do?

- A. Select the backup ROM in the BIOS.
- B. Reset the iLO controller
- C. Change the position of the system maintenance switch options.
- D. Move the system maintenance jumper to pins one and two.

Answer: C

NEW QUESTION 79

- (Exam Topic 2)

You are installing a data center switch.

Which methods are recommended to configure the switch? (Choose two.)

- A. Use out-of-band management with a dedicated management connection
- B. Use in-band management with an IP address and subnet mask that is reachable on the management network
- C. Use out-of-band management and keep the default settings
- D. Use in-band management and configure the AUX0 interface for scheme authentication

Answer: AB

NEW QUESTION 80

- (Exam Topic 2)

A customer requires a storage platform for their department data. They have a limited budget and will be sharing files among their Microsoft Windows environment.

Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreOnce
- C. 3PAR StoreServ
- D. StoreEasy

Answer: D

NEW QUESTION 83

- (Exam Topic 2)

A customer needs to replace an existing storage array. The new array must be suitable for remote office deployment and support the following:

- Multi-protocol connectivity
- Flash-accelerated storage
- Low-cost midline SAS drives

Which HPE storage platform will meet these requirements?

- A. StoreVirtual VSA
- B. MSA
- C. SimpliVity
- D. StoreEasy

Answer: B

NEW QUESTION 85

- (Exam Topic 2)

A customer needs to support both network and storage traffic on their network, which includes Ethernet, iSCSi, and Fibre Channel devices. The customer is concerned about the large amount of cables coming from the various cards inserted in their rack servers, as well as the operational costs in their data center. Which component addresses these issues?

- A. Converged network adapter
- B. Dual-port 10 GbE FlexLOM
- C. Dynamic Smart Array controller
- D. Fibre Channel host bus adapter

Answer: A

NEW QUESTION 87

- (Exam Topic 2)

A customer needs to centralize their backup environment for their branch office They plan to use HPE StoreOnce with catalyst What should they implement within their backups software to minimize the network load on the remote site?

- A. source-side deduplication
- B. target-side deduplication
- C. thin provisioning
- D. native compression

Answer: A

NEW QUESTION 88

- (Exam Topic 2)

Match the HPE Tool with its use case. Select all that apply.

HPE Tool	Use Case
Single Point of Connectivity Knowledge (SPOCK)	Estimate the power and cooling requirements and weight for a rack of equipment.
One Config Advanced (OCA)	Check compatibility of storage components.
Products & Solutions Now (PSNow)	Download a technical presentation for a DL380 Gen10.
Ninja Stars	
iQuote	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

One Config Advanced (OCA) - Estimate the power and cooling requirements and weight for a rack of equipment
Single Point of Connectivity Knowledge (SPOCK) - Check compatibility of storage components
Products and solutions Now (PSNow) - Download a technical presentation for a DL380 Gen10

NEW QUESTION 92

- (Exam Topic 2)

You are installing an HPE ProLiant server that has a shared network port for iLO and NIC teaming. You need to ensure that you can still access iLO after configuring the NIC team. Which teaming technology should you configure?

- A. round robin
- B. switch-assisted load balancing
- C. receive load balancing
- D. network fault tolerance

Answer: D

NEW QUESTION 95

- (Exam Topic 2)

Which two HPE applications are installed on Windows operating systems with intelligent Provisioning? (Choose two.)

- A. Lights-Out Online Configuration Utility
- B. OneView
- C. UEFI Control Suite
- D. Intelligent Management Center
- E. Smart Storage Administrator

Answer: AE

NEW QUESTION 100

- (Exam Topic 2)

You are designing a solution to run a Citrix XenDesktop workload.

Which HPE planning and designing resource contains a detailed example of this type of solution, including a list of all the hardware and software components?

- A. Sales Builder for Windows
- B. Product Bulletin
- C. Smart Selling Tool
- D. Reference Architecture

Answer: D

NEW QUESTION 103

- (Exam Topic 2)

A customer requires an entry-level, all-flash system with predictable performance at the lowest possible price. They have performance-sensitive workloads that require speed and efficiency.

Which HPE storage system needs the customer’s requirements?

- A. Nimble CS1000
- B. Nimble SFA
- C. Nimble AF1000
- D. Nimble AF5000

Answer: B

NEW QUESTION 106

- (Exam Topic 2)

Which HPE service level offers customers special parts handling and access to onsite service 24x7, including HPE holidays?

- A. Proactive Care 24x7
- B. Proactive Care 24x7 with CTR
- C. Foundation Care 24x7 with DMR
- D. Foundation Care 24x7

Answer: D

NEW QUESTION 109

- (Exam Topic 2)

ou are designing a system for a customer that runs an OLTP application. The customer has SAN based storage. They need to accelerate application performance.

Which HPE ProLiant Gen10 feature set will address this customer’s needs?

- A. intelligent system tuning
- B. intelligent provisioning
- C. CNSA suite
- D. scalable persistent memory

Answer: A

NEW QUESTION 112

- (Exam Topic 2)

Match the feature to the lowest iLO5 license in which it is available

HPE iLO Essentials

HPE iLO Scale-Out

HPE iLO Advanced

HPE iLO Advanced Premium Security Edition

Answer Area

License

Feature

Automatic Secure Recovery of firmware

Common Access Card (CAC) 2-factor authentication

Virtual Media

Secure Erase of NAND Data: Sanitization of flash parts to ensure a pristine server configuration for redeployment

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Last - last 3-2

1-1

3-3

NEW QUESTION 115

- (Exam Topic 2)

A customer requires a recovery strategy that provides multiple rollback points during the day for their Microsoft SQL database. The customer needs to be able to recover data instantly.

Which method meets this requirement?

- A. offsite log shipping
- B. tape copy
- C. storage replication
- D. snapshot

Answer: D

NEW QUESTION 119

- (Exam Topic 2)

A customer is configuring their SAN.

Which types of data typically require block storage? (Choose two.)

- A. Windows 2016 file server role
- B. Microsoft Exchange
- C. Oracle database
- D. Bridgehead medical image archive
- E. Enterprise Vault email archive

Answer: BC

NEW QUESTION 124

- (Exam Topic 2)

A customer plans to back up a file server that holds 2 TB of data. The customer wants to upgrade their network infrastructure to support backup and to implement a datacenter network solution.

Which solutions would HPE recommend to meet the customer needs? (Choose two.)

- A. FlexFabric 5900
- B. StoreEasy 1450
- C. StoreVirtual VSA
- D. Aruba 2900
- E. StoreOnce 3100

Answer: AE

NEW QUESTION 129

- (Exam Topic 2)

You are discussing storage types with a customer that is configuring their NAS solution. The company's application developers use user-generated media and image files.

For which type of data should this customer use file storage?

- A. Mass storage
- B. Microsoft Exchange database
- C. Server boot volumes
- D. VDI applications

Answer: A

NEW QUESTION 130

- (Exam Topic 2)

While troubleshooting a HPE ProLiant Gen10 rack-mount server, you determine that the current and backup system ROMs are corrupt.

What should be the next step to fix the server?

- A. Restore the system firmware from a USB drive
- B. Restore the system firmware from a UEFI shell prompt
- C. Replace the CMOS battery
- D. Restore the system firmware from the iLO repository
- E. Replace the system board

Answer: E

NEW QUESTION 132

- (Exam Topic 2)

A customer needs to deploy an application on a newly-installed HPE ProLiant server, but they report that the server is not online. They call you for remote support. The IP address on the production network cannot be reached. You are evaluating the probable root causes of this issue. According to the troubleshooting methodology, what are next two steps? (Select two)

- A. Remote console into the ToR switch to check the server's port configuration.
- B. Log in to iLO to see if the server hardware and NIC are online and configured correctly.
- C. Use OneView to see if the server firmware is up-to-date
- D. Run insight Diagnostics on the Server
- E. Use Microsoft Remote Desktop or VNC to check the server's NIC and IP address configuration

Answer: BD

NEW QUESTION 133

- (Exam Topic 2)

You are installing new drives into the internal cage of a HPE ProLiant DL380 server. How is the drive device number set?

- A. The Smart Array controller assigns the device number automatically based on the bay
- B. HPE OneView uses the server profile to assign the device number
- C. The operating system assigns the device number automatically based on the drive installation order
- D. You must use Smart Storage Administrator to assign the device number

Answer: A

NEW QUESTION 138

- (Exam Topic 2)

You are installing an HPE StoreOnce backup system in a customer's environment. They need a simple and cost-effective method to centralize and automate the backup of multiple servers (file, virtualization, database). They also need the ability to integrate with an existing third-party backup software. How must you configure the StoreOnce system to meet the customer's requirements?

- A. block device
- B. replication target
- C. NDMP target
- D. VTL device

Answer: D

NEW QUESTION 140

- (Exam Topic 2)

When should you use the HPE Switch Selector?

- A. when you need to list the price information of the switches
- B. when you need to select a switch VLAN configuration
- C. when you need to compare features between multiple switches
- D. when you need to perform a competitive analysis between vendors

Answer: C

NEW QUESTION 143

.....

Relate Links

100% Pass Your HPE0-V14 Exam with Examible Prep Materials

<https://www.exambible.com/HPE0-V14-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>