

# Oracle

## Exam Questions 1z0-083

Oracle Database Administration II



#### NEW QUESTION 1

Which four are true about duplicating a database using Recovery Manager (RMAN)? (Choose four.)

- A. Duplication can be done by having the auxiliary database instance pull backup sets from the target database instance.
- B. A connection to an auxiliary instance is always required.
- C. A subset of the target database can be duplicated.
- D. A new DBID is always created for the duplicated database.
- E. A connection to the recovery catalog instance is always required.
- F. A backup of the target database is always required.
- G. Duplication can be done by having the target database instance push copies to the auxiliary database instance.
- H. A connection to the target database instance is always required.

**Answer:** ABCG

#### Explanation:

A duplicate database is a copy of your target database. With the FOR STANDBY clause, it keeps the same unique database identifier (DBID); If FOR STANDBY not specified it creates a new DBID. The duplicate database can include the same content or only a subset from the source database. It can be in the same host or a separate host. The principal work of the duplication is performed by the auxiliary channels. These channels correspond to a server session on the auxiliary instance on the destination host for backup based duplication. For active database duplication the target channels perform the work of pushing data file copies to the auxiliary instance (if number of allocated target channels is greater than the number of allocated auxiliary channels).

#### NEW QUESTION 2

A database is configured in ARCHIVELOG mode.

Full RMAN backups are taken and no backup to trace has been taken of the control file. A media failure has occurred.

In which two scenarios is complete recovery possible? (Choose two.)

- A. when any archived log from, before, or after the most recent backup is corrupt.
- B. after losing all copies of the control file
- C. after losing an archived log from after the most recent backup
- D. after losing an archived log from before the most recent backup
- E. after losing the SYSTEM tablespace

**Answer:** DE

#### NEW QUESTION 3

Examine these actions:

- \* 1. Create a new database for a recovery catalog.
- \* 2. Create a tablespace with sufficient space in the catalog database for the recovery catalog.
- \* 3. Configure ARCHIVELOG mode for the catalog database.
- \* 4. Create a user to own the recovery catalog schema with quota on the tablespace that will contain the catalog.
- \* 5. Grant the RECOVERY\_CATALOG\_OWNER role to the recovery catalog schema owner.
- \* 6. Grant the SYSBACKUP privilege to the recovery catalog schema owner.

Which are the minimum actions that must be performed before executing the CREATE CATALOG command?

- A. 2, 4, 5, 6
- B. 1, 2, 3, 4, 5, 6
- C. 1, 2, 4, 5
- D. 2, 4, 5
- E. 1, 3, 4, 5

**Answer:** D

#### NEW QUESTION 4

A container database called CDB1 is OMF-enabled.

PDB\_FILE\_NAME\_CONVERT is not configured in CDB1. PDB1 was unplugged from CDB1 earlier in the week. Examine this command, which will be executed in CDB1:

```
CREATE PLUGGABLE DATABASE pdb1  
USING '/u01/app/oracle/oradata/pdb1.xml' SOURCE_FILE_NAME_CONVERT =  
('/u01/app/oracle/oradata/', '/u02/app/oracle/oradata/');
```

Which two are true? (Choose two.)

- A. PDB1 data files already exist in the correct location.
- B. DBMS\_PDB.CHECK\_PLUG\_COMPATIBILITY must be run in CDB1 before executing the command.
- C. PDB\_FILE\_NAME\_CONVERT must be set before executing the command.
- D. /u01/app/oracle/oradata/pdb1.xml does not contain the current locations of data files for PDB1.
- E. PDB1 must be dropped from CDB1.

**Answer:** AE

#### NEW QUESTION 5

Which three are true about Recovery Manager (RMAN) in Oracle Database 19c and later releases? (Choose three.)

- A. It is only possible for RMAN to connect to a pluggable database as a target if an RMAN Virtual Private Catalog is used.
- B. It is always possible for RMAN to connect to a pluggable database as a target if any RMAN Catalog is used.
- C. A Virtual Private Catalog used to register a container database must be created in a pluggable database.
- D. A Virtual Private Catalog used to register a container database can be created in a pluggable database.
- E. It is always possible for RMAN to connect to a pluggable database as a target.
- F. A Virtual Private Catalog used to register a container database can be created in a non-container database.

**Answer:** DEF

#### NEW QUESTION 6

Which three are true about Optimizer Statistics Advisor? (Choose three.)

- A. It can be run only manually.
- B. It is part of the DBMS\_ADVISOR package.
- C. It can recommend changes to improve the statistics gathering process.
- D. It always analyzes all schemas in the database.
- E. It runs automatically every night by default.
- F. It is part of the DBMS\_STATS package.

**Answer:** ACF

#### Explanation:

<https://mikedietrichde.com/2017/08/22/oracle-optimizer-statistics-advisor-in-oracle-database-12-2-0-1/> <https://www.oracle.com/technetwork/database/bi-datawarehousing/twp-bp-for-stats-gather-19c-5324205.pdf>

#### NEW QUESTION 7

A user complains about poor database performance.

You want to verify if the user's session has waited for certain types of I/O activity. Which view displays all waits waited on by a session at least once?

- A. V\$SESSION\_EVENT
- B. V\$SESSTAT
- C. V\$SESSION\_WAIT
- D. V\$SESSION\_WAIT\_CLASS
- E. V\$SESSION

**Answer:** A

#### NEW QUESTION 8

Which two are true about Oracle Database Configuration Assistant (DBCA) templates? (Choose two.)

- A. The General Purpose of Transaction Processing templates are most suitable when concurrency and recoverability are key criteria.
- B. Oracle DBCA templates can store only logical structure and not database files.
- C. New templates can only be created by modifying an existing user-created template.
- D. The Data Warehouse template is most suitable when transaction response time is the key criterion.
- E. Oracle DBCA templates can be used to create new databases and duplicate existing databases.

**Answer:** AE

#### NEW QUESTION 9

Which two are true about Rapid Home Provisioning (RHP), which has been available since Oracle 18c? (Choose two.)

- A. It is an Oracle Database service.
- B. It cannot be used to upgrade Oracle Database homes.
- C. It can be used to provision applications.
- D. It can be used to patch Grid Infrastructure homes containing Oracle Restart.
- E. It can be used to provision middleware.

**Answer:** DE

#### NEW QUESTION 10

Your CDB has two regular PDBs as well as one application container with two application PDBs and an application seed.

No changes have been made to the standard PDB\$SEED.

How many default temporary tablespaces can be assigned in the CDB?

- A. three
- B. eight
- C. seven
- D. six
- E. five

**Answer:** C

#### NEW QUESTION 10

Examine this output:

```
SQL> select pluggable_database, shares, parallel_server_limit
  2 from dba_cdb_rsrc_plan_directives where plan = 'MY_PLAN'
  3 order by plugaable_database;
```

PLUGGABLE_DATABASE	SHARES	PARALLEL_SERVER_LIMIT
ORA\$AUTOTASK		100
ORA\$DEFAULT_PDB_DIRECTIVE	1	0
PDB1	2	100
PDB2	2	25
PDB3	1	

```
SQL> select name, value from v$parameter
  2 where name = 'resource_manager_plan';
```

NAME	VALUE
resource_manager_plan	MY_PLAN

Which two are true? (Choose two.)

- A. Any PDB not specified in the plan will be unable to execute statements in parallel.
- B. PDB3 can use all available parallel execution processes at times.
- C. PDB1 is always limited to 40% of the available system resources regardless of demand.
- D. Any PDB not specified in the plan will be able to use a maximum of 16.5% of the available system resources.
- E. PDB3 is guaranteed to receive at least 20% of the available system resources if there is enough demand.
- F. PDB2 is guaranteed at least 25% of the available parallel execution processes if there is enough demand.

**Answer:** AE

#### NEW QUESTION 11

How do you configure a CDB for local undo mode?

- A. Open the CDB instance in upgrade mod
- B. In cdb\$root, execute alter database local undo on, and then restart the CDB instance.
- C. Open the CDB in read-only mod
- D. In cdb\$root, execute alter database local undo on, and then change the CDB to read/write mode.
- E. Open the CDB instance in restricted mod
- F. In cdb\$root, execute alter database local undo o
- G. create an undo tablespace in each PDB, and then restart the CDB instance
- H. Open the CDB instance in restricted mod
- I. In cdb\$root, drop the undo tablespac
- J. Execute alter database local undo on in each PDB, and then restart the CDB instance.
- K. Open the CDB instance in upgrade mod
- L. In each PDB, execute alter database local undo on, create an undo tablespace, and then restart the CDB instance.

**Answer:** D

#### NEW QUESTION 16

Which three are true about RMAN persistent configuration settings, administration, and their effects? (Choose three.)

- A. A target database's persistent RMAN configuration settings are always stored in the target's control file
- B. Backup older than the recovery window retention policy are always deleted automatically if the backup location has insufficient space.
- C. Backups written to the fast recovery area (FRA) that are obsolete based on the redundancy retention policy can be deleted automatically to free space.
- D. The RMAN SHOW ALL command displays only settings with nondefault values.
- E. A target database's persistent RMAN configuration settings are always synchronized automatically with the RMAN catalog.
- F. The V\$RMAN\_CONFIGURATION view displays only settings with values that have been modified.
- G. A DBA must specify either a redundancy retention policy or a recovery window retention policy.

**Answer:** ABF

#### NEW QUESTION 21

Examine this configuration:

- > CDB1 is a container database.
- > COMMON\_USER\_PREFIX is C##.
- > PDB1 is a pluggable database contained in CDB1.
- > APP1\_ROOT is an application container contained in CDB1.
- > APP1\_PDB1 is an application PDB contained in APP1\_ROOT.

You execute these commands successfully:



```
$ sqlplus sys/oracle_4U@localhost:1521/cdb1 as sysdba

SQL> CREATE USER c##user1 identified by oracle_4U container=all;
User created.

SQL> ALTER SESSION SET CONTAINER=pdb1;
Session altered.

SQL> CREATE USER p1_user1 identified by oracle_4U;
User Created.

SQL> ALTER SESSION SET CONTAINER=app1_root;
Session altered.

SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app BEGIN INSTALL '1.0';
Session altered.

SQL> CREATE USER app1_user1 IDENTIFIED BY oracle_4U;
User Created.

SQL> ALTER PLUGGABLE DATABASE APPLICATION app1_cdb1_app END INSTALL '1.0';
Pluggable database altered.
```

Which two are true? (Choose two.)

- A. APP1\_USER1 can be created in PDB1.
- B. APP1\_USER1 can be created in CDB1.
- C. APP1\_USER1 can have different privileges in each Application PDB contained in APP1\_ROOT.
- D. C##\_APP\_USER1 can be created in CDB1.
- E. P1\_USER1 can be created in CDB1.
- F. C##\_USER1 will have the same privileges and roles granted in all PDBs in CDB1.

**Answer:** CF

#### NEW QUESTION 26

Which two are true about Oracle Flashback features? (Choose two.)

- A. FLASHBACK QUERY can retrieve REDO records from ONLINE and ARCHIVED REDO LOG files.
- B. FLASHBACKVERSION QUERY can retrieve REDO records from ONLINE and ARCHIVED REDOLOG files.
- C. FLASHBACK TABLE can undrop a column.
- D. FLASHBACK DROP can undrop an index when undropping a table.
- E. After a database is restored from flashback logs using the FLASHBACKDATABASE command, it is sometimes rolled forward using redo logs.

**Answer:** DE

#### NEW QUESTION 27

Which two are true about creating pluggable databases (PDBs) using snapshots in Oracle 19c and later releases? (Choose two.)

- A. A PDB snapshot is always a full copy of the source PDB.
- B. A PDB snapshot is always a sparse copy of the source PDB.
- C. A snapshot copy PDB depends on a storage snapshot which can only be stored on specific file systems.
- D. A PDB snapshot depends on a storage snapshot which can be stored on any file system.
- E. A PDB snapshot depends on a storage snapshot which can only be stored on specific file systems.
- F. A snapshot copy PDB depends on a storage snapshot which can be stored on any file system.
- G. A snapshot copy PDB can be created from a stand-alone clone PDB.

**Answer:** AE

#### NEW QUESTION 30

Examine this command:

```
$ rhpctl move database -sourcehome Oracle_home_path -destinationhome Oracle_home_path
```

For which two purposes can you use this command? (Choose two.)

- A. to switch an existing Oracle Database home to a newer release of Oracle software on the same server
- B. to switch to a read-only Oracle home
- C. to switch back to the previous Oracle home as part of a rollback operation
- D. to switch the Oracle Database home when using a centralized Rapid Home Provisioning server
- E. to switch to a patched Oracle Database home

**Answer:** CE

#### Explanation:

You can use `rhpctl move gihome` command with the same syntax to switch from the current Oracle Grid Infrastructure home to a patched home. The `rhpctl` command enables you to switch from your current Oracle Grid Infrastructure or Oracle Database home to patched Oracle home so that you can provision the new Oracle home as gold image. You can also use the `rhpctl` command to switch back to the old Oracle home, if you want to roll back the operation.

#### NEW QUESTION 35

Which two are true about the character sets used in an Oracle database? (Choose two.)

- A. Single-byte character sets provide better performance than multibyte character sets.
- B. Unicode enables information from any language to be stored using a single character set.
- C. Unicode is the only supported character set for Oracle databases created using Database Configuration Assistant (DBCA).
- D. Single-byte character sets always use 7-bit encoding schemes.
- E. Multibyte character sets allow more efficient space utilization than single byte character sets.
- F. Single-byte character sets always use 8-bit encoding schemes.

**Answer:** AB

#### NEW QUESTION 40

Which two are true about SQL Performance Analyzer (SPA)? (Choose two.)

- A. It is integrated with the SQL Access Advisor.
- B. It predicts the impact of system changes on SQL workload response time.
- C. It provides before and after execution statistics for each SQL statement in the analysis task.
- D. It offers fine-grained analysis of all the SQL statements in the analysis task as a group.
- E. SQL statements that were originally run concurrently are run concurrently by SPA.

**Answer:** BD

#### NEW QUESTION 45

Which two are true about RMAN encryption? (Choose two.)

- A. RMAN encryption keys are stored in a database keystore.
- B. RMAN can encrypt the Oracle Database password file.
- C. Dual-mode encrypted backups can be restored only if both the password and the keystore used for encryption are available.
- D. The SET ENCRYPTION command overrides encryption settings specified by the CONFIGURE ENCRYPTION command.
- E. Password encryption can be persistently configured using the CONFIGURE ENCRYPTION command.

**Answer:** CD

#### NEW QUESTION 49

Which two are true about RMAN duplexed backup sets? (Choose two.)

- A. A duplexed backup set uses the same number of SBT channels as a non-duplexed backup set for the same number of files.
- B. A non-duplexed backup set written to disk can be duplexed to disk by backing up the backup set that is already on disk.
- C. A non-duplexed backup set written to SBT can be duplexed to tape by backing up the backup set that is already on tape.
- D. A non-duplexed backup set written to disk can be duplexed to tape by backing up the backup set that is already on disk.
- E. A non-duplexed backup set written to SBT can be duplexed to disk by backing up the backup set that is already on tape.
- F. A duplexed backup set always uses twice as many SBT channels as a non-duplexed backup set for the same number of files.

**Answer:** DF

#### NEW QUESTION 53

Which two are true about common objects? (Choose two.)

- A. They can be created only in CDB\$ROOT.
- B. They can be only metadata-linked in an application container.
- C. They can exist in user-defined schemas only in application containers.
- D. They can exist in CDB\$ROOT and an application root.
- E. They can be extended data-linked in CDB\$ROOT.
- F. They can be created only in an application root.

**Answer:** CF

#### NEW QUESTION 56

Which three are true about Automatic Workload Repository (AWR), Automatic Database Diagnostic Monitor (ADDM), and the Manageability Monitor (MMON) background process? (Choose three.)

- A. ADDM can recommend shrinking the buffer cache.
- B. ADDM can recommend extending the buffer cache.
- C. By default, MMON creates an AWR snapshot every 30 minutes.
- D. ADDM performs its analysis only when a DBA requests it.
- E. By default, AWR snapshots are automatically purged after eight days.
- F. AWR snapshots must be deleted when no longer required by ADDM.

**Answer:** AEF

#### NEW QUESTION 57

Which two are true about instance recovery? (Choose two.)

- A. It is not possible if an archived log is missing.
- B. It is performed automatically after the database is opened; however, blocks requiring recovery are not available until they are recovered.
- C. Setting FAST\_START\_MTTR\_TARGET to a lower value reduces instance recovery time by causing dirty buffers to be written to disk more frequently, thereby

- reducing the number of I/Os needed during instance recovery.  
D. It is performed by the Recovery Writer (RVWR) background process.  
E. Setting FAST\_START\_MTTR\_TARGET to a higher value reduces instance recovery time bycausing the log writer to write more frquently, thereby reducing the number of I/Os needed during instance recovery.  
F. It is performed automatically while the database remains in MOUNT stat  
G. Then the database is opened.

**Answer:** EF

#### NEW QUESTION 58

You must transport the UNIVERSITY tablespace from one database to another. The UNIVERSITY tablespace is currently open read/write. The source and destination platforms have different endian formats. Examine this list of actions:

- \* 1. Make the UNIVERSITY tablespace read-only on the source system.
- \* 2. Export the UNIVERSITY tablespace metadata using EXPDP.
- \* 3. Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the source system.
- \* 4. Copy the UNIVERSITY tablespace data files to the destination system.
- \* 5. Copy the Data Pump dump set to the destination system.
- \* 6. Convert the UNIVERSITY tablespace data files to the destination platform format using RMAN on the destination system.
- \* 7. Import the UNIVERSITY tablespace metadata using IMPDP.
- \* 8. Make the UNIVERSITY tablespace read/write on the destination system.

Which is the minimum number of actions required, in the correct order, to transport the UNIVERSITY tablespace?

- A. 1, 2, 4, 5, 7, 8
- B. 1, 2, 4, 6, 7, 8
- C. 1, 2, 3, 4, 5, 7, 8
- D. 1, 2, 3, 4, 5, 6, 7, 8
- E. 2, 4, 5, 6, 7

**Answer:** B

#### NEW QUESTION 63

Which two are true about the Oracle database methodology? (Choose two.)

- A. The Oracle Database time model should be used to find the database and instance areas most in need of tuning.
- B. Tuning activities should stop once the user is satisfied with performance.
- C. Tuning activities should stop once agreed service levels for performance have been met.
- D. The database instance memory should always be tuned before tuning any file systems.
- E. SQL statements should always be tuned before tuning any file systems.
- F. The alert log should be used to find the database and instance areas most in need of tuning.

**Answer:** CF

#### NEW QUESTION 68

Examine the command for creating pluggable database PDB2 in container database CDB2.

```
CREATE PLUGGABLE DATABASE pdb2
  ADMIN USER pdb2_adm
  IDENTIFIED BY 123pdb
  ROLES=(CONNECT) ;
```

Select three options, any one of which is required for it to execute successfully. (Choose three.)

- A. Add the FILE\_NAME\_CONVERT clause to the statement and set the PDB\_FILE\_NAME\_CONVERT parameter.
- B. Add only the CREATE\_FILE\_DEST clause to the statement.
- C. Set only the PDB\_FILE\_NAME\_CONVERT parameter.
- D. Set the PDB\_FILE\_NAME\_CONVERT parameter and enable OMF.
- E. Enable only OMF.
- F. Add the FILE\_NAME\_CONVERT clause to the statement and enable Oracle Managed Files (OMF)

**Answer:** BDE

#### NEW QUESTION 69

Which two are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It analyzes a period of time corresponding to the 12 hours of activity.
- B. It runs automatically after each AWR snapshot.
- C. A DBA can run it manually.
- D. Results are written to the alert log.
- E. It analyzes a period of time corresponding to the last day of activity.

**Answer:** BC

#### NEW QUESTION 73

Examine this configuration:

- \* 1. The ORCL database data files are in Automatic Storage Management (Oracle ASM) disk group +DATA.
- \* 2. ORCL uses disk group +FRA for the Fast Recovery Area.
- \* 3. LISTENER is the listener for ORCL.
- \* 4. The database, listener, ASM instance, and ASM disk groups are managed by Oracle Restart.
- 5. All components are currently shut down.

You execute this command:

```
$ srvctl start database -d ORCL
```

What is the outcome?

- A. The ORCL database, the Oracle ASM instances, the +DATA and +FRA disk groups, and the LISTENER are started.
- B. Only the ORCL database instance is started.
- C. Only the ORCL database and the ASM instances are started.
- D. Only the ORCL database instance, the Oracle ASM instance, and the +DATA and +FRA disk groups are started.
- E. Only the ORCL database instance and the +DATA and +FRA disk groups are started.

**Answer: D**

#### NEW QUESTION 78

Examine this configuration:

- CDB1 is a container database.
- PDB1 and PDB2 are pluggable databases in CDB1.
- PDB1 and PDB2 are OPEN in READ WRITE mode.

You execute these commands successfully:

```
$ export ORACLE_SID=CDB1  
$ sqlplus / as sysdba
```

```
SQL> ALTER SESSION SET CONTAINER = PDB1;  
Session altered.
```

```
SQL> SHUTDOWN IMMEDIATE
```

Which two are true? (Choose two.)

- A. Uncommitted transactions in PDB1 have been rolled back.
- B. PDB1 is closed.
- C. Uncommitted transactions in CDB1 and PDB1 have been rolled back.
- D. CDB1 is shut down.
- E. CDB1 is in MOUNT state

**Answer: AB**

#### NEW QUESTION 83

Which three are true in Oracle 19c and later releases?

- A. Tablespaces always remain in read/write mode during transportable tablespace operations.
- B. Simultaneous data pump jobs can be limited at the pluggable database (PDB) level.
- C. Tablespaces never remain in read/write mode during transportable tablespace operations.
- D. An ordinary data pump export of a table with encrypted columns will always encrypt the same columns when imported.
- E. A transportable data pump import can leave a plugged-in tablespace in read-only mode.
- F. A transportable data pump import can leave a plugged-in tablespace in read/write mode.

**Answer: ADE**

#### NEW QUESTION 85

Which four are true about a Recovery Manager (RMAN) duplication without a TARGET connection? (Choose four.)

- A. The NOREDO clause must be used if the backups of the database being duplicated were taken when the database was in NOARCHIVELOG mode.
- B. The UNDO TABLESPACE clause is always required when no connection exists to the TARGET instance.
- C. RMAN “pushes” the backups of the database to be duplicated over the network to the auxiliary instance.
- D. The NOREDO clause can be used if the backups of the database being duplicated were taken when the database was in ARCHIVELOG mode.
- E. RMAN SBT-based backups of the database to be duplicated can be used by the auxiliary instance.
- F. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is closed.
- G. The UNDO TABLESPACE clause is always required when no connection exists to the recovery catalog and the TARGET database is opened.
- H. RMAN disk-based backups of the database to be duplicated can be used by the auxiliary instance.

**Answer: ABGH**

#### NEW QUESTION 89

Which three are true about upgrading Oracle Grid Infrastructure? (Choose three.)

- A. A direct upgrade can be performed only from the immediately preceding Oracle Grid Infrastructure version.
- B. The newer version is installed in a separate Oracle Grid Infrastructure home on the same server as the existing version.
- C. An existing Oracle base can be used.
- D. The upgrade process will automatically install all mandatory patches for the current version of Oracle Grid Infrastructure.
- E. Existing Oracle Database instances must be shut down before starting the upgrade.
- F. Only the grid user can perform the upgrade.

**Answer: DEF**



**NEW QUESTION 93**

For which two requirements can you use the USER\_TABLESPACE clause with the CREATE PLUGGABLE DATABASE command? (Choose two.)

- A. to specify a default tablespace in a PDB cloned from another PDB in the same CDB.
- B. to exclude all tablespaces except SYSTEM, SYSAUX, and TEMP when plugging in a PDB
- C. to include specific user tablespaces only when relocating a PDB
- D. to specify the list of user tablespaces to include when moving a non-CDB to a PDB
- E. to exclude a temp tablespace when plugging in a PDB
- F. to specify the list of tablespaces to include when creating a PDB from the CDB seed

**Answer:** BD

**NEW QUESTION 98**

Which three are located by using environment variables? (Choose three.)

- A. the Optimal Flexible Architecture (OFA) compliant path to store Oracle software and configuration files.
- B. the location of Oracle Net Services configuration files
- C. the list of a disk group names to be mounted by an Oracle Automatic Storage Management (ASM) instance at startup
- D. default directories for temporary files used by temporary tablespaces
- E. the temporary disk space used by Oracle Installer during installation
- F. the maximum number of database files that can be opened by a database instance

**Answer:** ABE

**NEW QUESTION 99**

Which two are true about automatic block repair? (Choose two.)

- A. Automatic block repair can repair blocks with no standby database if DB\_BLOCK\_CHECKING = TRUE.
- B. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on that physical standby database.
- C. Real-Time Query must be enabled on a primary database for automatic block repair to be done on any of its physical standby databases.
- D. It is not possible for media corrupt blocks.
- E. Real-Time Query must be enabled on a physical standby database for automatic block repair to be done on its primary database.

**Answer:** BC

**NEW QUESTION 103**

You are managing this configuration:

- CDB1 is a container database.
- PDB1 and PDB2 are two pluggable databases in CDB1.
- USER1.EMP is a table in PDB1 and USER2.DEPT is a table in PDB2.

CDB1 user SYS executes these commands after connecting successfully to PDB2:

```
SQL> ALTER SESSION SET CONTAINER=pdb1;  
Session altered.
```

```
SQL> INSERT INTO user1.emp VALUES(100, 'Alan', 1);  
1 row created.
```

```
SQL> INSERT INTO user1.emp VALUES(101, 'Ben', 1);  
1 row created.
```

```
SQL> ALTER SESSION SET CONTAINER=pdb2;  
Session altered.
```

```
SQL> INSERT INTO user2.dept VALUES(1, 'IT');
```

Which two are true? (Choose two.)

- A. The inserts on USER1.EMP remain uncommitted when the session connected to PDB2.
- B. The inserts on USER1.EMP were committed when the session inserted a row into USER2.DEPT.
- C. The insert on USER2.DEPT fails because of the active transaction in the parent container.
- D. The insert on USER2.DEPT is a recursive autonomous transaction by the child session and is committed.
- E. The inserts on USER1.EMP were rolled back when the session connected to PDB2.
- F. The insert on USER2.DEPT is uncommitted.
- G. The inserts on USER1.EMP were committed when the session connected to PDB2.

**Answer:** FG

**NEW QUESTION 108**

Which two are true about diagnosing Oracle Database failure situations using Data Recovery Advisor? (Choose two.)

- A. Using the Data Recovery Advisor LIST FAILURE command always requires that the database for which failures are to be listed is in MOUNT state.
- B. A failure can be closed only when it has been repaired.
- C. Data Recovery Advisor can be used if a database is closed.
- D. The Data Recovery Advisor CHANGE FAILURE command can be used only to change failure priorities.
- E. Data Recovery Advisor can proactively check for failures.

**Answer:** DE

**NEW QUESTION 113**

Which two are true about creating RMAN backups for an Oracle container database? (Choose two.)

- A. Tablespaces from different PDBs with identical names must be backed up by connecting RMAN separately to each PDB to back up the tablespaces.
- B. The BACKUP DATABASE command will create a pluggable database (PDB) backup when RMAN is connected to a PDB.
- C. SPFILE backups can be created while connected to an application root PDB.
- D. The BACKUP DATABASE PLUS ARCHIVELOG command will back up archive logs when RMAN is connected to a PDB.
- E. The BACKUP PLUGGABLE DATABASE command can be used to back up CDB\$ROOT.

**Answer:** AB

**NEW QUESTION 117**

While backing up to the Oracle Fast Recovery Area (FRA), you determined the backup is taking too long and suspect a performance bottleneck. Which three are true about diagnosing and tuning these problems? (Choose three.)

- A. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then both read and write I/O are likely bottlenecks.
- B. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using synchronous I/O.
- C. If an RMAN BACKUP VALIDATE command takes noticeably less than an actual backup, then write I/O is a likely bottleneck.
- D. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then read I/O is a likely bottleneck.
- E. Data files with a high value in V\$BACKUP\_SYNC\_IO.DISCRETE\_BYTES\_PER\_SECOND are a potential performance bottleneck when synchronous I/O is used.
- F. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using asynchronous I/O.
- G. Data files with a high value in V\$BACKUP\_ASYNC\_IO.SHORT\_WAITS are a potential performance bottleneck when asynchronous I/O is used.

**Answer:** BCE

**NEW QUESTION 120**

Which three methods can be used for heap table data migration after upgrading a database? (Choose three.)

- A. using Database Replay
- B. using SQL Developer
- C. using Oracle Data Pump
- D. using operating system file copy utilities
- E. using Database Upgrade Assistant
- F. using the CREATE TABLE AS SELECT SQL statement

**Answer:** DEF

**NEW QUESTION 122**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 1z0-083 Practice Exam Features:

- \* 1z0-083 Questions and Answers Updated Frequently
- \* 1z0-083 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-083 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 1z0-083 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-083 Practice Test Here](#)**