

Exam Questions 300-435

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

<https://www.2passeasy.com/dumps/300-435/>



NEW QUESTION 1

What are two characteristics of RPC API calls? (Choose two.)

- A. They can be used only on network devices.
- B. They use only UDP for communications.
- C. Parameters can be passed to the calls.
- D. They must use SSL/TLS.
- E. They call a single function or service.

Answer: AC

NEW QUESTION 2

A new project called “device_status” must be stored in a central Git repository called “device_status” with the first file named “device_status.py”. The Git repository is created using the account python_programmer. Which set of commands inserts the project into Git?

A.

```
git init
git add device_status.py
git commit -m "Initial Revision"
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git push -u origin master
```

B.

```
git init
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git pull
```

C.

```
git init
git remote add origin \
    https://git.cisco.com/python_programmer/device_status.git
git add device_status.py
git commit -m "Initial Revision"
git pull -u origin master
```

A.

```
git init
git add device_status.py
git remote add python_programmer/device_status
git push
```

Answer: A

NEW QUESTION 3

```
neighbors = ['s1', 's2', 's3']
switch = {'hostname': 'nexus', 'os': '7.0.3', 'neighbors': neighbors}
print(switch['neighbors'][1])
```

Refer to the exhibit. What is the result when running the Python scripts?

- A. s1
- B. s2
- C. s1, s2, s3
- D. s3

Answer: B

NEW QUESTION 4

```
{
  "Cisco-IOS-XR-ifmgr-cfg:interface-configurations": {
    "interface-configuration": [
      {
        "active": "act",
        "interface-name": "Loopback0",
        "description": "PRIMARY ROUTER LOOPBACK"
      }
    ]
  }
}
```

Refer to the exhibit. Which type of YANG container is described by the JSON instance provided?

- A. interface-configurations
- B. active
- C. interface-name
- D. description

Answer: A

NEW QUESTION 5

```
module: Cisco-IOS-XE-vlan-oper
  +--ro vlans
    +--ro vlan* [id]
      +--ro id          uint16
      +--ro name?       string
      +--ro status?     vlan-iso-xe-oper:vlan-status-type
      +--ro ports* []
        | +--ro interface?  string
        | +--ro subinterface? uint32
      +--ro vlan-interfaces* [interface]
        +--ro interface    string
        +--ro subinterface  uint32
```

Refer to the exhibit. Which NETCONF protocol operation is used to interact with the YANG model?

- A. <edit-config>
- B. <get>
- C. <get-config>
- D. <copy-config>

Answer: A

NEW QUESTION 6

Which two Netmiko methods are used to configure a device? (Choose two.)

- A. send_config()
- B. send_control_from_file()
- C. send_config_set()
- D. send_command()
- E. send_config_from_file()

Answer: CE

NEW QUESTION 7

FILL BLANK

Fill in the blank to complete the statement.

is a solution for automating the configuration of a device when it is first powered on, using DHCP and TFTP.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Zero touch provisioning (ZTP)

NEW QUESTION 8


```
from device_info import ios_xel
from ncclient import manager
import xmltodict

netconf_filter = open('filter-ietf-interfaces.xml').read()

if __name__ == '__main__':
    with manager.connect(host=ios_xel["address"],
                        port=ios_xel["port"],
                        username=ios_xel["username"],
                        password=ios_xel["password"],
                        hostkey_verify=False) as m:

        netconf_reply = m.get(netconf_filter)

        intf_details = xmltodict.parse(netconf_reply.xml)["rpc-reply"]["data"]
        intf_config = intf_details["interfaces"]["interface"]
        intf_info = intf_details["interfaces-state"]["interface"]

        print("")
        print("Interface Details:")
        print(" Name: {}".format(intf_config["name"]))
        print(" Description: {}".format(intf_config["description"]))
        print(" Type: {}".format(intf_config["type"]['#text']))
        print(" MAC Address: {}".format(intf_info["phys-address"]))
        print(" Packet Input: {}".format(intf_info["statistics"]["in-unicast-pkts"]))
        print(" Packet Output: {}".format(intf_info["statistics"]["out-unicast-pkts"]))
```

```
<filter>
  <interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
    <interface>
      <name>GigabitEthernet2</name>
    </interface>
  </interfaces>
  <interfaces-state xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
    <interface>
      <name>GigabitEthernet2</name>
    </interface>
  </interfaces-state>
</filter>
```

Refer to the exhibits. An engineer creates a Python scripts using ncclient to display interface information. The code must be completed so that it can be tested. Which expression completes the highlighted section in the format call?

- A. intf_info
- B. intf_config
- C. intf_get
- D. intf_config[0]

Answer: A

NEW QUESTION 9

```
from ncclient import manager
with manager.connect(
    host='10.0.0.1',
    port=12022,
    username='cisco',
    password='cisco',
    hostkey_verify=False,
    allow_agent=False,
    look_for_keys=False,
    device_params={'name': 'iosxe'},
) as m:
```

Refer to the exhibit. What is the correct ncclient method to use to collect the running configuration of a Cisco IOS XE device that uses NETCONF?

- A. config=m.copy_config(source='running')
- B. config=m.get(source='running')
- C. config=m.collect_config(source='running')
- D. config=m.get_config(source='running')

Answer: A

NEW QUESTION 10

FILL BLANK

Fill in the blanks to complete this API request against the Cisco SD_WAN vManage Statistics API, which specified a deviceId of 260faff9-2d31-4312-cf96-143b46db0211, a local-color of biz-internet, and a remote-color of gold.

https://vmanage-ip-address:8443/dataservice/device/app-route/statistics? **260faff9-2d31-4312-**
cf96-143b46db0211 **biz-internet** **gold**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

deviceId=, local-color, remote-color

NEW QUESTION 10

Which two API calls are used to trigger a device configuration sync in Cisco DNA Center? (Choose two.)

- A. PUT /dna/intent/api/v1/network-device
- B. PUT /dna/intent/api/v1/network-device/sync-all
- C. PUT /dna/intent/api/v1/network-device/{networkDeviceId}/sync
- D. PUT /dna/intent/api/v1/network-device/sync
- E. POST /dna/intent/api/v1/network-device/{networkDeviceId}/sync

Answer: CE

NEW QUESTION 11

In which direction does the Cisco DNA Center Intent API communicate?

- A. westbound
- B. eastbound
- C. northbound
- D. southbound

Answer: C

NEW QUESTION 13

FILL BLANK

Fill in the blank to complete the URL for the Cisco SD-WAN API that retrieves a list of users that are logged into a device.

http://<vmanage-ip-address>/dataservice/device/ **deviceId=<deviceId>>**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

interface?

NEW QUESTION 16

FILL BLANK

Fill in the blank to complete the URL for an API call to Cisco SD-WAN to display the history of the Bidirectional Forwarding Detection sessions that run on a vEdge router.

https://<vmanage-ip-address>/dataservice/device/ **deviceId=<deviceId>**

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

bfd/synced/sessions?

NEW QUESTION 18

Which REST endpoint is used to create a Cisco Meraki network?

- A. POST /organizations/{organizationId}/networks
- B. PATCH /networks{networkId}
- C. PUT /organizations/{organizationId}/networks
- D. POST /networks{networkId}

Answer: A

NEW QUESTION 22

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-435 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-435 Product From:

<https://www.2passeasy.com/dumps/300-435/>

Money Back Guarantee

300-435 Practice Exam Features:

- * 300-435 Questions and Answers Updated Frequently
- * 300-435 Practice Questions Verified by Expert Senior Certified Staff
- * 300-435 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-435 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year