



Microsoft

Exam Questions AZ-303

Microsoft Azure Architect Technologies (beta)

NEW QUESTION 1

- (Exam Topic 1)

You need to recommend an identify solution that meets the technical requirements. What should you recommend?

- A. federated single-on (SSO) and Active Directory Federation Services (AD FS)
- B. password hash synchronization and single sign-on (SSO)
- C. cloud-only user accounts
- D. Pass-through Authentication and single sign-on (SSO)

Answer: D

Explanation:

Active Directory Federation Services is a feature and web service in the Windows Server Operating System that allows sharing of identity information outside a company's network.

Scenario: Technical Requirements include:

Prevent user passwords or hashes of passwords from being stored in Azure. References: <https://www.sherweb.com/blog/active-directory-federation-services/>

NEW QUESTION 2

- (Exam Topic 1)

You need to implement a backup solution for App1 after the application is moved. What should you create first?

- A. a recovery plan
- B. an Azure Backup Server
- C. a backup policy
- D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines. Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups.

References: <https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal>

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Container1
- B. VM1
- C. Storage2
- D. RG1

Answer: D

NEW QUESTION 4

- (Exam Topic 2)

You create a virtual machine scale set named Scale1. Scale1 is configured as shown in the following exhibit. The subscription contains the Azure SQL databases shown in the following table.

INSTANCES

* Instance count:

* Instance size (View full pricing details):

Deploy as low priority: No Yes

Use managed disks: No Yes

[- Show advanced settings](#)

AUTOSCALE

Autoscale: Disabled Enabled

* Minimum number of VMs:

* Maximum number of VMs:

Scale out

* CPU threshold (%):

* Number of VMs to increase by:

Scale in

* CPU threshold (%):

* Number of VMs to decrease by:

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If Scale1 is utilized at 85 percent for six minutes, Scale1 will be running [answer choice].

- 2 virtual machines
- 4 virtual machines
- 6 virtual machines
- 8 virtual machines
- 10 virtual machines

If Scale1 is first utilized at 25 percent for six minutes, and then utilized at 50 percent for six minutes, Scale1 will be running [answer choice].

- 2 virtual machines
- 4 virtual machines
- 6 virtual machines
- 8 virtual machines
- 10 virtual machines

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
 The Autoscale scale out rule increases the number of VMs by 2 if the CPU threshold is 80% or higher. The initial instance count is 4 and rises to 6 when the 2 extra instances of VMs are added.

Box 2:
 The Autoscale scale in rule decreases the number of VMs by 4 if the CPU threshold is 30% or lower. The initial instance count is 4 and thus cannot be reduced to 0 as the minimum instances is set to 2. Instances are only added when the CPU threshold reaches 80%.

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-overview>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-best-practices> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-common-scale-patterns>

NEW QUESTION 5

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

```
{
  "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {
    "name": {
      "type": "String"
    },
    "location": {
      "defaultValue": "westus",
      "type": "String"
    }
  },
  "variables": {
    "location": "[resourceGroup().location]"
  },
  "resources": [
    {
      "type": "Microsoft.Network/publicIPAddresses",
      "apiVersion": "2019-11-01",
      "name": "[parameters('name')]",
      "location": "[variables('location')]",
      "sku": {
        "name": "Basic"
      },
      "properties": {
        "publicIPAddressVersion": "IPv4",
        "publicIPAllocationMethod": "Dynamic",
        "idleTimeoutInMinutes": 4,
        "ipTags": []
      }
    }
  ]
}
```

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

Resource group	Name	Location
RG1	IP1	westus
RG1	IP2	westus
RG2	IP1	westus
RG2	IP3	westus

What is the result of the deployment? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

NEW QUESTION 6

- (Exam Topic 2)

A company hosts virtual machines (VMs) in an on-premises datacenter and in Azure. The on-premises and Azure-based VMs communicate using ExpressRoute. The company wants to be able to continue regular operations if the ExpressRoute connection fails. Failover connections must use the Internet and must not require Multiprotocol Label Switching (MPLS) support.

You need to recommend a solution that provides continued operations. What should you recommend?

- A. Set up a second ExpressRoute connection.
- B. Increase the bandwidth of the existing ExpressRoute connection.
- C. Increase the bandwidth for the on-premises internet connection.
- D. Set up a VPN connection.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/expressroutevpn->

NEW QUESTION 7

- (Exam Topic 2)

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

Create availability set X

*Name

*Subscription

*Resource group

Create new

*Location

Fault domains

Update domains

Use managed disks
 No(Classic) Yes(Aligned)

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

During planned maintenance, at least [answer choice] virtual machines will be available.

4
5
6
8

To add another virtual machines to AS1, the virtual machines must be added to [answer choice].

any region and the RG1 resource group
the West Europe region and any resource group
the West Europe region and the RG1 resource group

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group

References:
<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 8

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that the Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

> Conduct access reviews to ensure users still need roles

References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 9

- (Exam Topic 2)

Your company has an office in Seattle.

You have an Azure subscription that contains a virtual network named VNET1. You create a site-to-site VPN between the Seattle office and VNET1.

VNET1 contains the subnets shown in the following table.

Name	IP address space
Subnet1	10.1.1.0/24
GatewaySubnet	10.1.200.0/28

You need to redirect all Internet-bound traffic from Subnet1 to the Seattle office. What should you create?

- A. a route for Subnet1 That uses the virtual network gateway as the next hop
- B. a route for GatewaySubnet that uses the virtual network gateway as the next hop
- C. a route for GatewaySubnet that uses the local network gateway as the next hop
- D. a route for Subnet1 that uses The local network gateway as the next hop

Answer: B

Explanation:

A route with the 0.0.0.0/0 address prefix instructs Azure how to route traffic destined for an IP address that is not within the address prefix of any other route in a subnet's route table. When a subnet is created, Azure creates a default route to the 0.0.0.0/0 address prefix, with the Internet next hop type. We need to create a custom route in Azure to use a virtual network gateway in the Seattle office as the next hop.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 10

- (Exam Topic 2)

Your company has the groups shown in the following table.

Group	Number of members
Managers	10
Sales	100
Development	15

The company has an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com. An administrator named Admin1 attempts to enable Enterprise State Roaming for all the users in the Managers group. Admin1 reports that the options for Enterprise State Roaming are unavailable from Azure AD. You verify that Admin1 is assigned the Global administrator role. You need to ensure that Admin1 can enable Enterprise State Roaming. What should you do?

- A. Enforce Azure Multi-Factor Authentication (MFA) for Admin1.
- B. Purchase an Azure AD Premium P1 license for each user in the Managers group.
- C. Assign an Azure AD Privileged Identity Management (PIM) role to Admin1.
- D. Purchase an Azure Rights Management (Azure RMS) license for each user in the Managers group.

Answer: B

Explanation:

Enterprise State Roaming is available to any organization with an Azure AD Premium or Enterprise Mobility + Security (EMS) license.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/devices/enterprise-state-roaming-enable>

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

RG1 contains the virtual machines shown in the following table.

Name	Region
VM1	West US
VM2	West US
VM3	West US
VM4	West US

RG2 contains the virtual machines shown in the following table.

Name	Region
VM5	East US 2
VM6	East US 2
VM7	West US
VM8	West US 2

All the virtual machines are configured to use premium disks and are accessible from the Internet. VM1 and VM2 are in an availability set named AVSET1. VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. VM5 and VM6 are in different availability zones.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
VM1 is eligible for a Service Level Agreement (SLA) of 99,95 percent.	<input type="radio"/>	<input type="radio"/>
VM3 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>
VM5 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

VM1 and VM2 are in an available set named AVSET1.

For all Virtual Machines that have two or more instances deployed in the same Availability Set, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.95% of the time.

Box 2: No

VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. Box 3: Yes

VM5 and VM6 are in different availability zones.

For all Virtual Machines that have two or more instances deployed across two or more Availability Zones in the same Azure region, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.99% of the time.

References:

https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1_8/

NEW QUESTION 13

- (Exam Topic 2)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Contains
storagecontoso1	A blob service and a table service
storagecontoso2	A blob service and a file service
storagecontoso3	A queue service
storagecontoso4	A file service and a queue service
storagecontoso5	A table service


You enable Azure Advanced Threat Protection (ATP) for all the storage accounts. You need to identify which storage accounts will generate Azure ATP alerts. Which two storage accounts should you identify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. storagecontoso1
- B. storagecontoso2
- C. storagecontoso3
- D. storagecontoso4
- E. storaacontoso5

Answer: AB

Explanation:

Advanced threat protection for Azure Storage is currently available only for Blob Storage.



<https://docs.microsoft.com/en-us/azure/storage/common/storage-advanced-threat-protection?tabs=azure-portal>

NEW QUESTION 14

- (Exam Topic 2)

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- > Usage trends
- > AJAX call responses
- > Page load speed by browser
- > Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

Answer: D

Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies. Note: Some of the things you can track or collect are: What are the most popular webpages in your application, at what time of day and where is that traffic coming from?

Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance.

Exceptions for both server and browser information, as well as page views and load performance from the end users' side.

Reference:

<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/> <https://blog.pragmaticworks.com/what-is-application-insights>

NEW QUESTION 19

- (Exam Topic 2)

An administrator plans to create a function app in Azure that will have the following settings:

- > Runtime stack: .NET Core
- > Operating System: Linux
- > Plan type: Consumption
- > Enable Application Insights: Yes

You need to ensure that you can back up the function app.

Which settings should you recommend changing before creating the function app? D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Runtime stack
- B. Enable Application Insights
- C. Operating System
- D. Plan type

Answer: D

Explanation:

The Backup and Restore feature requires the App Service plan to be in the Standard, Premium or Isolated tier. Reference:

<https://docs.microsoft.com/en-us/azure/app-service/manage-backup#requirements-and-restrictions>

NEW QUESTION 23

- (Exam Topic 2)

You have an Azure subscription that contains 10 virtual machines on a virtual network.

You need to create a graph visualization to display the traffic flow between the virtual machines. What should you do from Azure Monitor?

- A. From Activity log, use quick insights.
- B. From Metrics, create a chart.
- C. From Logs, create a new query.
- D. From Workbooks, create a workbook.

Answer: C

Explanation:

Navigate to Azure Monitor and select Logs to begin querying the data Reference:

<https://azure.microsoft.com/en-us/blog/analysis-of-network-connection-data-with-azure-monitor-for-virtual-mac>

NEW QUESTION 24

- (Exam Topic 2)

You plan to automate the deployment of a virtual machine scale set that uses the Windows Server 2016 Datacenter image. You need to ensure that when the scale set virtual machines are provisioned, they have web server components installed. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a new virtual machine scale set in the Azure portal.
- B. Create an automation account.
- C. Upload a configuration script.
- D. Modify the extensionProfile section of the Azure Resource Manager template.
- E. Create an Azure policy.

Answer: AD

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/tutorial-install-apps-template>

NEW QUESTION 28

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
- B. 6
- C. 1
- D. 2

Answer: A

NEW QUESTION 31

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins. You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription. What should you do?

- A. From Azure AD, configure the User settings.
- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 32

- (Exam Topic 2)

You have an Azure subscription that contains 100 virtual machines. You have a set of Pester tests in PowerShell that validate the virtual machine environment. You need to run the tests whenever there is an operating system update on the virtual machines. The solution must minimize implementation time and recurring costs.

D18912E1457D5D1DDCBD40AB3BF70D5D

Which three resources should you use to implement the tests? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Automation runbook
- B. an alert rule
- C. an Azure Monitor query
- D. a virtual machine that has network access to the 100 virtual machines
- E. an alert action group

Answer: ABE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-create-alert-triggered-runbook> <https://techsnips.io/snips/how-to-create-and-test-azure-monitor-alerts/?page=13>

NEW QUESTION 34

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

> Conduct access reviews to ensure users still need roles References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 39

- (Exam Topic 2)

You have an Azure Container Registry and an Azure container instance.

You pull an image from the registry, and then update the local copy of the image.

You need to ensure that the updated image can be deployed to the container instance. The solution must ensure that you can deploy the updated image or the previous version of the image.

What should you do?

- A. Run the docker image push command and specify the tag parameter.
- B. Run the az image copy command and specify the tag parameter.
- C. Run the az aks update command and specify the attach-acr parameter.
- D. Run the kubectl apply command and specify the dry-run parameter.

Answer: B

NEW QUESTION 41

- (Exam Topic 2)

You have the Azure SQL Database servers shown in the following table.

Name	Elastic pool
sqlserver1	Pool1
sqlserver2	Pool1, Pool2

You have the Azure SQL databases shown in the following table.

Name	Azure SQL Database server	Elastic pool
DB1	sqlserver1	None
DB2	sqlserver1	Pool1
DB3	sqlserver2	Pool1
DB4	sqlserver2	Pool2

You create a failover group named failover1 that has the following settings:

- Primary server: sqlserver1
- Secondary server: sqlserver2
- Read/Write failover policy: Automatic
- Read/Write grace period (hours): 1 hour

Statements	Yes	No
You can add DB1 to failover1.	<input type="radio"/>	<input type="radio"/>
You can add DB3 to failover1.	<input type="radio"/>	<input type="radio"/>
Sqlserver1 and sqlserver2 are in the same Azure region.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You can add DB1 to failover1.	<input checked="" type="radio"/>	<input type="radio"/>
You can add DB3 to failover1.	<input type="radio"/>	<input checked="" type="radio"/>
Sqlserver1 and sqlserver2 are in the same Azure region.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 46

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User1 and User3 only.

The Owner Role lets you manage everything, including access to resources.

The Network Contributor role lets you manage networks, but not access to them. Box 2: User1

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 50

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains an Azure virtual network named VNet1. VNet1 connects to your on-premises network by using Azure ExpressRoute.

You need to connect VNet1 to the on-premises network by using a site-to-site VPN. The solution must minimize cost.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a VPN gateway that uses the VpnGw1 SKU.
- B. Create a connection.
- C. Create a local site VPN gateway.
- D. Create a gateway subnet.
- E. Create a VPN gateway that uses the Basic SKU.

Answer: ABC

Explanation:

References:

<https://docs.microsoft.com/en-za/archive/blogs/canitpro/step-by-step-configuring-a-site-to-site-vpn-gateway-bet>

NEW QUESTION 54

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 55

- (Exam Topic 2)

: 292 HOTSPOT

From Azure Cosmos DB, you create the containers shown in the following table.

Container ID	Partition key	Unique key
Container1	/category	None
Container2	/id	/importance

You add the following item to Container1.

```
{
  "id": "1",
  "category": "personal",
  "name": "Name1",
  "description": "Description1"
}
```

You plan to add items to Azure Cosmos DB as shown in the following table.

Name	Content
Item1	{ "id": "1", "category": "personal", "name": "Name1", "description": "Description1" }
Item2	{ "category": "business", "name": "Name2", "description": "Description2" "importance": "High" }
Item3	{ "id": "3", "name": "Name3", "description": "Description3" }
Item4	{ "id": "4", "importance": "Low" }

You need to identify which items can be added successfully to Container1 and Container2.

What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Container1:

▼

Item2 only

Item1 and Item2 only

Item3 and Item4 only

Item2, Item3, and Item4 only

Item1, Item2, Item3, and Item4

Container2:

▼

Item4 only

Item2 and Item4 only

Item1, Item3, and Item4 only

Item1, Item2, Item3, and Item4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	


Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

NEW QUESTION 56

- (Exam Topic 2)

You have an on-premises virtual machine named VM1 configured as shown in the following exhibit.



VM is started.

You need to create a new virtual machine image in Azure from VM1.

Which three actions should you perform before you create the new image? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the Backup (volume shadow copy) integration service
- B. Generalize VM1
- C. Run Add-AzureRmVhd and specify a blob service container as the destination
- D. Run Add-AzureRmVhd and specify a file share as the destination
- E. Reduce the amount of memory to 16 GB
- F. Convert the disk type to VHD

Answer: BCF

NEW QUESTION 58

- (Exam Topic 2)

You have an Azure virtual machine named VM1 and an Azure Active Directory (Azure AD) tenant named adatum.com.

D18912E1457D5D1DDCBD40AB3BF70D5D

VM1 has the following settings:

- > IP address: 10.10.0.10
- > System-assigned managed identity: On

You need to create a script that will run from within VM1 to retrieve the authentication token of VM1. Which address should you use in the script?

- A. vm1.adatum.com.onmicrosoft.com
- B. 169.254.169.254
- C. 10.10.0.10
- D. vm1.adatum.com

Answer: B

Explanation:

Your code that's running on the VM can request a token from the Azure Instance Metadata Service identity endpoint, accessible only from within the VM:
<http://169.254.169.254/metadata/identity/oauth2/token>

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 62

- (Exam Topic 2)

Your company has an Azure subscription.

You enable multi-factor authentication (MFA) for all users.

The company's help desk reports an increase in calls from users who receive MFA requests while they work from the company's main office.

You need to prevent the users from receiving MFA requests when they sign in from the main office. What should you do?

- A. From Azure Active Directory (Azure AD), configure organizational relationships.
- B. From the MFA service settings, create a trusted IP range.
- C. From Conditional access in Azure Active Directory (Azure AD), create a custom control.
- D. From Conditional access in Azure Active Directory (Azure AD), create a named location.

Answer: B

Explanation:

The first thing you may want to do, before enabling Multi-Factor Authentication for any users, is to consider configuring some of the available settings. One of the most important features is a trusted IPs list. This will allow you to whitelist a range of IPs for your network. This way, when users are in the office, they will not get prompted with MFA, and when they take their devices elsewhere, they will. Here's how to do it:

Log in to your Azure Portal.

Navigate to Azure AD > Conditional Access > Named locations. From the top toolbar select Configure MFA trusted IPs. References:

<https://www.kraftkennedy.com/implementing-azure-multi-factor-authentication/>


NEW QUESTION 65

- (Exam Topic 2)

Your company hosts multiple websites by using Azure virtual machine scale sets (VMSS) that run Internet Information Server (IIS).

All network communications must be secured by using end to end Secure Socket Layer (SSL) encryption. User sessions must be routed to the same server by using cookie-based session affinity.

The image shown depicts the network traffic flow for the websites to the VMSS.



Use the drop-down menus to select the answer choice that answers each question.

NOTE: Each correct selection is worth one point.

Which Azure solution should you create to route the web application traffic to the VMSS?

▼
Azure VPN Gateway
Azure Application Gateway
Azure ExpressRoute
Azure Network Watcher

What should you configure to make sure web traffic arrives at the appropriate server in the VMSS?

▼
Routing rules and backend listeners
CNAME and A records
Routing method and DNS time to live (TTL)
Path-based redirection and WebSockets

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Application Gateway

You can create an application gateway with URL path-based redirection using Azure PowerShell. Box 2: Path-based redirection and Websockets

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure//application-gateway/tutorial-url-redirect-powershell>

NEW QUESTION 66

- (Exam Topic 2)

You have an Azure subscription.

You create a custom role in Azure by using the following Azure Resource Manager template.

```
{
  "Name": "Role1",
  "Id": "888888888-8888-8888-888888888888",
  "IsCustom" : true,
  "Description" : "Role1 Description",
  "Actions" : [
    "Microsoft.Storage/*/read",
    "Microsoft.Network/*/read",
    "Microsoft.Compute/*/read",
    "Microsoft.Compute/virtualMachines/start/action",
    "Microsoft.Compute/virtualMachines/restart/action",
    "Microsoft.Authorization/*/read",
    "Microsoft.ResourceHealth/availabilityStatuses/read",
    "Microsoft.Resources/subscriptions/resourceGroups/read",
    "Microsoft.Insights/alertRules/*",
    "Microsoft.Insights/diagnosticSettings/*",
    "Microsoft.Support/*"
  ],
  "NotActions": [],
  "DataActions": [],
  "NotDataActions" : [],
  "AssignableScopes" : [
    "/subscriptions/981dd4bc-8cf4-46fc-9513-0c599648b44b"
  ]
}
```

You assign the role to a user named User1. Which action can User1 perform?

- A. Delete virtual machines.
- B. Create resource groups.
- C. Create virtual machines.
- D. Create support requests

Answer: D

Explanation:

The "Microsoft.Support/*" operation will allow the user to create support tickets. References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/tutorial-custom-role-powershell>

NEW QUESTION 71

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 72

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. RG1 contains multiple resources. You need to trigger an alert when the resources in RG1 consume \$1,000 USD.

What should you do?


- A. From Cost Management + Billing, add a cloud connector.
- B. From the subscription, create an event subscription.
- C. From Cost Management + Billing create a budget.
- D. From RG1, create an event subscription.

Answer: C

Explanation:

Create budgets to manage costs and create alerts that automatically notify you and your stakeholders of spending anomalies and overspending.

To set it up, go to the Azure Portal, select 'Cost Management + Billing' -> 'Cost Management' -> 'Go to Cost Management'.



Note: Cost alerts are automatically generated based when Azure resources are consumed. Alerts show all active cost management and billing alerts together in one place. When your consumption reaches a given threshold, alerts are generated by Cost Management. There are three types of cost alerts: budget alerts, credit alerts, and department spending quota alerts.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/getting-started>

NEW QUESTION 73

- (Exam Topic 2)

You have an Azure Kubernetes Service (AKS) cluster named Clus1 in a resource group named RG1. An administrator plans to manage Clus1 from an Azure AD-joined device.

You need to ensure that the administrator can deploy the YAML application manifest file for a container application.

You install the Azure CLI on the device. Which command should you run next?

- A. `kubectl get nodes`
- B. `az aks install-cli`
- C. `kubectl apply -f app1.yaml`
- D. `az aks get-credentials --resource-group RG1 --name Clus1`

Answer: C

Explanation:

`kubectl apply -f appl.yaml` applies a configuration change to a resource from a file or stdin. References:

<https://kubernetes.io/docs/reference/kubectl/overview/> <https://docs.microsoft.com/en-us/cli/azure/aks>

NEW QUESTION 76

- (Exam Topic 2)

You have an Azure subscription.

You plan to deploy an app that has a web front end and an application tier.

You need to recommend a load balancing solution that meets the following requirements:

>

- Internet to web tier:
- Provides URL-based routing
 - Supports connection draining
 - Prevents SQL injection attacks

- Web tier to application tier:
- Provides port forwarding
 - Supports HTTPS health probes
 - Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Internet to web tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

Web tier to application tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Application Gateway that has a web application firewall (WAF)

Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.

Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.

Box 2: An internal Azure Standard Load Balancer

The internet to web tier is the public interface, while the web tier to application tier should be internal. Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.

Health probes support the TCP, HTTP, HTTPS protocols. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview> <https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

NEW QUESTION 77

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create a conditional access policy for App1.

- A. Yes
- B. No

Answer: B

NEW QUESTION 79

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a user named User1. The domain syncs to Azure Active Directory (Azure AD). You have the Windows 10 devices shown in the following table.

Name	Joined to
Device1	On-premises Active Directory
Device2	Azure AD
Device3	Workgroup

The User Sign-In settings are configured as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Disabled	0 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input checked="" type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 84

- (Exam Topic 2)

You have two Azure SQL Database managed instances in different Azure regions. You plan to configure the managed instances in an instance failover group. What should you configure before you can add the managed instances to the instance failover group?

- A. Azure Private Link that has endpoints on two virtual networks
- B. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

Answer: D

Explanation:

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication.

You create the two VPN gateways and connect them.

➤ Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=az>

NEW QUESTION 85

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	Central US	<i>Not applicable</i>
RG2	Resource group	West US	<i>Not applicable</i>
VM1	Virtual machine	East US	RG2
VNET1	Virtual network	East US	RG1

In RG2, you need to create a new virtual machine named VM2 that will connect to VNET1. VM2 will use a network interface named VM2_Interface.

In which region should you create VM2 and VM2_Interface? To answer, drag the appropriate regions to the correct targets. Each region may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Regions

Central US

East US

West US

Answer Area

VM2:

VM2_Interface:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM2: West US

In RG2, which is in West US, you need to create a new virtual machine named VM2. VM2_interface: East US
 VM2 will use a network interface named VM2_Interface to connect to VNET1, which is in East US. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/associate-public-ip-address-vm>

NEW QUESTION 86

- (Exam Topic 2)

You have SQL Server on an Azure virtual machine named SQL1.

You need to automate the backup of the databases on SQL1 by using Automated Backup v2 for the virtual machines. The backups must meet the following requirements:

- Meet a recovery point objective (RPO) of 15 minutes.
- Retain the backups for 30 days.
- Encrypt the backups at rest.

What should you provision as part of the backup solution?

- A. Azure Key Vault
- B. an Azure Storage account
- C. a Recovery Services vault
- D. Elastic Database jobs

Answer: B

Explanation:

An Azure storage account is used for storing Automated Backup files in blob storage. A container is created at this location to store all backup files. The backup file naming convention includes the date, time, and database GUID.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/automated-backup>

NEW QUESTION 90

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

XCOPY File1.txt C:\Folder1\

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. Furthermore, the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 95

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Address space
VNET1	Virtual network	10.1.1.0/24
Subnet1	Subnet	10.1.1.0/24
VM1	Virtual machine	Not applicable

Subnet1 is on VNET1. VM1 connects to Subnet1.

You plan to create a virtual network gateway on VNET1.

You need to prepare the environment for the planned virtual network gateway.

What are two ways to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a subnet named GatewaySubnet on VNET1.
- B. Delete Subnet1.
- C. Modify the address space used by Subnet1.
- D. Modify the address space used by VNET1
- E. Create a local network gateway.

Answer: AD

NEW QUESTION 99

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You create an access package. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You do not use access packages for Identity Governance. Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

References: <https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure> <https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-overview>

NEW QUESTION 104

.....

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You need to recommend an identify solution that meets the technical requirements. What should you recommend?

- A. federated single-on (SSO) and Active Directory Federation Services (AD FS)
- B. password hash synchronization and single sign-on (SSO)
- C. cloud-only user accounts
- D. Pass-through Authentication and single sign-on (SSO)

Answer: D

Explanation:

Active Directory Federation Services is a feature and web service in the Windows Server Operating System that allows sharing of identity information outside a company's network.

Scenario: Technical Requirements include:

Prevent user passwords or hashes of passwords from being stored in Azure. References: <https://www.sherweb.com/blog/active-directory-federation-services/>

NEW QUESTION 2

- (Exam Topic 1)

You need to implement a backup solution for App1 after the application is moved. What should you create first?

- A. a recovery plan
- B. an Azure Backup Server
- C. a backup policy
- D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines. Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups.

References: <https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal>

NEW QUESTION 3

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
Storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template. You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- A. Container1
- B. VM1
- C. Storage2
- D. RG1

Answer: D

NEW QUESTION 4

- (Exam Topic 2)

You create a virtual machine scale set named Scale1. Scale1 is configured as shown in the following exhibit. The subscription contains the Azure SQL databases shown in the following table.

INSTANCES

* Instance count:

* Instance size (View full pricing details):

Deploy as low priority: No Yes

Use managed disks: No Yes

[- Show advanced settings](#)

AUTOSCALE

Autoscale: Disabled Enabled

* Minimum number of VMs:

* Maximum number of VMs:

Scale out

* CPU threshold (%):

* Number of VMs to increase by:

Scale in

* CPU threshold (%):

* Number of VMs to decrease by:

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

If Scale1 is utilized at 85 percent for six minutes, Scale1 will be running [answer choice].

- 2 virtual machines
- 4 virtual machines
- 6 virtual machines
- 8 virtual machines
- 10 virtual machines

If Scale1 is first utilized at 25 percent for six minutes, and then utilized at 50 percent for six minutes, Scale1 will be running [answer choice].

- 2 virtual machines
- 4 virtual machines
- 6 virtual machines
- 8 virtual machines
- 10 virtual machines

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
 The Autoscale scale out rule increases the number of VMs by 2 if the CPU threshold is 80% or higher. The initial instance count is 4 and rises to 6 when the 2 extra instances of VMs are added.

Box 2:
 The Autoscale scale in rule decreases the number of VMs by 4 if the CPU threshold is 30% or lower. The initial instance count is 4 and thus cannot be reduced to 0 as the minimum instances is set to 2. Instances are only added when the CPU threshold reaches 80%.

References:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-overview>

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-best-practices> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-common-scale-patterns>

NEW QUESTION 5

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

You create an Azure Resource Manager template named Template1 as shown in the following exhibit.

```
{
  "$schema": "http://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {
    "name": {
      "type": "String"
    },
    "location": {
      "defaultValue": "westus",
      "type": "String"
    }
  },
  "variables": {
    "location": "[resourceGroup().location]"
  },
  "resources": [
    {
      "type": "Microsoft.Network/publicIPAddresses",
      "apiVersion": "2019-11-01",
      "name": "[parameters('name')]",
      "location": "[variables('location')]",
      "sku": {
        "name": "Basic"
      },
      "properties": {
        "publicIPAddressVersion": "IPv4",
        "publicIPAllocationMethod": "Dynamic",
        "idleTimeoutInMinutes": 4,
        "ipTags": []
      }
    }
  ]
}
```

From the Azure portal, you deploy Template1 four times by using the settings shown in the following table.

Resource group	Name	Location
RG1	IP1	westus
RG1	IP2	westus
RG2	IP1	westus
RG2	IP3	westus

What is the result of the deployment? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Number of public IP addresses in West US:

	▼
1	
2	
3	
4	

Total number of public IP addresses created:

	▼
1	
2	
3	
4	

NEW QUESTION 6

- (Exam Topic 2)

A company hosts virtual machines (VMs) in an on-premises datacenter and in Azure. The on-premises and Azure-based VMs communicate using ExpressRoute. The company wants to be able to continue regular operations if the ExpressRoute connection fails. Failover connections must use the Internet and must not require Multiprotocol Label Switching (MPLS) support.

You need to recommend a solution that provides continued operations. What should you recommend?

- A. Set up a second ExpressRoute connection.
- B. Increase the bandwidth of the existing ExpressRoute connection.
- C. Increase the bandwidth for the on-premises internet connection.
- D. Set up a VPN connection.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/expressroutevpn->

NEW QUESTION 7

- (Exam Topic 2)

You have an Azure subscription that contains multiple resource groups. You create an availability set as shown in the following exhibit.

Create availability set X

*Name

*Subscription

*Resource group

Create new

*Location

Fault domains

Update domains

Use managed disks
 No(Classic) Yes(Aligned)

You deploy 10 virtual machines to AS1.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

During planned maintenance, at least [answer choice] virtual machines will be available.

4
5
6
8

To add another virtual machines to AS1, the virtual machines must be added to [answer choice].

any region and the RG1 resource group
the West Europe region and any resource group
the West Europe region and the RG1 resource group

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 6

Two out of three update domains would be available, each with at least 3 VMs.

An update domain is a group of VMs and underlying physical hardware that can be rebooted at the same time. As you create VMs within an availability set, the Azure platform automatically distributes your VMs across these update domains. This approach ensures that at least one instance of your application always remains running as the Azure platform undergoes periodic maintenance.

Box 2: the West Europe region and the RG1 resource group

References:
<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/regions-and-availability>

NEW QUESTION 8

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that the Admin1 can create access reviews in contoso.com.

Solution: You purchase an Azure Directory Premium P2 license for contoso.com. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

> Conduct access reviews to ensure users still need roles

References:
<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 9

- (Exam Topic 2)

Your company has an office in Seattle.

You have an Azure subscription that contains a virtual network named VNET1. You create a site-to-site VPN between the Seattle office and VNET1.

VNET1 contains the subnets shown in the following table.

Name	IP address space
Subnet1	10.1.1.0/24
GatewaySubnet	10.1.200.0/28

You need to redirect all Internet-bound traffic from Subnet1 to the Seattle office. What should you create?

- A. a route for Subnet1 That uses the virtual network gateway as the next hop
- B. a route for GatewaySubnet that uses the virtual network gateway as the next hop
- C. a route for GatewaySubnet that uses the local network gateway as the next hop
- D. a route for Subnet1 that uses The local network gateway as the next hop

Answer: B

Explanation:

A route with the 0.0.0.0/0 address prefix instructs Azure how to route traffic destined for an IP address that is not within the address prefix of any other route in a subnet's route table. When a subnet is created, Azure creates a default route to the 0.0.0.0/0 address prefix, with the Internet next hop type. We need to create a custom route in Azure to use a virtual network gateway in the Seattle office as the next hop.

References:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 10

- (Exam Topic 2)

Your company has the groups shown in the following table.

Group	Number of members
Managers	10
Sales	100
Development	15

The company has an Azure subscription that contains an Azure Active Directory (Azure AD) tenant named contoso.com. An administrator named Admin1 attempts to enable Enterprise State Roaming for all the users in the Managers group. Admin1 reports that the options for Enterprise State Roaming are unavailable from Azure AD. You verify that Admin1 is assigned the Global administrator role. You need to ensure that Admin1 can enable Enterprise State Roaming. What should you do?

- A. Enforce Azure Multi-Factor Authentication (MFA) for Admin1.
- B. Purchase an Azure AD Premium P1 license for each user in the Managers group.
- C. Assign an Azure AD Privileged Identity Management (PIM) role to Admin1.
- D. Purchase an Azure Rights Management (Azure RMS) license for each user in the Managers group.

Answer: B

Explanation:

Enterprise State Roaming is available to any organization with an Azure AD Premium or Enterprise Mobility + Security (EMS) license.

References:

<https://docs.microsoft.com/bs-latn-ba/azure/active-directory/devices/enterprise-state-roaming-enable>

NEW QUESTION 10

- (Exam Topic 2)

You have an Azure subscription that contains the resource groups shown in the following table.

Name	Location
RG1	West US
RG2	East US

RG1 contains the virtual machines shown in the following table.

Name	Region
VM1	West US
VM2	West US
VM3	West US
VM4	West US

RG2 contains the virtual machines shown in the following table.

Name	Region
VM5	East US 2
VM6	East US 2
VM7	West US
VM8	West US 2

All the virtual machines are configured to use premium disks and are accessible from the Internet. VM1 and VM2 are in an available set named AVSET1. VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. VM5 and VM6 are in different availability zones.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
VM1 is eligible for a Service Level Agreement (SLA) of 99,95 percent.	<input type="radio"/>	<input type="radio"/>
VM3 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>
VM5 is eligible for a Service Level Agreement (SLA) of 99,99 percent.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

VM1 and VM2 are in an available set named AVSET1.

For all Virtual Machines that have two or more instances deployed in the same Availability Set, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.95% of the time.

Box 2: No

VM3 and VM4 are in the same availability zone and are in an availability set named AVSET2. Box 3: Yes

VM5 and VM6 are in different availability zones.

For all Virtual Machines that have two or more instances deployed across two or more Availability Zones in the same Azure region, we [Microsoft] guarantee you will have Virtual Machine Connectivity to at least one instance at least 99.99% of the time.

References:

https://azure.microsoft.com/en-us/support/legal/sla/virtual-machines/v1_8/

NEW QUESTION 13

- (Exam Topic 2)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Contains
storagecontoso1	A blob service and a table service
storagecontoso2	A blob service and a file service
storagecontoso3	A queue service
storagecontoso4	A file service and a queue service
storagecontoso5	A table service


You enable Azure Advanced Threat Protection (ATP) for all the storage accounts. You need to identify which storage accounts will generate Azure ATP alerts. Which two storage accounts should you identify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. storagecontoso1
- B. storagecontoso2
- C. storagecontoso3
- D. storagecontoso4
- E. storaacontoso5

Answer: AB

Explanation:

Advanced threat protection for Azure Storage is currently available only for Blob Storage.



<https://docs.microsoft.com/en-us/azure/storage/common/storage-advanced-threat-protection?tabs=azure-portal>

NEW QUESTION 14

- (Exam Topic 2)

You have an Azure App Service app.

You need to implement tracing for the app. The tracing information must include the following:

- > Usage trends
- > AJAX call responses
- > Page load speed by browser
- > Server and browser exceptions

What should you do?

- A. Configure IIS logging in Azure Log Analytics.
- B. Configure a connection monitor in Azure Network Watcher.
- C. Configure custom logs in Azure Log Analytics.
- D. Enable the Azure Application Insights site extension.

Answer: D

Explanation:

For web pages, Application Insights JavaScript SDK automatically collects AJAX calls as dependencies. Note: Some of the things you can track or collect are: What are the most popular webpages in your application, at what time of day and where is that traffic coming from?

Dependency rates or response times and failure rates to find out if there's an external service that's causing performance issues on your app, maybe a user is using a portal to get through to your application and there are response time issues going through there for instance.

Exceptions for both server and browser information, as well as page views and load performance from the end users' side.

Reference:

<https://azure.microsoft.com/en-us/blog/ajax-collection-in-application-insights/> <https://blog.pragmaticworks.com/what-is-application-insights>

NEW QUESTION 19

- (Exam Topic 2)

An administrator plans to create a function app in Azure that will have the following settings:

- > Runtime stack: .NET Core
- > Operating System: Linux
- > Plan type: Consumption
- > Enable Application Insights: Yes

You need to ensure that you can back up the function app.

Which settings should you recommend changing before creating the function app? D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Runtime stack
- B. Enable Application Insights
- C. Operating System
- D. Plan type

Answer: D

Explanation:

The Backup and Restore feature requires the App Service plan to be in the Standard, Premium or Isolated tier. Reference:

<https://docs.microsoft.com/en-us/azure/app-service/manage-backup#requirements-and-restrictions>

NEW QUESTION 23

- (Exam Topic 2)

You have an Azure subscription that contains 10 virtual machines on a virtual network.

You need to create a graph visualization to display the traffic flow between the virtual machines. What should you do from Azure Monitor?

- A. From Activity log, use quick insights.
- B. From Metrics, create a chart.
- C. From Logs, create a new query.
- D. From Workbooks, create a workbook.

Answer: C

Explanation:

Navigate to Azure Monitor and select Logs to begin querying the data Reference:

<https://azure.microsoft.com/en-us/blog/analysis-of-network-connection-data-with-azure-monitor-for-virtual-mac>

NEW QUESTION 24

- (Exam Topic 2)

You plan to automate the deployment of a virtual machine scale set that uses the Windows Server 2016 Datacenter image. You need to ensure that when the scale set virtual machines are provisioned, they have web server components installed. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a new virtual machine scale set in the Azure portal.
- B. Create an automation account.
- C. Upload a configuration script.
- D. Modify the extensionProfile section of the Azure Resource Manager template.
- E. Create an Azure policy.

Answer: AD

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/virtual-machine-scale-sets/tutorial-install-apps-template>

NEW QUESTION 28

- (Exam Topic 2)

You have Azure virtual machines that have Update Management enabled. The virtual machines are configured as shown in the following table.

Name	Operating system	Resource group	Location
VM1	Windows Server 2012 R2	RG1	East US
VM2	Windows Server 2016	RG1	West US
VM3	Windows Server 2019	RG2	West US
VM4	Red Hat Enterprise Linux 7.7	RG2	West US
VM5	Ubuntu Server 18.04 LTS	RG1	East US
VM6	CentOS-based 7.7	RG1	East US

You need to ensure that all critical and security updates are applied to each virtual machine every month. What is the minimum number of update deployments you should create?

- A. 4
- B. 6
- C. 1
- D. 2

Answer: A

NEW QUESTION 31

- (Exam Topic 2)

You have an Azure Active Directory (Azure AD) tenant linked to an Azure subscription. The tenant contains a group named Admins. You need to prevent users, except for the members of Admins, from using the Azure portal and Azure PowerShell to access the subscription. What should you do?

- A. From Azure AD, configure the User settings.
- B. From the Azure subscription, assign an Azure policy.
- C. From Azure AD, create a conditional access policy.
- D. From the Azure subscription, configure Access control (IAM).

Answer: D

NEW QUESTION 32

- (Exam Topic 2)

You have an Azure subscription that contains 100 virtual machines. You have a set of Pester tests in PowerShell that validate the virtual machine environment. You need to run the tests whenever there is an operating system update on the virtual machines. The solution must minimize implementation time and recurring costs.

D18912E1457D5D1DDCBD40AB3BF70D5D

Which three resources should you use to implement the tests? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure Automation runbook
- B. an alert rule
- C. an Azure Monitor query
- D. a virtual machine that has network access to the 100 virtual machines
- E. an alert action group

Answer: ABE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/automation/automation-create-alert-triggered-runbook> <https://techsnips.io/snips/how-to-create-and-test-azure-monitor-alerts/?page=13>

NEW QUESTION 34

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You assign the Service administrator role to Admin1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

> Conduct access reviews to ensure users still need roles References:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

NEW QUESTION 39

- (Exam Topic 2)

You have an Azure Container Registry and an Azure container instance.

You pull an image from the registry, and then update the local copy of the image.

You need to ensure that the updated image can be deployed to the container instance. The solution must ensure that you can deploy the updated image or the previous version of the image.

What should you do?

- A. Run the docker image push command and specify the tag parameter.
- B. Run the az image copy command and specify the tag parameter.
- C. Run the az aks update command and specify the attach-acr parameter.
- D. Run the kubectl apply command and specify the dry-run parameter.

Answer: B

NEW QUESTION 41

- (Exam Topic 2)

You have the Azure SQL Database servers shown in the following table.

Name	Elastic pool
sqlserver1	Pool1
sqlserver2	Pool1, Pool2

You have the Azure SQL databases shown in the following table.

Name	Azure SQL Database server	Elastic pool
DB1	sqlserver1	None
DB2	sqlserver1	Pool1
DB3	sqlserver2	Pool1
DB4	sqlserver2	Pool2

You create a failover group named failover1 that has the following settings:

- Primary server: sqlserver1
- Secondary server: sqlserver2
- Read/Write failover policy: Automatic
- Read/Write grace period (hours): 1 hour

Statements	Yes	No
You can add DB1 to failover1.	<input type="radio"/>	<input type="radio"/>
You can add DB3 to failover1.	<input type="radio"/>	<input type="radio"/>
Sqlserver1 and sqlserver2 are in the same Azure region.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
You can add DB1 to failover1.	<input checked="" type="radio"/>	<input type="radio"/>
You can add DB3 to failover1.	<input type="radio"/>	<input checked="" type="radio"/>
Sqlserver1 and sqlserver2 are in the same Azure region.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 46

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains a virtual network named VNet1. You add the users in the following table.

User	Role
User1	Owner
User2	Security Admin
User3	Network Contributor

Which user can perform each configuration? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Answer Area

Add a subnet to VNet1:

	▼
User1 only	
User3 only	
User1 and User3 only	
User2 and User3 only	
User1, User2, and User3	

Assign a user the Reader role to VNet1:

	▼
User1 only	
User2 only	
User3 only	
User1 and User2 only	
User2 and User3 only	
User1, User2, and User3	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: User1 and User3 only.

The Owner Role lets you manage everything, including access to resources.

The Network Contributor role lets you manage networks, but not access to them. Box 2: User1

The Security Admin role: In Security Center only: Can view security policies, view security states, edit security policies, view alerts and recommendations, dismiss alerts and recommendations.

References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles>

NEW QUESTION 50

- (Exam Topic 2)

You have an Azure subscription named Subscription1 that contains an Azure virtual network named VNet1. VNet1 connects to your on-premises network by using Azure ExpressRoute.

You need to connect VNet1 to the on-premises network by using a site-to-site VPN. The solution must minimize cost.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a VPN gateway that uses the VpnGw1 SKU.
- B. Create a connection.
- C. Create a local site VPN gateway.
- D. Create a gateway subnet.
- E. Create a VPN gateway that uses the Basic SKU.

Answer: ABC

Explanation:

References:

<https://docs.microsoft.com/en-za/archive/blogs/canitpro/step-by-step-configuring-a-site-to-site-vpn-gateway-bet>

NEW QUESTION 54

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create an offer for App1 and publish the offer to Azure Marketplace.

- A. Yes
- B. No

Answer: A

NEW QUESTION 55

- (Exam Topic 2)

: 292 HOTSPOT

From Azure Cosmos DB, you create the containers shown in the following table.

Container ID	Partition key	Unique key
Container1	/category	None
Container2	/id	/importance

You add the following item to Container1.

```
{
  "id": "1",
  "category": "personal",
  "name": "Name1",
  "description": "Description1"
}
```

You plan to add items to Azure Cosmos DB as shown in the following table.

Name	Content
Item1	{ "id": "1", "category": "personal", "name": "Name1", "description": "Description1" }
Item2	{ "category": "business", "name": "Name2", "description": "Description2" "importance": "High" }
Item3	{ "id": "3", "name": "Name3", "description": "Description3" }
Item4	{ "id": "4", "importance": "Low" }

You need to identify which items can be added successfully to Container1 and Container2.

What should you identify for each container? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Container1:

▼

Item2 only

Item1 and Item2 only

Item3 and Item4 only

Item2, Item3, and Item4 only

Item1, Item2, Item3, and Item4

Container2:

▼

Item4 only

Item2 and Item4 only

Item1, Item3, and Item4 only

Item1, Item2, Item3, and Item4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Container1:

	▼
Item2 only	
Item1 and Item2 only	
Item3 and Item4 only	
Item2, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	


Container2:

	▼
Item4 only	
Item2 and Item4 only	
Item1, Item3, and Item4 only	
Item1, Item2, Item3, and Item4	

NEW QUESTION 56

- (Exam Topic 2)

You have an on-premises virtual machine named VM1 configured as shown in the following exhibit.



VM is started.

You need to create a new virtual machine image in Azure from VM1.

Which three actions should you perform before you create the new image? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Remove the Backup (volume shadow copy) integration service
- B. Generalize VM1
- C. Run Add-AzureRmVhd and specify a blob service container as the destination
- D. Run Add-AzureRmVhd and specify a file share as the destination
- E. Reduce the amount of memory to 16 GB
- F. Convert the disk type to VHD

Answer: BCF

NEW QUESTION 58

- (Exam Topic 2)

You have an Azure virtual machine named VM1 and an Azure Active Directory (Azure AD) tenant named adatum.com.

D18912E1457D5D1DDCBD40AB3BF70D5D

VM1 has the following settings:

- > IP address: 10.10.0.10
- > System-assigned managed identity: On

You need to create a script that will run from within VM1 to retrieve the authentication token of VM1. Which address should you use in the script?

- A. vm1.adatum.com.onmicrosoft.com
- B. 169.254.169.254
- C. 10.10.0.10
- D. vm1.adatum.com

Answer: B

Explanation:

Your code that's running on the VM can request a token from the Azure Instance Metadata Service identity endpoint, accessible only from within the VM:
<http://169.254.169.254/metadata/identity/oauth2/token>

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 62

- (Exam Topic 2)

Your company has an Azure subscription.

You enable multi-factor authentication (MFA) for all users.

The company's help desk reports an increase in calls from users who receive MFA requests while they work from the company's main office.

You need to prevent the users from receiving MFA requests when they sign in from the main office. What should you do?

- A. From Azure Active Directory (Azure AD), configure organizational relationships.
- B. From the MFA service settings, create a trusted IP range.
- C. From Conditional access in Azure Active Directory (Azure AD), create a custom control.
- D. From Conditional access in Azure Active Directory (Azure AD), create a named location.

Answer: B

Explanation:

The first thing you may want to do, before enabling Multi-Factor Authentication for any users, is to consider configuring some of the available settings. One of the most important features is a trusted IPs list. This will allow you to whitelist a range of IPs for your network. This way, when users are in the office, they will not get prompted with MFA, and when they take their devices elsewhere, they will. Here's how to do it:

Log in to your Azure Portal.

Navigate to Azure AD > Conditional Access > Named locations. From the top toolbar select Configure MFA trusted IPs. References:

<https://www.kraftkennedy.com/implementing-azure-multi-factor-authentication/>


NEW QUESTION 65

- (Exam Topic 2)

Your company hosts multiple websites by using Azure virtual machine scale sets (VMSS) that run Internet Information Server (IIS).

All network communications must be secured by using end to end Secure Socket Layer (SSL) encryption. User sessions must be routed to the same server by using cookie-based session affinity.

The image shown depicts the network traffic flow for the websites to the VMSS.



Use the drop-down menus to select the answer choice that answers each question.

NOTE: Each correct selection is worth one point.

Which Azure solution should you create to route the web application traffic to the VMSS?

▼
Azure VPN Gateway
Azure Application Gateway
Azure ExpressRoute
Azure Network Watcher

What should you configure to make sure web traffic arrives at the appropriate server in the VMSS?

▼
Routing rules and backend listeners
CNAME and A records
Routing method and DNS time to live (TTL)
Path-based redirection and WebSockets

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Application Gateway

You can create an application gateway with URL path-based redirection using Azure PowerShell. Box 2: Path-based redirection and Websockets

Reference:

<https://docs.microsoft.com/bs-latn-ba/azure//application-gateway/tutorial-url-redirect-powershell>

NEW QUESTION 66

- (Exam Topic 2)

You have an Azure subscription.

You create a custom role in Azure by using the following Azure Resource Manager template.

```
{
  "Name": "Role1",
  "Id": "888888888-8888-8888-888888888888",
  "IsCustom" : true,
  "Description" : "Role1 Description",
  "Actions" : [
    "Microsoft.Storage/*/read",
    "Microsoft.Network/*/read",
    "Microsoft.Compute/*/read",
    "Microsoft.Compute/virtualMachines/start/action",
    "Microsoft.Compute/virtualMachines/restart/action",
    "Microsoft.Authorization/*/read",
    "Microsoft.ResourceHealth/availabilityStatuses/read",
    "Microsoft.Resources/subscriptions/resourceGroups/read",
    "Microsoft.Insights/alertRules/*",
    "Microsoft.Insights/diagnosticSettings/*",
    "Microsoft.Support/*"
  ],
  "NotActions": [],
  "DataActions": [],
  "NotDataActions" : [],
  "AssignableScopes" : [
    "/subscriptions/981dd4bc-8cf4-46fc-9513-0c599648b44b"
  ]
}
```

You assign the role to a user named User1. Which action can User1 perform?

- A. Delete virtual machines.
- B. Create resource groups.
- C. Create virtual machines.
- D. Create support requests

Answer: D

Explanation:

The "Microsoft.Support/*" operation will allow the user to create support tickets. References:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/tutorial-custom-role-powershell>

NEW QUESTION 71

- (Exam Topic 2)

Your company plans to develop an application that will use a NoSQL database. The database will be used to store transactions and customer information by using JSON documents. Which two Azure Cosmos DB APIs can developers use for the application? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Cassandra
- B. Gremlin (graph)
- C. MongoDB
- D. Azure Table
- E. Core (SQL)

Answer: DE

NEW QUESTION 72

- (Exam Topic 2)

You have an Azure subscription that contains a resource group named RG1. RG1 contains multiple resources. You need to trigger an alert when the resources in RG1 consume \$1,000 USD.

What should you do?


- A. From Cost Management + Billing, add a cloud connector.
- B. From the subscription, create an event subscription.
- C. From Cost Management + Billing create a budget.
- D. From RG1, create an event subscription.

Answer: C

Explanation:

Create budgets to manage costs and create alerts that automatically notify you and your stakeholders of spending anomalies and overspending.

To set it up, go to the Azure Portal, select 'Cost Management + Billing' -> 'Cost Management' -> 'Go to Cost Management'.



Note: Cost alerts are automatically generated based when Azure resources are consumed. Alerts show all active cost management and billing alerts together in one place. When your consumption reaches a given threshold, alerts are generated by Cost Management. There are three types of cost alerts: budget alerts, credit alerts, and department spending quota alerts.

Reference:

<https://docs.microsoft.com/en-us/azure/cost-management-billing/manage/getting-started>

NEW QUESTION 73

- (Exam Topic 2)

You have an Azure Kubernetes Service (AKS) cluster named Clus1 in a resource group named RG1. An administrator plans to manage Clus1 from an Azure AD-joined device.

You need to ensure that the administrator can deploy the YAML application manifest file for a container application.

You install the Azure CLI on the device. Which command should you run next?

- A. `kubectl get nodes`
- B. `az aks install-cli`
- C. `kubectl apply -f app1.yaml`
- D. `az aks get-credentials --resource-group RG1 --name Clus1`

Answer: C

Explanation:

`kubectl apply -f appl.yaml` applies a configuration change to a resource from a file or stdin. References:

<https://kubernetes.io/docs/reference/kubectl/overview/> <https://docs.microsoft.com/en-us/cli/azure/aks>

NEW QUESTION 76

- (Exam Topic 2)

You have an Azure subscription.

You plan to deploy an app that has a web front end and an application tier.

You need to recommend a load balancing solution that meets the following requirements:



- Internet to web tier:
- Provides URL-based routing
 - Supports connection draining
 - Prevents SQL injection attacks

- Web tier to application tier:
- Provides port forwarding
 - Supports HTTPS health probes
 - Supports an availability set as a backend pool

Which load balancing solution should you recommend for each tier? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Internet to web tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

Web tier to application tier:

	▼
An Azure Application Gateway that has a web application firewall (WAF)	
An internal Azure Standard Load Balancer	
A public Azure Basic Load Balancer	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: An Azure Application Gateway that has a web application firewall (WAF)

Azure Application Gateway offers a web application firewall (WAF) that provides centralized protection of your web applications from common exploits and vulnerabilities. Web applications are increasingly targeted by malicious attacks that exploit commonly known vulnerabilities. SQL injection and cross-site scripting are among the most common attacks.

Application Gateway operates as an application delivery controller (ADC). It offers Secure Sockets Layer (SSL) termination, cookie-based session affinity, round-robin load distribution, content-based routing, ability to host multiple websites, and security enhancements.

Box 2: An internal Azure Standard Load Balancer

The internet to web tier is the public interface, while the web tier to application tier should be internal. Note: When using load-balancing rules with Azure Load Balancer, you need to specify a health probes to allow Load Balancer to detect the backend endpoint status.

Health probes support the TCP, HTTP, HTTPS protocols. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview> <https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-custom-probe-overview>

NEW QUESTION 77

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company is deploying an on-premises application named App1. Users will access App1 by using a URL of <https://app1.contoso.com>. You register App1 in Azure Active Directory (Azure AD) and publish App1 by using the Azure AD Application Proxy. You need to ensure that App1 appears in the My Apps portal for all the users.

Solution: You create a conditional access policy for App1.

- A. Yes
- B. No

Answer: B

NEW QUESTION 79

- (Exam Topic 2)

Your network contains an on-premises Active Directory domain named contoso.com that contains a user named User1. The domain syncs to Azure Active Directory (Azure AD). You have the Windows 10 devices shown in the following table.

Name	Joined to
Device1	On-premises Active Directory
Device2	Azure AD
Device3	Workgroup

The User Sign-In settings are configured as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Disabled	0 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
When accessing the Azure portal from Device1, User1 will sign in automatically by using SSO.	<input checked="" type="radio"/>	<input type="radio"/>
When accessing the Azure portal from Device2, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>
When accessing the Azure portal from Device3, User1 will sign in automatically by using SSO.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 84

- (Exam Topic 2)

You have two Azure SQL Database managed instances in different Azure regions. You plan to configure the managed instances in an instance failover group. What should you configure before you can add the managed instances to the instance failover group?

- A. Azure Private Link that has endpoints on two virtual networks
- B. an internal Azure Load Balancer instance that has managed instance endpoints in a backend pool
- C. an Azure Application Gateway that has managed instance endpoints in a backend pool
- D. a Site-to-Site VPN between the virtual networks that contain the instances

Answer: D

Explanation:

For two managed instances to participate in a failover group, there must be either ExpressRoute or a gateway configured between the virtual networks of the two managed instances to allow network communication.

You create the two VPN gateways and connect them.

➤ Create a bidirectional connection between the two gateways of the two virtual networks.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/failover-group-add-instance-tutorial?tabs=az>

NEW QUESTION 85

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Region	Resource group
RG1	Resource group	Central US	<i>Not applicable</i>
RG2	Resource group	West US	<i>Not applicable</i>
VM1	Virtual machine	East US	RG2
VNET1	Virtual network	East US	RG1

In RG2, you need to create a new virtual machine named VM2 that will connect to VNET1. VM2 will use a network interface named VM2_Interface.

In which region should you create VM2 and VM2_Interface? To answer, drag the appropriate regions to the correct targets. Each region may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Regions

Central US

East US

West US

Answer Area

VM2:

VM2_Interface:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM2: West US

In RG2, which is in West US, you need to create a new virtual machine named VM2. VM2_interface: East US
 VM2 will use a network interface named VM2_Interface to connect to VNET1, which is in East US. References:

<https://docs.microsoft.com/en-us/azure/virtual-network/associate-public-ip-address-vm>

NEW QUESTION 86

- (Exam Topic 2)

You have SQL Server on an Azure virtual machine named SQL1.

You need to automate the backup of the databases on SQL1 by using Automated Backup v2 for the virtual machines. The backups must meet the following requirements:

- Meet a recovery point objective (RPO) of 15 minutes.
- Retain the backups for 30 days.
- Encrypt the backups at rest.

What should you provision as part of the backup solution?

- A. Azure Key Vault
- B. an Azure Storage account
- C. a Recovery Services vault
- D. Elastic Database jobs

Answer: B

Explanation:

An Azure storage account is used for storing Automated Backup files in blob storage. A container is created at this location to store all backup files. The backup file naming convention includes the date, time, and database GUID.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/virtual-machines/windows/automated-backup>

NEW QUESTION 90

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2019. Server1 is a container host. You are creating a Dockerfile to build a container image.

You need to add a file named File1.txt from Server1 to a folder named C:\Folder1 in the container image. Solution: You add the following line to the Dockerfile.

XCOPY File1.txt C:\Folder1\

You then build the container image. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Copy is the correct command to copy a file to the container image. Furthermore, the root directory is specified as '/' and not as 'C:/'.

References:

https://docs.docker.com/develop/develop-images/dockerfile_best-practices/#add-or-copy <https://docs.docker.com/engine/reference/builder/>

NEW QUESTION 95

- (Exam Topic 2)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Address space
VNET1	Virtual network	10.1.1.0/24
Subnet1	Subnet	10.1.1.0/24
VM1	Virtual machine	Not applicable

Subnet1 is on VNET1. VM1 connects to Subnet1.

You plan to create a virtual network gateway on VNET1.

You need to prepare the environment for the planned virtual network gateway.

What are two ways to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a subnet named GatewaySubnet on VNET1.
- B. Delete Subnet1.
- C. Modify the address space used by Subnet1.
- D. Modify the address space used by VNET1
- E. Create a local network gateway.

Answer: AD

NEW QUESTION 99

- (Exam Topic 2)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

A user named Admin1 attempts to create an access review from the Azure Active Directory admin center and discovers that the Access reviews settings are unavailable. Admin1 discovers that all the other Identity Governance settings are available.

Admin1 is assigned the User administrator, Compliance administrator, and Security administrator roles. You need to ensure that Admin1 can create access reviews in contoso.com.

Solution: You create an access package. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You do not use access packages for Identity Governance. Instead use Azure AD Privileged Identity Management.

Note: PIM essentially helps you manage the who, what, when, where, and why for resources that you care about. Key features of PIM include:

Conduct access reviews to ensure users still need roles

References: <https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure> <https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-overview>

NEW QUESTION 104

.....

Relate Links

100% Pass Your AZ-303 Exam with ExamBible Prep Materials

<https://www.exambible.com/AZ-303-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>