

Exam Questions 1Z0-819

Java SE 11 Developer

<https://www.2passeasy.com/dumps/1Z0-819/>



NEW QUESTION 1

Assuming the Widget class has a getPrice method, this code does not compile:

```
List widgets = List.of(new Widget("Basic Widget", 19.55), // line 1
                      new Widget("Enhanced Widget", 35.00),
                      new Widget("Luxury Edition Widget", 55.45));
Stream widgetStream = widgets.stream(); // line 4
widgetStream.filter(a -> a.getPrice() > 20.00) // line 5
              .forEach(System.out::println);
```

Which two statements, independently, would allow this code to compile? (Choose two.)

- A. Replace line 5 with widgetStream.filter(a -> ((Widget)a).getPrice() > 20.00).
- B. Replace line 1 with List<Widget> widgetStream = widgets.stream();.
- C. Replace line 5 with widgetStream.filter((Widget a) -> a.getPrice() > 20.00).
- D. Replace line 4 with Stream<Widget> widgetStream = widgets.stream();.

Answer: AD

NEW QUESTION 2

Given:

```
public class Tester {
    public static void main(String[] args) {
        char letter = 'b';
        int i = 0;
        switch(letter) {
            case 'a':
                i++;
                break;
            case 'b':
                i++;
            case 'c' | 'd': // line 1
                i++;
            case 'e':
                i++;
                break;
            case 'f':
                i++;
                break;
            default:
                System.out.print(letter);
        }
        System.out.println(i);
    }
}
```

What is the result?

- A. b1
- B. 2
- C. b2
- D. 1
- E. b3
- F. 3
- G. The compilation fails due to an error in line 1.

Answer: F

Explanation:

Result

CPU Time: 0.23 sec(s), Memory: 32708 kilobyte(s)

3

NEW QUESTION 3

Given:

```
public static void main(String[] args) {
    final List<String> fruits =
        List.of("Orange", "Apple", "Lemmon", "Raspberry");
    final List<String> types =
        List.of("Juice", "Pie", "Ice", "Tart");
    final var stream =
        IntStream.range(0, Math.min(fruits.size(), types.size()))
            .mapToObj((i) -> fruits.get(i) + " " + types.get(i) );
    stream. forEach(System.out::println);
}
```

What is the result?

- A. Orange Juice
- B. The compilation fails.
- C. Orange Juice Apple Pie Lemmon Ice Raspberry Tart
- D. The program prints nothing.

Answer: C

Explanation:

```
12 public class Person {
13     public static void main (String[] args) {
14         final List<String> fruits =
15             List.of("Orange", "Apple", "Lemmon", "raspberry");
16         final List<String> types =
17             List.of("Juice", "Pie", "Ice", "Tart");
18         final var stream =
19             IntStream.range(0, Math.min(fruits.size(), types.size()))
20                 .mapToObj ((i) -> fruits.get(i) + " " + types.get(i) );
21         stream. forEach(System.out::println);
22     }
23 }
24 }
```

Result

compiled and executed in 1.227 sec(s)

```
Orange Juice
Apple Pie
Lemmon Ice
raspberry Tart
```

NEW QUESTION 4

Examine this excerpt from the declaration of the java.se module:

```
module java.se {
    ...
    requires transitive java.sql;
    ...
}
```

What does the transitive modifier mean?

- A. Only a module that requires the java.se module is permitted to require the java.sql module.
- B. Any module that requires the java.se module does not need to require the java.sql module.
- C. Any module that attempts to require the java.se module actually requires the java.sql module instead.
- D. Any module that requires the java.sql module does not need to require the java.se module.

Answer: A

NEW QUESTION 5

Which two statements set the default locale used for formatting numbers, currency, and percentages? (Choose two.)

- A. Locale.setDefault(Locale.Category.FORMAT, "zh-CN");
- B. Locale.setDefault(Locale.Category.FORMAT, Locale.CANADA_FRENCH);
- C. Locale.setDefault(Locale.SIMPLIFIED_CHINESE);
- D. Locale.setDefault("en_CA");
- E. Locale.setDefault("es", Locale.US);

Answer: BD

NEW QUESTION 6

Given:


```
public class Main {
    public static void main(String[] args) {
        try(BufferedReader in = new BufferedReader(new InputStreamReader(System.in))) {
            System.out.print("Input: ");
            String input = in.readLine();
            System.out.println("Echo: " + input);
        } catch (IOException e) {
            e.printStackTrace();
        }
    }
}
```

And the command: java Main Helloworld What is the result ?

- A. Input: Echo:
- B. Input: Helloworld Echo: Helloworld
- C. Input:Then block until any input comes from System.in.
- D. Input:Echo: Helloworld
- E. A NullPointerException is thrown at run time.

Answer: C

Explanation:



NEW QUESTION 7

Given:

```
public class Main {
    class Student {
        String classname;
        Student(String classname) {
            this.classname = classname;
        }
    }
    public static void main(String[] args) {
        var student = new Student("Biology"); // line 3
    }
}
```

Which two independent changes will make the Main class compile? (Choose two.)

- A. Move the entire Student class declaration to a separate Java file, Student.java.
- B. Change line 2 to public Student(String classname).
- C. Change line 1 to public class Student {.
- D. Change line 3 to Student student = new Student("Biology");.
- E. Change line 1 to static class Student {.

Answer: BD

Explanation:

```

1  import java.util.*;
2  import java.io.*;
3  import java.lang.Thread;
4  import java.util.ArrayList;
5  import java.util.LinkedList;
6  import java.util.List;
7  import java.util.function.Consumer;
8  import java.util.stream.Stream;
9  import java.util.stream.IntStream;
10 import java.util.Optional;
11
12
13 public class Main {
14     class Student {
15         String classname;
16         public Student (String classname) {
17             this.classname = classname;
18         }
19
20     }
21     public static void main (String[] args) {
22         var student = new Student ("Biology");
23     }
24 }

```

NEW QUESTION 8

Given the formula to calculate a monthly mortgage payment:

$$M = P \frac{r(1+r)^n}{(1+r)^n - 1}$$

and these declarations:

```

double m;           //monthly payment
double r = 0.05/12; //monthly interest rate
int p = 100_000;    //principal
int n = 180;        //number of payments

```

How can you code the formula?

- A. `m = p * (r * Math.pow(1 + r, n) / (Math.pow(1 + r, n) - 1));`
- B. `m = p * ((r * Math.pow(1 + r, n) / (Math.pow(1 + r, n)) - 1));`
- C. `m = p * r * Math.pow(1 + r, n) / Math.pow(1 + r, n) - 1;`
- D. `m = p * (r * Math.pow(1 + r, n) / Math.pow(1 + r, n) - 1);`

Answer: A

NEW QUESTION 9

Given:

```

public class Main {

    public static void checkConfiguration(String filename) {
        File file = new File(filename);
        if(!file.exists()) {
            throw new Error("Fatal Error: Configuration File, "
                + filename + ", is missing.");
        }
    }

    public static void main(String[] args) {
        checkConfiguration("App.config");
        System.out.println("Configuration is OK");
    }
}

```


If file "App.config" is not found, what is the result?

- A. Configuration is OK
- B. The compilation fails.
- C. Exception in thread "main" java.lang.Error:Fatal Error: Configuration File, App.config, is missing.

D. nothing

Answer: B

Explanation:



NEW QUESTION 10

Given:

```


var numbers = List.of(1,2,3,4,5,6,7,8,9,10);
// line 1
StringBuilder sb = new StringBuilder();
for(int a: numbers) {
    sb.append(f.apply(a));
    sb.append(" ");
}
System.out.println(sb.toString());
    
```

Which statement on line 1 enables this code to compile?

- A. Function<Integer, Integer> f = n -> n * 2;
- B. Function<Integer> f = n -> n * 2;
- C. Function<int> f = n -> n * 2;
- D. Function<int, int> f = n -> n * 2;
- E. Function f = n -> n * 2;


Answer: A

Explanation:



Result

CPU Time: 0.22 sec(s), Memory: 33056 kilobyte(s)



NEW QUESTION 10

Given:

```
public class Test{
    private int num = 1;
    private int div = 0;

    public void divide() {
        try {
            num = num / div;
            System.out.print("Exception");
        }
        catch(ArithmeticException ae) { num = 100; }
        catch(Exception e) { num = 200; }
        finally { num = 300; }
        System.out.print(num);
    }
    public static void main(String args[])
    {
        Test test = new Test();
        test.divide();
    }
}
```

What is the output?

- A. 300
- B. Exception
- C. 200
- D. 100

Answer: A

Explanation:

```
1 public class Test{
2     private int num = 1;
3     private int div = 0;
4
5     public void divide() {
6         try {
7             num = num / div;
8             System.out.print("Exception");
9         }
10        catch(ArithmeticException ae) { num = 100; }
11        catch(Exception e) { num = 200; }
12        finally { num = 300; }
13        System.out.print(num);
14    }
15    public static void main(String args[])
16    {
17        Test test = new Test();
18        test.divide();
19    }
20 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4



In

CommandLine Arguments

Result

CPU Time: 0.15 sec(s), Memory: 32484 kilobyte(s)

300

NEW QUESTION 11

Given:

```
class ConSuper {
    protected ConSuper() {
        this(2);
        System.out.print("1");
    }
    protected ConSuper(int a) {
        System.out.print(a);
    }
}
```

and


```
public class ConSub extends ConSuper {
    ConSub() {
        this(4);
        System.out.print("3");
    }
    ConSub(int a) {
        System.out.print(a);
    }
    public static void main (String[] args) {
        new ConSub(4);
    }
}
```

What is the result?

- A. 2134
- B. 2143
- C. 214
- D. 234

Answer: C

Explanation:



Console 1

214

Completed with exit code: 0

NEW QUESTION 13

Given:

```
public class X {
    private Collection collection;
    public void set(Collection collection) {
        this.collection = collection;
    }
}
```

and

```
public class Y extends X {
    public void set(Map<String,String> map) {
        super.set(map); // line 1
    }
}
```

Which two lines can replace line 1 so that the Y class compiles? (Choose two.)

- A. map.forEach((k, v) -> set(v));
- B. set(map.values());
- C. super.set(List<String> map)
- D. super.set(map.values());
- E. set(map)

Answer: BD

NEW QUESTION 17

Which is the correct order of possible statements in the structure of a Java class file?

- A. class, package, import
- B. package, import, class
- C. import, package, class
- D. package, class, import
- E. import, class, package

Answer: B

NEW QUESTION 18

A company has an existing sales application using a Java 8 jar file containing packages: com.company.customer; com.company.customer.orders; com.company.customer.info; com.company.sales; com.company.sales.leads; com.company.sales.closed; com.company.orders; com.company.orders.pending; com.company.orders.shipped. To modularize this jar file into three modules, customer, sales, and orders, which module-info.java would be correct?

- A)
- ```
module com.company.customer {
 opens com.company.customer;
}
module com.company.sales{
 opens com.company.sales;
}
module com.company.orders {
 opens com.company.orders;
}
```
- B)
- ```
module com.company.customer {
    exports com.company.customer;
}
module com.company.sales{
    exports com.company.sales;
}
module com.company.orders{
    exports com.company.orders;
}
```
- C)
- ```
module com.company.customer {
 requires com.company.customer;
}
module com.company.sales{
 requires com.company.sales;
}
module com.company.orders {
 requires com.company.orders;
}
```
- D)
- ```
module com.company.customer {
    provides com.company.customer;
}
module com.company.sales{
    provides com.company.sales;
}
module com.company.orders {
    provides com.company.orders;
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 20

Given the code fragment:

```
int[] secA = { 2, 4, 6, 8, 10 };
int[] secB = { 2, 4, 8, 6, 10 };
int res1 = Arrays.mismatch(secA, secB);
int res2 = Arrays.compare(secA, secB);
System.out.print(res1 + " : " + res2);
```

What is the result?

- A. -1 : 2
- B. 2 : -1
- C. 2 : 3
- D. 3 : 0

Answer: B

NEW QUESTION 22

Examine these module declarations:

```
module ServiceAPI {
    exports com.example.api;
}

module ServiceProvider {
    requires ServiceAPI;
    provides com.example.api with com.myimpl.Impl;
}

module Consumer {
    requires ServiceAPI;
    uses com.example.api;
}
```

Which two statements are correct? (Choose two.)

- A. The ServiceProvider module is the only module that, at run time, can provide the com.example.api API.
- B. The placement of the com.example.api API in a separate module, ServiceAPI, makes it easy to install multiple provider modules.
- C. The Consumer module should require the ServiceProvider module.
- D. The ServiceProvider module should export the com.myimpl package.
- E. The ServiceProvider module does not know the identity of a module (such as Consumer) that uses the com.example.api API.

Answer: AC

NEW QUESTION 27

Which two describe reasons to modularize the JDK? (Choose two.)

- A. easier to understand the Java language
- B. improves security and maintainability
- C. easier to expose implementation details
- D. improves application robustness
- E. easier to build a custom runtime linking application modules and JDK modules

Answer: BD

NEW QUESTION 28

Which two statements correctly describe capabilities of interfaces and abstract classes? (Choose two.)

- A. Interfaces cannot have protected methods but abstract classes can.
- B. Both interfaces and abstract classes can have final methods.
- C. Interfaces cannot have instance fields but abstract classes can.
- D. Interfaces cannot have static methods but abstract classes can.
- E. Interfaces cannot have methods with bodies but abstract classes can.

Answer: AC

NEW QUESTION 31

Given:

```
void myLambda() {
    int i = 25;
    Supplier<Integer> foo = () -> i;
    i++;
    System.out.println(foo.get());
}
```

Which is true?

- A. The code compiles but does not print any result.
- B. The code prints 25.
- C. The code does not compile.
- D. The code throws an exception at runtime.

Answer: C

NEW QUESTION 33

Which code fragment prints 100 random numbers?

- A.

```
var r= new Random();  
new DoubleStream(r::nextDouble).limit(100).forEach(System.out::print);
```
- B.

```
DoubleStream.generate(Random::nextDouble)  
    .limit (100).forEach(System.out::print);
```
- C.

```
Doublestream.generate(Random.nextDouble).limit(100).forEach(System.out.print);
```
- D.

```
var r = new Random(); DoubleStream.generate(r::nextDouble).limit(100).forEach(System.out::print);
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 38

Given:

```
public class Main {  
    public static void main(String[] args) {  
        int i = 1;  
        for(String s : args) {  
            System.out.println((i++) + " " + s);  
        }  
    }  
}
```

executed with this command: java Main one two three

What is the output of this class?

- A. The compilation fails.
- B. 1) one2) two3) three
- C. A java.lang.ArrayIndexOutOfBoundsException is thrown.
- D. 1) one
- E. nothing

Answer: B

NEW QUESTION 43

Given:

```
try {  
    // line 1  
    lines.map(l -> l.toUpperCase())  
        .forEach (line --> {  
            try {  
                Files.write(Paths.get("outputFile_to_path"),  
line.getBytes(),StandardOpenOption.CREATE);  
            } catch (IOException e) {  
                e.printStackTrace();  
            }  
        });  
} catch (IOException e) {  
    e.printStackTrace();  
}
```

You want to obtain the Stream object on reading the file. Which code inserted on line 1 will accomplish this?

- A. `var lines = Files.lines(Paths.get(INPUT_FILE_NAME));`
- B. `Stream lines = Files.readAllLines(Paths.get(INPUT_FILE_NAME));`
- C. `var lines = Files.readAllLines(Paths.get(INPUT_FILE_NAME));`

D. `Stream<String> lines = Files.lines(INPUT_FILE_NAME);`

Answer: C

NEW QUESTION 45

Given these two classes:

```
public class Resource {
    public Worker owner;
    public synchronized boolean claim(Worker worker) {
        if (owner == null) {
            owner = worker;
            return true;
        }
        else return false;
    }
    public synchronized void release() {
        owner = null;
    }
}

public class Worker {
    public synchronized void work(Resource... resources) {
        for (int i = 0; i < 10; i++) {
            while (!resources[0].claim(this)) { }
            while (!resources[1].claim(this)) { }
            // do work with resource
            resources[1].release();
            resources[0].release();
        }
    }
}
```

And given this fragment:

```
Worker w1 = new Worker();
Worker w2 = new Worker();
Resource r1 = new Resource();
Resource r2 = new Resource();
new Thread( () -> {
    w1.work(r1, r2);
} ).start();
new Thread( () -> {
    w2.work(r2, r1);
} ).start();
```

Which describes the fragment?

- A. It throws `IllegalMonitorStateException`.
- B. It is subject to deadlock.
- C. It is subject to livelock.
- D. The code does not compile.

Answer: D

NEW QUESTION 47

Given:

```
public class Confidential implements Serializable{
    private String data;

    public Confidential(String data) {
        this.data = data;
    }
}
```

Which two are secure serialization of these objects? (Choose two.)

- A. Define the `serialPersistentFields` array field.
- B. Declare fields `transient`.
- C. Implement only `readResolve` to replace the instance with a serial proxy and not `writeReplace`.
- D. Make the class `abstract`.
- E. Implement only `writeReplace` to replace the instance with a serial proxy and not `readResolve`.

Answer: AC

NEW QUESTION 52

Given:


```
public class DNASynth {
    int aCount;
    int tCount;
    int cCount;
    int gCount;

    int getACount(int aCount){
        return aCount;
    }
    int getTCount(int tCount){
        return this.tCount;
    }
    int getCCount(){
        return getTotalCount() - this.aCount - getTCount(0) - gCount;
    }
    int getGCount(){
        return getGCount();
    }
    int getTotalCount(){
        return aCount + getTCount(0) + this.cCount + this.gCount;
    }
}
```

Which two methods facilitate valid ways to read instance fields? (Choose two.)

- A. getTCount
- B. getACount
- C. getTotalCount
- D. getCCount
- E. getGCount

Answer: CD

NEW QUESTION 53

Given:

```
public method foo() throws FooException {
    ...
}
```

and omitting the throws FooException clause results in a compilation error. Which statement is true about FooException?

- A. FooException is a subclass of RuntimeException.
- B. FooException is unchecked.
- C. The body of foo can only throw FooException.
- D. The body of foo can throw FooException or one of its subclasses.

Answer: D

NEW QUESTION 54

Given:


```
public class Test {
    public static void main(String[] args) {
        AnotherClass ac = new AnotherClass();
        SomeClass sc = new AnotherClass();
        ac = sc;
        sc.methodA();
        ac.methodA();
    }
}
class SomeClass {
    public void methodA() {
        System.out.println("SomeClass#methodA()");
    }
}
class AnotherClass extends SomeClass {
    public void methodA() {
        System.out.println("AnotherClass#methodA()");
    }
}
```

What is the result?

- A. A ClassCastException is thrown at runtime.
- B. AnotherClass#methodA()AnotherClass#methodA()
- C. The compilation fails.
- D. SomeClass#methodA()AnotherClass#methodA()
- E. AnotherClass#methodA()SomeClass#methodA()
- F. SomeClass#methodA()SomeClass#methodA()

Answer: C

Explanation:



```

1 public class Test {
2     public static void main (String[] args) {
3         AnotherClass ac = new AnotherClass();
4         // incompatible types: SomeClass cannot be converted to AnotherClass
5         ac = sc;
6         sc.methodA();
7         ac.methodA();
8     }
9 }
10 class SomeClass {
11     public void methodA() {
12         System.out.println("SomeClass#methodA()");
13     }
14 }
15 }
16 class AnotherClass extends SomeClass {
17     public void methodA() {
18         System.out.println("AnotherClass#methodA()");
19     }
20 }

```

NEW QUESTION 58

Given the code fragment:

```

String s = "";
if (Double.parseDouble("11.00f") > 11) {
    s += 1;
}
if (1_7 == Integer.valueOf("17")) {
    s += 2;
}
if (1024 > 1023L) {
    s += 3;
}
System.out.print(s);


```

What is the result?

- A. 23
- B. 12
- C. 123
- D. 13

Answer: A

Explanation:



```

Console 1
23
Completed with exit code: 0

```

NEW QUESTION 61

Given:

```
public class Person {
    private String name;
    public Person(String name) {
        this.name = name;
    }
    public String toString() {
        return name;
    }
}
```

and

```
public class Tester {
    public static void main(String[] args) {
        Person p = null;
        checkPerson(p);
        System.out.println(p);
        p = new Person("Mary");
        checkPerson(p);
        System.out.println(p);
    }
    public static Person checkPerson(Person p) {
        if (p == null) {
            p = new Person("Joe");
        }else{
            p = null;
        }
        return p;
    }
}
```

What is the result?

- A. JoeMarry
- B. Joenull
- C. nullnull
- D. nullMary

Answer: D

Explanation:



NEW QUESTION 62

Given:

```
public class Main {
    public static void main(String[] args) {
        Optional<String> value = createValue();
        String str = value.orElse ("Duke");
        System.out.println(str);
    }
    static Optional<String> createValue() {
        String s = null;
        return Optional.ofNullable(s);
    }
}
```

What is the output?

- A. null
- B. A NoSuchElementException is thrown at run time.
- C. Duke
- D. A NullPointerException is thrown at run time.

Answer: C

Explanation:

```

14
15 ▾ public class Main {
16 ▾     public static void main(String[] args) {
17         Optional<String> value = createValue();
18         String str = value.orElse ("Duke");
19         System.out.println(str);
20     }
21 ▾     static Optional<String> createValue() {
22         String s = null;
23         return Optional.ofNullable(s);
24     }
25 }
26
result
CPU Time: 0.15 sec(s), Memory: 32572 kilobyte(s)
Duke

```

NEW QUESTION 66

Given:

```

public class Foo {
    private void print() {
        System.out.println("Bonjour le monde!");
    }
    public void foo() {
        print();
    }
}

public class Bar extends Foo {
    private void print() {
        System.out.println("Hello world!");
    }
    public void bar() {
        print();
    }
    public static void main(String... args) {
        Bar b = new Bar();
        b.foo();
        b.bar();
    }
}


```

What is the output?

- A. Hello world!Bonjour le monde!
- B. Hello world!Hello world!
- C. Bonjour le monde!Hello world!
- D. Bonjour le monde!Bonjour le monde!

Answer: C

Explanation:



NEW QUESTION 70

Given: Automobile.java


```
public abstract class Automobile { //line 1
    abstract void wheels();
}


Car.java
public class Car extends Automobile {
    // line 2
    void wheels(int i) { // line 3
        System.out.print(4);
    }
    public static void main(String[] args) {
        Automobile ob = new Car(); // line 4
        ob.wheels();
    }
}
```

What must you do so that the code prints 4?

- A. Remove the parameter from wheels method in line 3.
- B. Add @Override annotation in line 2.
- C. Replace the code in line 2 with Car ob = new Car();
- D. Remove abstract keyword in line 1.

Answer: B

Explanation:



NEW QUESTION 72

Analyze the code:

```
public class Test {
    static String prefix = "Global:";
    private String name = "namespace";
    public static String getName() {
        return new Test().name;
    }
    public static void main(String[] args) {
        Test t = new Test();
        System.out.println(/* Insert code here */);
    }
}
```

Which two options can you insert inside println method to produce Global:namespace? (Choose two.)

- A. Test.prefix+Test.name
- B. new Test().prefix+new Test().name
- C. Test.prefix+Test.getName()
- D. Test.getName+prefix
- E. prefix+Test.name
- F. prefix+name

Answer: BC

NEW QUESTION 75

Given:

```
import java.util.*;
public class Foo {
    public List<Number> foo(Set<CharSequence> m) { ... }
}
```

and

```
import java.util.*;
public class Bar extends Foo {
    //line 1
}
```

Which two statements can be added at line 1 in Bar to successfully compile it? (Choose two.)

- A. `public List<Integer> foo(Set<CharSequence> m) { ... }`
- B. `public ArrayList<Number> foo(Set<CharSequence> m) { ... }`
- C. `public List<Integer> foo(TreeSet<String> m) { ... }`
- D. `public List<Integer> foo(Set<String> m) { ... }`
- E. `public List<Object> foo(Set<CharSequence> m) { ... }`
- F. `public ArrayList<Integer> foo(Set<String> m) { ... }`

Answer: BC

NEW QUESTION 79

Given the code fragment:

```
Path source = Paths.get("/repo/a/a.txt"); Path destination = Paths.get("/repo");
Files.move(source, destination); // line 1
Files.delete(source); // line 2
```

Assuming the source file and destination folder exist, what is the result?

- A. A `java.nio.file.FileAlreadyExistsException` is thrown on line 1.
- B. A `java.nio.file.NoSuchFileException` is thrown on line 2.
- C. A copy of `/repo/a/a.txt` is moved to the `/repo` directory and `/repo/a/a.txt` is deleted.
- D. `a.txt` is renamed `repo`.

Answer: C

NEW QUESTION 82

Given:

```
public class Employee {
    private String name;
    private LocalDate birthday;
    // the constructors, getters, and setters methods go here
}
```

and

```
List<Employee> roster = new ArrayList<>();
// ...
Predicate<Employee> y = (Employee e) -> e.getBirthday()
    .isBefore(IsoChronology.INSTANCE.date(1989, 1, 1));
Set<String> s1 = roster.stream()
// Line 1
```

Which code fragment on line 1 makes the `s1` set contain the names of all employees born before January 1, 1989?

- A. `.collect(Collectors.partitioningBy(y))`
`.get(true)`
`.stream()`
`.map(Employee::getName)`
`.collect(Collectors.toCollection(TreeSet::new));`
- B. `.collect(Collectors.partitioningBy(y))`
`.get(true)`
`.map(Employee::getName)`
`.collect(Collectors.toSet());`
- C. `.collect(Collectors.partitioningBy(y, Collectors.mapping(`
`Employee::getName, Collectors.toSet())));`
- D. `.collect(Collectors.partitioningBy(y, Collectors.groupingBy(`
`Employee::getName, Collectors.toCollection(TreeSet::new))));`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 86

Which interface in the java.util.function package can return a primitive type?

- A. ToDoubleFunction
- B. Supplier
- C. BiFunction
- D. LongConsumer

Answer: A

NEW QUESTION 91

Given:

```
import java.io.*;
public class Tester {
    public static void main(String[] args) {
        try {
            doA();
            doB();
        } catch(IOException e) {
            System.out.print("c");
            return;
        } finally{
            System.out.print("d");
        }
        System.out.print("f");
    }
    private static void doA() {
        System.out.print("a");
        if (false) {
            throw new IndexOutOfBoundsException();
        }
    }
    private static void doB() throws FileNotFoundException {
        System.out.print("b");
        if (true) {
            throw new FileNotFoundException();
        }
    }
}
```

What is the result?

- A. The compilation fails.
- B. abdf
- C. abd
- D. adf
- E. abcd

Answer: E

NEW QUESTION 92

Given:

```
List<Reader> dataFiles = new ArrayList<>();
File indexFile = new File("MyIndex.idx");
try (BufferedReader indexReader =
    new BufferedReader(new FileReader(indexFile))) {
    for(String file = indexReader.readLine(); file != null;
        file = indexReader.readLine()) {
        BufferedReader dataReader = new BufferedReader (
            new FileReader(new File(file))); // Line 1
        dataFiles.add(dataReader); // Line 2
        processData(dataReader); // Line 3
    }
} catch (IOException ex) {
    ...
} finally {
    for(Reader r : dataFiles) {
        try {
            r.close();
        } catch (IOException ex) {
            ...
        } // Line 4
    }
}
```

What will secure this code from a potential Denial of Service condition?

- A. After Line 4, add indexReader.close().
- B. On Line 3, enclose processData(dataReader) with try with resources.
- C. After Line 3, add dataReader.close().
- D. On Line 1, use try with resources when opening each dataReader.
- E. Before Line 1, check the size of dataFiles to make sure it does not exceed a threshold.

Answer: B

NEW QUESTION 93

Given:

```
var fruits = List.of("apple", "orange", "banana", "lemon");
```

You want to examine the first element that contains the character n. Which statement will accomplish this?

- A. String result = fruits.stream().filter(f -> f.contains("n")).findAny();
- B. fruits.stream().filter(f -> f.contains("n")).forEachOrdered(System.out::print);
- C. Optional<String> result = fruits.stream().filter(f -> f.contains ("n")).findFirst ();
- D. Optional<String> result = fruits.stream().anyMatch(f -> f.contains("n"));

Answer: B

Explanation:


```
1 import java.io.*;
2 import java.util.*;
3 public class abc {
4     public static void main(String[] args) {
5
6         var fruits = List.of("apple", "orange", "banana", "lemon");
7
8         fruits.stream().filter(f -> f.contains("n")).forEachOrdered(System.out::print);
9
10    }
11 }
12
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4



Interactive

Stdin Input

CommandLine Arguments



Execute



Result

CPU Time: 0.19 sec(s), Memory: 33200 kilobyte(s)

orangebanana lemon

NEW QUESTION 98

Given:

```
List<String> list1 = new LinkedList<String>();
Set<String> hs1 = new HashSet<String>();
String[] v = {"a", "b", "c", "b", "a"};
for (String s: v) {
    list1.add(s);
    hs1.add(s);
}
System.out.print(hs1.size() + " " + list1.size() + " ");
HashSet hs2 = new HashSet(list1);
LinkedList list2 = new LinkedList(hs1);
System.out.print(hs2.size() + " " + list2.size());
```

What is the result?

- A. 3 5 3 3
- B. 3 3 3 3
- C. 3 5 3 5
- D. 5 5 3 3

Answer: A

Explanation:

```

1  import java.util.*;
2  import java.io.*;
3  import java.lang.Thread;
4  import java.util.ArrayList;
5  import java.util.LinkedList;
6  import java.util.List;
7  import java.util.function.Consumer;
8  import java.util.stream.Stream;
9  import java.util.stream.IntStream;
10 import java.util.Optional;
11
12
13 public class Main {
14     public static void main(String[] args) {
15         List<String> list1 = new LinkedList<String>();
16         Set<String> hs1 = new HashSet<String>();
17         String[] v = {"a", "b", "c", "b", "a"};
18         for (String s: v) {
19             list1.add(s);
20             hs1.add(s);
21         }
22         System.out.println(hs1.size() + "" + list1.size() + "");
23         HashSet hs2 = new HashSet(list1);
24         LinkedList list2 = new LinkedList(hs1);
25         System.out.print(hs2.size() + "" + list2.size());
26
27     }
28 }

```

Result

CPU Time: 0.28 sec(s). Memory: 36204 kilobyte(s)

35
33

NEW QUESTION 99

Given:

```

for(var i = 0; i < 10; i++) {
    switch(i%5) {
        case 2:
            i *= i;
            break;
        case 3:
            i++;
            break;
        case 1:
        case 4:
            i++;
            continue;
        default:
            break;
    }
    System.out.print(i + " ");
    i++;
}

```

What is the result?

- A. nothing
- B. 10
- C. 0 4 9

Answer: A

NEW QUESTION 101

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-819 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-819 Product From:

<https://www.2passeasy.com/dumps/1Z0-819/>

Money Back Guarantee

1Z0-819 Practice Exam Features:

- * 1Z0-819 Questions and Answers Updated Frequently
- * 1Z0-819 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-819 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Z0-819 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year