



## Fortinet

### Exam Questions NSE7\_SDW-6.4

Fortinet NSE 7 - SD-WAN 6.4

#### NEW QUESTION 1

What is the Inkmtd process responsible for?

- A. Monitoring links for any bandwidth saturation
- B. Processing performance SLA probes
- C. Flushing route tags addresses
- D. Logging interface quality information

**Answer: D**

#### NEW QUESTION 2

Refer to the exhibit.

Based on output shown in the exhibit, which two commands can be used by SD-WAN rules? (Choose two.)

- A. set cost 15.
- B. set source 100.64.1.1.
- C. set priority 10.
- D. set load-balance-mode source-ip-based.

**Answer: CD**

#### NEW QUESTION 3

Which statement defines how a per-IP traffic shaper of 10 Mbps is applied to the entire network?

- A. FortiGate allocates each IP address a maximum 10 Mbps of bandwidth.
- B. Each IP is guaranteed a minimum 10 Mbps of bandwidth
- C. A single user uses the allocated bandwidth divided by total number of users.
- D. The 10 Mbps bandwidth is shared equally among the IP addresses.

**Answer: A**

#### NEW QUESTION 4

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

**Answer: C**

#### NEW QUESTION 5

Refer to the exhibit.

What must you configure to enable ADVPN?

- A. On the hub VPN, only the device needs additional phase one sett
- B. ADVPN should only be enabled on unmanaged FortiGate devices.
- C. Each VPN device has a unique pre-shared key configured separately on phase one
- D. The protected subnets should be set to address object to all (0.0 .0. o/o).

**Answer: C**

#### NEW QUESTION 6

What are the two minimum configuration requirements for an outgoing interface to be selected once the SD-WAN logical interface is enabled? (Choose two )

- A. Specify outgoing interface routing cost.
- B. Configure SD-WAN rules interface preference.
- C. Select SD-WAN balancing strategy.
- D. Specify incoming interfaces in SD-WAN rules.

**Answer: AB**

#### NEW QUESTION 7

Refer to exhibits.

Exhibit B.

Exhibit A shows the traffic shaping policy and exhibit B show: the firewall policy  
FortiGate is not performing traffic shaping as expected basi on the policies shown in the exhibits.  
To correct this traffic shaping issue on FortiGate, what configuration change must be made on which policy?

- A. The shaper mode must be applied per-IP shaper on the traffic shaping policy
- B. The application control profile must be enabled on the firewall policy.
- C. The web filter profile must be enabled on the firewall policy
- D. The URL category must be specified on the traffic shaping policy

**Answer: C**

#### NEW QUESTION 8

Refer to exhibits.

Exhibit A shows the source NAT global setting and exhibit B shows the routing table on FortiGate. Based on the exhibits, which two statements about increasing the port2 interface priority to 20 are true?  
(Choose two.)

- A. All the existing sessions that do not use SNAT will be flushed and routed through port1.
- B. All the existing sessions will continue to use port2, and new sessions will use port1.
- C. All the existing sessions using SNAT will be flushed and routed through port1.
- D. All the existing sessions will be blocked from using port1 and port2.

**Answer: BC**

#### NEW QUESTION 9

Which statement is correct about the SD-WAN and ADVPN?

- A. ADVPN interface can be a member of SD-WAN interface.
- B. Dynamic VPN is not supported as an SD-Wan interface.
- C. Spoke support dynamic VPN as a static interface.
- D. Hub FortiGate is limited to use ADVPN as SD-WAN member interface.

**Answer: A**

#### NEW QUESTION 10

Refer to the exhibit.

Which two statements about the status of the VPN tunnel are true? <Choose two )

- A. There are separate virtual interfaces for each dial-up client.
- B. VPN static routes are prevented from populating the FortiGate routing table.
- C. FortiGate created a single IPsec virtual interface that is shared by all clients.
- D. 100.64.3.1 is one of the remote IP address that comes through index interface 1.

**Answer: CD**

#### NEW QUESTION 10

Refer to the exhibit.

FortiGate has multiple dial-up VPN interfaces incoming on port1 that match only FIRST\_VPN.

Which two configuration changes must be made to both IPsec VPN interfaces to allow incoming connections to match all possible IPsec dial-up interfaces?  
(Choose two.)

- A. Specify a unique peer ID for each dial-up VPN interface.
- B. Use different proposals are used between the interfaces.
- C. Configure the IKE mode to be aggressive mode.
- D. Use unique Diffie Hellman groups on each VPN interface.

**Answer: BD**

#### NEW QUESTION 15

Which diagnostic command can you use to show the SD-WAN rules interface information and state?

- A. diagnose sys virtual-wan-link neighbor.
- B. diagnose sys virtual—wan—link route-tag-list
- C. diagnose sys virtual—wan—link member.
- D. diagnose sys virtual-wan-link service

**Answer: C**

#### NEW QUESTION 17

What are two benefits of using FortiManager to organize and manage the network for a group of FortiGate devices? (Choose two )

- A. It simplifies the deployment and administration of SD-WAN on managed FortiGate devices.
- B. It improves SD-WAN performance on the managed FortiGate devices.
- C. It sends probe signals as health checks to the beacon servers on behalf of FortiGate.
- D. It acts as a policy compliance entity to review all managed FortiGate devices.
- E. It reduces WAN usage on FortiGate devices by acting as a local FortiGuard server.

**Answer:** BD

#### NEW QUESTION 18

Refer to exhibits. Exhibit A.

Exhibit B.

Exhibit A shows the SD-WAN performance SLA and exhibit B shows the SD-WAN interface and the static routes configuration.

Port1 and port2 are member interfaces of the SD-WAN, and port2 becomes a dead member after reaching the failure thresholds  
Which statement about the dead member is correct?

- A. Subnets 100.64.1.0/23 and 172.20.0.0/16 are reachable only through port1
- B. SD-WAN interface becomes disabled and port1 becomes the WAN interface
- C. Dead members require manual administrator access to bring them back alive
- D. Port2 might become alive when a single response is received from an SLA server

**Answer:** A

#### NEW QUESTION 20

What are two roles that SD-WAN orchestrator plays when it works with FortiManager? (Choose two )

- A. It configures and monitors SD-WAN networks on FortiGate devices that are managed by FortiManager.
- B. It acts as a standalone device to assist FortiManager to manage SD-WAN interfaces on the managed FortiGate devices.
- C. It acts as a hub FortiGate with an SD-WAN interface enabled and managed along with other FortiGate devices by FortiManager.
- D. It acts as an application that is released and signed by Fortinet to run as a part of management extensions on FortiManager.

**Answer:** BD

#### NEW QUESTION 21

Which two reasons make forward error correction (FEC) ideal to enable in a phase one VPN interface? (Choose two )

- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC improves reliability which overcomes adverse WAN conditions such as noisy links.
- C. FEC is useful to increase speed at which traffic is routed through IPsec tunnels.
- D. FEC transmits additional packets as redundant data to the remote device.
- E. FEC reduces the stress on the remote device jitter buffer to reconstruct packet loss

**Answer:** BD

#### NEW QUESTION 24

Refer to the exhibit.

Which statement about the trace evaluation by FortiGate is true?

- A. Packets exceeding the configured maximum concurrent connection limit are denied by the per-IP shaper.
- B. The packet exceeded the configured bandwidth and was dropped based on the priority configuration.
- C. The packet exceeded the configured maximum bandwidth and was dropped by the shared shaper.
- D. Packets exceeding the configured concurrent connection limit are dropped based on the priority configuration.

**Answer:** A

#### NEW QUESTION 29

Which statement about using BGP routes in SD-WAN is true?

- A. Adding static routes must be enabled on all ADVPN interfaces.
- B. VPN topologies must be formed using only BGP dynamic routing with SD-WAN
- C. Learned routes can be used as dynamic destinations in SD-WAN rules
- D. Dynamic routing protocols can be used only with non-encrypted traffic

**Answer:** C

#### NEW QUESTION 32

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### NSE7\_SDW-6.4 Practice Exam Features:

- \* NSE7\_SDW-6.4 Questions and Answers Updated Frequently
- \* NSE7\_SDW-6.4 Practice Questions Verified by Expert Senior Certified Staff
- \* NSE7\_SDW-6.4 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* NSE7\_SDW-6.4 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The NSE7\\_SDW-6.4 Practice Test Here](#)