

Exam Questions XK0-004

CompTIA Linux+ Certification Exam

<https://www.2passeasy.com/dumps/XK0-004/>



NEW QUESTION 1

A Linux administrator needs to switch from text mode to GUI. Which of the following runlevels will start the GUI by default?

- A. Runlevel 3
- B. Runlevel 4
- C. Runlevel 5
- D. Runlevel 6

Answer: C

NEW QUESTION 2

A Linux administrator has installed a web application firewall in front of a web server running on HTTP port 8080 and successfully started the HTTP server. However, after opening the application URL in an Internet browser, the administrator discovered that the application does not work. The administrator performed the following diagnostic steps:
Output of `sysctl -a` command:

Output of `iptables -L` command:

Output of `netstat -nltp | grep "8080"`:

Which of the following is the NEXT step the administrator should perform to permanently fix the issue at the kernel level?

- A. `sysctl -w net.ipv4.ip_forward=1` then run `sysctl -w /etc/sysctl.conf` to enable the change
- B. Edit `/etc/sysctl.conf` file and add `net.ipv4.ip_forward = 1` then run `sysctl -p /etc/sysctl.conf` to enable the change
- C. Add iptables rule `iptables -A INPUT -m state --state NEW -p tcp --dport 8080 -j` then restart httpd daemon
- D. Add iptables rule `iptables -A FORWARD -m state --state NEW -p tcp --dport 8080 -j ACCEPT` then restart httpd daemon

Answer: D

NEW QUESTION 3

A Linux administrator is testing a new web application on a local laptop and consistently shows the following 403 errors in the laptop's logs"

The web server starts properly, but an error is generated in the audit log. Which of the following settings should be enabled to prevent this audit message?

- A. `httpd_can_network_connect = 1`
- B. `httpd_enable_scripting = 1`
- C. `httpd_enable_homedirs = 1`
- D. `httpd_enable_cgi = 1`

Answer: A

NEW QUESTION 4

A Linux administrator is testing connectivity to a remote host on a shared terminal. The administrator wants to allow other users to access the terminal while the command is executing.
Which of the following commands should the administrator use?

- A. `bg ping remotehost`
- B. `fg ping remotehost`
- C. `ping remotehost < results`
- D. `ping remotehost &`

Answer: C

NEW QUESTION 5

A user has connected a Bluetooth mouse to a computer, but it is not working properly. Which of the following commands should the systems administrator use to fix the issue?

- A. lsmod -i bluetooth
- B. insmod bluetooth
- C. modprobe -r bluetooth
- D. depmod -i bluetooth

Answer: C

NEW QUESTION 6

Given that a company's policy states that users cannot install third-party tools on Window servers, which of the following protocols will allow a Linux GUI to connect to a Windows server?

- A. VNC
- B. NX
- C. RDP
- D. X11

Answer: A

NEW QUESTION 7

A systems administrator needs to append output of ls -lha /opt command to the contents of a test.txt file. Which of the following commands will accomplish this?

- A. ls -lha /opt > test.txt
- B. ls -lha /opt < test.txt
- C. ls -lha /opt >> test.txt
- D. ls -lha /opt << test.txt

Answer: C

NEW QUESTION 8

An administrator is tasked with increasing the size of the volume /dev/vg/lv to 20GB. Which of the following BEST illustrates the steps the administrator should take?

- A. vgextend -L20G /dev/vg/lv; resizelv /dev/vg/lv
- B. parted -L20G /dev/vg/lv; remount /dev/vg/lv
- C. mkfs -L20G /dev/vg/lv; tune2fs /dev/vg/lv
- D. lvextend -L20G /dev/vg/lv; resize2fs /dev/vg/lv

Answer: D

NEW QUESTION 9

A Linux administrator implemented a new HTTP server using the default configuration. None of the users on the network can access the server. If there is no problem on the network or with the users' workstations, which of the following steps will BEST analyze and resolve the issue?

- A. Run netstat to ensure the port is correctly bound, and configure the firewall to allow access on ports 80 and 443
- B. Run route to ensure the port is correctly bound, and configure the firewall to allow access on ports 80 and 443
- C. Run netcat to ensure the port is correctly bound, and configure a static route to the web to allow access on ports 80 and 443
- D. Run route to ensure the port is correctly bound, and configure SELinux to allow access on ports 80 and 443

Answer: C

NEW QUESTION 10

A junior systems is configuring localization option environment variables. The administrator is given a checklist of tasks with the following requirements: View current settings of the LC_ALL environment variable only. Modify the LANG environment variable to US English Unicode. Given this scenario, which of the following should be performed to meet these requirements? (Choose two.)

- A. echo \$LC_ALL
- B. locale
- C. cat \$LC_ALL
- D. export LANG = en_US.UTF-8
- E. export \$LANG = en_US.UTF
- F. stty

Answer: BD

NEW QUESTION 10

A Linux administrator is setting up a testing environment and needs to connect to a separate testing server using the production server name. The administrator needs to override the hostname that the DNS is returning in order to use the test environment. Which of the following commands should be run on each of the testing systems to BEST meet this goal?

- A. # hostnamectl set-hostname "192.168.1.100 production.company.com"
- B. # grep -i IP "\${ip addr show} production.company.com" > /etc/resolv.conf
- C. # ip addr add 192.168.1.100/24 dev eth0 && rndc reload production.company.com
- D. # echo "192.168.1.100 production.company.com" >> /etc/hosts

Answer: A

NEW QUESTION 15

A systems administrator is unable to reach other devices on the network and the Internet. The server is configured with the IP address 192.169.1.50/24 on eth0. The server's router is 192.168.1.1. The administrator reviews the output of route -n:

Which of the following commands should the administrator run to correct the issue?

- A. route del default gw 192.168.2.1 eth0; route add default gw 192.168.1.1 eth0
- B. route add -net 192.168.10.0 netmask 255.255.255.0 gw 192.168.2.1 eth0
- C. route add 192.168.1.1 default 192.168.1.50 eth0
- D. route host gw 192.168.1.1 eth0

Answer: B

NEW QUESTION 17

A user, jsmith, needs access to database files located on a server. Which of the following will add jsmith to the "dba" group and preserve existing group memberships?

- A. usermod -a -G dba jsmith
- B. usermod -g dba jsmith
- C. useradd -g dba jsmith
- D. groupmod dba -u jsmith

Answer: AC

Explanation:

According to the reference given below. Both AC is correct.

NEW QUESTION 21

An administrator needs to create a shared directory in which all users are able, write, and execute its content but none of the regular users are able to delete any content.

Which of the following permissions should be applied to this shared directory?

- A. rwxrwxrwt
- B. rwxrwxrws
- C. rwxrwxrwx
- D. rwxrwxrw*

Answer: C

NEW QUESTION 24

As a Systems Administrator, to reduce disk space, you were tasked to create a shell script that does the following: Add relevant content to /tmp/script.sh, so that it finds and compresses rotated files in /var/log without recursion.

INSTRUCTIONS

Fill the blanks to build a script that performs the actual compression of rotated log files.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 27

A Linux administrator needs every new file created on a directory to maintain the group permissions of the same directory. Which of the following commands would satisfy this requirement?

- A. `chmod o+s <directory>`
- B. `chmod u+s <directory>`
- C. `chmod +s <directory>`
- D. `chmod g+s <directory>`

Answer: D

NEW QUESTION 28

The development team has automated their software build process so each time a change is submitted to the source code repository, a new software build is compiled. They are requesting that the Linux operations team look into automating the deployment of the software build into the test environment. Which of the following is the benefit to the development team for implementing deployment automation?

- A. To ensure the build commits are also deployed to the test environment
- B. To enable notifications when builds are deployed to the test environment
- C. To ensure software builds in test are not accidentally deployed to production
- D. To streamline the deployment process for deploying builds into test environments

Answer: D

NEW QUESTION 30

Which of the following is a difference between YAML and JSON?

- A. Users can comment in YAML but not in JSON
- B. JSON only curly brackets, while YAML only uses square brackets
- C. JSON is used in web development, while YAML is used solely in back-end systems.
- D. YAML has been deprecated for JSON.

Answer: A

NEW QUESTION 32

A system administrator has set up third-party log aggregation agents across several cloud instances. The systems administrator wants to create a dashboard of failed SSH attempts and the usernames used.

Which of the following files should be watched by the agents?

- A. /var/log/audit/audit.log
- B. /var/log/kern.log
- C. /var/log/monitor
- D. /etc/rsyslog.conf

Answer: D

NEW QUESTION 33

Which of the following would be the BEST solution for a systems administrator to access the graphical user environment of a Linux machine remotely?

- A. VNC
- B. KDE
- C. X11
- D. RPC

Answer: A

NEW QUESTION 37

Which of the following configuration management tools is considered agentless?

- A. Ouppet
- B. Salt
- C. Ansible
- D. Chef

Answer: C

NEW QUESTION 39

An administrator is attempting to block SSH connections to 192.168.10.24 using the Linux firewall. After implementing a rule, a connection refused error is displayed when attempting to SSH to 192.168.10.24.

Which of the following rules was MOST likely implemented?

- A. iptables -A -p tcp -d 192.168.10.24 -dropt 22 -j REJECT
- B. iptables -A -p tcp -d 192.168.10.24 -dropt 22 -j DROP
- C. iptables -A -p tcp -d 192.168.10.24 -dropt 22 -j FORWARD
- D. iptables -A -p tcp -d 192.168.10.24 -dropt 22 -j REFUSE

Answer: A

NEW QUESTION 40

Given the output below:

Which of the following commands can be used to remove MyPhoto.jpg from the current directory?

- A. unlink ./MyPhoto.jpg
- B. del Pictures/photo.jpg
- C. rm -rf ./Pictures
- D. rm -f MyPhoto.jpg
- E. ln -rm ./Pictures/photo.jpg

Answer: E

NEW QUESTION 43

Which of the following commands would show the default printer on a Linux system?

- A. lpr
- B. lpq
- C. lpstat
- D. lspci

Answer:

B

NEW QUESTION 44

Which of the following is modified to reconfigure the boot environment?

- A. grub-mkconfig
- B. grub.cfg
- C. update-grub
- D. grub2-mkconfig

Answer: C

NEW QUESTION 49

A networked has been crashing intermittently. A Linux administrator would like to write a shell script that will attempt to ping the server and email an alert if the server fails to respond. The script will later be scheduled via cron job.

Which of the following scripts would BEST accomplish this task?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 52

Which of the following can be used to boot a DVD from a remote device to initialize a Linux system setup on bare metal hardware as if it is a local DVD?

- A. UEFI
- B. PXE
- C. NFS
- D. GRUB

Answer: A

NEW QUESTION 53

Which of the following is the BEST reason for not storing database files in the /var directory?

- A. The /var filesystem is not fast enough for database files.
- B. The number of files in /var is limited by the available inodes.
- C. Files in /var do not have strict file permissions.
- D. If log files fill up /var, it might corrupt the database.

Answer: D

NEW QUESTION 56

A technical support engineer receives a ticket from a user who is trying to create a 1KB file in the /tmp directory and is getting the following error No space left on device. The support engineer checks the /tmp directory, and it has 20GB of free space.

Which of the following BEST describes a possible cause for this error?

- A. The /tmp directory is not mounted.
- B. The filesystem is formatted with a 4MB block size.
- C. the filesystem ran out of inodes.
- D. The /tmp directory has been set with an immutable attribute.

Answer: C

NEW QUESTION 58

A configuration management tool running every minute is enforcing the service HTTPd to be started. To perform maintenance, which of the following series of commands can be used to prevent the service from being started?

- A. systemctl stop httpd && systemctl mask httpd
- B. systemctl disable httpd && systemctl mask httpd
- C. systemctl stop httpd && systemctl hide httpd
- D. systemctl disable httpd && systemctl hide httpd

Answer: A

NEW QUESTION 63

A junior Linux administrator is trying to verify connectivity to the remote host host1 and display round-trip statistics for ten ICMP. Which of the following commands should the administrator execute?

- A. ping -c 10 host1
- B. traceroute -c 10 host1
- C. netstat host1
- D. pathping -c 10 host1

Answer: A

NEW QUESTION 65

A company wants to ensure that all newly created files can be modified only by their owners and that all new directory content can be changed only by the creator of the directory. Which of the following commands will help achieve this task?

- A. umask 0022
- B. umask 0012
- C. chmod -R 0644 /
- D. chmod -R 0755 /

Answer: A

NEW QUESTION 68

An analyst is trying to determine which public IP addresses are managed by Company A, but the script is not working correctly.

Which of the following explains what is wrong with the script?

- A. \$(cat ip-list.txt) should be changed to `cat ip-list.txt` in the for statement.
- B. The for should be changed to while in the loop.
- C. The > should be changed to 2> in the do statement.
- D. The -ne flag should be changed to -eq in the if statement.

Answer: A

NEW QUESTION 73

A Linux administrator needs to schedule a cron job to run at 1:15 p.m. every Friday to report the amount of free disk space on the system and to send the output to a file named "freespace". Which of the following would meet this requirement?

- A. 13 15 * * 5 df > /freespace
- B. 15 13 * * 5 df > /freespace
- C. 15 1 * * 6 df > /freespace
- D. 15 13 6 * * df > /freespace

Answer: A

NEW QUESTION 75

An operator finds a user is having issues with opening certain files.

Which of the following commands would allow the security administrator to list and check the SELinux context?

- A. ls -D
- B. ls -a
- C. ls -Z
- D. ls -l

Answer: C

NEW QUESTION 80

After starting a long-running script, a systems administrator needs to verify the frequency of what is filling up the /var partition and kill it because it is consuming too much space.

Which of the following is the correct sequence given only a terminal is available?

- A. 1. CTRL-C2. bg3. watch df /var4. CTRL-C5. fg6. CTRL-Z

- B. 1. CTRL-C2. fg3. watch df /var4. CTRL-Z5. bg6. CTRL-Z
C. 1. CTRL-Z2. bg3. watch df /var4. CTRL-C5. fg6. CTRL-C
D. 1. CTRL-Z2. bg3. watch df /var4. CTRL-Z5. fg6. CTRL-C

Answer: D

NEW QUESTION 82

A Linux systems administrator needs to provision multiple web servers into separate regional datacenters. The systems architect has instructed the administrator to define the server infrastructure using a specific tool that consumes a text-based file. Which of the following is the BEST reason to do this?

- A. To document the infrastructure so it can be included in the system security plan
B. To ensure the administrator follows the planning phase of the system development life cycle
C. To define the infrastructure so it can be provisioned consistently with minimal manual tasks
D. To validate user requirements have been met within each regional datacenter for compliance

Answer: B

NEW QUESTION 85

A Linux system is running normally when the systems administrator receives an alert that one application spawned many processes. The application is consuming a lot of memory, and it will soon cause the machine to become unresponsive. Which of the following commands will stop each application process?

- A. kill 'pidof application'
B. killall application
C. kill -9 'ps -aux | grep application'
D. pkill -9 application

Answer: B

NEW QUESTION 87

An administrator needs to mount the shared NFS file system testhost:/testvolume to mount point /mnt/testvol and make the mount persistent after reboot. Which of the following BEST demonstrates the commands necessary to accomplish this task?

A.

B.

C.

D.

Answer: C

NEW QUESTION 89

An administrator receives a warning about a file system filling up, and then identifies a large file located at /tmp/largelogfile. The administrator deletes the file, but no space is recovered on the file system. Which of the following commands would BEST assist the administrator in identifying the problem?

- A. lsof | grep largelogfile
B. pkill /tmp/largelogfile
C. pgrep largelogfile
D. ps -ef | grep largelogfile

Answer: A

NEW QUESTION 92

An administrator needs to change the IP address on a server remotely. After updating the configuration files, a network restart is needed. However, the administrator fears that when the network connection drops, the network restart script will be killed before the new IP address has been set. Which of the following commands would prevent the script from being killed?

- A. nohup service network restart
B. service network restart &
C. echo "service network restart" | at now
D. dg service network restart

Answer: A

NEW QUESTION 95

A new corporate policy states that Bluetooth should be disabled on all company laptops. Which of the following commands would disable the use of Bluetooth?

- A. echo "blacklist bluetooth" > /etc/modprobe.d/blacklist-bluetooth
B. echo "kill bluetooth" > /etc/modprobe.d/kill-bluetooth
C. echo "modprobe bluetooth" > /etc/modprobe.d/modprobe-bluetooth

D. echo "rmod bluetooth" > /etc/modprobe.d/rmmod-bluetooth

Answer: C

NEW QUESTION 98

An administrator notices that a long-running script, /home/user/script.sh, is taking up a large number of system resources. The administrator does not know the script's function. Which of the following commands should the administrator use to minimize the script's impact on system resources?

- A. renice
- B. kill
- C. bg
- D. nohup

Answer: A

NEW QUESTION 101

An administrator needs to see the type of CPU that a server is running. Which of the following files contains this information?

- A. /proc/cpuinfo
- B. /etc/devices/info.conf
- C. /dev/proc/cpu
- D. /sys/dev/cpuinfo

Answer: A

NEW QUESTION 103

A systems administrator suspects a process with a PID of 2864 is consuming resources at an alarming rate. The administrator uses the command `renice -n -5 -p2864`, but it does not solve the issue. Which of the following commands should the administrator execute to correct the issue?

- A. `nice -n 5 -p 2864`
- B. `nice -n -5 -p 2864`
- C. `renice -n 10 -p 2864`
- D. `renice -n -10 -p 2864`

Answer: D

NEW QUESTION 108

A junior Linux administrator needs to ensure a service will start on system boot. Which of the following commands should be used to accomplish this task?

- A. `chkconfig <service> on`
- B. `systemctl <service> bootup`
- C. `service <service> enable`
- D. `crontab install <service>`

Answer: A

NEW QUESTION 111

A Linux administrator needs to take stock of USB devices attached to the system. Which of the following commands would be BEST to complete this task?

- A. `lspci`
- B. `lsusb`
- C. `cat /proc/USB`
- D. `modprobe --usb`

Answer: B

NEW QUESTION 114

An administrator is analyzing a Linux server which was recently hacked. Which of the following will the administrator use to find all unsuccessful login attempts?

- A. `nsswitch`
- B. `faillock`
- C. `pam_tally2`
- D. `passwd`

Answer: C

NEW QUESTION 116

A user wants to list the lines of a log, adding a correlative number at the beginning of each line separated by a set of dashes from the actual message. Which of the following scripts will complete this task?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 120

A Linux administrator opens a ticket to have an external hard drive mounted. As a security policy, external storage kernel modules are disabled. Which of the following is the BEST command for adding the proper kernel module to enable external storage modules?

- A. `rmmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-storage.ko`
- B. `modinfo /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-storage.ko`
- C. `depmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-storage.ko`
- D. `insmod /lib/modules/3.6.12-100-generic/kernel/drivers/usb/storage/usb-storage.ko`

Answer: D

NEW QUESTION 125

An administrator needs to see a list of the system user's encrypted passwords. Which of the following Linux files does the administrator need to read?

- A. `/etc/shadow`
- B. `/etc/skel`
- C. `/etc/passwd`
- D. `/etc/pw`

Answer: C

NEW QUESTION 129

An administrator is troubleshooting an application that has failed to start after the server was rebooted. Noticing the data volume is not mounted, the administrator attempts to mount it and receives this error:

Upon checking the logical volume status, the administrator receives this information:

Which of the following can be said about the data logical volume, and how can this problem be resolved?

- A. The logical volume is not activ
- B. The administrator should make it active with `lvchange -ay /dev/ datavg/datalv` and then mount it.
- C. The logical volume file system has become corrupte
- D. The administrator should repair it with `xfs_repair/dev/datavg/datalv` and then mount it.
- E. The logical volume is OK but the `/dev` special files are missin
- F. The administrator should recreate them by running `/dev/MAKEDEV`.
- G. The file system is read-onl
- H. The administrator should remount it as read-write with the command `mount - o remount.rw /data`.

Answer: A

NEW QUESTION 133

A Linux systems administrator needs to set permissions on an application with the following parameters: The owner of the application should be able to read, write, and execute the application.

Members of the group should be able to read and execute the application. Everyone else should not have access to the application.

Which of the following commands would BEST accomplish these tasks?

- A. `chmod 710 <application name>`
- B. `chmod 730 <application name>`
- C. `chmod 750 <application name>`
- D. `chmod 760 <application name>`

Answer: D

NEW QUESTION 135

Which of the following configuration files should be modified to disable Ctrl-Alt-Del in Linux?

- A. `/etc/inittab`
- B. `~/.bash_profile`
- C. `/etc/securetty`
- D. `/etc/security/limits.conf`

Answer: A

NEW QUESTION 138

A Linux storage administrator wants to create a logical volume group. Which of the following commands is required to start the process?

- A. pvcreate
- B. vgcreate
- C. lvcreate
- D. mkfs.xfs

Answer: B

NEW QUESTION 142

A systems administrator is configuring options on a newly installed Linux VM that will be deployed to the Pacific time zone. Which of the following sets of commands should the administrator execute to accurately configure the correct time settings?

- A. cd /etcln -s /usr/share/zoneinfo/US/Pacific localtime
- B. cd /usr/localln -s /usr/share/zoneinfo/US/Pacific zoneinfo
- C. cd /etc/localln -s /usr/share/zoneinfo/US/Pacific localtime
- D. cd /usr/share/localln -s /usr/share/zoneinfo/US/Pacific localectl

Answer: A

NEW QUESTION 147

A Linux systems administrator needs to copy the contents of a directory named “working” on the local working system to a folder /var/www/html on a server named “corporate-web”.

Which of the following commands will allow the administrator to copy all the contents to the web server?

- A. scp -r working/* webuser@corporate-web:/var/www/html
- B. tar working/* webuser@corporate-web:/var/www/html
- C. cp -r working/* webuser@corporate-web:/var/www/html
- D. mv working webuser@corporate-web:/var/www/html

Answer: A

NEW QUESTION 152

A junior Linux administrator is setting up system-wide configuration settings. The goal is to ensure the PATH environment variable includes the following locations for all users who log into a Linux system.

The administrator issues the following commands at the terminal:

Respectively, the output of these commands is as follows:

Given this output, which of the following would be the BEST action for the administrator to perform to address this issue?

- A. Update the /etc/profile.d file using a text editor, navigate to the PATH element add the missing locations, and run the bash_completion.sh script to update the changes.
- B. Update the /etc/profile file using a text editor, navigate to the PATH element, add the missing locations and run the . /etc/profile command to update the changes.
- C. Update the /etc/profile.d file using a text editor, navigate to the PATH element, add the missing locations, and reboot to update the changes.
- D. Update the /etc/profile file using a text editor navigate to the PATH element, add the missing locations, and restart the bash process to update the changes.

Answer: B

NEW QUESTION 154

A system administrator has deployed a Linux server based on an Anaconda process with all packages and custom configurations necessary to install a web server role.

Which of the following could be used to install more Linux servers with the same characteristics?

- A. /etc/sysconfig/anaconda/cfg
- B. /root/anaconda.auto
- C. /root/anaconda-ks.cfg
- D. /etc/sysconfig/installation.cfg

Answer: C

NEW QUESTION 156

All users are reporting that they cannot connect to the SFTP server. The administrator runs a scan:

Which of the following would allow the administrator to fix the problem?

- A. Allow SFTP connections on port 22 using /etc/sysconfig/iptables.
- B. Allow SFTP connections on port 20 and 21 using /etc/sysconfig/iptables.
- C. Allow SFTP connections on port 25 using /etc/sysconfig/iptables.
- D. Allow SFTP connections on port 1456 using /etc/sysconfig/iptables.

Answer: A

NEW QUESTION 159

A Linux administrator built a GitLab server. Later that day, a software engineer tried to access the server to upload the repository during the final step of installation. The software engineer could not access the website. Which of the following firewall rules would allow access to this site?

- A. iptables -A INPUT -p tcp -m multiport --dports 80,443 -m conntrack --cstate NEW, ESTABLISHED -j ACCEPT
- B. iptables -A INPUT -p tcp -m multiport --dports 80,443 -m conntrack --cstate ESTABLISHED -j ACCEPT
- C. iptables -A INPUT -p tcp -m multiport --dports 80,443 -m conntrack --cstate RELATED, ESTABLISHED -j ACCEPT
- D. iptables -A INPUT -p tcp -m multiport --dports 80,443 -m conntrack --cstate NEW, ESTABLISHED -j REJECT

Answer: C

NEW QUESTION 163

A junior Linux administrator is updating local name resolution to support IPv6. The administrator issues the command `cat /etc/hosts` and receives the following output: `127.1.1.1 localhost`

Which of the following actions should the administrator perform to accomplish this task?

- A. Modify the `/etc/hosts` file, and add the `ipv6 localhost` entry to the file.
- B. Modify the `/etc/hosts` file, and add the `::1 localhost` entry to the file.
- C. Modify the `/etc/hosts` file, and add the `ipv4 localhost` entry to the file.
- D. Modify the `/etc/hosts` file, and add the `0.0.0.0 localhost` entry to the file.

Answer: D

NEW QUESTION 167

An engineer is working on a production application deployment that requires changing a web application property file called `server.property` that is managed by the Git version control system. A cloned copy of the remote repository in which the `server.property` file exists is on the local desktop computer. The engineer makes appropriate changes to the files, saves it as `server.property`, and executes `git commit -m "changed the property file" server.property`. Which of the following commands did the engineer fail to perform?

- A. `git init server.property`
- B. `git merge server.property`
- C. `git add server.property`
- D. `git push server.property`

Answer: D

NEW QUESTION 170

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual XK0-004 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the XK0-004 Product From:

<https://www.2passeasy.com/dumps/XK0-004/>

Money Back Guarantee

XK0-004 Practice Exam Features:

- * XK0-004 Questions and Answers Updated Frequently
- * XK0-004 Practice Questions Verified by Expert Senior Certified Staff
- * XK0-004 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * XK0-004 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year