

## Exam Questions 156-315.80

Check Point Certified Security Expert - R80

<https://www.2passeasy.com/dumps/156-315.80/>



#### NEW QUESTION 1

Which Check Point software blades could be enforced under Threat Prevention profile using Check Point R80.10 SmartConsole application?

- A. IPS, Anti-Bot, URL Filtering, Application Control, Threat Emulation.
- B. Firewall, IPS, Threat Emulation, Application Control.
- C. IPS, Anti-Bot, Anti-Virus, Threat Emulation, Threat Extraction.
- D. Firewall, IPS, Anti-Bot, Anti-Virus, Threat Emulation.

**Answer:** C

#### NEW QUESTION 2

Using mgmt\_cli, what is the correct syntax to import a host object called Server\_1 from the CLI?

- A. mgmt\_cli add-host "Server\_1" ip\_address "10.15.123.10" --format txt
- B. mgmt\_cli add host name "Server\_1" ip-address "10.15.123.10" --format json
- C. mgmt\_cli add object-host "Server\_1" ip-address "10.15.123.10" --format json
- D. mgmt\_cli add object "Server-1" ip-address "10.15.123.10" --format json

**Answer:** B

#### Explanation:

Example:

mgmt\_cli add host name "New Host 1" ip-address "192.0.2.1" --format json

- "--format json" is optional. By default the output is presented in plain text. References:

#### NEW QUESTION 3

When using the Mail Transfer Agent, where are the debug logs stored?

- A. \$FWDIR/bin/emaild.mt
- B. elg
- C. \$FWDIR/log/mtad elg
- D. /var/log/mail.mta elg
- E. \$CPDIR/log/emaild elg

**Answer:** A

#### NEW QUESTION 4

What is the default size of NAT table fw\_x\_alloc?

- A. 20000
- B. 35000
- C. 25000
- D. 10000

**Answer:** C

#### NEW QUESTION 5

In a Client to Server scenario, which represents that the packet has already checked against the tables and the Rule Base?

- A. Big I
- B. Little o
- C. Little i
- D. Big O

**Answer:** D

#### NEW QUESTION 6

Which of these statements describes the Check Point ThreatCloud?

- A. Blocks or limits usage of web applications
- B. Prevents or controls access to web sites based on category
- C. Prevents Cloud vulnerability exploits
- D. A worldwide collaborative security network

**Answer:** D

#### NEW QUESTION 7

After making modifications to the \$CVPNDIR/conf/cvpnd.C file, how would you restart the daemon?

- A. cvpnd\_restart
- B. cvpnd\_restart
- C. cvpnd restart
- D. cvpnrestart

**Answer:** B

#### NEW QUESTION 8

John detected high load on sync interface. Which is most recommended solution?

- A. For short connections like http service – delay sync for 2 seconds
- B. Add a second interface to handle sync traffic
- C. For short connections like http service – do not sync
- D. For short connections like icmp service – delay sync for 2 seconds

**Answer:** A

#### NEW QUESTION 9

Which of the following is a task of the CPD process?

- A. Invoke and monitor critical processes and attempts to restart them if they fail
- B. Transfers messages between Firewall processes
- C. Log forwarding
- D. Responsible for processing most traffic on a security gateway

**Answer:** A

#### Explanation:

[https://sc1.checkpoint.com/documents/R76/CP\\_R76\\_CLI\\_WebAdmin/12496.htm](https://sc1.checkpoint.com/documents/R76/CP_R76_CLI_WebAdmin/12496.htm)

#### NEW QUESTION 10

Which blades and or features are not supported in R80?

- A. SmartEvent Maps
- B. SmartEvent
- C. Identity Awareness
- D. SmartConsole Toolbars

**Answer:** A

#### NEW QUESTION 10

Which command can you use to enable or disable multi-queue per interface?

- A. cpmq set
- B. Cpmqueue set
- C. Cpmq config
- D. St cpmq enable

**Answer:** A

#### NEW QUESTION 12

Which of the following describes how Threat Extraction functions?

- A. Detect threats and provides a detailed report of discovered threats.
- B. Proactively detects threats.
- C. Delivers file with original content.
- D. Delivers PDF versions of original files with active content removed.

**Answer:** B

#### NEW QUESTION 14

In R80 spoofing is defined as a method of:

- A. Disguising an illegal IP address behind an authorized IP address through Port Address Translation.
- B. Hiding your firewall from unauthorized users.
- C. Detecting people using false or wrong authentication logins
- D. Making packets appear as if they come from an authorized IP address.

**Answer:** D

#### Explanation:

IP spoofing replaces the untrusted source IP address with a fake, trusted one, to hijack connections to your network. Attackers use IP spoofing to send malware and bots to your protected network, to execute DoS attacks, or to gain unauthorized access.

#### NEW QUESTION 19

NAT rules are prioritized in which order?

1. Automatic Static NAT
2. Automatic Hide NAT
3. Manual/Pre-Automatic NAT
4. Post-Automatic/Manual NAT rules

- A. 1, 2, 3, 4
- B. 1, 4, 2, 3
- C. 3, 1, 2, 4
- D. 4, 3, 1, 2

**Answer:** A

#### NEW QUESTION 24

The SmartEvent R80 Web application for real-time event monitoring is called:

- A. SmartView Monitor
- B. SmartEventWeb
- C. There is no Web application for SmartEvent
- D. SmartView

**Answer:** B

#### NEW QUESTION 25

Which of the following Windows Security Events will not map a username to an IP address in Identity Awareness?

- A. Kerberos Ticket Renewed
- B. Kerberos Ticket Requested
- C. Account Logon
- D. Kerberos Ticket Timed Out

**Answer:** D

#### NEW QUESTION 28

What is the minimum amount of RAM needed for a Threat Prevention Appliance?

- A. 6 GB
- B. 8GB with Gaia in 64-bit mode
- C. 4 GB
- D. It depends on the number of software blades enabled

**Answer:** C

#### NEW QUESTION 29

You need to see which hotfixes are installed on your gateway, which command would you use?

- A. `cpinfo -h all`
- B. `cpinfo -o hotfix`
- C. `cpinfo -l hotfix`
- D. `cpinfo -y all`

**Answer:** D

#### NEW QUESTION 31

In the Check Point Security Management Architecture, which component(s) can store logs?

- A. SmartConsole
- B. Security Management Server and Security Gateway
- C. Security Management Server
- D. SmartConsole and Security Management Server

**Answer:** B

#### NEW QUESTION 33

Which of the following is NOT a VPN routing option available in a star community?

- A. To satellites through center only.
- B. To center, or through the center to other satellites, to Internet and other VPN targets.
- C. To center and to other satellites through center.
- D. To center only.

**Answer:** AD

#### NEW QUESTION 34

What are the different command sources that allow you to communicate with the API server?

- A. SmartView Monitor, API\_cli Tool, Gaia CLI, Web Services
- B. SmartConsole GUI Console, mgmt\_cli Tool, Gaia CLI, Web Services
- C. SmartConsole GUI Console, API\_cli Tool, Gaia CLI, Web Services
- D. API\_cli Tool, Gaia CLI, Web Services

**Answer:** B

**NEW QUESTION 35**

Fill in the blanks: A \_\_\_\_\_ license requires an administrator to designate a gateway for attachment whereas a \_\_\_\_\_ license is automatically attached to a Security Gateway.

- A. Formal; corporate
- B. Local; formal
- C. Local; central
- D. Central; local

**Answer:** D

**NEW QUESTION 36**

SSL Network Extender (SNX) is a thin SSL VPN on-demand client that is installed on the remote user's machine via the web browser. What are the two modes of SNX?

- A. Application and Client Service
- B. Network and Application
- C. Network and Layers
- D. Virtual Adapter and Mobile App

**Answer:** B

**NEW QUESTION 37**

What is true of the API server on R80.10?

- A. By default the API-server is activated and does not have hardware requirements.
- B. By default the API-server is not active and should be activated from the WebUI.
- C. By default the API server is active on management and stand-alone servers with 16GB of RAM (or more).
- D. By default, the API server is active on management servers with 4 GB of RAM (or more) and on stand-alone servers with 8GB of RAM (or more).

**Answer:** D

**NEW QUESTION 40**

The Event List within the Event tab contains:

- A. a list of options available for running a query.
- B. the top events, destinations, sources, and users of the query results, either as a chart or in a tallied list.
- C. events generated by a query.
- D. the details of a selected event.

**Answer:** C

**NEW QUESTION 42**

In ClusterXL Load Sharing Multicast Mode:

- A. only the primary member received packets sent to the cluster IP address
- B. only the secondary member receives packets sent to the cluster IP address
- C. packets sent to the cluster IP address are distributed equally between all members of the cluster
- D. every member of the cluster received all of the packets sent to the cluster IP address

**Answer:** D

**NEW QUESTION 45**

What is the name of the secure application for Mail/Calendar for mobile devices?

- A. Capsule Workspace
- B. Capsule Mail
- C. Capsule VPN
- D. Secure Workspace

**Answer:** A

**NEW QUESTION 47**

What command would show the API server status?

- A. cpm status
- B. api restart
- C. api status
- D. show api status

**Answer:** C

#### NEW QUESTION 52

When attempting to start a VPN tunnel, in the logs the error “no proposal chosen” is seen numerous times. No other VPN-related entries are present. Which phase of the VPN negotiations has failed?

- A. IKE Phase 1
- B. IPSEC Phase 2
- C. IPSEC Phase 1
- D. IKE Phase 2

**Answer:** A

#### NEW QUESTION 57

What is the correct order of the default “fw monitor” inspection points?

- A. i, l, o, O
- B. 1, 2, 3, 4
- C. i, o, l, O
- D. l, i, O, o

**Answer:** C

#### NEW QUESTION 58

Fill in the blank. Once a certificate is revoked from the Security Gateway by the Security Management Server, the certificate information is \_\_\_\_\_. .

- A. Sent to the Internal Certificate Authority.
- B. Sent to the Security Administrator.
- C. Stored on the Security Management Server.
- D. Stored on the Certificate Revocation List.

**Answer:** D

#### NEW QUESTION 59

You need to change the number of firewall Instances used by CoreXL. How can you achieve this goal?

- A. edit fwaffinity.conf; reboot required
- B. cpconfig; reboot required
- C. edit fwaffinity.conf; reboot not required
- D. cpconfig; reboot not required

**Answer:** B

#### NEW QUESTION 62

The Security Gateway is installed on GAIA R80. The default port for the Web User Interface is \_\_\_\_\_.

- A. TCP 18211
- B. TCP 257
- C. TCP 4433
- D. TCP 443

**Answer:** D

#### NEW QUESTION 65

You want to gather and analyze threats to your mobile device. It has to be a lightweight app. Which application would you use?

- A. SmartEvent Client Info
- B. SecuRemote
- C. Check Point Protect
- D. Check Point Capsule Cloud

**Answer:** C

#### NEW QUESTION 66

Which statement is correct about the Sticky Decision Function?

- A. It is not supported with either the Performance pack or a hardware based accelerator card
- B. Does not support SPI's when configured for Load Sharing
- C. It is automatically disabled if the Mobile Access Software Blade is enabled on the cluster
- D. It is not required for L2TP traffic

**Answer:** A

#### NEW QUESTION 71

What is the most ideal Synchronization Status for Security Management Server High Availability deployment?

- A. Lagging

- B. Synchronized
- C. Never been synchronized
- D. Collision

**Answer:** B

#### NEW QUESTION 72

What is the responsibility of SOLR process on R80.10 management server?

- A. Validating all data before it's written into the database
- B. It generates indexes of data written to the database
- C. Communication between SmartConsole applications and the Security Management Server
- D. Writing all information into the database

**Answer:** B

#### NEW QUESTION 77

There are two R77.30 Security Gateways in the Firewall Cluster. They are named FW\_A and FW\_B. The cluster is configured to work as HA (High availability) with default cluster configuration. FW\_A is configured to have higher priority than FW\_B. FW\_A was active and processing the traffic in the morning. FW\_B was standby. Around 1100 am, its interfaces went down and this caused a failover. FW\_B became active. After an hour, FW\_A's interface issues were resolved and it became operational.

When it re-joins the cluster, will it become active automatically?

- A. No, since 'maintain' current active cluster member' option on the cluster object properties is enabled by default.
- B. No, since 'maintain' current active cluster member' option is enabled by default on the Global Properties.
- C. Yes, since 'Switch to higher priority cluster member' option on the cluster object properties is enabled by default.
- D. Yes, since 'Switch to higher priority cluster member' option is enabled by default on the Global Properties.

**Answer:** A

#### NEW QUESTION 82

During inspection of your Threat Prevention logs you find four different computers having one event each with a Critical Severity. Which of those hosts should you try to remediate first?

- A. Host having a Critical event found by Threat Emulation
- B. Host having a Critical event found by IPS
- C. Host having a Critical event found by Antivirus
- D. Host having a Critical event found by Anti-Bot

**Answer:** D

#### NEW QUESTION 86

To enable Dynamic Dispatch on Security Gateway without the Firewall Priority Queues, run the following command in Expert mode and reboot:

- A. fw ctl Dyn\_Dispatch on
- B. fw ctl Dyn\_Dispatch enable
- C. fw ctl multik set\_mode 4
- D. fw ctl multik set\_mode 1

**Answer:** C

#### NEW QUESTION 89

What can we infer about the recent changes made to the Rule Base?

- A. Rule 7 was created by the 'admin' administrator in the current session
- B. 8 changes have been made by administrators since the last policy installation
- C. The rules 1, 5 and 6 cannot be edited by the 'admin' administrator
- D. Rule 1 and object webserver are locked by another administrator



**Answer:** D

**NEW QUESTION 90**

Which GUI client is supported in R80?

- A. SmartProvisioning
- B. SmartView Tracker
- C. SmartView Monitor
- D. SmartLog

**Answer:** C

**NEW QUESTION 91**

When a packet arrives at the gateway, the gateway checks it against the rules in the hop Policy Layer, sequentially from top to bottom, and enforces the first rule that matches a packet. Which of the following statements about the order of rule enforcement is true?

- A. If the Action is Accept, the gateway allows the packet to pass through the gateway.
- B. If the Action is Drop, the gateway continues to check rules in the next Policy Layer down.
- C. If the Action is Accept, the gateway continues to check rules in the next Policy Layer down.
- D. If the Action is Drop, the gateway applies the Implicit Clean-up Rule for that Policy Layer.

**Answer:** C

**NEW QUESTION 94**

You are investigating issues with to gateway cluster members are not able to establish the first initial cluster synchronization. What service is used by the FWD daemon to do a Full Synchronization?

- A. TCP port 443
- B. TCP port 257
- C. TCP port 256
- D. UDP port 8116

**Answer:** C

**NEW QUESTION 97**

Which process handles connection from SmartConsole R80?

- A. fwm
- B. cpmd
- C. cpm
- D. cpd

**Answer:** C

**NEW QUESTION 101**

You work as a security administrator for a large company. CSO of your company has attended a security conference where he has learnt how hackers constantly modify their strategies and techniques to evade detection and reach corporate resources. He wants to make sure that his company has the tight protections in place. Check Point has been selected for the security vendor.

Which Check Point product protects BEST against malware and zero-day attacks while ensuring quick delivery of safe content to your users?

- A. IPS AND Application Control
- B. IPS, anti-virus and anti-bot
- C. IPS, anti-virus and e-mail security
- D. SandBlast

**Answer:** D

**NEW QUESTION 103**

When users connect to the Mobile Access portal they are unable to open File Shares. Which log file would you want to examine?

- A. cvpnd.elg
- B. httpd.elg
- C. vpnd.elg
- D. fw.elg

**Answer:** A

**NEW QUESTION 107**

Vanessa is expecting a very important Security Report. The Document should be sent as an attachment via e-m ail. An e-mail with Security\_report.pdf file was delivered to her e-mail inbox. When she opened the PDF file, she noticed that the file is basically empty and only few lines of text are in it. The report is missing some graphs, tables and links.

Which component of SandBlast protection is her company using on a Gateway?

- A. SandBlast Threat Emulation
- B. SandBlast Agent



- C. Check Point Protect
- D. SandBlast Threat Extraction

**Answer:** D

#### NEW QUESTION 108

Which of the following is an identity acquisition method that allows a Security Gateway to identify Active Directory users and computers?

- A. UserCheck
- B. Active Directory Query
- C. Account Unit Query
- D. User Directory Query

**Answer:** B

#### Explanation:

Reference : [https://sc1.checkpoint.com/documents/R76/CP\\_R76\\_IdentityAwareness\\_AdminGuide/62402.htm](https://sc1.checkpoint.com/documents/R76/CP_R76_IdentityAwareness_AdminGuide/62402.htm)

#### NEW QUESTION 113

In order to get info about assignment (FW, SND) of all CPUs in your SGW, what is the most accurate CLI command?

- A. fw ctl sdstat
- B. fw ctl affinity -l -a -r -v
- C. fw ctl multik stat
- D. cpinfo

**Answer:** B

#### NEW QUESTION 116

SecureXL improves non-encrypted firewall traffic throughput and encrypted VPN traffic throughput.

- A. This statement is true because SecureXL does improve all traffic.
- B. This statement is false because SecureXL does not improve this traffic but CoreXL does.
- C. This statement is true because SecureXL does improve this traffic.
- D. This statement is false because encrypted traffic cannot be inspected.

**Answer:** C

#### Explanation:

SecureXL improved non-encrypted firewall traffic throughput, and encrypted VPN traffic throughput, by nearly an order-of-magnitude- particularly for small packets flowing in long duration connections.

#### NEW QUESTION 120

Which file contains the host address to be published, the MAC address that needs to be associated with the IP Address, and the unique IP of the interface that responds to ARP request?

- A. /opt/CPshrd-R80/conf/local.arp
- B. /var/opt/CPshrd-R80/conf/local.arp
- C. \$CPDIR/conf/local.arp
- D. \$FWDIR/conf/local.arp

**Answer:** D

#### NEW QUESTION 121

What is the command to check the status of Check Point processes?

- A. top
- B. cptop
- C. cphaprob list
- D. cpwd\_admin list

**Answer:** D

#### NEW QUESTION 122

What is the purpose of Priority Delta in VRRP?

- A. When a box up, Effective Priority = Priority + Priority Delta
- B. When an Interface is up, Effective Priority = Priority + Priority Delta
- C. When an Interface fail, Effective Priority = Priority – Priority Delta
- D. When a box fail, Effective Priority = Priority – Priority Delta

**Answer:** C

#### Explanation:

Each instance of VRRP running on a supported interface may monitor the link state of other interfaces. The monitored interfaces do not have to be running VRRP. If a monitored interface loses its link state, then VRRP will decrement its priority over a VRID by the specified delta value and then will send out a new VRRP

HELLO packet. If the new effective priority is less than the priority a backup platform has, then the backup platform will begin to send out its own HELLO packet. Once the master sees this packet with a priority greater than its own, then it releases the VIP. References:

#### NEW QUESTION 124

You can select the file types that are sent for emulation for all the Threat Prevention profiles. Each profile defines a(n) \_\_\_\_\_ or \_\_\_\_\_ action for the file types.

- A. Inspect/Bypass
- B. Inspect/Prevent
- C. Prevent/Bypass
- D. Detect/Bypass

**Answer:** A

#### NEW QUESTION 125

John is using Management HA. Which Smartcenter should be connected to for making changes?

- A. secondary Smartcenter
- B. active Smartcenter
- C. connect virtual IP of Smartcenter HA
- D. primary Smartcenter

**Answer:** B

#### NEW QUESTION 126

What CLI command compiles and installs a Security Policy on the target's Security Gateways?

- A. fwm compile
- B. fwm load
- C. fwm fetch
- D. fwm install

**Answer:** B

#### NEW QUESTION 127

Fill in the blank: The "fw monitor" tool can be best used to troubleshoot \_\_\_\_\_.

- A. AV issues
- B. VPN errors
- C. Network issues
- D. Authentication issues

**Answer:** C

#### NEW QUESTION 129

Session unique identifiers are passed to the web api using which http header option?

- A. X-chkp-sid
- B. Accept-Charset
- C. Proxy-Authorization
- D. Application

**Answer:** C

#### NEW QUESTION 130

Fill in the blanks: Gaia can be configured using the \_\_\_\_\_ or \_\_\_\_\_.

- A. GaiaUI; command line interface
- B. WebUI; Gaia Interface
- C. Command line interface; WebUI
- D. Gaia Interface; GaiaUI

**Answer:** C

#### NEW QUESTION 132

When doing a Stand-Alone Installation, you would install the Security Management Server with which other Check Point architecture component?

- A. None, Security Management Server would be installed by itself.
- B. SmartConsole
- C. SecureClient
- D. Security Gateway
- E. SmartEvent

**Answer:** D

**NEW QUESTION 136**

Which Check Point feature enables application scanning and the detection?

- A. Application Dictionary
- B. AppWiki
- C. Application Library
- D. CApp

**Answer:** B

**NEW QUESTION 139**

Please choose the path to monitor the compliance status of the Check Point R80.10 based management.

- A. Gateways & Servers --> Compliance View
- B. Compliance blade not available under R80.10
- C. Logs & Monitor --> New Tab --> Open compliance View
- D. Security & Policies --> New Tab --> Compliance View

**Answer:** C

**NEW QUESTION 141**

How often does Threat Emulation download packages by default?

- A. Once a week
- B. Once an hour
- C. Twice per day
- D. Once per day

**Answer:** D

**NEW QUESTION 146**

Fill in the blank: Authentication rules are defined for \_\_\_\_\_.

- A. User groups
- B. Users using UserCheck
- C. Individual users
- D. All users in the database

**Answer:** A

**NEW QUESTION 147**

You have successfully backed up Check Point configurations without the OS information. What command would you use to restore this backup?

- A. restore\_backup
- B. import backup
- C. cp\_merge
- D. migrate import

**Answer:** D

**NEW QUESTION 152**

What are the three components for Check Point Capsule?

- A. Capsule Docs, Capsule Cloud, Capsule Connect
- B. Capsule Workspace, Capsule Cloud, Capsule Connect
- C. Capsule Workspace, Capsule Docs, Capsule Connect
- D. Capsule Workspace, Capsule Docs, Capsule Cloud

**Answer:** D

**NEW QUESTION 157**

On R80.10 when configuring Third-Party devices to read the logs using the LEA (Log Export API) the default Log Server uses port:

- A. 18210
- B. 18184
- C. 257
- D. 18191

**Answer:** B

**NEW QUESTION 162**

Which software blade does NOT accompany the Threat Prevention policy?

- A. Anti-virus
- B. IPS

- C. Threat Emulation
- D. Application Control and URL Filtering

**Answer:** D

#### NEW QUESTION 166

True or False: In a Distributed Environment, a Central License can be installed via CLI on a Security Gateway.

- A. True, CLI is the prefer method for Licensing
- B. False, Central License are handled via Security Management Server
- C. False, Central Licenses are installed via Gaia on Security Gateways
- D. True, Central License can be installed with CPLIC command on a Security Gateway

**Answer:** D

#### NEW QUESTION 168

SandBlast has several functional components that work together to ensure that attacks are prevented in real-time. Which the following is NOT part of the SandBlast component?

- A. Threat Emulation
- B. Mobile Access
- C. Mail Transfer Agent
- D. Threat Cloud

**Answer:** C

#### NEW QUESTION 172

The "Hit count" feature allows tracking the number of connections that each rule matches. Will the Hit count feature work independently from logging and Track the hits if the Track option is set to "None"?

- A. No, it will work independentl
- B. Hit Count will be shown only for rules Track option set as Log or alert.
- C. Yes it will work independently as long as "analyze all rules" tick box is enabled on the Security Gateway.
- D. No, it will not work independently because hit count requires all rules to be logged.
- E. Yes it will work independently because when you enable Hit Count, the SMS collects the data from supported Security Gateways.

**Answer:** D

#### NEW QUESTION 173

Identify the API that is not supported by Check Point currently.

- A. R80 Management API-
- B. Identity Awareness Web Services API
- C. Open REST API
- D. OPSEC SDK

**Answer:** C

#### NEW QUESTION 178

You want to store the GAIA configuration in a file for later reference. What command should you use?

- A. write mem <filename>
- B. show config -f <filename>
- C. save config -o <filename>
- D. save configuration <filename>

**Answer:** D

#### NEW QUESTION 179

What command can you use to have cpinfo display all installed hotfixes?

- A. cpinfo -hf
- B. cpinfo -y all
- C. cpinfo -get hf
- D. cpinfo installed\_jumbo

**Answer:** B

#### NEW QUESTION 180

After the initial installation on Check Point appliance, you notice that the Management-interface and default gateway are incorrect. Which commands could you use to set the IP to 192.168.80.200/24 and default gateway to 192.168.80.1.

- A. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24set static-route default nexthop gateway address 192.168.80.1 onsave config
- B. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0add static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config
- C. set interface Mgmt ipv4-address 192.168.80.200 255.255.255.0set static-route 0.0.0.0. 0.0.0.0 gw 192.168.80.1 onsave config

D. set interface Mgmt ipv4-address 192.168.80.200 mask-length 24add static-route default nexthop gateway address 192.168.80.1 onsave config

**Answer:** A

#### NEW QUESTION 184

There are 4 ways to use the Management API for creating host object with R80 Management API. Which one is NOT correct?

- A. Using Web Services
- B. Using Mgmt\_cli tool
- C. Using CLISH
- D. Using SmartConsole GUI console
- E. Events are collected with SmartWorkflow from Trouble Ticket systems

**Answer:** E

#### NEW QUESTION 187

You have enabled “Full Log” as a tracking option to a security rule. However, you are still not seeing any data type information. What is the MOST likely reason?

- A. Logging has disk space issue
- B. Change logging storage options on the logging server or Security Management Server properties and install database.
- C. Data Awareness is not enabled.
- D. Identity Awareness is not enabled.
- E. Logs are arriving from Pre-R80 gateways.

**Answer:** A

#### NEW QUESTION 192

DLP and Geo Policy are examples of what type of Policy?

- A. Standard Policies
- B. Shared Policies
- C. Inspection Policies
- D. Unified Policies

**Answer:** B

#### NEW QUESTION 196

Packet acceleration (SecureXL) identifies connections by several attributes- Which of the attributes is NOT used for identifying connection?

- A. Source Address
- B. Destination Address
- C. TCP Acknowledgment Number
- D. Source Port

**Answer:** C

#### Explanation:

[https://sc1.checkpoint.com/documents/R77/CP\\_R77\\_Firewall\\_WebAdmm/92711.htm](https://sc1.checkpoint.com/documents/R77/CP_R77_Firewall_WebAdmm/92711.htm)

#### NEW QUESTION 199

Which options are given on features, when editing a Role on Gaia Platform?

- A. Read/Write, Read Only
- B. Read/Write, Read Only, None
- C. Read/Write, None
- D. Read Only, None

**Answer:** B

#### NEW QUESTION 203

What is the main difference between Threat Extraction and Threat Emulation?

- A. Threat Emulation never delivers a file and takes more than 3 minutes to complete.
- B. Threat Extraction always delivers a file and takes less than a second to complete.
- C. Threat Emulation never delivers a file that takes less than a second to complete.
- D. Threat Extraction never delivers a file and takes more than 3 minutes to complete.

**Answer:** B

#### NEW QUESTION 206

On what port does the CPM process run?

- A. TCP 857
- B. TCP 18192
- C. TCP 900

D. TCP 19009

**Answer:** D

#### NEW QUESTION 207

What key is used to save the current CPView page in a filename format cpview\_"cpview process ID".cap"number of captures"?

- A. S
- B. W
- C. C
- D. Space bar

**Answer:** C

#### NEW QUESTION 211

Vanessa is a Firewall administrator. She wants to test a backup of her company's production Firewall cluster Dallas\_GW. She has a lab environment that is identical to her production environment. She decided to restore production backup via SmartConsole in lab environment. Which details she need to fill in System Restore window before she can click OK button and test the backup?

- A. Server, SCP, Username, Password, Path, Comment, Member
- B. Server, TFTP, Username, Password, Path, Comment, All Members
- C. Server, Protocol, Username, Password, Path, Comment, All Members
- D. Server, Protocol, username Password, Path, Comment, Member

**Answer:** C

#### NEW QUESTION 212

Fill in the blank: The command \_\_\_\_\_ provides the most complete restoration of a R80 configuration.

- A. upgrade\_import
- B. cpconfig
- C. fwm dbimport -p <export file>
- D. cpinfo --recover

**Answer:** A

#### NEW QUESTION 216

To fully enable Dynamic Dispatcher with Firewall Priority Queues on a Security Gateway, run the following command in Expert mode then reboot:

- A. fw ctl multik set\_mode 1
- B. fw ctl Dynamic\_Priority\_Queue on
- C. fw ctl Dynamic\_Priority\_Queue enable
- D. fw ctl multik set\_mode 9

**Answer:** D

#### NEW QUESTION 218

Fill in the blank: Permanent VPN tunnels can be set on all tunnels in the community, on all tunnels for specific gateways, or \_\_\_\_\_.

- A. On all satellite gateway to satellite gateway tunnels
- B. On specific tunnels for specific gateways
- C. On specific tunnels in the community
- D. On specific satellite gateway to central gateway tunnels

**Answer:** C

#### NEW QUESTION 222

View the rule below. What does the lock-symbol in the left column mean? (Choose the BEST answer.)



- A. The current administrator has read-only permissions to Threat Prevention Policy.
- B. Another user has locked the rule for editing.
- C. Configuration lock is present
- D. Click the lock symbol to gain read-write access.
- E. The current administrator is logged in as read-only because someone else is editing the policy.

**Answer:** B

**Explanation:**

[https://sc1.checkpoint.com/documents/R80/CP\\_R80\\_SecMGMT/html\\_frameset.htm?topic=documents/R80/CP\\_](https://sc1.checkpoint.com/documents/R80/CP_R80_SecMGMT/html_frameset.htm?topic=documents/R80/CP_)

**NEW QUESTION 226**

In SmartEvent, what are the different types of automatic reactions that the administrator can configure?

- A. Mail, Block Source, Block Event Activity, External Script, SNMP Trap
- B. Mail, Block Source, Block Destination, Block Services, SNMP Trap
- C. Mail, Block Source, Block Destination, External Script, SNMP Trap
- D. Mail, Block Source, Block Event Activity, Packet Capture, SNMP Trap

**Answer:** A

**NEW QUESTION 228**

With Mobile Access enabled, administrators select the web-based and native applications that can be accessed by remote users and define the actions that users can perform on the applications. Mobile Access encrypts all traffic using:

- A. HTTPS for web-based applications and 3DES or RC4 algorithm for native application
- B. For end users to access the native applications, they need to install the SSL Network Extender.
- C. HTTPS for web-based applications and AES or RSA algorithm for native application
- D. For end users to access the native application, they need to install the SSL Network Extender.
- E. HTTPS for web-based applications and 3DES or RC4 algorithm for native application
- F. For end users to access the native applications, no additional software is required.
- G. HTTPS for web-based applications and AES or RSA algorithm for native application
- H. For end users to access the native application, no additional software is required.

**Answer:** A

**NEW QUESTION 229**

What SmartEvent component creates events?

- A. Consolidation Policy
- B. Correlation Unit
- C. SmartEvent Policy
- D. SmartEvent GUI

**Answer:** B

**NEW QUESTION 230**

Advanced Security Checkups can be easily conducted within:

- A. Reports
- B. Advanced
- C. Checkups
- D. Views
- E. Summary

**Answer:** A

**NEW QUESTION 231**

What is the default shell for the command line interface?

- A. Expert
- B. Clish
- C. Admin
- D. Normal

**Answer:** B

**Explanation:**

The default shell of the CLI is called clish

**NEW QUESTION 233**

Which command shows the current connections distributed by CoreXL FW instances?

- A. fw ctl multik stat
- B. fw ctl affinity -l
- C. fw ctl instances -v

D. fw ctl iflist

**Answer:** A

#### NEW QUESTION 234

What is the command to see cluster status in cli expert mode?

- A. fw ctl stat
- B. clusterXL stat
- C. clusterXL status
- D. cphaprob stat

**Answer:** D

#### NEW QUESTION 236

SmartEvent does NOT use which of the following procedures to identify events:

- A. Matching a log against each event definition
- B. Create an event candidate
- C. Matching a log against local exclusions
- D. Matching a log against global exclusions

**Answer:** C

#### Explanation:

Events are detected by the SmartEvent Correlation Unit. The Correlation Unit task is to scan logs for criteria that match an Event Definition. SmartEvent uses these procedures to identify events:

- Matching a Log Against Global Exclusions
- Matching a Log Against Each Event Definition
- Creating an Event Candidate
- When a Candidate Becomes an Event References:

#### NEW QUESTION 240

Fill in the blank: The tool \_\_\_\_\_ generates a R80 Security Gateway configuration report.

- A. infoCP
- B. infoview
- C. cpinfo
- D. fw cpinfo

**Answer:** C

#### NEW QUESTION 244

After trust has been established between the Check Point components, what is TRUE about name and IP-address changes?

- A. Security Gateway IP-address cannot be changed without re-establishing the trust.
- B. The Security Gateway name cannot be changed in command line without re-establishing trust.
- C. The Security Management Server name cannot be changed in SmartConsole without re-establishing trust.
- D. The Security Management Server IP-address cannot be changed without re-establishing the trust.

**Answer:** A

#### NEW QUESTION 245

When deploying SandBlast, how would a Threat Emulation appliance benefit from the integration of ThreatCloud?

- A. ThreatCloud is a database-related application which is located on-premise to preserve privacy of company-related data
- B. ThreatCloud is a collaboration platform for all the CheckPoint customers to form a virtual cloud consisting of a combination of all on-premise private cloud environments
- C. ThreatCloud is a collaboration platform for Check Point customers to benefit from VMWare ESXi infrastructure which supports the Threat Emulation Appliances as virtual machines in the EMC Cloud
- D. ThreatCloud is a collaboration platform for all the Check Point customers to share information about malicious and benign files that all of the customers can benefit from as it makes emulation of known files unnecessary

**Answer:** D

#### NEW QUESTION 248

In the R80 SmartConsole, on which tab are Permissions and Administrators defined?

- A. Security Policies
- B. Logs and Monitor
- C. Manage and Settings
- D. Gateways and Servers

**Answer:** C

#### NEW QUESTION 249

Fill in the blank: A \_\_\_\_\_ VPN deployment is used to provide remote users with secure access to internal corporate resources by authenticating the user through an internet browser.

- A. Clientless remote access
- B. Clientless direct access
- C. Client-based remote access
- D. Direct access

**Answer:** A

#### NEW QUESTION 250

How long may verification of one file take for Sandblast Threat Emulation?

- A. up to 1 minutes
- B. within seconds cleaned file will be provided
- C. up to 5 minutes
- D. up to 3 minutes

**Answer:** B

#### NEW QUESTION 251

For Management High Availability, which of the following is NOT a valid synchronization status?

- A. Collision
- B. Down
- C. Lagging
- D. Never been synchronized

**Answer:** B

#### NEW QUESTION 255

What is the purpose of the CPCA process?

- A. Monitoring the status of processes.
- B. Sending and receiving logs.
- C. Communication between GUI clients and the SmartCenter server.
- D. Generating and modifying certificates.

**Answer:** D

#### NEW QUESTION 259

Which of the following type of authentication on Mobile Access can NOT be used as the first authentication method?

- A. Dynamic ID
- B. RADIUS
- C. Username and Password
- D. Certificate

**Answer:** A

#### NEW QUESTION 262

By default, which port does the WebUI listen on?

- A. 80
- B. 4434
- C. 443
- D. 8080

**Answer:** C

#### NEW QUESTION 267

The \_\_\_\_\_ software blade package uses CPU-level and OS-level sandboxing in order to detect and block malware.

- A. Next Generation Threat Prevention
- B. Next Generation Threat Emulation
- C. Next Generation Threat Extraction
- D. Next Generation Firewall

**Answer:** B

#### NEW QUESTION 269

Fill in the blank: Browser-based Authentication sends users to a web page to acquire identities using \_\_\_\_\_ .

- A. User Directory

- B. Captive Portal and Transparent Kerberos Authentication
- C. Captive Portal
- D. UserCheck

**Answer:** B

#### NEW QUESTION 272

Tom has been tasked to install Check Point R80 in a distributed deployment. Before Tom installs the systems this way, how many machines will he need if he does NOT include a SmartConsole machine in his calculations?

- A. One machine, but it needs to be installed using SecurePlatform for compatibility purposes.
- B. One machine
- C. Two machines
- D. Three machines

**Answer:** C

#### Explanation:

One for Security Management Server and the other one for the Security Gateway.

#### NEW QUESTION 277

One of major features in R80 SmartConsole is concurrent administration.

Which of the following is NOT possible considering that AdminA, AdminB and AdminC are editing the same Security Policy?

- A. A lock icon shows that a rule or an object is locked and will be available.
- B. AdminA and AdminB are editing the same rule at the same time.
- C. A lock icon next to a rule informs that any Administrator is working on this particular rule.
- D. AdminA, AdminB and AdminC are editing three different rules at the same time.

**Answer:** C

#### NEW QUESTION 282

Which command is used to display status information for various components?

- A. show all systems
- B. show system messages
- C. sysmess all
- D. show sysenv all

**Answer:** D

#### NEW QUESTION 287

Which of the following technologies extracts detailed information from packets and stores that information in state tables?

- A. INSPECT Engine
- B. Stateful Inspection
- C. Packet Filtering
- D. Application Layer Firewall

**Answer:** A

#### NEW QUESTION 290

What is mandatory for ClusterXL to work properly?

- A. The number of cores must be the same on every participating cluster node
- B. The Magic MAC number must be unique per cluster node
- C. The Sync interface must not have an IP address configured
- D. If you have "Non-monitored Private" interfaces, the number of those interfaces must be the same on all cluster members

**Answer:** B

#### NEW QUESTION 292

Which packet info is ignored with Session Rate Acceleration?

- A. source port ranges
- B. source ip
- C. source port
- D. same info from Packet Acceleration is used

**Answer:** C

#### NEW QUESTION 297

When requiring certificates for mobile devices, make sure the authentication method is set to one of the following, Username and Password, RADIUS or \_\_\_\_.

- A. SecureID

- B. SecurID
- C. Complexity
- D. TacAcs

**Answer:** B

#### NEW QUESTION 300

When simulating a problem on ClusterXL cluster with cphaprob -d STOP -s problem -t 0 register, to initiate a failover on an active cluster member, what command allows you remove the problematic state?

- A. cphaprob -d STOP unregister
- B. cphaprob STOP unregister
- C. cphaprob unregister STOP
- D. cphaprob -d unregister STOP

**Answer:** A

#### Explanation:

esting a failover in a controlled manner using following command;

```
# cphaprob -d STOP -s problem -t 0 register
```

This will register a problem state on the cluster member this was entered on; If you then run;

```
# cphaprob list
```

this will show an entry named STOP.

to remove this problematic register run following;

```
# cphaprob -d STOP unregister
```

 References:

#### NEW QUESTION 302

Which remote Access Solution is clientless?

- A. Checkpoint Mobile
- B. Endpoint Security Suite
- C. SecuRemote
- D. Mobile Access Portal

**Answer:** D

#### NEW QUESTION 306

What is the recommended number of physical network interfaces in a Mobile Access cluster deployment?

- A. 4 Interfaces – an interface leading to the organization, a second interface leading to the internet, a third interface for synchronization, a fourth interface leading to the Security Management Server.
- B. 3 Interfaces – an interface leading to the organization, a second interface leading to the Internet, a third interface for synchronization.
- C. 1 Interface – an interface leading to the organization and the Internet, and configure for synchronization.
- D. 2 Interfaces – a data interface leading to the organization and the Internet, a second interface for synchronization.

**Answer:** B

#### NEW QUESTION 309

An administrator would like to troubleshoot why templating is not working for some traffic. How can he determine at which rule templating is disabled?

- A. He can use the fw accel stat command on the gateway.
- B. He can use the fw accel statistics command on the gateway.
- C. He can use the fwaccel stat command on the Security Management Server.
- D. He can use the fwaccel stat command on the gateway

**Answer:** D

#### NEW QUESTION 310

Sticky Decision Function (SDF) is required to prevent which of the following? Assume you set up an Active-Active cluster.

- A. Symmetric routing
- B. Failovers
- C. Asymmetric routing
- D. Anti-Spoofing

**Answer:** C

#### NEW QUESTION 314

What command verifies that the API server is responding?

- A. api stat
- B. api status
- C. show api\_status
- D. app\_get\_status

**Answer:** B

#### NEW QUESTION 315

When SecureXL is enabled, all packets should be accelerated, except packets that match the following conditions:

- A. All UDP packets
- B. All IPv6 Traffic
- C. All packets that match a rule whose source or destination is the Outside Corporate Network
- D. CIFS packets

**Answer:** D

#### NEW QUESTION 316

Joey want to configure NTP on R80 Security Management Server. He decided to do this via WebUI. What is the correct address to access the Web UI for Gaia platform via browser?

- A. [https://<Device\\_IP\\_Address>](https://<Device_IP_Address>)
- B. [http://<Device\\_IP\\_Address>:443](http://<Device_IP_Address>:443)
- C. [https://<Device\\_IP\\_Address>:10000](https://<Device_IP_Address>:10000)
- D. [https://<Device\\_IP\\_Address>:4434](https://<Device_IP_Address>:4434)

**Answer:** A

#### NEW QUESTION 321

In which formats can Threat Emulation forensics reports be viewed in?

- A. TXT, XML and CSV
- B. PDF and TXT
- C. PDF, HTML, and XML
- D. PDF and HTML

**Answer:** C

#### NEW QUESTION 324

With SecureXL enabled, accelerated packets will pass through the following:

- A. Network Interface Card, OSI Network Layer, OS IP Stack, and the Acceleration Device
- B. Network Interface Card, Check Point Firewall Kernel, and the Acceleration Device
- C. Network Interface Card and the Acceleration Device
- D. Network Interface Card, OSI Network Layer, and the Acceleration Device

**Answer:** C

#### NEW QUESTION 328

Automatic affinity means that if SecureXL is running, the affinity for each interface is automatically reset every

- A. 15 sec
- B. 60 sec
- C. 5 sec
- D. 30 sec

**Answer:** B

#### NEW QUESTION 329

Which command is used to set the CCP protocol to Multicast?

- A. `cphaprob set_ccp multicast`
- B. `cphaconf set_ccp multicast`
- C. `cphaconf set_ccp no_broadcast`
- D. `cphaprob set_ccp no_broadcast`

**Answer:** B

#### NEW QUESTION 333

fwssd is a child process of which of the following Check Point daemons?

- A. fwd
- B. cpwd
- C. fwm
- D. cpd

**Answer:** A

#### NEW QUESTION 337

The Firewall Administrator is required to create 100 new host objects with different IP addresses. What API command can he use in the script to achieve the requirement?



- A. add host name <New HostName> ip-address <ip address>
- B. add hostname <New HostName> ip-address <ip address>
- C. set host name <New HostName> ip-address <ip address>
- D. set hostname <New HostName> ip-address <ip address>

**Answer:** A

#### NEW QUESTION 340

Can multiple administrators connect to a Security Management Server at the same time?

- A. No, only one can be connected
- B. Yes, all administrators can modify a network object at the same time
- C. Yes, every administrator has their own username, and works in a session that is independent of other administrators.
- D. Yes, but only one has the right to write.

**Answer:** C

#### NEW QUESTION 344

How is communication between different Check Point components secured in R80? As with all questions, select the BEST answer.

- A. By using IPSEC
- B. By using SIC
- C. By using ICA
- D. By using 3DES

**Answer:** B

#### NEW QUESTION 346

What is the difference between an event and a log?

- A. Events are generated at gateway according to Event Policy
- B. A log entry becomes an event when it matches any rule defined in Event Policy
- C. Events are collected with SmartWorkflow form Trouble Ticket systems
- D. Log and Events are synonyms

**Answer:** B

#### NEW QUESTION 350

What is the purpose of a SmartEvent Correlation Unit?

- A. The SmartEvent Correlation Unit is designed to check the connection reliability from SmartConsole to the SmartEvent Server.
- B. The SmartEvent Correlation Unit's task is to assign severity levels to the identified events.
- C. The Correlation unit role is to evaluate logs from the log server component to identify patterns/threats and convert them to events.
- D. The SmartEvent Correlation Unit is designed to check the availability of the SmartReporter Server.

**Answer:** C

#### NEW QUESTION 351

Which CLI command will reset the IPS pattern matcher statistics?

- A. ips reset pmstat
- B. ips pstats reset
- C. ips pmstats refresh
- D. ips pmstats reset

**Answer:** D

#### NEW QUESTION 352

In which VPN community is a satellite VPN gateway not allowed to create a VPN tunnel with another satellite VPN gateway?

- A. Pentagon
- B. Combined
- C. Meshed
- D. Star

**Answer:** D

#### NEW QUESTION 353

If an administrator wants to add manual NAT for addresses now owned by the Check Point firewall, what else is necessary to be completed for it to function properly?

- A. Nothing - the proxy ARP is automatically handled in the R80 version
- B. Add the proxy ARP configurations in a file called /etc/conf/local.arp
- C. Add the proxy ARP configurations in a file called \$FWDIR/conf/local.arp
- D. Add the proxy ARP configurations in a file called \$CPDIR/conf/local.arp

**Answer:** D

#### NEW QUESTION 356

In the Firewall chain mode FFF refers to:

- A. Stateful Packets
- B. No Match
- C. All Packets
- D. Stateless Packets

**Answer:** C

#### NEW QUESTION 359

What is the order of NAT priorities?

- A. Static NAT, IP pool NAT, hide NAT
- B. IP pool NAT, static NAT, hide NAT
- C. Static NAT, automatic NAT, hide NAT
- D. Static NAT, hide NAT, IP pool NAT

**Answer:** A

#### NEW QUESTION 361

What Factor preclude Secure XL Templating?

- A. Source Port Ranges/Encrypted Connections
- B. IPS
- C. ClusterXL in load sharing Mode
- D. CoreXL

**Answer:** A

#### NEW QUESTION 365

Office mode means that:

- A. SecurID client assigns a routable MAC address
- B. After the user authenticates for a tunnel, the VPN gateway assigns a routable IP address to the remote client.
- C. Users authenticate with an Internet browser and use secure HTTPS connection.
- D. Local ISP (Internet service Provider) assigns a non-routable IP address to the remote user.
- E. Allows a security gateway to assign a remote client an IP address
- F. After the user authenticates for a tunnel, the VPN gateway assigns a routable IP address to the remote client.

**Answer:** D

#### NEW QUESTION 367

Which is the least ideal Synchronization Status for Security Management Server High Availability deployment?

- A. Synchronized
- B. Never been synchronized
- C. Lagging
- D. Collision

**Answer:** D

#### NEW QUESTION 372

You have a Gateway is running with 2 cores. You plan to add a second gateway to build a cluster and used a device with 4 cores. How many cores can be used in a Cluster for Firewall-kernel on the new device?

- A. 3
- B. 2
- C. 1
- D. 4

**Answer:** D

#### NEW QUESTION 377

SandBlast agent extends 0 day prevention to what part of the network?

- A. Web Browsers and user devices
- B. DMZ server
- C. Cloud
- D. Email servers

**Answer:** A

#### NEW QUESTION 380

What is the Implicit Clean-up Rule?

- A. A setting is defined in the Global Properties for all policies.
- B. A setting that is configured per Policy Layer.
- C. Another name for the Clean-up Rule.
- D. Automatically created when the Clean-up Rule is defined.

**Answer:** C

#### NEW QUESTION 383

Which application should you use to install a contract file?

- A. SmartView Monitor
- B. WebUI
- C. SmartUpdate
- D. SmartProvisioning

**Answer:** C

#### NEW QUESTION 386

Fill in the blank: The R80 utility fw monitor is used to troubleshoot \_\_\_\_\_ .

- A. User data base corruption
- B. LDAP conflicts
- C. Traffic issues
- D. Phase two key negotiations

**Answer:** C

#### Explanation:

Check Point's FW Monitor is a powerful built-in tool for capturing network traffic at the packet level. The FW Monitor utility captures network packets at multiple capture points along the FireWall inspection chains. These captured packets can be inspected later using the WireShark.

#### NEW QUESTION 387

You notice that your firewall is under a DDoS attack and would like to enable the Penalty Box feature, which command you use?

- A. sim erdos -e 1
- B. sim erdos -m 1
- C. sim erdos -v 1
- D. sim erdos -x 1

**Answer:** A

#### NEW QUESTION 392

Traffic from source 192.168.1.1 is going to www.google.com. The Application Control Blade on the gateway is inspecting the traffic. Assuming acceleration is enabled which path is handling the traffic?

- A. Slow Path
- B. Medium Path
- C. Fast Path
- D. Accelerated Path

**Answer:** A

#### NEW QUESTION 394

Which Check Point software blade provides protection from zero-day and undiscovered threats?

- A. Firewall
- B. Threat Emulation
- C. Application Control
- D. Threat Extraction

**Answer:** B

#### NEW QUESTION 396

Which NAT rules are prioritized first?

- A. Post-Automatic/Manual NAT rules
- B. Manual/Pre-Automatic NAT
- C. Automatic Hide NAT
- D. Automatic Static NAT

**Answer:** B

#### NEW QUESTION 399

When an encrypted packet is decrypted, where does this happen?

- A. Security policy
- B. Inbound chain
- C. Outbound chain
- D. Decryption is not supported

**Answer:** A

#### NEW QUESTION 403

What are types of Check Point APIs available currently as part of R80.10 code?

- A. Security Gateway API Management API, Threat Prevention API and Identity Awareness Web Services API
- B. Management API, Threat Prevention API, Identity Awareness Web Services API and OPSEC SDK API
- C. OSE API, OPSEC SDK API, Threat Extraction API and Policy Editor API
- D. CPMI API, Management API, Threat Prevention API and Identity Awareness Web Services API

**Answer:** B

#### NEW QUESTION 406

The Firewall kernel is replicated multiple times, therefore:

- A. The Firewall kernel only touches the packet if the connection is accelerated
- B. The Firewall can run different policies per core
- C. The Firewall kernel is replicated only with new connections and deletes itself once the connection times out
- D. The Firewall can run the same policy on all cores.

**Answer:** D

#### Explanation:

On a Security Gateway with CoreXL enabled, the Firewall kernel is replicated multiple times. Each replicated copy, or instance, runs on one processing core. These instances handle traffic concurrently, and each instance is a complete and independent inspection kernel. When CoreXL is enabled, all the kernel instances in the Security Gateway process traffic through the same interfaces and apply the same security policy.

#### NEW QUESTION 409

Customer's R80 management server needs to be upgraded to R80.10. What is the best upgrade method when the management server is not connected to the Internet?

- A. Export R80 configuration, clean install R80.10 and import the configuration
- B. CPUSE offline upgrade
- C. CPUSE online upgrade
- D. SmartUpdate upgrade

**Answer:** C

#### NEW QUESTION 413

Which one of the following is true about Capsule Connect?

- A. It is a full layer 3 VPN client
- B. It offers full enterprise mobility management
- C. It is supported only on iOS phones and Windows PCs
- D. It does not support all VPN authentication methods

**Answer:** A

#### NEW QUESTION 415

What is the purpose of extended master key extension/session hash?

- A. UDP VOIP protocol extension
- B. In case of TLS1.x it is a prevention of a Man-in-the-Middle attack/disclosure of the client-server communication
- C. Special TCP handshaking extension
- D. Supplement DLP data watermark

**Answer:** B

#### NEW QUESTION 418

The log server sends what to the Correlation Unit?

- A. Authentication requests
- B. CPMI dbsync
- C. Logs
- D. Event Policy

**Answer:** D

**NEW QUESTION 421**

Which view is NOT a valid CPVIEW view?

- A. IDA
- B. RAD
- C. PDP
- D. VPN

**Answer:** C

**NEW QUESTION 426**

Which command shows detailed information about VPN tunnels?

- A. cat \$FWDIR/conf/vpn.conf
- B. vpn tu tlist
- C. vpn tu
- D. cpview

**Answer:** B

**NEW QUESTION 427**

During the Check Point Stateful Inspection Process, for packets that do not pass Firewall Kernel Inspection and are rejected by the rule definition, packets are:

- A. Dropped without sending a negative acknowledgment
- B. Dropped without logs and without sending a negative acknowledgment
- C. Dropped with negative acknowledgment
- D. Dropped with logs and without sending a negative acknowledgment

**Answer:** D

**NEW QUESTION 428**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 156-315.80 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 156-315.80 Product From:

<https://www.2passeasy.com/dumps/156-315.80/>

## Money Back Guarantee

### 156-315.80 Practice Exam Features:

- \* 156-315.80 Questions and Answers Updated Frequently
- \* 156-315.80 Practice Questions Verified by Expert Senior Certified Staff
- \* 156-315.80 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 156-315.80 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year