

SAA-C02 Dumps

AWS Certified Solutions Architect - Associate (SAA-C02)

<https://www.certleader.com/SAA-C02-dumps.html>



NEW QUESTION 1

A company has deployed an API in a VPC behind an internet-facing Application Load Balancer (ALB). An application that consumes the API as a client is deployed in a second account in private subnets behind a NAT gateway. When requests to the client application increase, the NAT gateway costs are higher than expected. A solutions architect has configured the ALB to be internal.

Which combination of architectural changes will reduce the NAT gateway costs? (Select TWO)

- A. Configure a VPC peering connection between the two VPC
- B. Access the API using the private address
- C. Configure an AWS Direct Connect connection between the two VPC
- D. Access the API using the private address.
- E. Configure a ClassicLink connection for the API into the client VPC. Access the API using the ClassicLink address.
- F. Configure a PrivateLink connection for the API into the client VPC
- G. Access the API using the PrivateLink address.
- H. Configure an AWS Resource Access Manager connection between the two accounts. Access the API using the private address

Answer: DE

NEW QUESTION 2

A company's application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. On the first day of every month at midnight, the application becomes much slower when the month-end financial calculation batch executes. This causes the CPU utilization of the EC2 instances to immediately peak to 100%, which disrupts the application. What should a solutions architect recommend to ensure the application is able to handle the workload and avoid downtime?

- A. Configure an Amazon CloudFront distribution in front of the ALB
- B. Configure an EC2 Auto Scaling simple scaling policy based on CPU utilization
- C. Configure an EC2 Auto Scaling scheduled scaling policy based on the monthly schedule.
- D. Configure Amazon ElastiCache to remove some of the workload from the EC2 instances

Answer: C

NEW QUESTION 3

A static website is stored within an Amazon S3 bucket. A solutions architect needs to ensure that the website is available in multiple regions. Which action will accomplish this?

- A. Enable Amazon S3 versioning
- B. Enable Amazon S3 Intelligent-Tiering.
- C. Enable an Amazon S3 lifecycle policy
- D. Enable Amazon S3 cross-Region replication.

Answer: A

NEW QUESTION 4

A company is migrating from an on-premises infrastructure to the AWS Cloud. One of the company's applications stores files on a Windows file server farm that uses Distributed File System Replication (DFS-R) to keep data in sync. A solutions architect needs to replace the file server farm. Which service should the solutions architect use?

- A. Amazon EFS
- B. Amazon FSx
- C. Amazon S3
- D. AWS Storage Gateway

Answer: B

NEW QUESTION 5

A recently acquired company is required to build its own infrastructure on AWS and migrate multiple applications to the cloud within a month. Each application has approximately 50 TB of data to be transferred. After the migration is complete, this company and its parent company will both require secure network connectivity with consistent throughput from their data centers to the applications. A solutions architect must ensure one-time data migration and ongoing network connectivity. Which solution will meet these requirements?

- A. AWS Direct Connect for both the initial transfer and ongoing connectivity
- B. AWS Site-to-Site VPN for both the initial transfer and ongoing connectivity
- C. AWS Snowball for the initial transfer and AWS Direct Connect for ongoing connectivity
- D. AWS Snowball for the initial transfer and AWS Site-to-Site VPN for ongoing connectivity

Answer: C

NEW QUESTION 6

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained. What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions

Answer: D

NEW QUESTION 7

A solutions architect is designing a high performance computing (HPC) workload on Amazon EC2. The EC2 instances need to communicate to each other frequently and require network performance with low latency and high throughput. Which EC2 configuration meets these requirements?

- A. Launch the EC2 instances in a cluster placement group in one Availability Zone
- B. Launch the EC2 instances in a spread placement group in one Availability Zone
- C. Launch the EC2 instances in an Auto Scaling group in two Regions and peer the VPCs
- D. Launch the EC2 instances in an Auto Scaling group spanning multiple Availability Zones

Answer: A

NEW QUESTION 8

A solutions architect has created a new AWS account and must secure AWS account root user access. Which combination of actions will accomplish this? (Select TWO.)

- A. Ensure the root user uses a strong password
- B. Enable multi-factor authentication to the root user
- C. Store root user access keys in an encrypted Amazon S3 bucket
- D. Add the root user to a group containing administrative permissions.
- E. Apply the required permissions to the root user with an inline policy document

Answer: AB

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/id_root-user.html

NEW QUESTION 9

A Solutions Architect must design a web application that will be hosted on AWS, allowing users to purchase access to premium, shared content that is stored in an S3 bucket. Upon payment, content will be available for download for 14 days before the user is denied access. Which of the following would be the LEAST complicated implementation?

- A. Use an Amazon CloudFront distribution with an origin access identity (OAI). Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design a Lambda function to remove data that is older than 14 days.
- B. Use an S3 bucket and provide direct access to the file. Design the application to track purchases in a DynamoDB table. Configure a Lambda function to remove data that is older than 14 days based on a query to Amazon DynamoDB.
- C. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 14 days for the URL.
- D. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 60 minutes for the URL and recreate the URL as necessary.

Answer: C

NEW QUESTION 10

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored. Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.
- B. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.
- C. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.
- D. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

Answer: C

NEW QUESTION 10

A company hosts its product information webpages on AWS. The existing solution uses multiple Amazon EC2 instances behind an Application Load Balancer in an Auto Scaling group. The website also uses a custom DNS name and communicates with HTTPS only using a dedicated SSL certificate. The company is planning a new product launch and wants to be sure that users from around the world have the best possible experience on the new website. What should a solutions architect do to meet these requirements?

- A. Redesign the application to use Amazon CloudFront.
- B. Redesign the application to use AWS Elastic Beanstalk.
- C. Redesign the application to use a Network Load Balancer.
- D. Redesign the application to use Amazon S3 static website hosting.

Answer: A

NEW QUESTION 11

A company's application is running on Amazon EC2 instances in a single Region. In the event of a disaster, a solutions architect needs to ensure that the resources can also be deployed to a second Region.

Which combination of actions should the solutions architect take to accomplish this? (Select TWO)

- A. Detach a volume on an EC2 instance and copy it to Amazon S3
- B. Launch a new EC2 instance from an Amazon Machine Image (AMI) in a new Region
- C. Launch a new EC2 instance in a new Region and copy a volume from Amazon S3 to the new instance
- D. Copy an Amazon Machine Image (AMI) of an EC2 instance and specify a different Region for the destination
- E. Copy an Amazon Elastic Block Store (Amazon EBS) volume from Amazon S3 and launch an EC2 instance in the destination Region using that EBS volume

Answer: BD

NEW QUESTION 15

A company captures clickstream data from multiple websites and analyzes it using batch processing. The data is loaded nightly into Amazon Redshift and is consumed by business analysts. The company wants to move towards near-real-time data processing for timely insights. The solution should process the streaming data with minimal effort and operational overhead.

Which combination of AWS services are MOST cost-effective for this solution? (Choose two.)

- A. Amazon EC2
- B. AWS Lambda
- C. Amazon Kinesis Data Streams
- D. Amazon Kinesis Data Firehose
- E. Amazon Kinesis Data Analytics

Answer: AD

NEW QUESTION 18

A media streaming company collects real-time data and stores it in a disk-optimized database system. The company is not getting the expected throughput and wants an in-memory database storage solution that performs faster and provides high availability using data replication.

Which database should a solutions architect recommend?

- A. Amazon RDS for MySQL
- B. Amazon RDS for PostgreSQL
- C. Amazon ElastiCache for Redis
- D. Amazon ElastiCache for Memcached

Answer: C

NEW QUESTION 23

A company has a three-tier image-sharing application. It uses an Amazon EC2 instance for the front-end layer, another for the backend tier, and a third for the MySQL database. A solutions architect has been tasked with designing a solution that is highly available, and requires the least amount of changes to the application.

Which solution meets these requirements?

- A. Use Amazon S3 to host the front-end layer and AWS Lambda functions for the backend layer. Move the database to an Amazon DynamoDB table and use Amazon S3 to store and serve users' images.
- B. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end and backend layers. Move the database to an Amazon RDS instance with multiple read replicas to store and serve users' images.
- C. Use Amazon S3 to host the front-end layer and a fleet of Amazon EC2 instances in an Auto Scaling group for the backend layer. Move the database to a memory-optimized instance type to store and serve users' images.
- D. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end and backend layers. Move the database to an Amazon RDS instance with a Multi-AZ deployment. Use Amazon S3 to store and serve users' images.

Answer: D

NEW QUESTION 28

A company has a two-tier application architecture that runs in public and private subnets. Amazon EC2 instances running the web application are in the public subnet, and a database runs on the private subnet. The web application instances and the database are running in a single Availability Zone (AZ).

Which combination of steps should a solutions architect take to provide high availability for this architecture? (Select TWO.)

- A. Create new public and private subnets in the same AZ for high availability.
- B. Create an Amazon EC2 Auto Scaling group and Application Load Balancer spanning multiple AZs.
- C. Add the existing web application instances to an Auto Scaling group behind an Application Load Balancer.
- D. Create new public and private subnets in a new AZ. Create a database using Amazon EC2 in one AZ.
- E. Create new public and private subnets in the same VPC, each in a new AZ. Migrate the database to an Amazon RDS multi-AZ deployment.

Answer: BE

NEW QUESTION 33

A solutions architect is designing a new service behind Amazon API Gateway. The request patterns for the service will be unpredictable and can change suddenly from 0 requests to over 500 per second. The total size of the data that needs to be persisted in a backend database is currently less than 1 GB with unpredictable future growth. Data can be queried using simple key-value requests.

Which combination of AWS services would meet these requirements? (Select TWO.)

- A. AWS Fargate
- B. AWS Lambda
- C. Amazon DynamoDB

- D. Amazon EC2 Auto Scaling
- E. MySQL-compatible Amazon Aurora

Answer: BC

NEW QUESTION 35

A company hosts an application on multiple Amazon EC2 instances. The application processes messages from an Amazon SQS queue, writes to an Amazon RDS table, and deletes the message from the queue. Occasional duplicate records are found in the RDS table. The SQS queue does not contain any duplicate messages. What should a solutions architect do to ensure messages are being processed once only?

- A. Use the CreateQueue API call to create a new queue
- B. Use the AddPermission API call to add appropriate permissions
- C. Use the ReceiveMessage API call to set an appropriate wait time.
- D. Use the ChangeMessageVisibility API call to increase the visibility timeout

Answer: D

NEW QUESTION 40

A company currently operates a web application backed by an Amazon RDS MySQL database. It has automated backups that are run daily and are not encrypted. A security audit requires future backups to be encrypted and the unencrypted backups to be destroyed. The company will make at least one encrypted backup before destroying the old backups. What should be done to enable encryption for future backups?

- A. Enable default encryption for the Amazon S3 bucket where backups are stored
- B. Modify the backup section of the database configuration to toggle the Enable encryption check box
- C. Create a snapshot of the database. Copy it to an encrypted snapshot. Restore the database from the encrypted snapshot
- D. Enable an encrypted read replica on RDS for MySQL. Promote the encrypted read replica to primary. Remove the original database instance

Answer: C

NEW QUESTION 42

A solutions architect is designing a web application that will run on Amazon EC2 instances behind an Application Load Balancer (ALB). The company strictly requires that the application be resilient against malicious internet activity and attacks, and protect against new common vulnerabilities and exposures. What should the solutions architect recommend?

- A. Leverage Amazon CloudFront with the ALB endpoint as the origin
- B. Deploy an appropriate managed rule for AWS WAF and associate it with the ALB
- C. Subscribe to AWS Shield Advanced and ensure common vulnerabilities and exposures are blocked
- D. Configure network ACLs and security groups to allow only ports 80 and 443 to access the EC2 instances

Answer: B

NEW QUESTION 46

A solutions architect is designing an application for a two-step order process. The first step is synchronous and must return to the user with little latency. The second step takes longer, so it will be implemented in a separate component. Orders must be processed exactly once and in the order in which they are received. How should the solutions architect integrate these components?

- A. Use Amazon SQS FIFO queues.
- B. Use an AWS Lambda function along with Amazon SQS standard queues
- C. Create an SNS topic and subscribe an Amazon SQS FIFO queue to that topic
- D. Create an SNS topic and subscribe an Amazon SQS Standard queue to that topic.

Answer: C

NEW QUESTION 51

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SAA-C02 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SAA-C02-dumps.html>