

## Exam Questions HPE2-T37

Using HPE OneView

<https://www.2passeasy.com/dumps/HPE2-T37/>



#### NEW QUESTION 1

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. iLO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

**Answer:** A

#### NEW QUESTION 2

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

**Answer:** B

#### NEW QUESTION 3

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Fabric Type

#### NEW QUESTION 4

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode. What must you do next?

- A. reset an il\_0 management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS
- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

**Answer:** A

#### NEW QUESTION 5

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced. Click the appropriate configuration option.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
Connections

#### NEW QUESTION 6

Which locations are supported for HPE OneView remote scheduled backup? (Choose two.)

- A. SCP
- B. HTTPS
- C. SFTP
- D. HTTP
- E. FTP

**Answer:** AC

**Explanation:**  
Scheduled to be uploaded to the remote location.

#### NEW QUESTION 7

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is very dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

**Answer:** C

#### NEW QUESTION 8

Which statement about managing an HPE BladeSystem server is true?

- A. A multi-enclosure Virtual Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView. It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystem enclosures can be imported to HPE OneView for monitoring

**Answer:** B

#### NEW QUESTION 9

You are deploying HPE OneView to manage a customer's HPE ProLiant servers. Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During HPE OneView deployment, customer may select to configure proprietary HA mode.

**Answer:** C

#### NEW QUESTION 10

Click option that will allow you to select a FlexNIC function for the specified connection.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface Description automatically generated

**NEW QUESTION 10**

You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to iLO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

**Answer:** A

**NEW QUESTION 11**

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 16**

Which HPE components can be managed using HPE Composer? (select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

**Answer:** BD

**NEW QUESTION 19**

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

**Answer:** C

**NEW QUESTION 20**

You need to make sure that server ports connected to this network cannot communicate with each other within the logical interconnect. Click the option within the network definition that will allow you to configure the required parameter.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Tagged

**NEW QUESTION 25**

Which statement about an HPE OneView server profile is true?

- A. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.
- B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type.
- C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage.
- D. A server profile can be used to update firmware and drivers when the operating system on the server is up and running.

**Answer:** B

**NEW QUESTION 27**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE2-T37 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE2-T37 Product From:

<https://www.2passeasy.com/dumps/HPE2-T37/>

## Money Back Guarantee

### **HPE2-T37 Practice Exam Features:**

- \* HPE2-T37 Questions and Answers Updated Frequently
- \* HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year