



# **F5-Networks**

## **Exam Questions 101**

Application Delivery Fundamentals

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

TI SSSL prides which functionary when a web browser connects to web site using the HTTPS protocol?

- A. delivers secure communication over a network connection
- B. prevents the web server from being compromised
- C. protects network packets from interception by intermediaries
- D. stop the web browser from automatically downloading malware

**Answer: A**

#### NEW QUESTION 2

BIG-IP Administrator runs the command ITconfig from the BIG-IP command the line end sees a high number of collisions. What is the likely cause?

- A. There is a duplicate IP address on the network
- B. A crossover cable has been used
- C. The interface is set to half duplex
- D. Spanning Tree Protocols blocking the con

**Answer: D**


#### NEW QUESTION 3

What does HTTP status code 500 mean?

- A. Service unavailable
- B. Internal server error
- C. Gateway timeout
- D. Bad gateway

**Answer: B**

#### NEW QUESTION 4



```
01071682:5: SNMP_TRAP: Virtual /Common/GOLF-HO
01010028:3: No members available for pool /Com
01010029:5: Clock advanced by 669 ticks
01140029:4: HA vlan_fs /Common/EXTERNAL fails a
010c0052:5: Standby for traffic group /Common/t
010c0018:5: Standby
01010029:5: Clock advanced by 652 ticks
```

- A) 
- B) 
- C) 

- A. Option
- B. Option
- C. Option

**Answer: A**

#### NEW QUESTION 5

An administrator needs to assess an LTM for potential configuration issues and required security updates. Which F5 website can automate this task?

- A. addf5f5.com
- B. ihealth5.com
- C. Devcentral f5.ccom
- D. www.f5.Com

**Answer: B**

**Explanation:**

<https://www.f5.com/services/support/support-offerings/big-ip-ihealth-diagnostic-tool>

**NEW QUESTION 6**

Client A from the 192. 162. 168.0. 0 0/24 network wants to send a Ping to Client B on 10.10.10..0/24.

- The Default Gateway from Client A IS 192.168.0. 1
- The MAC Address of Client A is 00 11. 11. 11. 11
- The MAC Address of client B is 00.22 22.22.22
- The MAC Address of Default Gateway is 00. 33.33. 33. 33

What is the destination MAC Address of the ping packet when it leaves client A interface card?

- A. 00. 11. 11. 11. 11
- B. f1. f1. f1. f1. f1
- C. 00.33. 33. 33. 33
- D. 00. 22. 22. 22. 22

**Answer: C**

**NEW QUESTION 7**

What should a BIG-IP Administrator configure to minimize impact during a failure?

- A. MAC masquerading
- B. Clone pool
- C. External monitors
- D. One Connect profile

**Answer: A**

**NEW QUESTION 8**

The HTTP 1.1 standard is being used as part of communication to a server. The client fails to maintain the session within the maximum timeout defined by the server. Which device is responsible for ending the HTTP session?

- A. the load balancer
- B. the server
- C. the default gateway of the load balancer
- D. the client

**Answer: C**

**NEW QUESTION 9**

What is the primary function of a certificate authority?

- A. to expire outdated certificates
- B. to verify and validate certificates
- C. to store security certificates
- D. to sign certificate signing requests

**Answer: D**

**Explanation:**

[https://enWikipedia.org/wiki/Certificate\\_authority](https://enWikipedia.org/wiki/Certificate_authority)

**NEW QUESTION 10**


A BIG-IP Administrator is trying to send traffic to a server on the same subnet and sees an incomplete in the BIG-IP devices ARP table. What could cause the incomplete status?

- A. BIG-IP device connection is half-duplex
- B. Router does not have a default gateway
- C. Firewall is blocking ICMP
- D. Server's switch connection is in the wrong VLAN

**Answer: D**

**NEW QUESTION 10**

What is the correct procedure to comply with the recommendation?



- A. Download the product version image from ihealth f5 com
- B. Download the product version image from support 6 com
- C. Download the product version image from dovcentral f5.com
- D. Download the product version image from downloads f5.com

**Answer:** D

#### NEW QUESTION 12

Which command should a BIG-IP Administrator use to resolve the domain www. F5.com?

- A. grep
- B. ping
- C. dig
- D. find

**Answer:** C

#### NEW QUESTION 14


Which function does the Presentation Layer provide?

- A. translation and encryption
- B. transmission over a medium
- C. internetworking capabilities
- D. access to available resources

**Answer:** A

#### NEW QUESTION 17

What should the administrator investigate first to address this traffic slownes



- A. The virtual server indicates 14 slow connections killed
- B. The pool member is unchecked
- C. Interface 1.2 shows 9.2K errors
- D. The pool shows no current connections.

**Answer:** C

#### NEW QUESTION 18

What is an advantage of a packet forwarding architecture?

- A. allows for manipulation of HTTP headers
- B. allows for SSL offload
- C. reduces latency
- D. handles larger packet sizes

**Answer:** C



#### NEW QUESTION 20

A website is using source address persistence with a 30 second timeout A client is idle for 35 seconds What happens to their connection?

- A. The client receives a "404 Page Not Found" error
- B. The client connection is dropped
- C. The client remains on the same server
- D. The Client request is load balanced

**Answer:** D

#### Explanation:

[http://support.f5.com/kb/en-us/products/big\\_ip\\_ltm/manuals/product/lrm-concepts-1-1-2-1/lrm\\_persist\\_files.html](http://support.f5.com/kb/en-us/products/big_ip_ltm/manuals/product/lrm-concepts-1-1-2-1/lrm_persist_files.html)

#### NEW QUESTION 23

A BIG IP virtual Server with an IP address of 10.100.43.108 must be available to public internet users. Which technology should be used to achieve this task?

- A. NDP
- B. DNS
- C. NAT
- D. ARP

**Answer:** C

#### Explanation:

10 x.x.x/8 is an RFC 1918 reserved private IP address. It must be NATted from a publicly accessible IP for access from the internet

#### NEW QUESTION 24

which version of SNMP can AuthPriv be used?

- A. 2
- B. 3
- C. 2c
- D. 3c

**Answer:** B

#### NEW QUESTION 29

A BIG-IP Administrator needs to configure a MAC masquerade address for traffic-group 1. Where on the GUI should this configuration be performed?

- A. System > Configuration Device General > ltraffic-group-1
- B. Local Traffic > Traffic Class > traffic -group-1
- C. Device Management > Traffic Groups > traffic-group-1
- D. Network > ARP Static List > traffic-group-1

**Answer:** C

#### NEW QUESTION 31

An administrator suspects that a BIG IP appliance is experiencing performing issue due to spikes in CPU usage checks the performance issues does to spikes in CPU usage checks the performance report in the BIG-IP UI on CPU spikes are evident in the graphs. Which section in the BIG IP UI can the administrator check to troubleshoot the issue further?

- A. Statistics > Utilization
- B. System . Utilization
- C. Statics > Dashboard
- D. System > Services

**Answer:** C

#### NEW QUESTION 36

Which service should be configured to allow BIG-IP devices to be externally monitored?

- A. SSHD
- B. TMSH
- C. SMTP
- D. SNMP

**Answer:** D

#### NEW QUESTION 37

A user fails to provide credentials when requesting a web resource that requires authentication. Which HTTP response code does the server send?

- A. HTTP 200
- B. HTTP 302
- C. HTTP 401

D. HTTP 502

**Answer:** C

**Explanation:**

<https://httpstatuses.com/401>

#### NEW QUESTION 42

in which scenario would an SSL VPN solution have an advantage over an IPSec VPN?

- A. when users are unable to install software on their PC
- B. when users require a secure connection to the corporate network
- C. when users work remotely
- D. when users require the ability to RDP to internal resources

**Answer:** C

#### NEW QUESTION 43

An administrator configures a default gateway for the host. What is the purpose of a default gateway?

- A. to replace the destination IP address with the default gateway
- B. to pass all traffic to the default gateway
- C. to forward packets to remote networks
- D. to populate the ARP table

**Answer:** C

#### NEW QUESTION 44

In which scenario does the client act as a server?

- A. During an active FTP session
- B. When an SMTP connection
- C. During an SMTP connection
- D. When browsing websites

**Answer:** A

#### NEW QUESTION 48

In which FTP mode is the serve, responsible for initiating the data correction back to the client?

- A. Protected FTP
- B. Active FTP
- C. Secure FTP
- D. Passive FTP

**Answer:** B

**Explanation:**

<https://support.f5.com/csp/article/K08859735>

#### NEW QUESTION 51

Exhibit.



the Web application Server made a query to the Database to present dynamic content for a user who would be the client?

- A. The User
- B. The Big-IP
- C. The Database
- D. The Web application server

**Answer:** D

#### NEW QUESTION 54

A BIG-IP Administrator is cleaning up unused Virtual Servers and pools via the Configuration Utility while trying to delete certain administrator receives an error message that indicates that the pool is in use.

What is the likely cause of this error?

- A. The pool members are all disabled
- B. The pool is in use by a Virtual Server
- C. The pool members are marked up with a green circle
- D. The pool is in use by a monitor

**Answer:** B

#### NEW QUESTION 56

A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named LACP01) connected to the BIG IP device, Multiple other VLANs exist on LACP01. Which TMSH command should the BIG IP Administrator issue to add the new VLAN to the existing LAC?

A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named IACP01) connected to the BIG IP device Multiple other VLANs exist on LACP01. Which TMSH command should the BIG IP Administrator issue to add the new VLAN to the existing LAC?

- A. create net vlan VIAN40 (interfaces replace all with {LACP01 (untagged ) } lag 40 )
- B. create net vian VLAN40 (interfaces add { LACP01 {tagged} tag JO J
- C. create net vian VLAN40 {interfaces add ( LACP01 {untagged}) tag 40}
- D. create net wan VLAN40 {interfaces replace all with {LACP01 {tagged }} lag 40 }

**Answer:** B

#### Explanation:

Tagged" VLAN is how F5 refers to a VIAN within an 802.1q trunk. The fact that it is an FS trunk' or an LACP/etherchannel link only changeshowthe interface is referred to in the command.

#### NEW QUESTION 58

An organization needs to protect its data center from layer three-based and layer four-based exploits. Which F5 product provides this functionality

- A. AFM
- B. ASM
- C. GTM
- D. APM

**Answer:** A

#### Explanation:

<https://www.f5.com/products/security/advanced-firewall-manager>

#### NEW QUESTION 61

A client's operating system needs to make sure that data received from a server is mapped to the application that requested it. How does it complete this mapping?

- A. using the TCP sequence number
- B. using the client source port
- C. using the TCP acknowledgement number
- D. using the server source port

**Answer:** B

#### NEW QUESTION 64

Which protocol does an internet host use to request the hardware address of an IP address?

- A. Reverse Address Resolution Protocol (RARP)
- B. Address Resolution Protocol (ARP)
- C. BOOTP
- D. Dynamic Host Configuration Protocol (DHCP)

**Answer:** B

#### NEW QUESTION 66

There is no SFP plugged into the port.



Interface								
Port	Status	Bytes In	Bytes Out	Pkts In	Pkts Out	Drops	Errs	Media
1-1	up	10,80	110,9M	10,1M	220,5K	21,1M	0	1000T-1D
1-2	down	0	0	0	0	0	0	none
1-3	down	0	0	0	0	0	0	none
1-4	down	0	0	0	0	0	0	none
1-5	down	0	0	0	0	0	0	none
1-6	down	0	0	0	0	0	0	none
1-7	down	0	0	0	0	0	0	none
1-8	down	0	0	0	0	0	0	none
2-1	miss	0	0	0	0	0	0	none
2-2	miss	0	0	0	0	0	0	none
2-3	miss	0	0	0	0	0	0	none
2-4	miss	0	0	0	0	0	0	none
total	up	10,80	110,9M	10,1M	220,5K	21,1M	0	none

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

There is no SFP plugged into the port.

**NEW QUESTION 67**


A certificate chain can be used for which purpose?

- A. Creating anonymous connections on the internet  
B. anchoring the geographic location of a client or server  
C. Ensuring multiple layers of decryption and encryption  
D. Determining a client or server should be trusted

**Answer:** D

**NEW QUESTION 72**

Which of the following would happen?



- A. The PC sends a DNS query for 172. 17. 10. 1  
B. The PC sends an ARP looking for the MAC address of 172. 17. 10. 4  
C. The PC sends an ARP looking for the MAC address of 172. 17. 10. 1  
D. The PC sends a DNS query for 172.17.10.4

**Answer:** B

**NEW QUESTION 75**

A BIG IP Administrator observes that the pool member status is a blue square What does this status indicate?

- A. The object is available  
B. The availability of the object is unknown.  
C. The object has reached its configured connection limit  
D. The object is unavailable.

**Answer:** B

**NEW QUESTION 77**

Which function does a caching profile provide on the BIG IP server?

- A. caches client IP addresses to improve response times
- B. caches HTTP headers to improve server load times.
- C. caches selected pool members to improve load balancing times.
- D. caches data for reuse to cut down on transfer time for future requests

**Answer:** D

**Explanation:**

The ltmcache profile is a memory cache of data from pool members

**NEW QUESTION 79**

An Administrator enables HTTP keep alive. How does this affect the network?

- A. HTTP connections will remain open longer
- B. Fewer TCP connections will need to be opened
- C. HTTP connections will close when the keep-alive times out
- D. More TCP connections will need to be opened

**Answer:** B

**Explanation:**

<https://en.wikipedia.org/wiki/HTTPpersistentconnection>

**NEW QUESTION 81**

A device needs to decrypt traffic and send unencrypted traffic to the web server. Which method should the BIG-IP Administrator use?

- A. SSL Optimization
- B. SSL Caching
- C. SSL Termination
- D. SSL Bridging

**Answer:** C

**NEW QUESTION 84**

What is a benefit of configuring BIG-IP devices in active-active high availability mode?

- A. avoid Overload on the BIG-P system in the event of a failover
- B. allows full utilization of hardware purchased
- C. reduces troubleshooting complexity
- D. provides ability to upgrade a member of the pair without disruption

**Answer:** B

**NEW QUESTION 88**

Which HTTP response code indicates an OK status?

- A. 302
- B. 404
- C. 200
- D. 100

**Answer:** C

**NEW QUESTION 89**

Ping and Traceroute outputs are provided for a connectivity issue. What is the cause of these results?

- A. routing loop
- B. packets that are routed with a high metric
- C. multiple paths toward the destination

**Answer:** A

**NEW QUESTION 92**

A server is operating on the network 10.100/24. The BIG-IP device is operating on the 192.168.0.0/24 net. What is required to enable the server and BIG-IP device to communicate properly?

- A. Firewall
- B. Switch
- C. Router
- D. Hub

**Answer:** C

**NEW QUESTION 93**

Which protocol emphasizes reduced latency over reliability?

- A. TCP
- B. UDP
- C. GRE
- D. RSVP

**Answer:** B

#### NEW QUESTION 98

Which Datalink sublayer has the primary function of providing node-to-node flow and error control?

- A. LLC
- B. ARP
- C. MAC
- D. UDP

**Answer:** A

#### Explanation:

[https://en.wikipedia.org/wiki/Logical\\_link\\_control](https://en.wikipedia.org/wiki/Logical_link_control)

#### NEW QUESTION 103

A BIG-IP Administrator needs to configure a network to separate traffic into three different VLANs using a single port on the BIG-IP device. What means should be used to allow this?

- A. LACP link aggregation
- B. Multiple MAC registration Protocol
- C. 802.1Q VLAN tagging
- D. Port Spanning

**Answer:** C

#### NEW QUESTION 106

In an administrator's environment, the administrator wants to inspect a high volume of SSL traffic. What should be used for this task?

- A. Big-IP Global Traffic Manager appliance
- B. Big-IP standard virtual edition
- C. Big-IP Local Traffic Manager appliance
- D. Big-IP virtual edition with FIPS

**Answer:** C

#### NEW QUESTION 109

A web administrator has added content to a web application, but users are unable to access the new content. What could be preventing them from accessing the content?

- A. The webapp uses negative security, and the attack signature is using an invalid regular expression
- B. The webapp uses positive security
- C. and the signatures database has not been updated
- D. The webapp uses positive security, and the new content has not been defined as allowed behavior
- E. The webapp uses negative security
- F. and the denial of service signatures have not been updated

**Answer:** C

#### NEW QUESTION 112

The BIG-IP device is connected to the same network as a server.

Which communication protocol will the BIG-IP device use to discover the link layer address of the server?

- A. Ping
- B. ICMP
- C. RARP
- D. ARP

**Answer:** D

#### NEW QUESTION 115

Which two OSI layers map to IP subnetting and TCP window sizing functions? (Choose two)

- A. Application
- B. Data Link
- C. Transport
- D. Network Session

**Answer:** D

#### NEW QUESTION 118

A BIG IP Administrator needs to create a virtual server for a new secure end-to-end web application. After change in configuration the virtual server is still marked down. The configuration of the virtual server and the pool member are correct. A quick server shows the status.



To fix the issue, what should the BIG-IP Administrator inform the web server administrator to do?

- A. change web server configuration to use SSL/TLS
- B. reboot the server
- C. restart the web service
- D. change web server configuration to use SSH/SCP

**Answer:** A

#### Explanation:

If the application needs to be secure 'end-to-end' the web server needs to use SSL as well. Most web servers will not respond to HTTP requests when configured with HTTPS, so the monitor is failing.

#### NEW QUESTION 122

An administrator connects two devices using an Ethernet cable. The link fails to come up on either device, which setting could prevent the link from being established?

- A. Proxy settings
- B. IP configuration
- C. Link speed
- D. DNS resolvers

**Answer:** C

#### NEW QUESTION 125

ATP administrator recently added a new VLAN and needs to confirm that the BIG IP sees traffic on this VLAN. The VLAN is untagged on interface 1.1 and is named VLAN704 in the BIG IP Configuration Utility.

Which tool should be used to generate a packet capture that shows all traffic on this VLAN?

- A. netstat
- B. map
- C. tcpdump
- D. ifconfig

**Answer:** C

#### NEW QUESTION 129

An IPv6 client tries to connect to <http://myserver.com>

What type of DNS request should the client send to its configured server?

- A. type MX
- B. type AAAA
- C. type NS
- D. type A

**Answer:** B

#### NEW QUESTION 134

A BIG IP administrator recently reset statistics for interfaces 1.1 and 1.2. The administrator notices that traffic appears on a data plane interface without receiving any client requests. All nodes and pools have monitoring enabled, and all routes are locally defined on the device. All management traffic is sent over the mgmt interface. What is the nature of this traffic?

- A. SNMP polling and traps
- B. Health checks for nodes and pool members
- C. Dynamic routing protocols
- D. TCP Keepalives for nodes and pool members

**Answer:** B

#### Explanation:

Health checks typically will be sent via the tmm interface based on the tmm routing configuration.

#### NEW QUESTION 138

Which support service is required to synchronize the time stamps in system logs from these devices?

- A. SNMP

- B. Syslong
- C. SMTP
- D. DNS

**Answer:** B

#### NEW QUESTION 141

Layer 2 mapping information is announced by an interface without receiving a request for the mapping first. Which term describes this event?

- A. ICMP
- B. STP
- C. gratuitous ARP
- D. ARP

**Answer:** C

#### NEW QUESTION 142

Which protocol data unit (POU) is associated with the OSI model's Network layer

- A. Segment
- B. Datagram
- C. Bit
- D. Frame

**Answer:** B

#### NEW QUESTION 145

How does file caching affect the web application?

- A. It reduces the load on the web application
- B. It speeds up traffic to the web application
- C. It slows traffic to the web application
- D. It increases the load on the web application

**Answer:** A

#### NEW QUESTION 149

The BIG-IP device has the following configured routes:

Destination	Gateway
10.238.0.0/16	192.168.10.10
10.238.10.0/24	192.168.10.20
10.238.10.10/32	192.168.10.30
default	192.168.10.40


Which gateway will be chosen to send the packet to the destination 10.238.10.11?

- A. 192.168.10.20
- B. 192.168.10.40
- C. 192.168.10.30
- D. 192.168.10.10

**Answer:** A

#### NEW QUESTION 154

Which device type in the topology will forward network packets without an OSI layer 3 address assigned to a data plane interface?



- A. Router



- B. Firewall
- C. Application Server
- D. Switch

**Answer:** D

#### NEW QUESTION 156

What is a primary benefit of employing a load balancer to manage traffic for an application?

- A. It reduces the number of client connections
- B. It provides a more uniform client experience
- C. It allows easy scaling up of the application
- D. It Reduces dropped connections

**Answer:** C

#### NEW QUESTION 159

After all expected HTTP data has been sent from a server to a client, the client does not close connection. The server reaps the connection, but after that the client sends a "Keep alive "packet to the server.

Which type of packet will the server respond with?

- A. FiN
- B. RST
- C. ACK
- D. SYN

**Answer:** B

#### NEW QUESTION 161

A BIG IP Administrator reviews the Virtual Server configuration and sees the object status represented by a blue square for an unknown status. How should the administrator change the unknown status?

- A. restart the BIG-IP device
- B. assign a monitor to the pool
- C. restart the backend webserver
- D. run a packet capture on the BIG-IP device

**Answer:** B

#### NEW QUESTION 164

If there are multiple applications authenticated against a single identity store, which technology solution will simplify access to all applications?

- A. RADIUS
- B. single sign on
- C. multifactor authentication
- D. LDAP

**Answer:** B

#### NEW QUESTION 166

What command sends an "Echo Request" message and expects an "Echo Reply" message?

- A. ping
- B. netstal
- C. tcpdump
- D. echo

**Answer:** A

#### NEW QUESTION 171

An administrator is performing a capture from a lagged port on an Ethernet SWITCH.

Which OSI layer should be inspected to determine with which VLAN a datagram is associated?

- A. Network layer
- B. Data-link layer
- C. Application layer
- D. Transport layer

**Answer:** B

#### NEW QUESTION 176

A company is creating a new department for Security Engineering and needs to create a segregated network segment with only 24 IPS. What should be configured?

- A. configure a new VLAN and assign a netmask of /29

- B. use an existing VLAN and assign a netmask of /28
- C. use an existing VLAN and assign a netmask of /30
- D. configure a new VLAN and assign a netmask of /27

**Answer:** D

**Explanation:**

a /28 contains 14 usable IPs and a /27 contains 30 usable IPs

**NEW QUESTION 177**

An administrator needs to protect a web application from cross-site scripting (CSS) exploits. Which F5 protocol provides this functionality?

- A. ASM
- B. APM
- C. AFM
- D. GTM

**Answer:** A

**Explanation:**

<https://devcentral.f5.com/articles/the-big-ip-application-security-manager-part-1-what-is-the-asm>

**NEW QUESTION 181**

Comment calculator DNS error SERVFAIL. HTTP 404 and SMTP error 550 are all examples of which type of error?

- A. Service
- B. Application
- C. Network
- D. Session

**Answer:** B

**NEW QUESTION 186**

A BIG-IP Administrator needs to open a case with F5 Support for a specific issue with an existing HA pair of BIG-IP platform. What should be uploaded to iHealth prior to opening the case to expedite processing of the support case?

- A. UCS file
- B. SCF file
- C. tcpdump file
- D. Qkview file

**Answer:** D

**NEW QUESTION 191**

A server is capable of handling more connections than other servers in the same pool. Which load distribution method should the administrator choose?

- A. Least Connections
- B. Fastest
- C. Ratio
- D. Round Robin

**Answer:** C

**NEW QUESTION 194**

In which scenario is a packet forwarding architecture required?

- A. when HTTP header must be modified
- B. when cookie persistency is demanded
- C. when the server responds directly to the client
- D. when the number of TCP connections on the server should be reduced

**Answer:** C

**NEW QUESTION 196**


Web application <http://www.example.com> at 10.10.1.1.10 is unresponsive.

A recent change installed new firewalls in the network. Which command should be used to locate where data loss has occurred within the network?


A)




B)



C)



D)



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

**Explanation:**

Traceroute attempts to send ICMP-packets that expire further down the network and determine if a network device is responding or allowing traffic through.

**NEW QUESTION 198**

.....

## Relate Links

**100% Pass Your 101 Exam with ExamBible Prep Materials**

<https://www.exambible.com/101-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>