



Juniper

Exam Questions JN0-230

Security - Associate (JNCIA-SEC)

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which two feature on the SRX Series device are common across all Junos devices? (Choose two.)

- A. Stateless firewall filters
- B. UTM services
- C. The separation of control and forwarding planes
- D. screens

Answer: AC

NEW QUESTION 2

On an SRX Series device, how should you configure your IKE gateway if the remote endpoint is a branch office-using a dynamic IP address?

- A. Configure the IPsec policy to use MDS authentication.
- B. Configure the IKE policy to use aggressive mode.
- C. Configure the IPsec policy to use aggressive mode.
- D. Configure the IKE policy to use a static IP address

Answer: B

NEW QUESTION 3

What are two characteristic of static NAT SRX Series devices? (Choose two.)

- A. Source and destination NAT rules take precedence over static NAT rules.
- B. A reverse mapping rule is automatically created for the source translation.
- C. Static NAT rule take precedence over source and destination NAT rules.
- D. Static rules cannot coexist with destination NAT rules on the same SRX Series device configuration.

Answer: BC

NEW QUESTION 4

Which statement about IPsec is correct?

- A. IPsec can be used to transport native Layer 2 packets.
- B. IPsec can provide encapsulation but not encryption
- C. IPsec is a standards-based protocol.
- D. IPsec is used to provide data replication

Answer: C

NEW QUESTION 5

Exhibit.

Which two statements are true? (Choose two.)

- A. Logs for this security policy are generated.
- B. Logs for this security policy are not generated.
- C. Traffic static for this security policy are not generated.
- D. Traffic statistics for this security policy are generated.

Answer: AD

NEW QUESTION 6

Which statements is correct about Junos security zones?

- A. User-defined security must contain at least one interface.
- B. Security policies are referenced within a user-defined security zone.
- C. Logical interface are added to user defined security zones
- D. User-defined security must contains the key word "zone"

Answer: C

NEW QUESTION 7

What are configuring the antispam UTM feature on an SRX Series device.

Which two actions would be performed by the SRX Series device for e-mail that is identified as spam? (Choose two.)

- A. Tag the e-mail
- B. Queue the e-mail
- C. Block the e-mail
- D. Quarantine e-mail

Answer: AC

NEW QUESTION 8

You have created a zones-based security policy that permits traffic to a specific webserver for the marketing team. Other groups in the company are not permitted to access the webserver. When marketing users attempt to access the server they are unable to do so. What are two reasons for this access failure? (Choose two.)

- A. You failed to change the source zone to include any source zone.
- B. You failed to position the policy after the policy that denies access to the webserver.
- C. You failed to commit the policy change.
- D. You failed to position the policy before the policy that denies access the webserver

Answer: CD

NEW QUESTION 9

Which UTM feature should you use to protect users from visiting certain blacklisted websites?

- A. Content filtering
- B. Web filtering
- C. Antivirus
- D. antispam

Answer: B

NEW QUESTION 10

You are designing a new security policy on an SRX Series device. You must block an application and log all occurrence of the application access attempts. In this scenario, which two actions must be enabled in the security policy? (Choose two.)

- A. Log the session initiations
- B. Enable a reject action
- C. Log the session closures
- D. Enable a deny action

Answer: AD

NEW QUESTION 10

Which type of security policy protect restricted services from running on non-standard ports?

- A. Application firewall
- B. IDP
- C. Sky ATP
- D. antivirus

Answer: B

NEW QUESTION 14

Which two statements are true about UTM on an SRX340? (Choose two.)

- A. A default UTM policy is created.
- B. No default profile is created.
- C. No default UTM policy is created
- D. A default UTM profile is created

Answer: BC

NEW QUESTION 16

Which two actions are performed on an incoming packet matching an existing session? (Choose two.)

- A. Zone processing
- B. Security policy evolution
- C. Service ALG processing
- D. Screens processing

Answer: CD

NEW QUESTION 18

BY default, revenue interface are placed into which system-defined security zone on an SRX series device?

- A. Trust
- B. Null
- C. Junos-trust
- D. untrust

Answer: D

NEW QUESTION 20

Which statements is correct about SKY ATP?

- A. Sky ATP is an open-source security solution.
- B. Sky ATP is used to automatically push out changes to the AppSecure suite.
- C. Sky ATP only support sending threat feeds to vSRX Series devices
- D. Sky ATP is a cloud-based security threat analyzer that performs multiple tasks

Answer: D

NEW QUESTION 24

You are concerned that unauthorized traffic is using non-standardized ports on your network. In this scenario, which type of security feature should you implement?

- A. Application firewall
- B. Sky ATP
- C. Firewall filters
- D. Zone-based policies

Answer: A

NEW QUESTION 28

Which two notifications are available when the antivirus engine detects and infected file? (Choose two.)

- A. e-mail notifications
- B. SNMP notifications
- C. SMS notifications
- D. Protocol-only notification

Answer: AD

NEW QUESTION 33

Which security object defines a source or destination IP address that is used for an employee Workstation?

- A. Zone
- B. Screen
- C. Address book entry
- D. scheduler

Answer: C

NEW QUESTION 37

What should you configure if you want to translate private source IP address to a single public IP address?

- A. Source NAT
- B. Destination NAT
- C. Content filtering
- D. Security Director

Answer: A

NEW QUESTION 38

What must you do first to use the Monitor/Alarms/Policy Log workspace in J-Web?

- A. You must enable logging that uses the SD-Syslog format.
- B. You must enable security logging that uses the TLS transport mode.
- C. You must enable stream mode security logging on the SRX Series device.
- D. You must enable event mode security logging on the SRX Series device.

Answer: D

NEW QUESTION 42

Users should not have access to Facebook, however, a recent examination of the logs security show that users are accessing Facebook. Referring to the exhibit,

what should you do to solve this problem?

- A. Change the source address for the Block-Facebook-Access rule to the prefix of the users
- B. Move the Block-Facebook-Access rule before the Internet-Access rule
- C. Move the Block-Facebook-Access rule from a zone policy to a global policy
- D. Change the Internet-Access rule from a zone policy to a global policy

Answer: B

NEW QUESTION 44

You verify that the SSH service is configured correctly on your SRX Series device, yet administrators attempting to connect through a revenue port are not able to connect.

In this scenario, what must be configured to solve this problem?

- A. A security policy allowing SSH traffic.
- B. A host-inbound-traffic setting on the incoming zone
- C. An MTU value target than the default value
- D. A screen on the internal interface

Answer: B

NEW QUESTION 45

Which two elements are needed on an SRX Series device to set up a remote syslog server? (Choose two.)

- A. Data type
- B. Data throughput
- C. IP address
- D. Data size

Answer: AC

NEW QUESTION 49

On an SRX device, you want to regulate traffic base on network segments. In this scenario, what do you configure to accomplish this task?

- A. Screens
- B. Zones
- C. ALGs
- D. NAT

Answer: B

NEW QUESTION 51

Which two segments describes IPsec VPNs? (Choose two.)

- A. IPsec VPN traffic is always authenticated.
- B. IPsec VPN traffic is always encrypted.
- C. IPsec VPNs use security to secure traffic over a public network between two remote sites.
- D. IPsec VPNs are dedicated physical connections between two private networks.

Answer: AC

NEW QUESTION 54

The Sky ATP premium or basic-Threat Feed license is needed fort which two features? (Choose two.)

- A. Outbound protection
- B. C&C feeds
- C. Executable inspection
- D. Custom feeds

Answer: BD

NEW QUESTION 57

What is the purpose of the Shadow Policies workspace in J-Web?

- A. The Shadow Policies workspace shows unused security policies due to policy overlap.
- B. The Shadow Policies workspace shows unused IPS policies due to policy overlap.
- C. The Shadow Policies workspace shows used security policies due to policy overlap
- D. The Shadow Policies workspace shows used IPS policies due to policy overlap

Answer: A

NEW QUESTION 61

Host-inbound-traffic is configured on the DMZ zone and the ge-0/0/9.0 interface attached to that zone. Referring to the exhibit,

which to types of management traffic would be performed on the SRX Series device? (Choose two.)

- A. HTTPS
- B. SSH
- C. Finger
- D. HTTP

Answer: BD

NEW QUESTION 63

Firewall filters define which type of security?

- A. Stateful
- B. Stateless
- C. NGFW

D. Dynamic enforcement

Answer: B

NEW QUESTION 68

Exhibit.

Which statement is correct regarding the interface configuration shown in the exhibit?

- A. The interface MTU has been increased.
- B. The IP address has an invalid subnet mask.
- C. The IP address is assigned to unit 0.
- D. The interface is assigned to the trust zone by default.

Answer: C

NEW QUESTION 73

Which two statements are true about security policy actions? (Choose two.)

- A. The reject action drops the traffic and sends a message to the source device.
- B. The deny action silently drop the traffic.
- C. The deny action drops the traffic and sends a message to the source device.
- D. The reject action silently drops the traffic.

Answer: AB

NEW QUESTION 76

What is the correct order of processing when configuring NAT rules and security policies?

- A. Policy lookup > source NAT > static NAT > destination NAT
- B. Source NAT > static NAT > destination NAT > policy lookup
- C. Static NAT > destination NAT > policy lookup > source NAT
- D. Destination NAT > policy lookup > source NAT > static NAT

Answer: C

NEW QUESTION 81

.....

Relate Links

100% Pass Your JN0-230 Exam with Examible Prep Materials

<https://www.exambible.com/JN0-230-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>