

LPI

Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5



NEW QUESTION 1

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Answer: ADE

NEW QUESTION 2

What mechanism does collectd use to gather monitoring information on systems?

- A. It uses a library of plugins.
- B. A master server connects to a collectd service on each machine to retrieve the information.
- C. It collects its own information on each server and sends that to a master server.
- D. It makes SNMP queries to the clients being monitored.

Answer: A

NEW QUESTION 3

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. 100
- B. 35.9
- C. 57.7
- D. 36.6

Answer: A

NEW QUESTION 4

In this example output, which descriptions match the purpose of the free, buff and cache columns? (Choose THREE correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. Used swap space
- B. RAM available for filesystem buffers
- C. Available free RAM
- D. RAM used for buffers
- E. RAM used for filesystem cache

Answer: CDE

NEW QUESTION 5

Which of the following commands will provide the PIDs of the processes sorted by which are using the most CPU cycles on the Linux system?

- A. top
- B. uptime
- C. ps aux
- D. vmstat
- E. freemem

Answer: A

NEW QUESTION 6

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

Answer: BC

NEW QUESTION 7

In the following output, the load averages represent the system load averages for what time frames? 12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31

- A. 1, 5 and 15 minutes
- B. 1, 15 and 30 minutes
- C. 1, 15, and 30 seconds
- D. 15, 30 and 60 minutes
- E. 15, 30 and 60 seconds

Answer: A

NEW QUESTION 8

Which of the following command sequences can be used to extract files contained in a initramfs file (/boot/initramfs) which is used by the kernel at boot time?

- A. cp /boot/initramfs /tmp/initramfs.gz; gzip -c /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- B. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- C. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initramfs
- D. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -e /tmp/initramfs
- E. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initrd

Answer: B

NEW QUESTION 9

What information does the file modules.dep provide?

- A. A list of all modules, compiled or not, that are available to the kernel.
- B. A list of modules trusted by the installed kernel.
- C. A list of devices and their module name.
- D. A list of all compiled modules and their dependencies.
- E. A list of modules the kernel needs to run.

Answer: D

NEW QUESTION 10

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

Answer: D

NEW QUESTION 10

Which file tells GRUB the paths of the filesystem partitions in both Linux format and in the GRUB syntax? (Specify the file name only with no path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

device.map

NEW QUESTION 14

Which option to the update-rc.d command will cause the removal of all symlinks to /etc/rcX.d/*test2 even when the script /etc/init.d/test2 still exists?

- A. -d
- B. -f
- C. -n
- D. -r

Answer: B

NEW QUESTION 19

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

Answer: B

NEW QUESTION 22

Where is the LILO boot loader code typically installed on a system with only a single Linux installation and no other operating systems?

- A. In the master boot record.
- B. In the boot sector.
- C. In the /boot directory.
- D. At the start of the kernel.

Answer: A

NEW QUESTION 26

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

Answer: B

NEW QUESTION 31

Which of the following are common Linux filesystem types used for root partitions? (Choose THREE correct answers.)

- A. ext4
- B. VFAT
- C. NTFS
- D. XFS
- E. Btrfs

Answer: ADE

NEW QUESTION 35

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

Answer: B

NEW QUESTION 39

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 43

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
/dev/hda2 / ext2 defaults 1 1
/dev/hda3 /home ext2 defaults 1 2
none /proc proc defaults 0 0
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

NEW QUESTION 44

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. lvcreate, pvcreate, vgcreate, mkfs, mount
- B. pvcreate, vgcreate, lvcreate, mkfs, mount
- C. vgcreate, lvcreate, pvcreate, mount, mkfs
- D. mkfs, pvcreate, vgcreate, lvcreate, mount
- E. pvcreate, lvcreate, vgcreate, mkfs, mount

Answer: B

NEW QUESTION 46

What mount option must be used in /etc/fstab when mounting an iSCSI target?

- A. _santarget
- B. iscsi
- C. waitiscsi
- D. _netdev

Answer: D

NEW QUESTION 49

What keyword is missing in the following line from /etc/fstab in order to make a USB flash device writeable by the user fred when mounted:

/dev/sda1 /mnt/usbflash vfat defaults,users, _____=fred,umask=022, 0 0

(Provide the option name only without any settings)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

uid

NEW QUESTION 52

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

Answer: D

NEW QUESTION 54

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 58

Which of the following commands is used to set up a RAID volume?

- A. makerd
- B. mdadm
- C. mkfs.raid
- D. makeraid
- E. rdconfig

Answer: B

NEW QUESTION 63

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?

pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

Answer: D

NEW QUESTION 66

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda
- B. hdparm --dma /dev/hda
- C. hdparm --dma /dev/hda1
- D. hdparm -d /dev/hda1
- E. hdparm -d 1 /dev/hda

Answer: E

NEW QUESTION 67

Under which of the following circumstances would the command ping output the string (DUP!)?

- A. When the ICMP packets are send to a broadcast address and multiple hosts respond.
- B. When the host being sent ICMP packets is on a different network.
- C. When the router responds to the ICMP packet in addition to the host receiving the ICMP packets.
- D. When the host sending the ICMP packet is the same host as the one receiving the ICMP packets.

Answer: A

NEW QUESTION 69

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

lsuf, /usr/bin/lsuf

NEW QUESTION 72

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
203.0.113.162	0.0.0.0	255.255.255.255	UH	0	0	0	ppp0
172.16.87.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.246.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
10.10.1.0	192.168.246.11	255.255.255.0	UG	0	0	0	eth1
127.0.0.0	0.0.0.0	255.0.0.0	U	0	0	0	lo
0.0.0.0	203.0.113.162	0.0.0.0	UG	0	0	0	ppp0

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

Answer: CE

NEW QUESTION 74

What should be done after updating the configuration file for syslogd in order to make the changes become effective? (Choose TWO correct answers.)

- A. No action is required, syslogd will notice the updated configuration file after a few minutes.
- B. Send the HUP signal to the syslogd process.
- C. Restart the syslogd service.
- D. Run the command syslogd -u.

Answer: BC

NEW QUESTION 75

According to the tcpdump output below, what is the IP address of the client host?

```
02:12:40.511381 IP 192.168.246.11.1045 > 192.168.246.1.22: S 3838532429:3838532429(0) win 5840 <mss 1460,sackOK,timestamp 31325740,nop,wscale 2>
02:12:40.511540 IP 192.168.246.1.22 > 192.168.246.11.1045: S 1209330085:1209330085(0) ack 3838532430 win 5792 <mss 1460,sackOK,timestamp 11553457 3132574,nop,wscale 0>
02:12:40.511755 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 1 win 1460 <nop,nop,timestamp 3 132574 11553457>
02:12:40.515122 IP 192.168.246.1.22 > 192.168.246.11.1045: P 1:26(25) ack 1 win 5792 <nop,nop,timestamp 11553460 3132574>
02:12:40.515511 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>
02:12:40.515952 IP 192.168.246.11.1045 > 192.168.246.1.22: P 1:23(22) ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
192.168.246.11

NEW QUESTION 79

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

host1 192.168.1.12
host2 192.168.1.12

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

Answer: C

NEW QUESTION 80

A regular user, joe, has just run:

./configure && make && make install

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- A. Install the binaries manually with suinstall.
- B. Run make install with root privileges.
- C. Do not run ./configure in order to maintain the default configuration for correct installation.
- D. Rerun ./configure with a --prefix option where the user has permissions to write.
- E. Run make install_local to install into /usr/local/.

Answer: BD

NEW QUESTION 83

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec_prefix, bindir, mandir

Answer: B

NEW QUESTION 87

Which of the following files will be looked for and used by GNU make, if one of them exists, unless a different file is specified on the command line when trying to compile software from source code? (Choose TWO correct answers.)

- A. configure
- B. config.h.in
- C. makefile
- D. Makefile
- E. Makefile.in

Answer: CD

NEW QUESTION 88

Which of the following commands erases the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

Answer: B

NEW QUESTION 92

After manually compiling and installing a new kernel, what has to be done regarding the initramfs?

- A. To initramfs is independent of the kernel and should not be modified unless the hardware configuration of the machine has changed
- B. Since the initramfs contains kernel modules, a new initramfs must be built for the new kernel
- C. During the compilation of the Linux kernel, a new initramfs is built automaticall
- D. The new initramfs only needs to be installed
- E. The system should be restarted since the initramfs reconfigures itself for the new kernel during the startup of the system

Answer: C

NEW QUESTION 96

Which of the following configuration files are used by tcpwrapper?

- A. /etc/tcpd.allow and etc/tcpd.deny
- B. /etc/tcpwrapper.allow and /etc/tcpwrapper.deny
- C. /etc/hosts.allow and /etc/hosts.deny
- D. /etc/service.allow and /etc/service.deny

Answer: C

NEW QUESTION 99

On a Linux node with multiple active networks interfaces, each having a default route to the Internet, which default route is preferred?

- A. The default route with the highest metric value
- B. The default route with the highest MTU value
- C. The default route with the lowest TTL value
- D. The default route with the highest TTL value
- E. The default route with the lowest metric value

Answer: E

NEW QUESTION 102

A Linux server running systemd booted to rescue.target for maintenance. Which commands are used to restore the server to its usual target? (Choose two.)

- A. telinit 0
- B. systemctl default
- C. sync
- D. systemctl emergency
- E. systemctl reboot

Answer: AB

NEW QUESTION 104

Which of the filter keywords below could be used in the following command:

tcpdump -i eth0 _____ 203.0.113.8 (Choose three.)

- A. host
- B. ip
- C. src
- D. dst
- E. ipv6

Answer: ACD

NEW QUESTION 109

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 110

Which command is used to install a GRUB boot loader into the master boot record?

- A. grub-install
- B. grub-mkconfig
- C. grub-install-mbr
- D. grub-glue-mbr
- E. grub-mbr-setup

Answer: A

NEW QUESTION 113

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

201-450 Practice Exam Features:

- * 201-450 Questions and Answers Updated Frequently
- * 201-450 Practice Questions Verified by Expert Senior Certified Staff
- * 201-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 201-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 201-450 Practice Test Here](#)