

Cisco

Exam Questions 300-710

Securing Networks with Cisco Firepower (SNCF)



NEW QUESTION 1

Which two deployment types support high availability? (Choose two.)

- A. transparent
- B. routed
- C. clustered
- D. intra-chassis multi-instance
- E. virtual appliance in public cloud

Answer: AB

NEW QUESTION 2

Which protocol establishes network redundancy in a switched Firepower device deployment?

- A. STP
- B. HSRP
- C. GLBP
- D. VRRP

Answer: A

NEW QUESTION 3

Which Cisco Firepower Threat Defense, which two interface settings are required when configuring a routed interface? (Choose two.)

- A. Redundant Interface
- B. EtherChannel
- C. Speed
- D. Media Type
- E. Duplex

Answer: CE

NEW QUESTION 4

Which two dynamic routing protocols are supported in Firepower Threat Defense without using FlexConfig? (Choose two.)

- A. EIGRP
- B. OSPF
- C. static routing
- D. IS-IS
- E. BGP

Answer: CE

NEW QUESTION 5

Which command is run on an FTD unit to associate the unit to an FMC manager that is at IP address 10.0.0.10, and that has the registration key Cisco123?

- A. configure manager local 10.0.0.10 Cisco123
- B. configure manager add Cisco123 10.0.0.10
- C. configure manager local Cisco123 10.0.0.10
- D. configure manager add 10.0.0.10 Cisco123

Answer: D

NEW QUESTION 6

Which two actions can be used in an access control policy rule? (Choose two.)

- A. Block with Reset
- B. Monitor
- C. Analyze
- D. Discover
- E. Block ALL

Answer: AB

NEW QUESTION 7

Which two routing options are valid with Cisco Firepower Threat Defense? (Choose two.)

- A. BGPv6
- B. ECMP with up to three equal cost paths across multiple interfaces
- C. ECMP with up to three equal cost paths across a single interface
- D. BGPv4 in transparent firewall mode
- E. BGPv4 with nonstop forwarding

Answer: AC

NEW QUESTION 8

Which object type supports object overrides?

- A. time range
- B. security group tag
- C. network object
- D. DNS server group

Answer: C

NEW QUESTION 9

Which Firepower feature allows users to configure bridges in routed mode and enables devices to perform Layer 2 switching between interfaces?

- A. FlexConfig
- B. BDI
- C. SGT
- D. IRB

Answer: D

NEW QUESTION 10

Which two types of objects are reusable and supported by Cisco FMC? (Choose two.)

- A. dynamic key mapping objects that help link HTTP and HTTPS GET requests to Layer 7 application protocols.
- B. reputation-based objects that represent Security Intelligence feeds and lists, application filters based on category and reputation, and file lists
- C. network-based objects that represent IP address and networks, port/protocols pairs, VLAN tags, security zones, and origin/destination country
- D. network-based objects that represent FQDN mappings and networks, port/protocol pairs, VXLAN tags, security zones and origin/destination country
- E. reputation-based objects, such as URL categories

Answer: BC

NEW QUESTION 10

What is the benefit of selecting the trace option for packet capture?

- A. The option indicates whether the packet was dropped or successful.
- B. The option indicated whether the destination host responds through a different path.
- C. The option limits the number of packets that are captured.
- D. The option captures details of each packet.

Answer: C

NEW QUESTION 15

After deploying a network-monitoring tool to manage and monitor networking devices in your organization, you realize that you need to manually upload an MIB for the Cisco FMC. In which folder should you upload the MIB file?

- A. /etc/sf/DCMIB.ALERT
- B. /sf/etc/DCEALERT.MIB
- C. /etc/sf/DCEALERT.MIB
- D. system/etc/DCEALERT.MIB

Answer: C

NEW QUESTION 16

Which command should be used on the Cisco FTD CLI to capture all the packets that hit an interface?

- A. configure coredump packet-engine enable
- B. capture-traffic
- C. capture
- D. capture WORD

Answer: B

NEW QUESTION 18

Which action should be taken after editing an object that is used inside an access control policy?

- A. Delete the existing object in use.
- B. Refresh the Cisco FMC GUI for the access control policy.
- C. Redeploy the updated configuration.
- D. Create another rule using a different object name.

Answer: C

NEW QUESTION 20

Which Cisco Firepower feature is used to reduce the number of events received in a period of time?

- A. rate-limiting
- B. suspending
- C. correlation
- D. thresholding

Answer: D

NEW QUESTION 24

DRAG DROP

Drag and drop the steps to restore an automatic device registration failure on the standby Cisco FMC from the left into the correct order on the right. Not all options are used.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 26

Which CLI command is used to generate firewall debug messages on a Cisco Firepower?

- A. system support firewall-engine-debug
- B. system support ssl-debug
- C. system support platform
- D. system support dump-table

Answer: A

NEW QUESTION 30

Which command-line mode is supported from the Cisco Firepower Management Center CLI?

- A. privileged
- B. user
- C. configuration
- D. admin

Answer: C

NEW QUESTION 32

Which command is entered in the Cisco FMC CLI to generate a troubleshooting file?

- A. show running-config
- B. show tech-support chassis
- C. system support diagnostic-cli
- D. sudo sf_troubleshoot.pl

Answer: D

Explanation:

41 Which CLI command is used to control special handling of ClientHello messages?

- A. system support ssl-client-hello-tuning
- B. system support ssl-client-hello-display
- C. system support ssl-client-hello-force-reset
- D. system support ssl-client-hello-enabled

NEW QUESTION 36

What is a behavior of a Cisco FMC database purge?

- A. User login and history data are removed from the database if the User Activity check box is selected.
- B. Data can be recovered from the device.
- C. The appropriate process is restarted.
- D. The specified data is removed from Cisco FMC and kept for two weeks.

Answer: C

NEW QUESTION 40

Which action should you take when Cisco Threat Response notifies you that AMP has identified a file as malware?

- A. Add the malicious file to the block list.
- B. Send a snapshot to Cisco for technical support.
- C. Forward the result of the investigation to an external threat-analysis engine.
- D. Wait for Cisco Threat Response to automatically block the malware.

Answer: A

NEW QUESTION 43

Which Cisco Advanced Malware Protection for Endpoints policy is used only for monitoring endpoint actively?

- A. Windows domain controller
- B. audit
- C. triage
- D. protection

Answer: B

NEW QUESTION 44

In a Cisco AMP for Networks deployment, which disposition is returned if the cloud cannot be reached?

- A. unavailable
- B. unknown
- C. clean
- D. disconnected

Answer: A

NEW QUESTION 48

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-710 Practice Exam Features:

- * 300-710 Questions and Answers Updated Frequently
- * 300-710 Practice Questions Verified by Expert Senior Certified Staff
- * 300-710 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-710 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-710 Practice Test Here](#)