

Microsoft

Exam Questions MS-100

Microsoft 365 Identity and Services



NEW QUESTION 1

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You hire a new Microsoft 365 administrator named Nestor Wilke. Nestor Wilke will begin working for your organization in several days.

You need to ensure that Nestor Wilke is prevented from using his account until he begins working.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

You need to sign-in status for the account to 'Blocked'. Blocking doesn't stop the account from receiving email and it doesn't delete any data.

* 1. On the home page of the Microsoft 365 admin center, type the user's name into the Search box.

* 2. Select the Nestor Wilke account in the search results.

* 3. In the 'Sign-in status' section of the account properties, click the Edit link.

* 4. Select 'Block the user from signing in' and click the Save button.

NEW QUESTION 2

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains the users shown in the following table.

Name	Group
User1	Group1
User2	Group1, Group2

You have the named locations shown in the following table.

Named location	IP range
Montreal	133.107.0.0/16
Toronto	193.77.10.0/24

You create a conditional access policy that has the following configurations:

Users and groups:

➤ Include: Group1

➤ Exclude: Group2

Cloud apps: Include all cloud apps

Conditions:

➤ Include: Any location

➤ Exclude: Montreal

Access control: Grant access, Require multi-factor authentication User1 is on the multi-factor authentication (MFA) blocked users list.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can access Microsoft Office 365 from a device that has an IP address of 133.107.10.20.	<input type="radio"/>	<input type="radio"/>
User1 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.15.	<input type="radio"/>	<input type="radio"/>
User2 can access Microsoft Office 365 from a device that has an IP address of 193.77.10.20.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

The Blocked User list is used to block specific users from being able to receive Multi-Factor Authentication requests. Any authentication attempts for blocked users are automatically denied. Users remain blocked for 90 days from the time that they are blocked.

Box 1: Yes

* 133.107.10.20 is in the Montreal named location. The conditional access policy excludes Montreal so the policy does not apply. Therefore, User1 can access Microsoft Office 365.

Box 2: No

* 193.77.10.15 is in the Toronto named location. The conditional access policy applies to Group1 which User1 is a member of and all locations except for Montreal. Therefore, the conditional access policy applies in this case. The policy requires MFA but User1 is on the MFA blocked list so he is unable to use MFA. Therefore, User1 cannot access Microsoft 365.

Box 3: Yes

User2 is in Group1 and Group2. The conditional access policy applies to Group1 but excludes Group2.

Therefore, the conditional access policy does not apply in this case so User2 can access Microsoft Office 365. Reference:


<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

NEW QUESTION 3

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. An external user has a Microsoft account that uses an email address of user1@outlook.com.

An administrator named Admin1 attempts to create a user account for the external user and receives the error message shown in the following exhibit.



You need to ensure that Admin1 can add the user.

What should you do from the Azure Active Directory admin center?

- A. Add a custom domain name named outlook.com.
- B. Modify the Authentication methods.
- C. Modify the External collaboration settings.
- D. Assign Admin1 the Security administrator role.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/delegate-invitations>

NEW QUESTION 4

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.


To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe1211885.onmicrosoft.com Microsoft 365 Password: oL9z0=?Nq@ox

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11098651



You recently discovered that several users in your organization have permissions on the mailbox of another user in the organization. You need to ensure that Lee Gu receives a notification when a user is granted permissions on another user's mailbox. To answer the question, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Create an activity alert

- * 1. Go to <https://protection.office.com/managealerts>.
- * 2. Sign in to Office 365 using your work or school account.
- * 3. On the Activity alerts page, click + New. The flyout page to create an activity alert is displayed.

* 4. Complete the following fields to create an activity alert:

- > Name - Type a name for the alert. Alert names must be unique within your organization.
- > Description (Optional) - Describe the alert, such as the activities and users being tracked, and the users that email notifications are sent to. Descriptions provide a quick and easy way to describe the purpose of the alert to other admins.
- > Alert type - Make sure the Custom option is selected.
- > Send this alert when – Click Send this alert when and then configure these two fields:
 - Activities - Click the drop-down list to display the activities that you can create an alert for. This is the same activities list that's displayed when you search the Office 365 audit log. You can select one or more specific activities or you can click the activity group name to select all activities in the group. For a description of these activities, see the "Audited activities" section in Search the audit log. When a user performs any of the activities that you've added to the alert, an email notification is sent.
 - Users - Click this box and then select one or more users. If the users in this box perform the activities that you added to the Activities box, an alert will be sent. Leave the Users box blank to send an alert when any user in your organization performs the activities specified by the alert.
- > Send this alert to – Click Send this alert, and then click in the Recipients box and type a name to add a users who will receive an email notification when a user (specified in the Users box) performs an activity (specified in the Activities box). Note that you are added to the list of recipients by default. You can remove your name from this list.

* 5. Click Save to create the alert. The new alert is displayed in the list on the Activity alerts page.

Activity alerts			
Name	Recipients	Status ▲	Date modified
Executive mailbox alert	compliance@contoso.com	On	2016-06-08 14:42:02
SharePoint upload alert	admin@contoso.com	Off	2016-06-08 14:23:39
External sharing alert	admin@contoso.com	Off	2016-06-08 14:24:08

The status of the alert is set to On. Note that the recipients who will received an email notification when an alert is sent are also listed.

References:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/create-activity-alerts?view=o365-worldwide>

NEW QUESTION 5

- (Exam Topic 5)

Your company has a Microsoft 365 subscription.

You need to identify all the users in the subscription who are licensed for Microsoft Office 365 through a group membership. The solution must include the name of the group used to assign the license.

What should you use?

- A. the Licenses blade in the Azure portal
- B. Reports in the Microsoft 365 admin center
- C. Active users in the Microsoft 365 admin center

D. Report in Security & Compliance

Answer: A

Explanation:

In the Azure AD Admin Center, select Azure Active Directory then select Licenses to open the Licenses blade. From there you need to click on the 'Managed your purchased licenses link'. Select a license you want to view, for example Office 365 E3. This will then display a list of all users with that license. In the 'Assignment Paths' column, it will say 'Direct' for a license that has been assigned directly to a user or 'Inherited (Group Name)' for a license that has been assigned through a group.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/licensing-groups-assign>

NEW QUESTION 6

- (Exam Topic 5)

Your company has 20 employees, Each employees has a mailbox hosted in Outlook.com. The company purchases a Microsoft 365 subscription.

You plan to migrate all the mailboxes to Microsoft 365.

You need to recommend which type of migration to use for the mailboxes. What should recommend?

- A. Cutover migration
- B. Staged migration
- C. IMAP migration
- D. Minimal hybrid migration

Answer: C

Explanation:

To migrate mailboxes from Outlook.com to Office 365, you need to use the IMAP migration method.

After you've added your users to Office 365, you can use Internet Message Access Protocol (IMAP) to migrate email for those users from their IMAP-enabled email servers.

In the Microsoft 365 admin center, go to Setup

>Data migration

to start migrating IMAP enabled emails.

The email migrations page is pre-configured for migrations from Gmail, Outlook, Hotmail and Yahoo. You can also enter your own IMAP server name and connection parameters to migrate from an email service that is not listed.

References:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/imap-migration-in-the>

NEW QUESTION 7

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.

Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connection.

Users use Microsoft Outlook 2016 to connect to 4 Microsoft Exchange Server mailbox hosted in the main office.

The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.

You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.

You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.

Solution: You deploy a site-to-site VPN from each branch office to Microsoft Azure. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

NEW QUESTION 8

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Billing administrator
User3	None

You enable self-service password reset for all users. You set Number of methods required to reset to 1, and you set Methods available to users to Security questions only.

What information must be configured for each user before the user can perform a self-service password reset? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:	Email address only Phone number only Security questions only Phone number and email address
User2:	Email address only Phone number only Security questions only Phone number and email address
User3:	Email address only Phone number only Security questions only Phone number and email address

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Microsoft enforces a strong default two-gate password reset policy for any Azure administrator role. This policy may be different from the one you have defined for your users and cannot be changed. You should always test password reset functionality as a user without any Azure administrator roles assigned. With a two-gate policy, administrators don't have the ability to use security questions. The two-gate policy requires two pieces of authentication data, such as an email address, authenticator app, or a phone number. User3 is not assigned to an Administrative role so the configured method of Security questions only applies to User3. Reference: <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-sspr-policy#administrator-passw>

NEW QUESTION 9

- (Exam Topic 5)
 You have a Microsoft 365 E5 subscription.
 All users are assigned a license to Microsoft 365 Apps for enterprise.
 The users report that they do not have the option to install Microsoft 365 apps on their device as shown in the following exhibit.



You need to ensure that the users can install Microsoft 365 apps from the Office 365 portal. What should you do?

- A. From the Microsoft 365 admin center, modify the user license settings.
- B. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the devices.
- C. From the Microsoft Endpoint Manager admin center, create a Microsoft 365 Apps app and assign the app to the users.
- D. From the Microsoft 365 admin center, modify the Services & add-ins settings.

Answer: D

NEW QUESTION 10

- (Exam Topic 5)
 You have a DNS zone named contoso.com that contains the following records.

```
@           IN      SOA      dns1.contoso.com. hostmaster.contoso.com. (
                                539          ; serial number
                                900          ; refresh
                                600          ; retry
                                86400       ; expire
                                3600        ) ; default TTL

@           NS       dns1.contoso.com.

@           MX      10     server1.contoso.com.
@           TXT     ( "v=spf1 a include:server1.contoso.com -all" )
Server1     A       193.77.10.15
```

You purchase a Microsoft 365 subscription.
You plan to migrate mailboxes to Microsoft Exchange Online.
You need to configure Sender Policy Framework (SPF) to support Exchange Online. What should you do?

- A. Add an additional TXT record.
- B. Modify the TXT record.
- C. Modify the expire interval of the SOA record.
- D. Modify the default TTL of the SOA record.

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/set-up-spf-in-office-365-to-help-pre>

NEW QUESTION 10

- (Exam Topic 5)
You have a Microsoft 365 E5 subscription.
You have an Azure AD tenant named contoso.com that contains the following users:

- Admin 1
- Admin2
- User1

Contoso.com contains an administrative unit named AU1 that has no role assignments. User1 is a member of AU1.

Answer Area		
Statements	Yes	No
You can add Admin1 as a member of AU1.	<input type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area		
Statements	Yes	No
You can add Admin1 as a member of AU1.	<input checked="" type="radio"/>	<input type="radio"/>
You can add User1 as a member of AU2.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign Admin2 the User administrator role for AU1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 15

- (Exam Topic 5)
You have a SharePoint Framework (SPFx) web part that displays the weather. Users can set the city within the web part. Which component is invoked to provide the users with the ability to configure the settings for the web part?

- A. a custom control


- B. the Application Customizer
- C. a library component
- D. the property pane

Answer: D


NEW QUESTION 16

- (Exam Topic 5)

You are confirming an enterprise application named Test App in Microsoft Azur as shown in the following exhibit.




Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 18

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains 1,000 Windows 10 devices. You perform a proof of concept (PoC) deployment of Windows Defender Advanced Threat Protection (ATP) for 10 test devices. During the onboarding process, you configure Windows Defender ATP-related data to be stored in the United States. You plan to onboard all the devices to Windows Defender ATP data in Europe. What should you do first?

- A. Create a workspace
- B. Offboard the test devices
- C. Delete the workspace
- D. Onboard a new device

Answer: B


Explanation:

When onboarding Windows Defender ATP for the first time, you can choose to store your data in Microsoft Azure datacenters in the European Union, the United Kingdom, or the United States. Once configured, you cannot change the location where your data is stored. The only way to change the location is to offboard the test devices then onboard them again with the new location. Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/data-storage-privac>

NEW QUESTION 21

- (Exam Topic 5)
 Your network contains an on-premises Active Directory domain.
 You have a Microsoft 365 E5 subscription.
 You plan to implement directory synchronization.
 You need to identify potential synchronization issues for the domain. The solution must use the principle of least privilege.
 What should you use? To answer, select the appropriate options in the answer area.

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 26

- (Exam Topic 5)
 You have a Microsoft 365 subscription.
 You have the devices shown in the following table.

Operating system	Quantity
Windows 8.1	5
Windows 10	5
Windows Server 2016	5

You need to onboard the devices to Windows Defender Advanced Threat Protection (ATP). The solution must avoid installing software on the devices whenever possible.
 Which onboarding method should you use for each operating system? To answer, drag the appropriate methods to the correct operating systems. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Methods	Answer Area
A Microsoft Azure ATP sensor	Windows 8.1: <input type="text"/>
A local script	Windows 10: <input type="text"/>
Microsoft Monitoring Agent	Windows Server 2016: <input type="text"/>

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-atp/onboard-downlevel-https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-atp/configure-endpoints> <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-atp/configure-server-en> Box 1:

To onboard down-level Windows client endpoints to Microsoft Defender ATP, you'll need to: Configure and update System Center Endpoint Protection clients.

Install and configure Microsoft Monitoring Agent (MMA) to report sensor data to Microsoft Defender ATP Box 2:

For Windows 10 clients, the following deployment tools and methods are supported: Group Policy

System Center Configuration Manager

Mobile Device Management (including Microsoft Intune) Local script

Box 3:

Windows Server 2016 can be onboarded by using Azure Security Centre. When you add servers in the Security Centre, the Microsoft Monitoring Agent is installed on the servers.

NEW QUESTION 31

- (Exam Topic 5)

Your network contains an Active Directory domain named adatum.com that is synced to Microsoft Azure Active Directory (Azure AD).

The domain contains 100 user accounts.

The city attribute for all the users is set to the city where the user resides.

You need to modify the value of the city attribute to the three-letter airport code of each city. What should you do?

- A. From Active Directory Administrative Center, select the Active Directory users, and then modify the Properties settings.
 B. From the Microsoft 365 admin center, select the users, and then use the Bulk actions option.
 C. From Azure Cloud Shell, run the Get-MsolUser and Set-MSOLuser cmdlets.
 D. From Windows PowerShell on a domain controller, run the Get-AzureADUser and Set-AzureADUser cmdlets.

Answer: A

Explanation:

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can modify certain attributes of multiple user accounts simultaneously by selecting them in Active Directory Administrative Center or Active Directory Users and Computers, right clicking then selecting Properties.

The other three options all suggest modifying the city attribute of the users in the Azure Active Directory which is incorrect.

Reference:

<https://blogs.technet.microsoft.com/canitpro/2015/11/25/step-by-step-managing-multiple-user-accounts-via-acti>

NEW QUESTION 34

- (Exam Topic 5)

You plan to migrate to SharePoint Online by using the SharePoint Migration Tool. Which list can be migrated to SharePoint Online?

Name	List template
List1	PictureLibrary
List2	Report Library
List3	Agenda
List4	AdminTasks

- A. List1
 B. List2
 C. List3
 D. List4

Answer: D

NEW QUESTION 35

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You use the Microsoft Office Deployment tool to install Office 365 ProPlus. You create a configuration file that contains the following settings.

```
<Configuration>
  <Add SourcePath="\\Server1\Office"
    OfficeClientEdition="32"
    Channel="Broad"
    AllowCdnFallback="False">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us" />
      <Language ID="ja-jp" />
    </Product>
    <Product ID="VisioProRetail">
      <Language ID="en-us" />
      <Language ID="ja-jp" />
    </Product>
  </Add>
  <Remove All="TRUE">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us" />
    </Product>
    <Product ID="VisioProRetail">
      <Language ID="en-us" />
    </Product>
  </Remove>
  <Updates Enabled="TRUE"
    UpdatePath="\\Server1\Office"
    Channel="Broad" />
  <Display Level="None" AcceptEULA="TRUE" />
  <Logging Level="Standard" Path="%temp%" />
</Configuration>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

The [answer choice] will be uninstalled from the computers.

MSI version of Microsoft Visio only

C2R version of Microsoft Visio only

MSI and C2R versions of Microsoft Visio

If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will [answer choice].

be installed in English only

be installed in a randomly selected language

NOT be installed

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
The C2R (click-to-run) version of Microsoft Visio only will be uninstalled from the computers.
To remove the MSI version of Microsoft Visio, you would need to specify the RemoveMSI parameter. The RemoveMSI parameter is not configured in the configuration file in this question. Therefore, only the C2R version will be installed.

Box 2:
If the Office share on Server1 is missing the Japanese language pack, Office 365 ProPlus will be installed in English only.
In the configuration file, English is the first in the list above Japanese. Therefore, English is the primary language and the installation will continue in English only.
Reference:
<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool>

NEW QUESTION 40

- (Exam Topic 5)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your company has a main office and three branch offices. All the branch offices connect to the main office by using a WAN link. The main office has a high-speed Internet connection. All the branch offices connect to the Internet by using the main office connections.
Users use Microsoft Outlook 2016 to connect to a Microsoft Exchange Server mailbox hosted in the main office.
The users report that when the WAN link in their office becomes unavailable, they cannot access their mailbox.
You create a Microsoft 365 subscription, and then migrate all the user data to Microsoft 365.
You need to ensure that all the users can continue to use Outlook to receive email messages if a WAN link fails.
Solution: You enable Cached Exchange Mode for all the Outlook profiles. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 43

You have a hybrid deployment of Microsoft 365 that contains the users shown in the following table.

You have an on-premises web app named AppA. Group1 has permissions to access AppA. You configure an Azure Active Directory (Azure AD) Application Proxy. You add an Application Proxy entry for AppA as shown the exhibit. (Click the Exhibit tab.)

You assign the AppA enterprise application in Azure to Group2.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

A. Mastered
B. Not Mastered

User3 is in Group1. Group1 has access to the web app so User3 could access the app on-premises. However, the enterprise app is assigned to Group2 which User3 is not a member of. Therefore, User3 will not be able to access the external URL of the web app.

NEW QUESTION 45

- (Exam Topic 5)

Your network contains an Active Directory forest named contoso.local. You purchase a Microsoft 365 subscription.

You plan to move to Microsoft and to implement a hybrid deployment solution for the next 12 months. You need to prepare for the planned move to Microsoft 365. What is the best action to perform before you implement directory synchronization? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Purchase a third-party X.509 certificate.
- B. Rename the Active Directory forest.
- C. Purchase a custom domain name.
- D. Create an external forest trust.

Answer: C

Explanation:

The first thing you need to do before you implement directory synchronization is to purchase a custom domain name. This could be the domain name that you use in your on-premise Active Directory if it's a routable domain name, for example, contoso.com.

If you use a non-routable domain name in your Active Directory, for example contoso.local, you'll need to add the routable domain name as a UPN suffix in Active Directory.

Reference:

<https://docs.microsoft.com/en-us/office365/enterprise/set-up-directory-synchronization>

NEW QUESTION 49

- (Exam Topic 5)

Your network contains an Active Directory domain named .ki.ituin.com that is synced to Microsoft Azure Active Directory (Azure AD).

The domain contains 100 user accounts.

The city attribute for all the users is set to the city where the user resides.

You need to modify the value of the city attribute to the three letter airport code of each city. What should you do?

- A. from Active Directory Administrative Center, select the Active Directory users, and then modify the Property settings.
- B. From the Microsoft 365 admin center, select the users, and then use the Bulk actions option.
- C. From Azure Cloud Shell, run the Get-AzureADUsers, and then use the Bulk actions option.
- D. From Azure Cloud Shell, run the Get-AzureADUser and set-AzureADUser cmdlets.
- D. From Windows PowerShell on a domain controller, run the Get-AzureADUser and Set-AzureADUser cmdlets.

Answer: C

Explanation:

The user accounts are synced from the on-premise Active Directory to the Microsoft Azure Active Directory (Azure AD). Therefore, the city attribute must be changed in the on-premise Active Directory.

You can use Windows PowerShell on a domain controller and run the Get-ADUser cmdlet to get the required users and pipe the results into Set-ADUser cmdlet to modify the city attribute.

Reference:

<https://docs.microsoft.com/en-us/powershell/module/addsadministration/set-aduser?view=win10-ps>

NEW QUESTION 52

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain.

Your company has a security policy that prevents additional software from being installed on domain controllers.

You need to monitor a domain controller by using Microsoft Azure Advanced Threat Protection (ATP). What should you do? More than one choice may achieve the goal. Select the BEST answer.

- A. Deploy an Azure ATP standalone sensor, and then configure port mirroring.
- B. Deploy an Azure ATP standalone sensor, and then configure detections.
- C. Deploy an Azure ATP sensor, and then configure detections.
- D. Deploy an Azure ATP sensor, and then configure port mirroring.

Answer: C

Explanation:

If you're installing on a domain controller, you don't need a standalone ATP sensor. You need to configure the detections to detect application installations. With an ATP sensor (non-standalone), you don't need to configure port mirroring.

Reference:

<https://docs.microsoft.com/en-us/azure-advanced-threat-protection/install-atp-step5> <https://docs.microsoft.com/en-us/azure-advanced-threat-protection/atp-capacity-planning#choosing-the-right-sen>

NEW QUESTION 56

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD. Solution: You run idfix.exe and report the 10 user accounts.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The question states that “all the user account synchronizations completed successfully”. If there were problems with the 10 accounts that needed fixing with idfix.exe, there would have been synchronization errors in Azure AD Connect Health.

It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 59

- (Exam Topic 5)

Your company has three main offices and one branch office. The branch office is used for research. The company plans to implement a Microsoft 365 tenant and to deploy multi-factor authentication.

You need to recommend a Microsoft 365 solution to ensure that multi-factor authentication is enforced only for users in the branch office

What should you include in the recommendation?

- A. Azure AD password protection
- B. a Microsoft Endpoint Manager Device compliance policy
- C. Azure AD conditional access
- D. a Microsoft Endpoint Manager Device configuration profile

Answer: B

NEW QUESTION 63

- (Exam Topic 5)

Your network contains an on premises Active Directory domain named contoso.com. The domain contains five domain controllers.

Your company purchases Microsoft 365 and creates a Microsoft Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

You plan to establish federation authentication between on premises Active Directory and the Azure AD tenant by using Active Directory Federation Services (AD FS).

You need to establish the federation.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Action to perform before establishing the federation:	<div><div></div><div>From the Azure portal, add a custom domain name.</div><div>From the Azure portal, configure an authentication method.</div><div>From a domain controller, install a Pass-through Authentication Agent.</div><div>From a domain controller, install Windows Identity Foundation 3.5.</div></div>
Tool to use to establish the federation:	<div><div></div><div>Active Directory Domains and Trusts</div><div>Azure AD Connect</div><div>The AD FS console</div><div>The Azure portal</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

The on-premises Active Directory domain is named contoso.com. Before you can configure federation authentication between on-premises Active Directory and the Azure AD tenant, you need to add the domain contoso.com to Microsoft 365. You do this by adding a custom domain name.

The next step is to establish the federation. You can configure AD FS by using Azure AD Connect. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom#configuring-feder>

NEW QUESTION 64

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You purchase a Microsoft 365 subscription.

You implement password hash synchronization and Azure Active Directory (Azure AD) Seamless Single Sign-On (Seamless SSO).

You need to ensure that users can use Seamless SSO from the Windows 10 computers. What should you do?

- A. Create a conditional access policy in Azure AD.
- B. Deploy an Azure AD Connect staging server.
- C. Join the computers to Azure AD.
- D. Modify the Intranet zone settings by using Group Policy

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 67

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Member of
User1	Group1
User2	Group2
User3	Group3

Your company uses Windows Defender Advanced Threat Protection (ATP). Windows Defender ATP contains the roles shown in the following table.

Name	Permission	Assigner user group
Windows Defender ATP administrator (default)	View data, Alerts investigation, Active remediation actions, Manage security settings	Group3
Role1	View data, Alerts investigation	Group1
Role2	View data	Group2

Windows Defender ATP contains the device groups shown in the following table.

Rank	Machine group	Machine	User access
1	ATP1	Device1	Group1
Last	Ungrouped machines (default)	Device2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Yes

No

User1 can view Device1 in Windows Defender Security Center.

☐
☐

User2 can sign in to Windows Defender Security Center.

☐
☐

User3 can view Device1 in Windows Defender Security Center.

☐
☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Yes. User1 is in Group1 which is assigned to Role1. Device1 is in the device group named ATP1 which Group1 has access to. Role1 gives Group1 (and User1) View Data Permission. This is enough to view Device1 in Windows Security Center.

Box 2:

Yes. User2 is in Group2 which is assigned to Role2. Role2 gives Group2 (and User2) View Data Permission. This is enough to sign in to Windows Security Center.

Box 3:

Yes. User3 is in Group3 which is assigned the Windows ATP Administrator role. Someone with a Microsoft Defender ATP Global administrator role has unrestricted access to all machines, regardless of their machine group association and the Azure AD user groups assignments.

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/user-roles> <https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/rbac>

NEW QUESTION 72

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWYjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to create 1,000 users in your Microsoft 365 subscription.

You need to ensure that all the users can use the @contoso.com suffix in their username.

Another administrator will perform the required information to your DNS zone to complete the operation.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to add the contoso.com domain to Microsoft 365 then set the domain as the default.

- * 1. In the Admin Center, click Setup then click Domains.
- * 2. Click the 'Add Domain' button.
- * 3. Type in the domain name (contoso.com) and click the 'Use this domain' button.
- * 4. The question states that another administrator will perform the required information to your DNS zone. Therefore, you just need to click the 'Verify' button to verify domain ownership.
- * 5. Click Finish.
- * 6. In the domains list, select the contoso.com domain.
- * 7. Select 'Set as default'. References:

<https://docs.microsoft.com/en-us/office365/admin/setup/add-domain?view=o365-worldwide>

NEW QUESTION 74

- (Exam Topic 5)

You are developing an app that will query the tenant for the names of all the Microsoft Teams teams in the organization. What permission will the app require?

Your solution must follow the principle of least privilege.

- A. Grou
- B. Rea
- C. All
- D. Directory.Read.All
- E. Channel.ReadBasic.All
- F. TeamSettings.Read.All

Answer: D

NEW QUESTION 79

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@M365x981607.onmicrosoft.com Microsoft 365 Password: *yfLo7lr2&y

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10811525

Your organization recently partnered with another organization named Fabrikam, Inc.

You plan to provide a Microsoft 365 license to an external user named user1@fabrikam.com, and then to share documents with the user.

You need to invite user1@fabrikam.com to access your organization.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to create a guest account for user1.

- * 1. Go to the Azure Active Directory admin center.
- * 2. Select Users.
- * 3. Click the 'New guest user' link.
- * 4. Select the 'Invite user' option.
- * 5. Give the account a name (User1) and enter user1@fabrikam.com in the email address field.
- * 6. Click the 'Invite' button. References:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/b2b-quickstart-add-guest-users-portal>

NEW QUESTION 82

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a hybrid deployment of Microsoft 365 that contains the objects shown in the following table.

Name	Type	Source
User1	User	Azure Active Directory (Azure AD)
User2	User	Windows Server Active Directory
Group1	Group	Cloud
Group2	Group	Windows Server Active Directory

Azure AD Connect has the following settings:

- > Password Hash Sync: Enabled
- > Password writeback: Enabled
- > Group writeback: Enabled

You need to add User2 to Group 2.

Solution: You use the Azure Active Directory admin center.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 83

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains the users shown in the following table.

Name	Member of	Multi-Factor Auth Status
User1	Group1	Disabled
User2	Group1	Required

Multi-factor authentication (MFA) is configured to use 131.107.50/24 for trusted IPs. The tenant contains the named locations shown in the following table.

Name	IP address range	Trusted location
Location 1	131.107.20.0/24	Yes
Location 2	131.107.50.0/24	Yes

You create a conditional access policy that has the following configurations:

- > Users and groups assignment: All users
- > Cloud apps assignment: App1
- > Conditions: Include all trusted locations
- > Grant access: require multi-factor authentication

For each of the following statements, select Yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
When User1 connects to App1 from a device that has an IP address of 131.107.50.10, User1 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.50.15, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>
When User2 connects to App1 from a device that has an IP address of 131.107.5.5, User2 must use MFA.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

* 131.107.50.10 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User1 must use MFA.

Box 2: Yes.

* 131.107.50.15 is in a Trusted Location so the conditional access policy applies. The policy requires MFA so User2 must use MFA.

Box 3: No.

* 131.107.5.5 is not in a Trusted Location so the conditional access policy does not apply. Therefore, User2 does not need to use MFA.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

NEW QUESTION 85

- (Exam Topic 5)

You have a Microsoft 365 subscription.

All users have their email stored in Microsoft Exchange Online
In the mailbox of a user named User, you need to preserve a copy of all the email messages that contain the word ProjectX.
What should you do first?

- A. From the Exchange admin center, start a mail flow message trace.
- B. From the Security & Compliance admin center, start a message trace.
- C. From the Security & Compliance admin center, create a label and label policy.
- D. From the Exchange admin center, create a mail flow rule.

Answer: C

Explanation:

When you configure conditions for a label, you can automatically assign a label to a document or email. In this case, we would create a label to label all email messages that contain the word ProjectX. We would then create a label policy to preserve a copy of all message that have the label assigned.

Reference:

<https://docs.microsoft.com/en-us/azure/information-protection/configure-policy-classification>

NEW QUESTION 86

- (Exam Topic 5)

Your network contains an Active Directory forest named local.

You have a Microsoft 365 subscription. You plan to implement a directory synchronization solution that will use password hash synchronization.

From the Microsoft 365 admin center, you verify the contoso.com domain name. You need to prepare the environment for the planned directory synchronization solution.

What should you do first?

- A. From the public DNS zone of contoso.com, add a new mail exchanger (MX) record.
- B. From Active Directory Domains and Trusts, add contoso.com as a UPN suffix
- C. From the Microsoft 365 admin center, verify the contoso.com domain name.
- D. From Active Directory Users and Computers, modify the UPN suffix for all users.

Answer: B

Explanation:

The on-premise Active Directory domain is named contoso.local. Therefore, all the domain users accounts will have a UPN suffix of contoso.local by default.

To enable directory synchronization that will use password hash synchronization, you need to configure the domain user accounts to have the same UPN suffix as the verified domain (contoso.com in this case). Before you can change the UPN suffix of the domain user accounts to contoso.com, you need to add contoso.com as a UPN suffix in the domain.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/plan-connect-userprincipalname>

NEW QUESTION 87

- (Exam Topic 5)

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD).

Currently, App1 can read user profile information. You need to allow App1 to read the user's calendar.

Solution: From the Azure portal, edit the API permission list for App1. Add the Microsoft Graph API and the Calendars-Read permissions and then grant tenant admin consent.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 89


- (Exam Topic 5)

You have a Microsoft 365 E5 subscription and a hybrid deployment of Microsoft Exchange. The deployment contains 100 users who have on-premises mailboxes and 100 users who have mailboxes in Exchange Online.

You enable Microsoft Teams and assign a Microsoft Teams license to each user.

You need to ensure that the users who have on-premises mailboxes can use Microsoft Teams. All Microsoft Teams chat data must be searchable by using Content search in the Security & Compliance admin center.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



The screenshot shows two selection boxes in the Microsoft 365 admin center. The first box, labeled "License to assign to the users who have on-premises mailboxes:", contains three options: "Data Investigations", "Exchange Online", and "Microsoft Communications Compliance". The second box, labeled "Task to perform to enable Content search for the on-premises mailboxes:", contains four options: "Add an email alias", "Create a supervision policy", "Enable a Unified Messaging (UM) IP gateway", and "Submit a request to Microsoft Support".

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

License to assign to the users who have on-premises mailboxes:

Data Investigations

Exchange Online

Microsoft Communications Compliance

Task to perform to enable Content search for the on-premises mailboxes:

Add an email alias

Create a supervision policy

Enable a Unified Messaging (UM) IP gateway

Submit a request to Microsoft Support

NEW QUESTION 91

- (Exam Topic 5)
Your network contains an on-premises Active Directory domain named contoso.com that is synced to a Microsoft Azure Active Directory (Azure AD) tenant. The on-premises domain contains a server named Server1 that runs Windows Server 2016 and 200 client computers that run Windows 10. Your company purchases a Microsoft 365 subscription. On Server1, you create a file share named Share1. You extract the Microsoft Office Deployment Tool (ODT) to Share1. You need to deploy Office 365 ProPlus, and the French language pack from Share1 to the Windows 10 computers. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an XML configuration file.	
On Server1, run setup.exe and specify the /configure parameter.	
On every client computer, run setup.exe and specify the /configure parameter.	
On Server1, run setup.exe and specify the /package parameter.	
On every client computer, run setup.exe and specify the /download parameter.	
On Server1, run setup.exe and specify the /download parameter.	

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Note:
Step 1: Create an XML configuration file with the source path and download path for the installation files. Step 2: On the deployment server, run the ODT executable in download mode and with a reference to the XML configuration file.
Step 3: Create another XML configuration file with the source path to the installation files.
Step 4: On the client computer, run the ODT executable in configure mode and with a reference to the XML configuration file.
Reference:
<https://docs.microsoft.com/en-us/DeployOffice/overview-of-the-office-2016-deployment-tool>

NEW QUESTION 95

- (Exam Topic 5)
Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.
When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.
Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.
Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided. Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.
You may now click next to proceed to the lab.
Lab information
Use the following login credentials as needed:
To enter your username, place your cursor in the Sign in box and click on the username below.
To enter your password, place your cursor in the Enter password box and click on the password below.
Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com
Microsoft 365 Password: m3t^We\$Z7&xy
If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
The following information is for technical support purposes only:
Lab Instance: 11440873



Your organization recently purchased a projector that can be moved easily between conference rooms. You need to ensure that any user in the organization can add the projector to a Microsoft Outlook meeting request. The solution must ensure that a user named Lee Gu must approve all meeting requests. To answer, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to create a resource mailbox in Exchange.

- * 1. Go to the Exchange Admin Center.
- * 2. In the left navigation pane, select Recipients.
- * 3. Click the Resources link.
- * 4. Click the plus (+) icon and select 'Equipment Mailbox'.
- * 5. Give the mailbox a name such as 'Projector1'.
- * 6. Enter the name projector1 in the email address field.
- * 7. Click the Save button to create the equipment mailbox.
- * 8. In the resource mailbox list, select the new mailbox and click the Edit icon (pencil icon).
- * 9. Select 'Booking Delegates' in the menu list.
- * 10. Select the option, "Select delegates who can accept or decline booking requests".
- * 11. Click the plus (+) icon and add Lee Gu as a delegate.
- * 12. Click the Save button to save the changes.

NEW QUESTION 96

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint policy is modified in the future. Solution: From the SharePoint site, you create an alert.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to create a threat management policy in the Security & Compliance admin center.

NEW QUESTION 98

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains a Microsoft Power Platform environment. You need to ensure that only specific users can create new environments. What should you do in the Power Platform admin center?

- A. From Data policies, create a new data policy.
- B. From Data integration, create a new connection set.
- C. From Power Platform settings, modify the Governance settings for the environment.
- D. From Environments, modify the behaviour settings for the default environment.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/control-environment-creation>

NEW QUESTION 102

- (Exam Topic 5)

You have a Microsoft Teams app that contains a conversational bot. The bot uses task modules to reply to users. When the bot receives a new message, the following code is executed before a response is sent back to the user to decide whether the bot should continue the conversation.

```

80 case "task/submit": {
81     if (invokeValue.data !== undefined) {
82         switch (invokeValue.data.taskResponse) {
83             case "message":
84                 session.send("***task/submit results from the Adaptive card:**\n***" + JSON.stringify(invokeValue) + "***");
85                 break;
86             case "continue":
87                 let fetchResponse = fetchTemplates.submitResponse;
88                 fetchResponse.task.value.card = renderACAttachment(cardTemplates.acSubmitResponse, { results: JSON.stringify(invokeValue.data) });
89                 cb(null, fetchResponse, 200);
90                 break;

```

Answer Area

If invokeValue.data.taskResponse equals "message", the user will [answer choice]

stop interacting with the bot.
continue interacting with the bot.
receive a webpage pop-up window.
receive a final message from the bot.

These are the selections for the statement If invokeValue.data.taskResponse equals "message" the user will [answer choice]

If invokeValue.data.taskResponse equals "final", the user will [answer choice]

stop interacting with the bot.
continue interacting with the bot.
receive a webpage pop-up window.
receive a final message from the bot.

These are the selections for the statement If invokeValue.data.taskResponse equals "final" the user will [answer choice]

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://github.com/OfficeDev/microsoft-teams-sample-task-module-nodejs>

NEW QUESTION 103

- (Exam Topic 5)

You have Microsoft 365 tenant that contains a Microsoft Power Platform environment named Environment1 (default). Environment1 contains a Microsoft Dataverse database.

In the tenant, you create a user named User1. You assign a Microsoft Power Apps license to User1. Which security role for Environment1 is assigned automatically to User1?

- A. Environment maker
- B. System customizer
- C. Delegate
- D. System customizer

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security#predefined-security-roles>

NEW QUESTION 106

- (Exam Topic 5)

You are developing a new application named App1 that uses the Microsoft identity platform to authenticate to Azure Active Directory (Azure AD). Currently, App1 can read user profile information. You need to allow App1 to read the user's calendar.

Solution: Add `https://graph.windows.net/user, read` to the list of scopes during the initial login request Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 109

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You discover that some external users accessed content on a Microsoft SharePoint site. You modify the SharePoint sharing policy to prevent sharing outside your organization.

You need to be notified if the SharePoint policy is modified in the future.

Solution: From the Security & Compliance admin center, you create a threat management policy. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

We can create a threat management policy to alert us when the sharing policy is changed.

Create a new Alert policy > under Category select Threat Management > under 'Activity is' scroll down to the 'Site administration activities' and select 'Changed a sharing policy'.

NEW QUESTION 110

- (Exam Topic 5)

You have three devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform	BitLocker Drive Encryption (BitLocker)	Member of
Device1	Windows 10	Disabled	Group3
Device2	Windows 10	Disabled	Group2, Group3
Device3	Windows 10	Disabled	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require BitLocker	Assigned
Policy1	Windows 10 and later	Require	Yes
Policy2	Windows 10 and later	Not configured	Yes
Policy3	Windows 10 and later	Require	No

The device compliance policies have the assignment shown in the following table.

Name	Assigned to
Policy1	Group3
Policy2	Group2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Device1 is compliant.	<input type="radio"/>	<input type="radio"/>
Device2 is compliant.	<input type="radio"/>	<input type="radio"/>
Device3 is compliant.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Device 1:

No because Device1 is in group3 which has Policy1 assigned which requires BitLocker. Device 2:

No because Device2 is in group3 which has Policy1 assigned which requires BitLocker. Device2 is also in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.

Device3:

Yes because Device3 is in Group2 which has Policy2 assigned but the BitLocker requirement is not configured in Policy2.

Reference:

<https://blogs.technet.microsoft.com/cbernier/2017/07/11/windows-10-intune-windows-bitlocker-management-ye>

NEW QUESTION 114

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com.

You purchase 100 Microsoft 365 Business Voice add-on licenses.

You need to ensure that the members of a group named Voice are assigned a Microsoft 365 Business Voice add-on license automatically.

What should you do?

A. From the Azure Active Directory admin center, modify the settings of the Voice group.

B. From the Microsoft 365 admin center, modify the settings of the Voice group.

C. From the Licenses page of the Microsoft 365 admin center, assign the licenses.

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-groups-assign>

NEW QUESTION 116

- (Exam Topic 5)

Your network contains an Active Directory domain named fabrikam.com. The domain contains the objects shown in the following table.

Name	Type	In organizational unit (OU)
User1	User	OU1
User2	User	OU1
Group1	Security Group - Global	OU1
User3	User	OU2
Group2	Security Group - Global	OU2

The group have the members shown in the following table.

Group	Members
Group1	User1
Group2	User2, User3, Group1

You are configure synchronization between fabrikam.com and a Microsoft Azure Active Director (Azure AD) tenant.

You configure the domain/OU Filtering settings in Azure AD Connect as shown in the Domain>OU Filtering exhibit. (Click the Domain/OU Filtering tab.)

You configure the Filtering in Azure Connect as shown in the Filtering exhibit. (Click the Filtering tab.) NOTE: Each correct selection is worth one point.

Answer Area

	Statements	Yes	No
	User2 will synchronize to Azure AD.	<input type="radio"/>	<input type="radio"/>
	Group2 will synchronize to Azure AD.	<input type="radio"/>	<input type="radio"/>
	User3 will synchronize to Azure AD.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: No

The filtering is configured to synchronize Group2 and OU2 only. The effect of this is that only members of Group2 who are in OU2 will be synchronized.

User2 is in Group2. However, the User2 account object is in OU1 so User2 will not synchronize to Azure AD. Box 2: Yes

Group2 is in OU2 so Group2 will synchronize to Azure AD. However, only members of the group who are in OU2 will synchronize. Members of Group2 who are in OU1 will not synchronize.

Box 3: Yes

User3 is in Group2 and in OU2. Therefore, User3 will synchronize to Azure AD. References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering#group-b>

NEW QUESTION 119

- (Exam Topic 5)

You have an Active Directory domain named Adatum.com that is synchronized to Azure Active Directory as shown in the exhibit.

The screenshot shows the Microsoft Azure Active Directory Connect console. On the left is a navigation pane with 'Tasks' and 'Review your solution'. The main area is divided into two sections: 'Synchronized Directories' and 'Synchronized Settings'.

Synchronized Directories	
DIRECTORY	ACCOUNT
Adatum.com	Adatum.com\administrator

Synchronized Settings	
SOURCE ANCHOR	USER PRINCIPAL NAME
objectGUID	userPrincipalName
SYNC CRITERIA	FILTER OBJECTS TO SYNCHRONIZE BY GROUP
AlwaysProvision	Disabled
AZURE AD APP AND ATTRIBUTE FILTERING	DEVICE WRITEBACK
Disabled	Enabled
DIRECTORY EXTENSION ATTRIBUTE SYNC	EXCHANGE HYBRID DEPLOYMENT
Disabled	Disabled
GROUP WRITEBACK	PASSWORD HASH SYNCHRONIZATION
Enabled	Enabled
PASSWORD WRITEBACK	USER WRITEBACK
Disabled	Disabled
AUTO UPGRADE	EXCHANGE MAIL PUBLIC FOLDERS
Suspended	Disabled
SQL SERVER NAME	SQL SERVER INSTANCE NAME
(localdb)	.\ADSync

At the bottom right, there are two buttons: 'Previous' and 'Exit'.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

If you create a security group in Azure AD, the group will **[answer choice]**.

- not sync to adatum.com
- sync to adatum.com as a security group
- sync to adatum.com as a distribution group

If you join a computer to Azure AD, the object will **[answer choice]**.

- not sync to adatum.com
- sync to the Computers container in adatum.com
- sync to the LostAndFound container in adatum.com
- sync to the RegisteredDevices container in adatum.com

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Group Writeback is enabled in the Azure AD Connect configuration so groups created in Azure Active Directory will be synchronized to the on-premise Active Directory. A security group created in Azure Active Directory will be synchronized to the on-premise Active Directory as a security group.

Device Writeback is enabled in the Azure AD Connect configuration so computers joined to the Azure Active Directory will be synchronized to the on-premise Active Directory. They will sync to the RegisteredDevices container in the on-premise Active Directory.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-device-writeback>

NEW QUESTION 120

- (Exam Topic 5)

You have a Microsoft 365 subscription that uses an Azure Directory (Azure AD) tenant named Contoso.com. The tenant contains the users shown in the following table.

Name	Role
User1	Exchange administrator
User2	User administrator
User3	Global administrator
User4	None

You add another user named user5 to the User administrator role. You need to identify which management tasks User5 can perform.

Which two tasks should you identify? Each correct answer presents a complete solution.

- A. Reset the password of any user in Azure AD.
- B. Delete any user in Azure AD.
- C. Reset the password of User2 and User4 only.
- D. Reset the password of User4 only.
- E. Delete User1, User2, and User4 only.
- F. Delete User2 and User4 only.

Answer: CF

Explanation:

Users with the User Administrator role can create users and manage all aspects of users with some restrictions (see below).

Only on users who are non-admins or in any of the following limited admin roles:

- Directory Readers
- Guest Inviter
- Helpdesk Administrator
- Message Center Reader
- Reports Reader
- User Administrator Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/users-groups-roles/directory-assign-admin-roles#availab>

NEW QUESTION 122

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the following domains: Contoso.onmicrosoft.com

Contoso.com

You plan to add the following domains to Microsoft 365 and to use them with Exchange Online:

- Sub1.contoso.onmicrosoft.com
- Sub2.contoso.com
- Fabrikam.com

You need to identify the minimum number of DNS records that must be added for Exchange Online to receive inbound email messages for the three domains.

How many DNS records should you add? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

MX records:

0
1
2
3

CNAME records:

0
1
2
3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 2

You don't need to verify Sub1.contoso.onmicrosoft.com because the onmicrosoft.com domain and DNS is managed by Microsoft. You also don't need to configure an MX record for Sub1.contoso.onmicrosoft.com because that will be done by Microsoft.

For sub2.contoso.com, you don't need to verify the domain because you have already verified its parent domain contoso.com. However, you do need an MX record to direct email for that domain to Exchange Online.

For Fabrikam.com, you will need to verify the domain. You will need an MX record to direct email for that domain to Exchange Online.

Box 2: 0

You 'should' create CNAME records for autodiscover to point your email clients to Exchange Online to connect to the mailboxes. However, you don't have to.

You could configure the email client manually. Therefore, the minimum number of CNAME records required is zero.

NEW QUESTION 126

- (Exam Topic 5)

Your network contains an Active Directory domain named contoso.com. The domain contains five domain controllers.

You purchase Microsoft 365 and plan to implement several Microsoft 365 services.

You need to identify an authentication strategy for the planned Microsoft 365 deployment. The solution must meet the following requirements:

- Ensure that users can access Microsoft 365 by using their on-premises credentials.
- Use the existing server infrastructure only.

- > Store all user passwords on-premises only.
- > Be highly available.

Which authentication strategy should you identify?

- A. pass-through authentication and seamless SSO
- B. pass-through authentication and seamless SSO with password hash synchronization
- C. password hash synchronization and seamless SSO
- D. federation

Answer: A

Explanation:

Azure AD Pass-through Authentication. Provides a simple password validation for Azure AD authentication services by using a software agent that runs on one or more on-premises servers. The servers validate the users directly with your on-premises Active Directory, which ensures that the password validation doesn't happen in the cloud.
Reference:
https://docs.microsoft.com/en-us/azure/security/fundamentals/choose-ad-authn

NEW QUESTION 130

- (Exam Topic 5)

You receive the following JSON document when you use Microsoft Graph to query the current signed-in user.

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "businessPhones": [
    "+1 555 444 222"
  ],
  "displayName": "BenSmith",
  "givenName": "Ben",
  "jobTitle": "Developer",
  "mail": "ben.smith@contoso.com",
  "mobilePhone": "+1 555 444 222",
}
```

Answer Area

Statements	Yes	No
If you query a URI of https://graph.microsoft.com/v1.0/me/photo/\$value, you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value, you will get the profile picture.	<input type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value, you will get the profile picture.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
If you query a URI of https://graph.microsoft.com/v1.0/me/photo/\$value, you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/ben.smith@contoso.com/photo/\$value, you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>
If you query a URI of https://graph.microsoft.com/v1.0/users/5fa74bb7-b45b-426d-8ac7-446f090feeb5/photo/\$value, you will get the profile picture.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 131

- (Exam Topic 5)

Your network contains an Active Directory domain and a Microsoft Azure Active Directory (Azure AD) tenant. The network uses a firewall that contains a list of allowed outbound domains. You began to implement directory synchronization. You discover that the firewall configuration contains only the following domain names in the list of allowed domains:

- *.microsof.com
- *.office.com

Directory synchronization fails.

You need to ensure that directory synchronization completes successfully.

What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. From the firewall, allow the IP address range of the Azure data center for outbound communication.
- B. From Azure AD Connect, modify the Customize synchronization options task
- C. Deploy an Azure AD Connect sync server in staging mode.
- D. From the firewall, create a list of allowed inbound domains.
- E. From the firewall, modify the list of allowed outbound domains.

Answer: E

Explanation:

Azure AD Connect needs to be able to connect to various Microsoft domains such as login.microsoftonline.com. Therefore, you need to modify the list of allowed outbound domains on the firewall.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/reference-connect-ports>

NEW QUESTION 134

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.


Microsoft 365 Username: admin@LODSe878763.onmicrosoft.com

Microsoft 365 Password: m3t^We\$Z7&xy

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 11440873



You need to prevent all the users in your organization from sending an out of office reply to external users.

To answer, sign in to the Microsoft 365 portal.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to modify the default remote domain. When you add a remote domain, you specify the domain name and the settings apply to that domain. The default remote domain applies to all other domains. Therefore, we need to disable Out of Office replies for external users in the settings of the default remote domain.

- * 1. Go to the Exchange Admin Center.
- * 2. Click Mail Flow in the left navigation pane.
- * 3. Click on Remote Domains.
- * 4. Select the default remote domain and click the Edit icon (pencil icon).
- * 5. In the 'Out of Office automatic reply types' section, select 'None'.
- * 6. Click Save to save changes to the default remote domain.

NEW QUESTION 138

- (Exam Topic 5)

Your network contains three Active Directory forests.

You create a Microsoft Azure Active Directory (Azure AD) tenant. You plan to sync the on premises Active Directory (Azure AD).

You need to recommend a synchronization solution. The solution must ensure that the synchronization can complete successfully and as quickly as possible if a single server fails.

What should you include in the recommendation?

- A. Three Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode
- B. One Azure AD Connect sync servers one Azure AD Connect sync servers in staging mode
- C. Three Azure AD Connect sync servers and one Azure AD Connect sync servers in staging mode
- D. six Azure AD Connect sync servers and three Azure AD Connect sync servers in staging mode

Answer: B

Explanation:

Azure AD Connect can be active on only one server. You can install Azure AD Connect on another server for redundancy but the additional installation would need to be in Staging mode. An Azure AD connect installation in Staging mode is configured and ready to go but it needs to be manually switched to Active to perform directory synchronization.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

NEW QUESTION 141

- (Exam Topic 5)

Your network contains two disconnected on-premises Active Directory forests named adatum.com and contoso.com.

You have an Azure AD tenant named nwtraders.com

You need to sync the on-premises forests to nwtraders.com. The solution must meet the following requirements:

- Provide the ability to connect to adatum.com and contoso.com.
- Provide support for Microsoft Exchange hybrid.
- Provide the ability to sync device objects.
- Minimize administrative effort.

Tools	Answer Area
Azure AD Connect	Provide the ability to sync device objects: Tool
Azure AD Connect Cloud Sync	Provide support for Microsoft Exchange hybrid: Tool
Active Directory Migration Tool	Provide the ability to connect to adatum.com and contoso.com: Tool

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Tools	Answer Area
Azure AD Connect	Provide the ability to sync device objects: Azure AD Connect
Azure AD Connect Cloud Sync	Provide support for Microsoft Exchange hybrid: Azure AD Connect Cloud Sync
Active Directory Migration Tool	Provide the ability to connect to adatum.com and contoso.com: Active Directory Migration Tool

NEW QUESTION 142

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You recently configured a Microsoft SharePoint Online tenant in the subscription. You plan to create an alert policy.

You need to ensure that an alert is generated only when malware is detected in more than five documents stored in SharePoint Online during a period of 10 minutes.

What should you do first?

- A. Enable Microsoft Office 365 Cloud App Security.
- B. Deploy Windows Defender Advanced Threat Protection (Windows Defender ATP).
- C. Enable Microsoft Office 365 Analytics.

Answer: B

Explanation:

An alert policy consists of a set of rules and conditions that define the user or admin activity that generates an alert, a list of users who trigger the alert if they perform the activity, and a threshold that defines how many times the activity has to occur before an alert is triggered.

In this question, we would use the "Malware detected in file" activity in the alert settings then configure the threshold (5 detections) and the time window (10 minutes).

The ability to configure alert policies based on a threshold or based on unusual activity requires Advanced Threat Protection (ATP).

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/alert-policies>

NEW QUESTION 147

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You review the Windows release health in the Microsoft 365 admin center. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/windows-it-pro-blog/windows-release-health-now-available-in-the-adm>

NEW QUESTION 149

- (Exam Topic 5)

You have a Microsoft 365 Enterprise subscription.

You have a conditional access policy to force multi factor authentication when accessing Microsoft SharePoint from a mobile device

You need to view which users authenticated by using multi factor authentication. What should you do?

A. From the Microsoft 365 admin center, view the Security Compliance reports.

B. From the Azure Active Directory admin center, view the user sign-ins.

C. From the Microsoft 365 admin center, view the Usage reports.

D. From the Azure Active Directory admin center, view the audit logs.

Answer: B

Explanation:

With the sign-ins activity report in the Azure portal, you can get the information you need to determine how your environment is doing.

The sign-ins report can provide you with information about the usage of managed applications and user sign-in activities, which includes information about multi-factor authentication (MFA) usage. The MFA data gives you insights into how MFA is working in your organization

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-reporting>

NEW QUESTION 150

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

➤ Contoso.com

➤ East.contoso.com

An Azure AD Connect server is deployed to contoso.com. Azure AD Connect syncs to an Azure Active Directory (Azure AD) tenant.

You deploy a new domain named west.contoso.com to the forest.

You need to ensure that west.contoso.com syncs to the Azure AD tenant.

Solution: You install a new Azure AD Connect server in west.contoso.com and set AD Connect to active mode.

Does this meet the goal?

A. Yes

B. No


Answer: A

NEW QUESTION 153

- (Exam Topic 5)

Your company has a hybrid deployment of Microsoft 365.

An on-premises user named User1 is synced to Microsoft Azure Active Directory (Azure AD). Azure AD Connect is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

User1 [answer choice].

If the password for User1 is changed in Active Directory, [answer choice].

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

User1 cannot change her password from any Microsoft portals because Password Writeback is disabled in the Azure AD Connect configuration. If the password for User1 is changed in Active Directory, the password will be synchronized to Azure AD because Password Synchronization is enabled in the Azure AD Connect configuration.
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

NEW QUESTION 158

- (Exam Topic 5)
A user receives the following message when attempting to sign in to <https://myapps.microsoft.com>:
"Your sign-in was blocked. We've detected something unusual about this sign-in. For example, you might be signing in from a new location, device, or app. Before you can continue, we need to verify your identity. Please contact your admin."
Which configuration prevents the users from signing in?

- A. Security & Compliance supervision policies
- B. Security & Compliance data loss prevention (DLP) policies
- C. Microsoft Azure Active Directory (Azure AD) conditional access policies
- D. Microsoft Azure Active Directory (Azure AD) Identity Protection policies

Answer: C

Explanation:

The user is being blocked due to a 'risky sign-in'. This can be caused by the user logging in from a device that hasn't been used to sign in before or from an unknown location. Integration with Azure AD Identity Protection allows Conditional Access policies to identify risky sign-in behavior. Policies can then force users to perform password changes or multi-factor authentication to reduce their risk level or be blocked from access until an administrator takes manual action.
Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview>

NEW QUESTION 159

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains an Active Directory domain.

You deploy a Microsoft Azure Active Directory (Azure AD) tenant. Another administrator configures the domain to synchronize to Azure AD.

You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized successfully.

You review Azure AD Connect Health and discover that all the user account synchronizations completed successfully.

You need to ensure that the 10 user accounts are synchronized to Azure AD.

Solution: From Azure AD Connect, you modify the Azure AD credentials. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The question states that “all the user account synchronizations completed successfully”. Therefore, the Azure AD credentials are configured correctly in Azure AD Connect. It is likely that the 10 user accounts are being excluded from the synchronization cycle by a filtering rule.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-configure-filtering>

NEW QUESTION 162

- (Exam Topic 5)

Your company uses Gmail as a corporate email solution.

You purchase a Microsoft 365 subscription and plan to move all email data to Microsoft Exchange Online.

You plan to perform the migration by using the Exchange admin center.

You need to recommend which type of migration to use and which type of data to migrate. What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Migration type to use:

Cutover migration
Staged migration
Remote move migration
IMAP migration

Data to include in the migration:

Email only
Email and calendar only
Email, calendar and contacts only
Email, calendar, contacts, and tasks

A. Mastered

B. Not Mastered

Answer: A

Explanation:

You'll need to use the IMAP migration method. You can use the setup wizard in the Microsoft 365 admin center for an IMAP migration to migrate mailboxes from Gmail to Microsoft 365.

IMAP migration will only migrate emails, not calendar and contact information. Users can import their own email, contacts, and other mailbox information to Office 365 after the mailboxes have been migrated.

Reference:

<https://docs.microsoft.com/en-us/exchange/mailbox-migration/migrating-imap-mailboxes/migrate-g-suite-mailb>

NEW QUESTION 167

- (Exam Topic 5)

You have a Microsoft 365 subscription.

Your company purchases a new financial application named App1.

From Cloud Discovery in Microsoft Cloud App Security, you view the Discovered apps page and discover that many applications have a low score because they are missing information about domain registration and consumer popularity.

You need to prevent the missing information from affecting the score. What should you configure from the Cloud Discover settings?

A. App tags

B. Score metrics

C. Organization details

D. Default behavior

Answer: B

Explanation:

An app's score in Cloud Discovery is based on categories such as General, Security, Compliance and Legal. Each category has several parameters. For example, the domain registration and consumer popularity parameters are part of the General category. These parameters are known as Score Metrics.

You can modify the default weights given to the Cloud Discovery score configuration. By default, all the various parameters evaluated are given an equal weight. If

there are certain parameters that are more or less important to your organization, you can adjust the weight of each score metric.

References:

<https://docs.microsoft.com/en-us/cloud-app-security/discovered-app-queries>

NEW QUESTION 171

- (Exam Topic 5)

You plan to develop a SharePoint Framework (SPfx) web part by using the ReactJS framework.

You need to ensure that all the web part fields and controls adopt the theme of the site when you deploy the web part. The solution must minimize development effort

What should you include in the solution?

- A. Material-UI
- B. FluentUI
- C. Microsoft Fluid Framework
- D. HTML5 and CSS

Answer: B

NEW QUESTION 173

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Office 365 tenant.

You suspect that several Office 365 features were recently updated.

You need to view a list of the features that were recently updated in the tenant. Solution: You use the View service requests option in the Microsoft 365 admin center. Does this meet the goal?

- A. Yes
- B. NO

Answer: B

Explanation:

A service request is a support ticket. Therefore, the View service requests option in the Microsoft 365 admin center displays a list of support tickets. It does not display a list of the features that were recently updated in the tenant so this solution does not meet the goal.

To meet the goal, you need to use Message center in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/office365/admin/manage/message-center?view=o365-worldwide>

NEW QUESTION 175

- (Exam Topic 5)

Your network contains an on-premises Active Directory domain that syncs to Azure Active Directory (Azure AD).

The on-premises network contains a Microsoft SharePoint Server 2019 farm. The company purchases a Microsoft 365 subscription.

You have the users shown in the following table

Name	Source
User1	Windows Active Directory
User2	Azure Active Directory

You plan to assign User1 and User2 the required roles to run the SharePoint Hybrid Configuration Wizard. User1 will be used for on-premises credentials and User2 will be used for cloud credentials.

You need to assign the correct role to User2. The solution must use the principle of least privilege. Which role should you assign to User2?

- A. Application administrator
- B. SharePoint farm administrator
- C. Global administrator
- D. SharePoint administrator

Answer: C

Explanation:

To run the SharePoint Hybrid Configuration Wizard, you need to provide credentials of a user (in this case User2) of a Global Administrator account in Azure Active Directory.

Reference:

<https://www.c-sharpcorner.com/article/sharepoint-2019-enable-hybrid-experience/> <https://docs.microsoft.com/en-us/sharepoint/hybrid/accounts-needed-for-hybrid-configuration-and-testing>

NEW QUESTION 177

- (Exam Topic 5)

You have a Microsoft 365 tenant that contains 300 users.

The users have Domestic and International Calling Plan licenses.

What is the maximum user phone numbers and toll-free service phone numbers can you acquire? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of user phone numbers:

▼

150

300

340

600

Number of toll-free service phone numbers:

▼

20

30

45

65

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/microsoftteams/how-many-phone-numbers-can-you-get>

NEW QUESTION 182


- (Exam Topic 5)
Your network contains an Active Directory domain.
You deploy a Microsoft Azure Active Directory (Azure AD) tenant.
Another administrator configures the domain the synchronization to Azure AD.
You discover that 10 user accounts in an organizational unit (OU) are NOT synchronized to Azure AD. All the other user accounts synchronized to successfully.
You review Azure AD Connect Health and discover that all the user account synchronization completed. You discover AD Connect Health and discover that at the user account synchronization to Azure AD. Solution: You run idfix.exe and export the 10 user accounts.

- A. Yes
- B. No

Answer: B

NEW QUESTION 185

- (Exam Topic 5)
HOTSPOT
You company has a Microsoft 365 subscription that contains the domains shown in the following exhibit.

<div><div>+ Add domain</div><div>+ Buy domain</div><div>View</div><div>All domains ▼</div><div>Search domains 🔍</div></div>	
Domain name	Status
Contoso20198.onmicrosoft.com (Default)	Setup complete
Contoso.com	Setup in progress
 East.Contoso20198.onmicrosoft.com	Possible service issues

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

An administrator can create usernames that contain the [answer choice].

▼

Contoso20198.onmicrosoft.com domain only
Contoso20198.onmicrosoft.com domain and all its subdomains only
Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only
Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

Exchange Online can receive inbound email messages sent to the [answer choice].

▼

Contoso20198.onmicrosoft.com domain only
Contoso20198.onmicrosoft.com domain and all its subdomains only
Contoso20198.onmicrosoft.com and East.Contoso20198.onmicrosoft.com domains only
Contoso20198.onmicrosoft.com, East.Contoso20198.onmicrosoft.com, and Contoso.com domains

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Only the Contoso20198.onmicrosoft.com domain has a status of Setup Complete. The other two statuses mean that the domain setup is not complete or has issues that need to be corrected before they can be used.

Reference:

<https://support.office.com/en-gb/article/what-do-domain-statuses-mean-in-office-365-3ecf1fef-3b31-497c-98bc>

NEW QUESTION 189

- (Exam Topic 5)

When creating an sppkg package for deploying a web part you use the gulp command.

Instructions: Review the underlined text. If it makes the statement correct select "No change is needed/ If the statement is incorrect select the answer choice that makes the statement correct.

- A. No change is needed.
B. the web part must be signed
C. you use the yeoman (or yo) PowerShell cmdtet
D. the solution must be signed

Answer: C

NEW QUESTION 194

- (Exam Topic 5)

Your company has a Microsoft 365 subscription that contains the users shown in the following table.

Name	Role
User1	Global administrator
User2	Security administrator, Guest inviter
User3	None
User4	Password administrator

You need to identify which users can perform the following administrative tasks:

- Modify the password protection policy.
- Create guest user accounts.

Which users should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Modify the password protection policy:

▼

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

Create new guest users in Microsoft Azure Active Directory (Azure AD):

▼

User1 only
User1 and User2 only
User1, User2, and User4 only
User1, User2, User3, and User4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Only a Global Admin can modify the password protection policy.

A Global Admin or a user with the Guest Inviter role can create guest accounts. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premises-op>

NEW QUESTION 199

- (Exam Topic 5)

Your network contains an Active Directory forest. The forest contains two domains named contoso.com and adatum.com.

Your company recently purchased a Microsoft 365 subscription. You deploy a federated identity solution to the environment.

You use the following command to configure contoso.com for federation. Convert-MsolDomainToFederated –DomainName contoso.com

In the Microsoft 365 tenant, an administrator adds and verifies the adatum.com domain name. You need to configure the adatum.com Active Directory domain for federated authentication.

Which two actions should you perform before you run the Azure AD Connect wizard? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Windows PowerShell, run the Convert-MsolDomainToFederated–DomainName contoso.com –SupportMultipleDomain command.
- B. From Windows PowerShell, run the New-MsolFederatedDomain–SupportMultipleDomain -DomainName contoso.com command.
- C. From Windows PowerShell, run the New-MsolFederatedDomain-DomainName adatum.com command.
- D. From Windows PowerShell, run the Update-MSOLFederatedDomain–DomainName contoso.com –SupportMultipleDomain command.
- E. From the federation server, remove the Microsoft Office 365 relying party trust.

Answer: AE

Explanation:

When the Convert-MsolDomainToFederated –DomainName contoso.com command was run, a relying party trust was created.

Adding a second domain (adatum.com in this case) will only work if the SupportMultipleDomain switch was used when the initial federation was configured by running the Convert-MsolDomainToFederated

–DomainName contoso.com command.

Therefore, we need to start again by removing the relying party trust then running the Convert-MsolDomainToFederated command again with the SupportMultipleDomain switch.

NEW QUESTION 202

- (Exam Topic 5)

You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com that includes a user named User1.

You enable multi-factor authentication for contoso.com and configure the following two fraud alert settings: ➤ Set Allow users to submit fraud alerts: On

➤ Automatically block users who report fraud: On

You need to instruct the users in your organization to use the fraud reporting features correctly. What should you tell the users to do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

A user can report fraud on her account by:

Typing a special code after receiving an alert call
Sending an email message to an administrator
Using the Microsoft Authenticator app

If User1 reports fraud on his account, the account will be blocked automatically for:

6 hours
1 day
7 days
90 days

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Code to report fraud during initial greeting: When users receive a phone call to perform two-step verification, they normally press #

to confirm their sign-in. To report fraud, the user enters a code before

pressing #. This code is 0

by default, but you can customize it.

Block user when fraud is reported: If a user reports fraud, their account is blocked for 90 days or until an administrator unblocks their account. An administrator can review sign-ins by using the sign-in report, and take appropriate action to prevent future fraud. An administrator can then unblock the user's account.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#fraud-alert>

NEW QUESTION 203

- (Exam Topic 5)

You have a Microsoft 365 subscription.

You need to prevent phishing email messages from being delivered to your organization. What should you do?

- A. From the Exchange admin center, create an anti-malware policy.
- B. From Security & Compliance, create a DLP policy.
- C. From Security & Compliance, create a new threat management policy.

D. From the Exchange admin center, create a spam filter policy.

Answer: C

Explanation:

Anti-phishing protection is part of Office 365 Advanced Threat Protection (ATP). To prevent phishing email messages from being delivered to your organization, you need to configure a threat management policy.

ATP anti-phishing is only available in Advanced Threat Protection (ATP). ATP is included in subscriptions, such as Microsoft 365 Enterprise, Microsoft 365 Business, Office 365 Enterprise E5, Office 365 Education A5, etc.

Reference:

<https://docs.microsoft.com/en-us/office365/securitycompliance/set-up-anti-phishing-policies>

NEW QUESTION 206

- (Exam Topic 5)

Your on-premises network contains an Active Directory domain that syncs with an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect. Your company purchases another company that has an on-premises Active Directory domain named lrtwareinc.com. You need to sync lrtwareinc.com with contoso.com. What should you install in the lrtwareinc.com domain?

- A. an Azure AD Connect provisioning agent
- B. an Azure AD Connect instance in staging mode
- C. an active instance of Azure AD Connect
- D. an Azure AD application proxy connector

Answer: A

NEW QUESTION 208


- (Exam Topic 5)

You have a Microsoft 365 subscription

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Global administrator
User3	Service support administrator

You configure Tenant properties as shown in the following exhibit



Technical contact: User1@contoso.com ✓

Global privacy contact: ✓

Privacy statement URL: http://contoso.com/privacy ✓

Which users will be contacted by Microsoft if the tenant experiences a data breach?

- A. User1 only
- B. User2 only
- C. User3 only
- D. User1 and User2 only
- E. User2 and User3 only

Answer: A

NEW QUESTION 212

- (Exam Topic 5)

You manage multiple devices by using Microsoft Endpoint Manager. The devices run on the following operating systems:

- > Android 8.0, Android 8.1.0, and Android 9
- > iOS 12 and iOS 13
- > MacOS 10.14
- > Windows 10

You need to deploy Microsoft 365 apps to the devices.

From the Microsoft Endpoint Manager admin center, what is the minimum number of apps you should create?

- A. 1
- B. 3
- C. 4
- D. 7

Answer: C

Explanation:
Reference:
<https://docs.microsoft.com/en-us/mem/intune/apps/apps-add>

NEW QUESTION 213

- (Exam Topic 5)
You have a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com.
You have three applications App1, App2, App3. The Apps use files that have the same file extensions. Your company uses Windows Information Protection (WIP). WIP has the following configurations:
> Windows Information Protection mode: Silent
> Protected apps: App1
> Exempt apps: App2
From App1, you create a file named File1.
What is the effect of the configurations? To answer, select the appropriate options in the answer area.

You can open File1 from:

App1 only

App1 and App2 only

App1 and App3 only

App1, App2, and App3

An action will be logged when you attempt to open File1 from:

App1 only

App3 only

App1 and App2 only

App2 and App3 only

App1, App2, and App3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Exempt apps: These apps are exempt from this policy and can access corporate data without restrictions.
Windows Information Protection mode: Silent: WIP runs silently, logging inappropriate data sharing, without stopping anything that would've been prompted for employee interaction while in Allow overrides mode. Unallowed actions, like apps inappropriately trying to access a network resource or WIP-protected data, are still stopped.
Reference:
<https://docs.microsoft.com/en-us/intune/apps/windows-information-protection-policy-create> [https://docs.microsoft.com/en-us/windows/security/information-protection/crea](https://docs.microsoft.com/en-us/windows/security/information-protection/windows-information-protection/crea)

NEW QUESTION 215

- (Exam Topic 5)
You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com. The tenant contains the user's shown in the following table.

Name	Role
User1	Report reader
User2	User administrator
User3	Security administrator
User4	Global administrator

From the Sign-ins blade of the Azure Active Directory admin center, for which users can User1 and User2 view the sign-ins? To answer, select the appropriate options in the answer area.

User1 can view the sign-ins for the following users:

User1 only

User1 and User2 only

User1, User2, and User3 only

User1, User2, User3, and User4

User2 can view the sign-ins for the following users:

User2 only

User1 and User2 only

User1, User2, and User3 only

User1, User2, User3, and User4

User2 can view the sign-ins for the following users:

User2 only

User1 and User2 only


User1, User2, and User3 only

User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area



NEW QUESTION 219

- (Exam Topic 5)

You have a Microsoft 365 tenant.

You have a line-of-business application named App1 that users access by using the My Apps portal.

After some recent security breaches, you implement a conditional access policy for App1 that uses Conditional Access App Control.

You need to be alerted by email if impossible travel is detected for a user of App1. The solution must ensure that alerts are generated for App1 only.

What should you do?

- A. From Microsoft Cloud App Security, modify the impossible travel alert policy.
- B. From Microsoft Cloud App Security, create a Cloud Discovery anomaly detection policy.
- C. From the Azure Active Directory admin center, modify the conditional access policy.
- D. From Microsoft Cloud App Security, create an app discovery policy.

Answer: A

Explanation:

Impossible travel detection identifies two user activities (is a single or multiple sessions) originating from geographically distant locations within a time period shorter than the time it would have taken the user to travel from the first location to the second.

We need to modify the policy so that it applies to App1 only. Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/anomaly-detection-policy>

NEW QUESTION 224

- (Exam Topic 5)

This question requires that you evaluate the underlined text to determine if it is correct-In Microsoft Word on Windows, before you can sideload a Microsoft Office Add-in, you must first: upload the manifest to Microsoft OneDrive instructions: Review the underlined text. If it makes the statement correct select "No change is needed," If the statement is incorrect select the answer choice that makes the statement correct

- A. No change is needed.
- B. deploy the manifest to an Azure website
- C. publish the manifest to a trusted network location
- D. set Microsoft Edge to Developer Mode

Answer: C

NEW QUESTION 226

- (Exam Topic 5)

You have a Microsoft 365 E5 subscription.

You need to ensure that users are prompted for multi-factor authentication (MFA) when they attempt to access Microsoft SharePoint Online resources. Users must NOT be prompted for MFA when they attempt to access other Microsoft 365 services.

What should you do?

- A. From the Microsoft Endpoint Manager admin center, create an app protection policy.
- B. From the multi-factor authentication page, configure the users settings.
- C. From the Azure Active Directory admin center, create a conditional access policy.
- D. From the Cloud App Security admin center, create an app access policy.

Answer: C

Explanation:

Multi-factor authentication (MFA) is configured through conditional access policies. Reference:

<https://docs.microsoft.com/en-us/appcenter/general/configuring-aad-conditional-access>

NEW QUESTION 228

- (Exam Topic 5)

Your network contains an on-premises Active Directory forest named contoso.com. The forest contains the following domains:

- > Contoso.com
- > East.contoso.com

The forest contains the users shown in the following table.

Name	UPN suffix
User1	Contoso.com
User2	East.contoso.com
User3	Fabrikam.com

The forest syncs to an Azure Active Directory (Azure AD) tenant named contoso.com as shown in the exhibit. (Click the Exhibit tab.)

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Disabled

USER SIGN-IN



Federation	Disabled	0 domains
Seamless single sign-on	Enabled	1 domain
Pass-through authentication	Enabled	2 agents

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	NO
User1 can authenticate to Azure AD by using a username of user1@contoso.com.	<input type="radio"/>	<input type="radio"/>
User2 can authenticate to Azure AD by using a username of user2@contoso.com.	<input type="radio"/>	<input type="radio"/>
User3 can authenticate to Azure AD by using a username of user3@contoso.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
The UPN of user1 is user1 @contoso.com so he can authenticate to Azure AD by using the username user1 @contoso.com.
Box 2: No
The UPN of user2 is user2@east.contoso.com so he cannot authenticate to Azure AD by using the username user2@contoso.com.
Box 3: No
The UPN of user3 is user3@fabrikam.com so he cannot authenticate to Azure AD by using the username user3@contoso.com.

NEW QUESTION 230

- (Exam Topic 5)
Your company has 500 client computers that run Windows 10.
You plan to deploy Microsoft Office 365 ProPlus to all the computers. You create the following XML file for the planned deployment.


```
<Configuration>
  <Add OfficeClientEdition="64" Channel="Broad" ForceUpgrade="TRUE">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us"/>
      <ExcludeApp ID="Groove"/>
      <ExcludeApp ID="Publisher"/>
    </Product>
  </Add>
  <Updates Enabled="TRUE" Channel="Broad" Deadline="03/31/2019, 00:00"
UpdatePath="\\sccm\updates"/>
  <Display Level="Full" AcceptEULA="TRUE"/>
  <Property Name="FORCEAPPSHUTDOWN" Value="TRUE"/>
  <Property Name="SharedComputerLicensing" Value="0"/>
  <Property Name="PinIconsToTaskbar" Value="TRUE"/>
</Configuration>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

When the installation is complete [answer choice].

all users will be prompted to accept the EULA

all users will be prompted to install several updates

all semi-channel updates will be installed automatically

Office 365 ProPlus will [answer choice].

include Microsoft OneDrive for Business and Microsoft Outlook only

be installed on all the computers

be installed only on the computers that run a 64-bit version of Windows 10

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:
When the installation is complete, all users will be prompted to install several updates.
In the configuration file, the Updates Enabled element is set to True. This means that Office will check for updates after the installation.
The Channel element set to Broad means that all semi-annual channel updates will be installed. Box 2:
Office 365 ProPlus will be installed only on the computers that run a 64-bit version of Windows 10.
The OfficeClientEdition element defines whether the 32-bit or 64-bit edition of Office 365 ProPlus is downloaded or installed. In the configuration file, it is set to '64'. The 64-bit version will only install on a 64-bit client computer.
Reference:
<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool>

NEW QUESTION 231

- (Exam Topic 5)
You are developing a SharePoint Framework (SPFx) solution.
For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area	
Statements	<div>YesNo</div>
Field Customizer extensions be used to change the rendering of a field.	<div><div></div><div></div></div>
Field Customizer extensions can use the Server-Side Object Model.	<div><div></div><div></div></div>
Field Customizer extensions can use client-side libraries such as AngularJS and React.	<div><div></div><div></div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/sharepoint/dev/spfx/extensions/get-started/building-simple-field-customizer#en> <https://www.spguides.com/spfx-application-customizer/>

NEW QUESTION 234

- (Exam Topic 5)

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab. Lab information

Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@LODSe426243.onmicrosoft.com Microsoft 365 Password: 3&YWyjse-6-d

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only:

Lab Instance: 10887751

You plan to provide an external user named fabrikamuser@fabrikam.com with access to several resources in your Microsoft 365 tenant.

You need to ensure that the external user can be added to Office 365 groups.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

You need to create a guest account for the external user.

- * 1. Go to the Azure Active Directory admin center.
- * 2. Select Users.
- * 3. Click the 'New guest user' link.
- * 4. Select the 'Invite user' option.
- * 5. Give the account a name and enter fabrikamuser@fabrikam.com in the email address field.
- * 6. Click the 'Invite' button. References:

<https://docs.microsoft.com/en-us/azure/active-directory/b2b/b2b-quickstart-add-guest-users-portal>

NEW QUESTION 237

- (Exam Topic 5)

You create a Microsoft 365 Enterprise subscription. You assign licenses for all products to all users.

You need to ensure that all Microsoft Office 365 ProPlus installations occur from a network share. The solution must prevent the users from installing Office 365 ProPlus from the Internet.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. From your computer, run setup.exe /download downloadconfig.xml.
- B. Create an XML download file.
- C. From the Microsoft 365 admin center, deactivate the Office 365 licenses for all the users.
- D. From each client computer, run setup.exe /configure installconfig.xml.
- E. From the Microsoft 365 admin center, configure the Software download settings.

Answer: BDE

Explanation:

You can use the Office Deployment Tool (ODT) to download the installation files for Office 365 ProPlus from a local source on your network instead of from the Office Content Delivery Network (CDN).

The first step is to create the configuration file. You can download an XML template file and modify that. The next step to install Office 365 ProPlus is to run the ODT executable in configure mode with a reference to the configuration file you just saved. In the following example, the configuration file is named installconfig.xml. setup.exe /configure installconfig.xml

After running the command, you should see the Office installation start.

To prevent the users from installing Office 365 ProPlus from the Internet, you need to configure the Software download settings (disallow downloads) in the Microsoft 365 admin center.

Reference:

<https://docs.microsoft.com/en-us/deployoffice/overview-of-the-office-2016-deployment-tool#download-the-inst>

NEW QUESTION 238

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company plans to deploy several Microsoft Office 365 services.

You need to design an authentication strategy for the planned deployment. The solution must meet the following requirements:

- Users must be able to authenticate during business hours only.
- Authentication requests must be processed successfully if a single server fails.
- When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.
- Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

Solution: You design an authentication strategy that uses federation authentication by using Active Directory Federation Services (AD FS). The solution contains two AD FS servers and two Web Application Proxies.

Does this meet the goal?

- A. Yes
 B. No

Answer: B

Explanation:

This solution meets the following requirements:

- Users must be able to authenticate during business hours only.
- Authentication requests must be processed successfully if a single server fails.
- When the password for an on-premises user account expires, the new password must be enforced the next time the user signs in.

The following requirement is not met:

- Users who connect to Office 365 services from domain-joined devices that are connected to the internal network must be signed in automatically.

To meet this requirement, you would need to configure seamless Single Sign-on (SSO) Reference:

<https://docs.microsoft.com/en-us/azure/security/azure-ad-choose-authn>

NEW QUESTION 241

- (Exam Topic 5)

You create a Microsoft 365 subscription.

You plan to deploy Microsoft Office 365 ProPlus applications to all the client computers at your company. You prepare the following XML file for the planned deployment.

```
<Configuration>
  <Add OfficeClientEdition="32"
    Channel="Broad">
    <Product ID="0365ProPlusRetail">
      <Language ID="en-us" />
    </Product>
    </Add>
  <Updates Enabled="TRUE"
    UpdatePath=""
    Channel="Targeted" />
  <Display Level="None"
    AcceptEULA="TRUE" />
</Configuration>
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Office 365 ProPlus feature updates will be installed [answer choice].

▼
once a month
once every six months
once a year

Office 365 ProPlus security updates will be installed [answer choice].

▼
once a month
every six months in January and July
every six months in March and September

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/deployoffice/configuration-options-for-the-office-2016-deployment-tool#updates> <https://docs.microsoft.com/en-us/deployoffice/overview-of-update-channels-for-office-365-proplus>

NEW QUESTION 242

- (Exam Topic 5)

You have a Microsoft 365 subscription that contains several Microsoft SharePoint Online sites. You discover that users from your company can invite external users to access files on the SharePoint sites. You need to ensure that the company users can invite only authenticated guest users to the sites. What should you do?

- A. From the Microsoft 365 admin center, configure a partner relationship.
 B. From SharePoint Online Management Shell, run the set-SPOSite cmdlet.
 C. From the Azure Active Directory admin center, configure a conditional access policy.
 D. From the SharePoint admin center, configure the sharing settings.

Answer: D

Explanation:

You need to set the Sharing settings to 'Existing Guests'. This setting allows sharing only with guests who are already in your directory. These guests may exist in your directory because they previously accepted sharing invitations or because they were manually added.

Reference:

<https://docs.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

NEW QUESTION 247

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-100 Practice Exam Features:

- * MS-100 Questions and Answers Updated Frequently
- * MS-100 Practice Questions Verified by Expert Senior Certified Staff
- * MS-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-100 Practice Test Here](#)