

Cisco

Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)



NEW QUESTION 1

A second set of traffic selectors is negotiated between two peers using IKEv2. Which IKEv2 packet will contain details of the exchange?

- A. IKEv2 IKE_SA_INIT
- B. IKEv2 INFORMATIONAL
- C. IKEv2 CREATE_CHILD_SA
- D. IKEv2 IKE_AUTH

Answer: B

NEW QUESTION 2

Which command identifies a Cisco AnyConnect profile that was uploaded to the flash of an IOS router?

- A. svc import profile SSL_profile flash:simos-profile.xml
- B. anyconnect profile SSL_profile flash:simos-profile.xml
- C. crypto vpn anyconnect profile SSL_profile flash:simos-profile.xml
- D. webvpn import profile SSL_profile flash:simos-profile.xml

Answer: C

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/anyconnect-secure-mobility-client/200533-AnyConnect-Configure-Basic-SSLVPN-for-I.html>

NEW QUESTION 3

Refer to the exhibit.

Which value must be configured in the User Group field when the Cisco AnyConnect Profile is created to connect to an ASA headend with IPsec as the primary protocol?

- A. address-pool
- B. group-alias
- C. group-policy
- D. tunnel-group

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect41/administration/guide/b_AnyConnect_Administrator_Guide_4-1/configure-vpn.html

NEW QUESTION 4

Refer to the exhibit.

```
aaa new-model
!
aaa authorization network local-group-author-list local
!
crypto pki trustpoint trustpoint1
  enrollment url http://192.168.3.1:80
  revocation-check crl
!
crypto pki certificate map certmap1 1
  subject-name co cisco
!
crypto ikev2 authorization policy author-policy1
  ipv6 pool v6-pool
  ipv6 dns 2001:DB8:1::11 2001:DB8:1::12
  ipv6 subnet-acl v6-acl
!
crypto ikev2 profile ikev2-profile1
  match certificate certmap1
  authentication local rsa-sig
  authentication remote rsa-sig
  pki trustpoint trustpoint1
  aaa authorization group cert list local-group-author-list
author-policy1
  virtual-template 1
!
crypto ipsec transform-set transform1 esp-aes esp-sha-hmac
!
crypto ipsec profile ipsec-profile1
  set transform-set trans transform1
  set ikev2-profile ikev2-profile1
!
interface Ethernet0/0
  ipv6 address 2001:DB8:1::1/32
!
interface Virtual-Template1 type tunnel
  ipv6 unnumbered Ethernet0/0
  tunnel mode ipsec ipv6
  tunnel protection ipsec profile ipsec-profile1
!
ipv6 local pool v6-pool 2001:DB8:1::10/32 48
!
ipv6 access-list v6-acl
  permit ipv6 host 2001:DB8:1::20 any
  permit ipv6 host 2001:DB8:1::30 any
```

What is configured as a result of this command set?

- A. FlexVPN client profile for IPv6
- B. FlexVPN server to authorize groups by using an IPv6 external AAA
- C. FlexVPN server for an IPv6 dVTI session
- D. FlexVPN server to authenticate IPv6 peers by using EAP

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_ike2vpn/configuration/xr-3s/sec-flex-vpn-xr-3s-book/sec-cfg-flex-clnt.html

NEW QUESTION 5

Which two types of web resources or protocols are enabled by default on the Cisco ASA Clientless SSL VPN portal? (Choose two.)

- A. HTTP
- B. ICA (Citrix)
- C. VNC
- D. RDP
- E. CIFS

Answer: DE

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa94/config-guides/cli/vpn/asa-94-vpn-config/webvpn-configure-gateway.html>

NEW QUESTION 6

Which configuration construct must be used in a FlexVPN tunnel?

- A. EAP configuration
- B. multipoint GRE tunnel interface
- C. IKEv1 policy
- D. IKEv2 profile

Answer: D

NEW QUESTION 7

Refer to the exhibit.



The customer must launch Cisco AnyConnect in the RDP machine. Which IOS configuration accomplishes this task?

- A. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
svc platform win seq 1
policy group PolicyGroup1
functions svc-enabled
- B. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
browser-attribute import flash:RDP.xml
- C. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
policy group PolicyGroup1
svc profile Profile1
- D. **crypto vpn anyconnect profile Profile 1 flash:RDP.xml**
webvpn context Context1
policy group PolicyGroup1
svc module RDP

Answer: C

Explanation:

Reference: <https://community.cisco.com/t5/vpn/starting-anyconnect-vpn-through-rdp-session-on-cisco-891/td-p/2128284>

NEW QUESTION 8

Which IKE identity does an IOS/IOS-XE headend expect to receive if an IPsec Cisco AnyConnect client uses default settings?

- A. *\$SecureMobilityClient\$*
- B. *\$AnyConnectClient\$*
- C. *\$RemoteAccessVpnClient\$*
- D. *\$DfltIkeIdentity\$*

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/flexvpn/200555-FlexVPN-AnyConnect-IKEv2-Remote-Access.html>

NEW QUESTION 9

In a FlexVPN deployment, the spokes successfully connect to the hub, but spoke-to-spoke tunnels do not form. Which troubleshooting step solves the issue?

- A. Verify the spoke configuration to check if the NHRP redirect is enabled.
- B. Verify that the spoke receives redirect messages and sends resolution requests.
- C. Verify the hub configuration to check if the NHRP shortcut is enabled.
- D. Verify that the tunnel interface is contained within a VRF.

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_dmvpn/configuration/15-mt/sec-conn-dmvpn-15-mt-book/sec-conn-dmvpn-summaps.pdf

NEW QUESTION 10

An engineer is troubleshooting a new DMVPN setup on a Cisco IOS router. After the show crypto isakmp sa command is issued, a response is returned of "MM_NO_STATE." Why does this failure occur?

- A. The ISAKMP policy priority values are invalid.
- B. ESP traffic is being dropped.
- C. The Phase 1 policy does not match on both devices.
- D. Tunnel protection is not applied to the DMVPN tunnel.

Answer: B

NEW QUESTION 10

Refer to the exhibit.

```
tunnel-group IKEV2 type remote-access
tunnel-group IKEV2 general-attributes
  address-pool split
  default-group-policy GroupPolicy1
tunnel-group IKEV2 webvpn-attributes
  group-alias ikev2 enable

-----

-<HostEntry>
<HostName>ikev2</HostName>
<HostAddress>10.106.45.221</HostAddress>
<UserGroup>ikev2</UserGroup>
<PrimaryProtocol>IPsec</PrimaryProtocol>
</HostEntry>
```

The customer can establish a Cisco AnyConnect connection without using an XML profile. When the host "ikev2" is selected in the AnyConnect drop down, the connection fails. What is the cause of this issue?

- A. The HostName is incorrect.
- B. The IP address is incorrect.
- C. Primary protocol should be SSL.
- D. UserGroup must match connection profile.

Answer: D

Explanation:

Reference: <https://community.cisco.com/t5/security-documents/anyconnect-xml-settings/ta-p/3157891>

NEW QUESTION 14

Refer to the exhibit.

An SSL client is connecting to an ASA headend. The session fails with the message "Connection attempt has timed out. Please verify Internet connectivity." Based on how the packet is processed, which phase is causing the failure?

- A. phase 9: rpf-check
- B. phase 5: NAT
- C. phase 4: ACCESS-LIST
- D. phase 3: UN-NAT

Answer: D

NEW QUESTION 15

Which technology works with IPsec stateful failover?

- A. GLBR
- B. HSRP
- C. GRE
- D. VRRP

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2y/12_2yx11/feature/guide/ft_vpnha.html#wp1122512

NEW QUESTION 18

What are two functions of ECDH and ECDSA? (Choose two.)

- A. nonrepudiation

- B. revocation
- C. digital signature
- D. key exchange
- E. encryption


Answer: CD

Explanation:

Reference: https://tools.cisco.com/security/center/resources/next_generation_cryptography

NEW QUESTION 19

Refer to the exhibit.



All internal clients behind the ASA are port address translated to the public outside interface that has an IP address of 3.3.3.3. Client 1 and client 2 have established successful SSL VPN connections to the ASA. What must be implemented so that "3.3.3.3" is returned from a browser search on the IP address?

- A. Same-security-traffic permit inter-interface under Group Policy
- B. Exclude Network List Below under Group Policy
- C. Tunnel All Networks under Group Policy
- D. Tunnel Network List Below under Group Policy

Answer: D

NEW QUESTION 21

Refer to the exhibit.

```
crypto isakmp policy 10
  encr aes 256
  hash sha256
  authentication pre-share
  group 14

crypto isakmp key cisco address 0.0.0.0

crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
  mode transport

crypto ipsec profile CCNP
  set transform-set TS

interface Tunnel1
  ip address 10.0.0.1 255.255.255.0
  tunnel source GigabitEthernet1
  tunnel mode ipsec ipv4
  tunnel destination 172.18.10.2
  tunnel protection ipsec profile CCNP
```

Which VPN technology is used in the exhibit?

- A. DVTI
- B. VTI
- C. DMVPN
- D. GRE

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnips/configuration/zZ-Archive/IPsec_Virtual_Tunnel_Interface.html#GUID-

EB8C433B-2394-42B9-997F-B40803E58A91

NEW QUESTION 22

Which parameter is initially used to elect the primary key server from a group of key servers?

- A. code version
- B. highest IP address
- C. highest-priority value
- D. lowest IP address

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/products/collateral/security/group-encrypted-transport-vpn/deployment_guide_c07_554713.html

NEW QUESTION 25

Refer to the exhibit.

```
ip access-list extended CCNP
 permit 192.168.0.10
 permit 192.168.0.11

webvpn gateway SSL_Gateway
 ip address 172.16.0.25 port 443
 ssl trustpoint AnyConnect_Cert
 inservice

webvpn context SSL_Context
 gateway SSL_Gateway

 ssl authenticate verify all
 inservice

policy group SSL_Policy
 functions svc-enabled
 svc address-pool "ACPool" netmask 255.255.255.0
 svc dns-server primary 192.168.0.100
 svc default-domain cisco.com
 default-group-policy SSL_Policy
```

Cisco AnyConnect must be set up on a router to allow users to access internal servers 192.168.0.10 and 192.168.0.11. All other traffic should go out of the client's local NIC. Which command accomplishes this configuration?

- A. svc split include 192.168.0.0 255.255.255.0
- B. svc split exclude 192.168.0.0 255.255.255.0
- C. svc split include acl CCNP
- D. svc split exclude acl CCNP

Answer: C

NEW QUESTION 28

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-730 Practice Exam Features:

- * 300-730 Questions and Answers Updated Frequently
- * 300-730 Practice Questions Verified by Expert Senior Certified Staff
- * 300-730 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-730 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-730 Practice Test Here](#)