

Exam Questions 202-450

LPIC-2 Exam 202 Part 2 of 2 version 4.5

<https://www.2passeasy.com/dumps/202-450/>



NEW QUESTION 1

On a Linux router, packet forwarding for IPv4 has been enabled. After a reboot, the machine no longer forwards IP packets from other hosts. The command: `echo 1 > /proc/sys/net/ipv4/ip_forward` temporarily resolves this issue.

Which one of the following options is the best way to ensure this setting is saved across system restarts?

- A. Add `echo 1 > /proc/sys/net/ipv4/ip_forward` to the root user login script
- B. Add `echo 1 > /proc/sys/net/ipv4/ip_forward` to any user login script
- C. In `/etc/sysctl.conf` change `net.ipv4.ip_forward` to 1
- D. In `/etc/rc.local` add `net.ipv4.ip_forward = 1`
- E. In `/etc/sysconfig/iptables-config` add `ipv4.ip_forward = 1`

Answer: C

NEW QUESTION 2

What information can be found in the file specified by the `status` parameter in an OpenVPN server configuration file? (Choose two.)

- A. Errors and warnings generated by the `openvpn` daemon
- B. Routing information
- C. Statistical information regarding the currently running `openvpn` daemon
- D. A list of currently connected clients
- E. A history of all clients who have connected at some point

Answer: BD

NEW QUESTION 3

Which of the following `nmap` parameters scans a target for open TCP ports? (Choose two.)

- A. `-sO`
- B. `-sZ`
- C. `-sT`
- D. `-sU`
- E. `-sS`

Answer: CE

NEW QUESTION 4

Which of the statements below are correct regarding the following commands, which are executed on a Linux router? (Choose two.)

```
ip6tables -A FORWARD -s fe80::/64 -j DROP
ip6tables -A FORWARD -d fe80::/64 -j DROP
```

- A. Packets with source or destination addresses from `fe80::/64` will never occur in the `FORWARD` chain
- B. The rules disable packet forwarding because network nodes always use addresses from `fe80::/64` to identify routers in their routing tables
- C. `ip6tables` returns an error for the second command because the affected network is already part of another rule
- D. Both `ip6tables` commands complete without an error message or warning
- E. The rules suppress any automatic configuration through router advertisements or DHCPv6

Answer: DE

NEW QUESTION 5

The content of which local file has to be transmitted to a remote SSH server in order to be able to log into the remote server using SSH keys?

- A. `~/.ssh/authorized_keys`
- B. `~/.ssh/config`
- C. `~/.ssh/id_rsa.pub`
- D. `~/.ssh/id_rsa`
- E. `~/.ssh/known_hosts`

Answer: A

NEW QUESTION 6

What is the name of the network security scanner project which, at the core, is a server with a set of network vulnerability tests?

- A. NetMap
- B. OpenVAS
- C. Smartscan
- D. Wireshark

Answer: B

NEW QUESTION 7

The program `vsftpd`, running in a chroot jail, gives the following error:

```
/bin/vsftpd: error while loading shared libraries: libc.so.6:  
cannot open shared object file: No such file or directory.
```

Which of the following actions would fix the error?

- A. The file /etc/ld.so.conf in the root filesystem must contain the path to the appropriate lib directory in the chroot jail
- B. Create a symbolic link that points to the required library outside the chroot jail
- C. Copy the required library to the appropriate lib directory in the chroot jail
- D. Run the program using the command chroot and the option --static_libs

Answer: C

NEW QUESTION 8

In which CIFS share must printer drivers be placed to allow Point'n'Print driver deployment on Windows?

- A. winx64drv\$
- B. print\$
- C. The name of the share is specified in the option print driver share within each printable share in smb.conf
- D. pnpdrivers\$
- E. NETLOGON

Answer: B

NEW QUESTION 9

Which of the following Samba services handles the membership of a file server in an Active Directory domain?

- A. winbindd
- B. nmbd
- C. msadd
- D. admemb
- E. samba

Answer: E

NEW QUESTION 10

Which of the following statements is true regarding the NFSv4 pseudo file system on the NFS server?

- A. It must be called /exports
- B. It usually contains bind mounts of the directory trees to be exported
- C. It must be a dedicated partition on the server
- D. It is defined in the option Nfsv4-Root in /etc/pathmapd.conf
- E. It usually contains symlinks to the directory trees to be exported

Answer: B

NEW QUESTION 10

A user requests a "hidden" Samba share, named confidential, similar to the Windows Administration Share. How can this be configured?

A

```
[confidential]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

B

```
[$confidential]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

C

```
[#confidential]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

D

```
[%confidential]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

```
E
[confidential$]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: E

NEW QUESTION 12

Which of the following options are valid in /etc/exports? (Choose two.)

- A. rw
- B. ro
- C. rootsquash
- D. norootsquash
- E. uid

Answer: AB

NEW QUESTION 14

Performing a DNS lookup with dig results in this

```
;; QUESTION SECTION:
;5.123.168.192.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
5.123.168.192.in-addr.arpa.  600     IN      PTR  linuxerv.example.net.123.168.192.in-addr.arpa.

;; AUTHORITY SECTION:
123.168.192.in-addr.arpa.  600     IN      NS      linuxerv.example.net.

;; ADDITIONAL SECTION:
linuxerv.example.net.  600     IN      A       192.168.123.5
```

- A. There is no . after linuxerv.example.net in the PTR record in the forward lookup zone file
- B. There is no . after linuxerv in the PTR record in the forward lookup zone file
- C. There is no . after linuxerv.example.net in the PTR record in the reverse lookup zone file
- D. The . in the NS definition in the reverse lookup zone has to be removed

Answer: C

NEW QUESTION 16

CORRECT TEXT

What configuration directive of the Apache HTTPD server defines where log files are stored? (Specify ONE of the directives without any other options.)

- A. Mastered

B. Not Mastered

Answer: A

Explanation:
ErrorLog

NEW QUESTION 19

Which http_access directive for Squid allows users in the ACL named sales_net to only access the Internet at times specified in the time_acl named sales_time?

- A. http_access deny sales_time sales_net
- B. http_access allow sales_net sales_time
- C. http_access allow sales_net and sales-time
- D. allow http_access sales_net sales_time
- E. http_access sales_net sales_time

Answer: B

NEW QUESTION 20

Which global option in squid.conf sets the port number or numbers that Squid will use to listen for client requests?

- A. port
- B. client_port
- C. http_port
- D. server_port
- E. squid_port

Answer: C

NEW QUESTION 21

Which tool creates a Certificate Signing Request (CSR) for serving HTTPS with Apache HTTPD?

- A. apachect1
- B. certgen
- C. cartool
- D. httpsgen
- E. openssl

Answer: E

NEW QUESTION 24

In response to a certificate signing request, a certification authority sent a web server certificate along with the certificate of an intermediate certification authority that signed the web server certificate. What should be done with the intermediate certificate in order to use the web server certificate with Apache HTTPD?

- A. The intermediate certificate should be merged with the web server's certificate into one file that is specified in SSLCertificateFile
- B. The intermediate certificate should be used to verify the certificate before its deployment on the web server and can be deleted
- C. The intermediate certificate should be stored in its own file which is referenced in SSLCaCertificateFile
- D. The intermediate certificate should be imported into the certificate store of the web browser used to test the correct operation of the web server
- E. The intermediate certificate should be archived and resent to the certification authority in order to request a renewal of the certificate

Answer: A

NEW QUESTION 25

CORRECT TEXT

Which directive in a Nginx server configuration block defines the TCP ports on which the virtual host will be available, and which protocols it will use? (Specify ONLY the option name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
listen

NEW QUESTION 27

When trying to reverse proxy a web server through Nginx, what keyword is missing from the following configuration sample?

```
location / {  
    _____ http://proxiedserver:8080;  
}
```

- A. remote_proxy
- B. reverse_proxy
- C. proxy_reverse
- D. proxy_pass
- E. forward_to

Answer: D

NEW QUESTION 32

CORRECT TEXT

What is the name of the root element of the LDAP tree holding the configuration of an OpenLDAP server that is using directory based configuration? (Specify ONLY the element's name without any additional information.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

slapd

NEW QUESTION 36

How are PAM modules organized and stored?

- A. As plain text files in /etc/security/
- B. A statically linked binaries in /etc/pam.d/bin/
- C. As Linux kernel modules within the respective sub directory of /lib/modules/
- D. As shared object files within the /lib/ directory hierarchy
- E. As dynamically linked binaries in /usr/lib/pam/sbin/

Answer: E

NEW QUESTION 38

Which of the following statements in the ISC DHCPD configuration is used to specify whether or not an address pool can be used by nodes which have a corresponding host section in the configuration?

- A. identified-nodes
- B. unconfigured-hosts
- C. missing-peers
- D. unmatched-hwaddr
- E. unknown-clients

Answer: E

NEW QUESTION 40

CORRECT TEXT

In order to specify alterations to an LDAP entry, what keyword is missing from the following LDIF file excerpt?

```
dn: cn=Some Person, dc=example, dc=com
changetype: _____
...
```

Specify the keyword only and no other information.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

add

NEW QUESTION 44

CORRECT TEXT

Which OpenLDAP client command can be used to change the password for an LDAP entry? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ldappasswd

NEW QUESTION 49

CORRECT TEXT

What is the path to the global Postfix configuration file? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/postfix/main.cf

NEW QUESTION 52

When are Sieve filters usually applied to an email?

- A. When the email is delivered to a mailbox
- B. When the email is relayed by an SMTP server
- C. When the email is received by an SMTP smarthost
- D. When the email is sent to the first server by an MUA
- E. When the email is retrieved by an MUA

Answer: A

NEW QUESTION 54

Which Postfix command can be used to rebuild all of the alias database files with a single invocation and without the need for any command line arguments?

- A. makealiases
- B. newaliases
- C. postalias
- D. postmapbuild

Answer: B

NEW QUESTION 57

Which of the following authentication mechanisms are supported by Dovecot? (Choose three.)

- A. ldap
- B. digest-md5
- C. cram-md5
- D. plain
- E. krb5

Answer: BCD

NEW QUESTION 58

Which of the following services belongs to NFSv4 and does not exist in NFSv3?

- A. rpc.idmapd
- B. rpc.statd
- C. nfsd
- D. rpc.mountd

Answer: A

NEW QUESTION 63

In order to join a file server to the Active Directory domain intra.example.com, the following smb.conf has been created:

```
[global]

workgroup = intra.example.com

netbios name = Fileserver

server role = member server

idmap config * : backend = tdb

idmap config * : range = 10000-199999

winbind enum users = yes

winbind enum group = yes
```

The command net ads join raises an error and the server is not joined to the domain. What should be done to successfully join the domain?

- A. Change server role to ad member server to join an Active Directory domain instead of an NT4 domain.
- B. Add realm = intra.example.com to the smb.conf and change workgroup to the domain's netbios workgroup name.

- C. Manually create a machine account in the Active Directory domain and specify the machine account's name with –U when starting net ads join.
- D. Remove the winbind enum users and winbind enum groups since winbind is incompatible with Active Directory domains.
- E. Remove all idmap configuration stanzas since the id mapping is defined globally in an Active Directory domain and cannot be changed on a member server.

Answer: E

NEW QUESTION 66

Select the Samba option below that should be used if the main intention is to setup a guest printer service?

- A. security = cups
- B. security = ldap
- C. security = pam
- D. security = share
- E. security = printing

Answer: D

NEW QUESTION 71

Which Apache HTTPD configuration directive specifies the RSA private key that was used in the generation of the SSL certificate for the server?

- A. SSLCertificateKeyFile
- B. SSLKeyFile
- C. SSLPrivateKeyFile
- D. SSLRSAKeyFile

Answer: A

NEW QUESTION 75

There is a restricted area in a site hosted by Apache HTTPD, which requires users to authenticate against the file /srv/www/security/sitepasswd. Which command is used to CHANGE the password of existing users, without losing data, when Basic authentication is being used?

- A. htpasswd –c /srv/www/security/sitepasswd user
- B. htpasswd /srv/www/security/sitepasswd user
- C. htpasswd –n /srv/www/security/sitepasswd user
- D. htpasswd –D /srv/www/security/sitepasswd user

Answer: A

NEW QUESTION 76

Which Apache HTTPD configuration directive is used to specify the method of authentication, e.g. None or Basic?

- A. AuthUser
- B. AllowedAuthUser
- C. AuthType
- D. AllowAuth

Answer: C

NEW QUESTION 78

Which of the following information has to be submitted to a certification authority in order to request a web server certificate?

- A. The web server's private key.
- B. The IP address of the web server.
- C. The list of ciphers supported by the web server.
- D. The web server's SSL configuration file.
- E. The certificate signing request

Answer: E

NEW QUESTION 79

Using its standard configuration, how does fail2ban block offending SSH clients?

- A. By rejecting connections due to its role as a proxy in front of SSHD.
- B. By modifying and adjusting the SSHD configuration.
- C. By creating and maintaining netfilter rules.
- D. By creating null routes that drop any answer packets sent to the client.
- E. By modifying and adjusting the TCP Wrapper configuration for SSH

Answer: B

NEW QUESTION 84

Which FTP names are recognized as anonymous users in vsftpd when the option anonymous_enable is set to yes in the configuration files? (Choose two.)

- A. anonymous
- B. ftp

C. In the described configuration, any username which neither belongs to an existing user nor has another special meaning is treated as anonymous user.
D. nobody
E. guest

Answer: AB

NEW QUESTION 87

Which of the following commands can be used to connect and interact with remote TCP network services? (Choose two.)

- A. nettalk
- B. nc
- C. telnet
- D. cat
- E. netmap

Answer: BC

NEW QUESTION 88

Which netfilter table contains built-in chains called INPUT, OUTPUT and FORWARD?

- A. ipconn
- B. filter
- C. nat
- D. default
- E. masq

Answer: B

NEW QUESTION 91

A zone file contains the following lines:

```
$ORIGIN example.com  
  
host2.example.org. IN A 198.51.100.102
```

and is included in the BIND configuration using this configuration stanza:

```
zone "example.com" {  
  
    type master;  
  
    file "db.example.com";  
  
};
```

Which problem is contained in this configuration?

- A. The zone statement in the BIND configuration must contain the cross-zone-data yes; statement.
- B. The zone cannot contain records for a name which is outside the zone's hierarchy.
- C. The \$ORIGIN declaration cannot be used in zone files that are included for a specific zone name in the BIND configuration.
- D. An A record cannot contain an IPv4 address because its value is supposed to be a reverse DNS name.
- E. Names of records in a zone file cannot be fully qualified domain name

Answer: C

NEW QUESTION 96

CORRECT TEXT

According to the configuration below, what is the full e-mail address of the administrator for this domain?

```
$ORIGIN example.com  
  
@      IN      SOA     mars.example.com pluto.example.com (  
                2016073142  
                10800  
                3600  
                604800  
                86400 )
```

A. Mastered

B. Not Mastered

Answer: A

Explanation:

admin@mars.example.com

NEW QUESTION 98

What is the purpose of DANE?

- A. Verify the integrity of name information retrieved via DNS.
- B. Allow secure dynamic DNS updates.
- C. Invalidate name information stored on caching name servers to speed up DNS updates.
- D. Discover which servers within a DNS domain offer a specific service.
- E. Provide a way to verify the association of X 509 certificates to DNS host name

Answer: E

NEW QUESTION 101

Which of the following actions are available in Sieve core filters? (Choose three.)

- A. drop
- B. discard
- C. fileinto
- D. relay
- E. reject

Answer: CDE

NEW QUESTION 105

Which of the following statements allow the logical combinations of conditions in Sieve filters? (Choose two.)

- A. allof
- B. anyof
- C. noneof
- D. and
- E. or

Answer: AE

NEW QUESTION 106

What is the name of the Dovecot configuration variable that specifies the location of user mail?

- A. mbox
- B. mail_location
- C. user_dir
- D. maildir
- E. user_mail_dir

Answer: B

NEW QUESTION 108

In the main Postfix configuration file, how are service definitions continued on the next line?

- A. It isn't possible.
- B. The service definition must fit on one line.
- C. The initial line must end with a backslash character (\).
- D. The following line must begin with a plus character (+).
- E. The following line must begin with white space indentation.
- F. The service definition continues on the following lines until all of the required fields are specified.

Answer: D

NEW QUESTION 112

Which of the following types of IPv6 address assignments does DHCPv6 support? (Choose three.)

- A. Assignments of normal IPv6 addresses that can be renewed.
- B. Assignments of temporary IPv6 addresses that cannot be renewed.
- C. Assignments of blacklisted IPv6 addresses that should no longer be used.
- D. Assignments of IPv6 prefixes that can be used for routing or further assignments.
- E. Assignments of anonymous IPv6 addresses whose assignment is not logged by the DHCPv6 server.

Answer: ABD

NEW QUESTION 116

CORRECT TEXT

Which attitude of an object in LDAP defines which other attributes can be set for the object? (Specify ONLY the attribute name without any values.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
class

NEW QUESTION 119

Which of the following commands is used to change user passwords in an OpenLDAP directory?

- A. setent
- B. ldapasswd
- C. olpasswd
- D. ldappasswd
- E. ldapchpw

Answer: D

NEW QUESTION 123

Which of the following statements is INCORRECT regarding the LDIF file format?

- A. It contains a dn line that indicates where the attributes listed in the following lines of the file must be added.
- B. In the file, a blank line separates one entry from another one.
- C. If an attribute contains binary data, some specific configurations must be made for this entry.
- D. The LDIF file accepts any type of file encodin

Answer: D

NEW QUESTION 127

Which of the following PAM modules sets and unsets environment variables?

- A. pam_set
- B. pam_shell
- C. pam-vars
- D. pam-env
- E. pam_export

Answer: D

NEW QUESTION 132

Select the alternative that shows the correct way to disable a user login for all users except root.

- A. The use of the pam_block module along with the /etc/login configuration file.
- B. The use of the pam_deny module along with the /etc/deny configuration file.
- C. The use of the pam_pwd module along with the /etc/pwdb.conf configuration file.
- D. The use of the pam_nologin module along with the /etc/nologin configuration fil

Answer: D

NEW QUESTION 134

Which of the following values can be used in the OpenLDAP attribute olcBackend for any object of the class olcBackendConfig to specify a backend? (Choose three.)

- A. xml
- B. bdb
- C. passwd
- D. ldap
- E. text

Answer: BDE

NEW QUESTION 138

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 202-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 202-450 Product From:

<https://www.2passeasy.com/dumps/202-450/>

Money Back Guarantee

202-450 Practice Exam Features:

- * 202-450 Questions and Answers Updated Frequently
- * 202-450 Practice Questions Verified by Expert Senior Certified Staff
- * 202-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 202-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year