

## XK0-005 Dumps

### CompTIA Linux+ Certification Exam

<https://www.certleader.com/XK0-005-dumps.html>



**NEW QUESTION 1**

A Linux administrator is reviewing changes to a configuration file that includes the following section:

```
tls:
  certificates:
    - certFile: /etc/ssl/cert.cer
      keyFile: /etc/ssl/cert.key
      stores: default
    - certFile: /etc/ssl/expired.cer
      keyFile: /etc/ssl/expired.key
      stores: expired
```

The Linux administrator is trying to select the appropriate syntax formatter to correct any issues with the configuration file. Which of the following should the syntax formatter support to meet this goal?

- A. Markdown
- B. XML
- C. YAML
- D. JSON

**Answer: C**

**NEW QUESTION 2**

A Linux engineer receives reports that files created within a certain group are being modified by users who are not group members. The engineer wants to reconfigure the server so that only file owners and group members can modify new files by default. Which of the following commands would accomplish this task?

- A. chmod 775
- B. umask
- C. 002
- D. chattr -Rv
- E. chown -cf

**Answer: B**

**NEW QUESTION 3**

A Linux administrator needs to connect securely to a remote server in order to install application software. Which of the following commands would allow this connection?

- A. scp "ABC-key.pem" root@10.0.0.1
- B. sftp rooteiO.0.0.1
- C. telnet 10.0.0.1 80
- D. ssh -i "ABC-key.pem" root@10.0.0.1
- E. sftp "ABC-key.pem" root@10.0.0.1

**Answer: D**

**NEW QUESTION 4**

A Linux system is getting an error indicating the root filesystem is full. Which of the following commands should be used by the systems administrator to resolve this issue? (Choose three.)

- A. df -h /
- B. fdisk -l /dev/sdb
- C. growpart /dev/mapper/rootvg-rootlv
- D. pvcreate /dev/sdb
- E. lvresize -L +10G -r /dev/mapper/rootvg-rootlv
- F. lsblk /dev/sda
- G. parted -l /dev/mapper/rootvg-rootlv
- H. vgextend /dev/rootvg /dev/sdb

**Answer: DEH**

**NEW QUESTION 5**

Some servers in an organization have been compromised. Users are unable to access to the organization's web page and other services. While reviewing the system log, a systems administrator notices messages from the kernel regarding firewall rules:

```
Oct 20 03:45:50 hostname kernel: iptables denied: IN=eth0 OUT=
MAC=xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx SRC=x.x.x.x DST=x.x.x.x LEN=1059 TOS=0x00
PREC=0x00 TTL=115 ID=31368 DF PROTO=TCP
SPT=17992 DPT=80 WINDOW=16477 RES=0x00 ACK PSH URG=0
Oct 20 03:46:02 hostname kernel: iptables denied: IN=eth0 OUT=
MAC=xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx SRC=x.x.x.x DST=x.x.x.x LEN=52 TOS=0x00
PREC=0x00 TTL=52 ID=763 DF PROTO=TCP SPT=20229 DPT=22 WINDOW=15598 RES=0x00 ACK URG=0
Oct 20 03:46:14 hostname kernel: iptables denied: IN=eth0 OUT=
MAC=xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx SRC=x.x.x.x DST=x.x.x.x LEN=324 TOS=0x00
PREC=0x00 TTL=49 ID=64245 PROTO=TCP SPT=47237 DPT=80 WINDOW=470 RES=0x00 ACK PSH URG=0
Oct 20 03:46:26 hostname kernel: iptables denied: IN=eth0 OUT=
MAC=xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx:xx SRC=x.x.x.x DST=x.x.x.x LEN=52 TOS=0x00
PREC=0x00 TTL=45 ID=2010 PROTO=TCP SPT=48322 DPT=80 WINDOW=380 RES=0x00 ACK URG=0
```

Which of the following commands will remediate and help resolve the issue?

A. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
Iptables -A FORWARD -i eth0 -p tcp --dport 80 -j ACCEPT
Iptables -A FORWARD -i eth0 -p tcp --dport 22 -j ACCEPT
```

B. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
Iptables -A INPUT -i eth0 -p tcp --dport 80 -j ACCEPT
Iptables -A INPUT -i eth0 -p tcp --dport 22 -j ACCEPT
```

C. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
Iptables -A INPUT -i eth0 -p tcp --sport 80 -j ACCEPT
Iptables -A INPUT -i eth0 -p tcp --sport 22 -j ACCEPT
```

D. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
Iptables -A INPUT -i eth0 -p tcp --dport :80 -j ACCEPT
Iptables -A INPUT -i eth0 -p tcp --dport :22 -j ACCEPT
```

**Answer: B**

#### NEW QUESTION 6

A Linux administrator needs to expand a volume group using a new disk. Which of the following options presents the correct sequence of commands to accomplish the task?

- A. partprobe vgcreate lvextend
- B. lvcreate fdisk partprobe
- C. fdiskpartprobe mkfs
- D. fdiskpvcreate vgextend

**Answer: D**

#### NEW QUESTION 7

At what point is the Internal Certificate Authority (ICA) created?

- A. During the primary Security Management Server installation process.
- B. Upon creation of a certificate.
- C. When an administrator decides to create one.
- D. When an administrator initially logs into SmartConsole.

**Answer: A**

#### NEW QUESTION 8

Which of the following tools is commonly used for creating CI/CD pipelines?

- A. Chef
- B. Puppet
- C. Jenkins
- D. Ansible

**Answer: C**

**NEW QUESTION 9**

A systems administrator is troubleshooting a connectivity issue pertaining to access to a system named db.example.com. The system IP address should be 192.168.20.88. The administrator issues the dig command and receives the following output:

```
;; ANSWER SECTION:
db.example.com.      15 IN A 192.168.20.89
```

The administrator runs `grep db.example.com /etc/hosts` and receives the following output:

```
192.168.20.89 db.example.com
```

Given this scenario, which of the following should the administrator do to address this issue?

- A. Modify the `/etc/hosts` file and change the db.example.com entry to 192.168.20.89.
- B. Modify the `/etc/network` file and change the db.example.com entry to 192.168.20.88.
- C. Modify the `/etc/network` file and change the db.example.com entry to 192.168.20.89.
- D. Modify the `/etc/hosts` file and change the db.example.com entry to 192.168.20.88.

**Answer: A**

**NEW QUESTION 10**

A Linux administrator has installed a web server, a database server, and a web application on a server. The web application should be active in order to render the web pages. After the administrator restarts the server, the website displays the following message in the browser: Error establishing a database connection. The Linux administrator reviews the following relevant output from the systemd init files:

```
[Unit]
Description=The Apache #HTTP Server
Wants=httpd-init.service
After=network.target remote-fs.target nss-lookup-target httpd-init.service mariadb.service
```

```
[Unit]
Description=MariaDB 10.5 database server
After=network.target
```

The administrator needs to ensure that the database is available before the web application is started. Which of the following should the administrator add to the HTTP server `.service` file to accomplish this task?

- A. `TRIGGERS=mariadb.service`
- B. `ONFAILURE=mariadb.service`
- C. `WANTEDBY=mariadb.service`
- D. `REQUIRES=mariadb.service`

**Answer: D**

**NEW QUESTION 10**

An administrator needs to make some changes in the IaC declaration templates. Which of the following commands would maintain version control?

- A. `git clone https://github.com/comptia/linux+- .git git push origin`
- B. `git clone https://qithub.com/comptia/linux+- .git git fetch New-Branch`
- C. `git clone https://github.com/comptia/linux+- .git git status`
- D. `git clone https://github.com/comptia/linux+- .git git checkout -b <new-branch>`

**Answer: D**

**NEW QUESTION 15**

A development team asks an engineer to guarantee the persistency of journal log files across system reboots. Which of the following commands would accomplish this task?

- A. `grep -i auto /etc/systemd/journald.conf && systemctl restart systemd-journald.service`
- B. `cat /etc/systemd/journald.conf | awk '{print $1,$3}'`
- C. `sed -i 's/auto/persistent/g' /etc/systemd/journald.conf && sed -i 'persistent/s/^#/q/' /etc/systemd/journald.conf`
- D. `journalctl --list-boots && systemctl restart systemd-journald.service`

**Answer: A**

**NEW QUESTION 19**

A systems administrator is tasked with mounting a USB drive on a system. The USB drive has a single partition, and it has been mapped by the system to the device `/dev/sdb`. Which of the following commands will mount the USB to `/media/usb`?

- A. `mount /dev/sdb1 /media/usb`
- B. `mount /dev/sdb0 /media/usb`
- C. `mount /dev/sdb /media/usb`
- D. `mount -t usb /dev/sdb1 /media/usb`



**Answer:** A

#### NEW QUESTION 22

Developers have requested implementation of a persistent, static route on the application server. Packets sent over the interface eth0 to 10.0.213.5/32 should be routed via 10.0.5.1. Which of the following commands should the administrator run to achieve this goal?

- A. route -i eth0 -p add 10.0.213.5 10.0.5.1
- B. route modify eth0 +ipv4.routes "10.0.213.5/32 10.0.5.1"
- C. echo "10.0.213.5 10.0.5.1 eth0" > /proc/net/route
- D. ip route add 10.0.213.5/32 via 10.0.5.1 dev eth0

**Answer:** D

#### NEW QUESTION 27

A junior Linux administrator is tasked with installing an application. The installation guide states the application should only be installed in a run level 5 environment.

```
$ systemctl get-default  
getty.target
```

Which of the following commands would ensure the server is set to runlevel 5?

- A. systemctl isolate multi-user.target
- B. systemctl isolate graphical.target
- C. systemctl isolate network.target
- D. systemctl isolate basic.target

**Answer:** B

#### NEW QUESTION 32

A systems administrator is tasked with creating an Ansible playbook to automate the installation of patches on several Linux systems. In which of the following languages should the playbook be written?

- A. SQL
- B. YAML
- C. HTML
- D. JSON

**Answer:** B

#### NEW QUESTION 37

A Linux systems administrator is setting up a new web server and getting 404 - NOT FOUND errors while trying to access the web server pages from the browser. While working on the diagnosis of this issue, the Linux systems administrator executes the following commands:

```
# getenforce  
Enforcing  
  
# matchpathcon -V /var/www/html/*  
/var/www/html/index.html has context unconfined_u:object_r:user_home_t:s0, should be system_u:object_r:httpd_sys_content_t:s0  
/var/www/html/page1.html has context unconfined_u:object_r:user_home_t:s0, should be system_u:object_r:httpd_sys_content_t:s0
```

Which of the following commands will BEST resolve this issue?

- A. sed -i 's/SELINUX=enforcing/SELINUX=disabled/' /etc/selinux/config
- B. restorecon -R -v /var/www/html
- C. setenforce 0
- D. setsebool -P httpd\_can\_network\_connect\_db on

**Answer:** B

#### NEW QUESTION 38

A Linux administrator recently downloaded a software package that is currently in a compressed file. Which of the following commands will extract the files?

- A. unzip -v
- B. bzip2 -z
- C. gzip
- D. funzip

**Answer:** C

#### NEW QUESTION 41

When trying to log in remotely to a server, a user receives the following message:

```
Password:
Last failed login: Wed Sep 15 17:23:45 CEST 2021 from 10.0.4.3 on ssh:notty
There were 3 failed login attempts since the last successful login.
Connection to localhost closed.
```

The server administrator is investigating the issue on the server and receives the following outputs:

Output 1:

```
user:x:1001:7374::/home/user:/bin/false
```

Output 2:

```
dzwx-----, 2 user 62 Sep 15 17:17 /home/user
```

Output 3:

```
Sep 12 14:14:05 server sshd[22958]: Failed password for user from 10.0.2.8
Sep 15 17:24:03 server sshd[1460]: Accepted keyboard-interactive/pam for user from 10.0.6.5 port 50928 ssh2
Sep 15 17:24:03 server sshd[1460]: pam_unix(sshd:session): session opened for user testuser
Sep 15 17:24:03 server sshd[1460]: pam_unix(sshd:session): session closed for user testuser
```

Which of the following is causing the issue?

- A. The wrong permissions are on the user's home directory.
- B. The account was locked out due to three failed logins.
- C. The user entered the wrong password.
- D. The user has the wrong shell assigned to the account.

**Answer: D**

#### NEW QUESTION 43

A systems administrator received a notification that a system is performing slowly. When running the top command, the systems administrator can see the following values:

```
%Cpu(s): 2.7 us, 1.9 sy, 0.0 ni, 0.4 id, 95 wa, 0.0 hi, 0.0 si 0.0 st
```

Which of the following commands will the administrator most likely run NEXT?

- A. vmstat
- B. strace
- C. htop
- D. lsof

**Answer: A**

#### NEW QUESTION 45

A systems administrator has been tasked with disabling the nginx service from the environment to prevent it from being automatically and manually started. Which of the following commands will accomplish this task?

- A. systemctl cancel nginx
- B. systemctl disable nginx
- C. systemctl mask nginx
- D. systemctl stop nginx

**Answer: C**

#### NEW QUESTION 46

A Linux administrator needs to resolve a service that has failed to start. The administrator runs the following command:

```
ls -l startup file
```

The following output is returned

```
-----, root root 81k Sep 13 19:01 startupfile
```

Which of the following is MOST likely the issue?

- A. The service does not have permissions to read write the startupfile.
- B. The service startupfile size cannot be 81k.
- C. The service startupfile cannot be owned by root.
- D. The service startupfile should not be owned by the root group.

**Answer:** A

#### NEW QUESTION 51

A Linux administrator was tasked with deleting all files and directories with names that are contained in the sobelete.txt file. Which of the following commands will accomplish this task?

- A. xargs -f cat toDelete.txt -rm
- B. rm -d -r -f toDelete.txt
- C. cat toDelete.txt | rm -frd
- D. cat toDelete.txt | xargs rm -rf

**Answer:** B

#### NEW QUESTION 56

A Linux administrator would like to use systemd to schedule a job to run every two hours. The administrator creates timer and service definitions and restarts the server to load these new configurations. After the restart, the administrator checks the log file and notices that the job is only running daily. Which of the following is MOST likely causing the issue?

- A. The checkdiskspace.service is not running.
- B. The checkdiskspace.service needs to be enabled.
- C. The OnCalendar schedule is incorrect in the timer definition.
- D. The system-daemon services need to be reloaded.

**Answer:** D

#### NEW QUESTION 61

A Linux administrator needs to ensure that Java 7 and Java 8 are both locally available for developers to use when deploying containers. Currently only Java 8 is available. Which of the following commands should the administrator run to ensure both versions are available?

- A. docker image load java:7
- B. docker image pull java:7
- C. docker image import java:7
- D. docker image build java:7

**Answer:** B

#### NEW QUESTION 65

A Linux administrator is alerted to a storage capacity issue on a server without a specific mount point or directory. Which of the following commands would be MOST helpful for troubleshooting? (Choose two.)

- A. parted
- B. df
- C. mount
- D. du
- E. fdisk
- F. dd
- G. ls

**Answer:** BD

#### NEW QUESTION 69

A Linux administrator needs to correct the permissions of a log file on the server. Which of the following commands should be used to set filename.log permissions to -rwxr—r--. ?

- A. chmod 755 filename.log
- B. chmod 640 filename.log
- C. chmod 740 filename.log
- D. chmod 744 filename.log

**Answer:** D

#### NEW QUESTION 74

A database administrator requested the installation of a custom database on one of the servers. Which of the following should the Linux administrator configure so the requested packages can be installed?

- A. /etc/yum.conf
- B. /etc/ssh/sshd.conf
- C. /etc/yum.repos.d/db.repo
- D. /etc/resolv.conf

**Answer:** C

#### NEW QUESTION 76

Users have reported that the interactive sessions were lost on a Linux server. A Linux administrator verifies the server was switched to rescue.target mode for maintenance. Which of the following commands will restore the server to its usual target?

- A. telinit 0
- B. systemctl reboot
- C. systemctl get-default
- D. systemctl emergency

**Answer:** B

#### NEW QUESTION 78

A Linux administrator found many containers in an exited state. Which of the following commands will allow the administrator to clean up the containers in an exited state?

- A. docker rm --all
- B. docker rm \$(docker ps -aq)
- C. docker images prune \*
- D. docker rm --state exited

**Answer:** D

#### NEW QUESTION 79

A Linux engineer needs to download a ZIP file and wants to set the nice of value to -10 for this new process. Which of the following commands will help to accomplish the task?

- A. \$ nice -v -10 wget https://foo.com/installation.zip
- B. \$ renice -v -10 wget https://foo.com/installation.2ip
- C. \$ renice -10 wget https://foo.com/installation.zip
- D. \$ nice -10 wget https://foo.com/installation.zip

**Answer:** D

#### NEW QUESTION 80

A systems administrator made some changes in the ~/.bashrc file and added an alias command. When the administrator tried to use the alias command, it did not work. Which of the following should be executed FIRST?

- A. source ~/.bashrc
- B. read ~/.bashrc
- C. touch ~/.bashrc
- D. echo ~/.bashrc

**Answer:** A

#### NEW QUESTION 84

A systems administrator is investigating why one of the servers has stopped connecting to the internet.

```
#curl http://google.com
curl: (6) Could not resolve host: google.com

#cat /etc/resolv.conf
search user.company.com company.com
#nameserver 10.10.10.10

#ip route
0.0.0.0/0 via 10.0.5.1 dev eth0 proto static metric 100
10.0.0.0/16 dev eth0 proto kernel scope link src 10.0.3.60 metric 101

#nmcli connection show
NAME                UUID                                  TYPE      DEVICE
eth0                 ba4a3d30-efdc-4fa5-83d3-3721fd4aff75 ethernet  eth0
Wired connection 1   8d569d5a-22a2-356d-8532-9a2638f11b5a5 ethernet  --
```

Which of the following is causing the issue?

- A. The DNS address has been commented out in the configuration file.
- B. The search entry in the /etc/resolv.conf file is incorrect.
- C. Wired connection 1 is offline.
- D. No default route is defined.

**Answer:** A

#### NEW QUESTION 85

A systems administrator needs to verify whether the built container has the app.go file in its root directory. Which of the following can the administrator use to verify the root directory has this file?

- A. docker image inspect
- B. docker container inspect
- C. docker exec <container\_name> ls
- D. docker ps <container\_name>



**Answer:** B

#### NEW QUESTION 89

A systems administrator installed a new software program on a Linux server. When the systems administrator tries to run the program, the following message appears on the screen.

```
Hardware virtualization support is not available on this system.  
Either is not present or disabled in the system's BIOS
```

Which of the following commands will allow the systems administrator to check whether the system supports virtualization?

- A. dmidecode -s system-version
- B. lscpu
- C. sysctl -a
- D. cat /sys/device/system/cpu/possible

**Answer:** B

#### NEW QUESTION 90

A Linux administrator booted up the server and was presented with a non-GUI terminal. The administrator ran the command `systemctl isolate graphical.target` and rebooted the system by running `systemctl reboot`, which fixed the issue. However, the next day the administrator was presented again with a non-GUI terminal. Which of the following is the issue?

- A. The administrator did not reboot the server properly.
- B. The administrator did not set the default target to `basic.target`.
- C. The administrator did not set the default target to `graphical.target`.
- D. The administrator did not shut down the server properly.

**Answer:** C

#### NEW QUESTION 94

To harden one of the servers, an administrator needs to remove the possibility of remote administrative login via the SSH service. Which of the following should the administrator do?

- A. Add the line `DenyUsers root` to the `/etc/hosts.deny` file.
- B. Set `PermitRootLogin` to `no` in the `/etc/ssh/sshd_config` file.
- C. Add the line `account required pam_nologin`
- D. so to the `/etc/pam.d/sshd` file.
- E. Set `PubKeyAuthentication` to `no` in the `/etc/ssh/ssh_config` file.

**Answer:** B

#### NEW QUESTION 98

A server is experiencing intermittent connection issues. Some connections to the Internet work as intended, but some fail as if there is no connectivity. The systems administrator inspects the server configuration:

## Routing table:

```
default via 89.107.157.129 dev ens3 proto static metric 100
default via 10.0.5.1 dev ens11 proto dhcp metric 101
10.0.0.0/16 dev sn11 proto kernel scope link src 10.0.6.225 metric 101
89.107.157.128/26 via 89.107.157.129 dev ens3 proto static metric 100
89.107.157.129 dev ens3 proto static scope link metric 100
89.107.157.160/29 dev ens3 proto kernel scope link src 89.107.157.161 metric 100
```

## IP configuration:

```
ens3:
  inet 89.107.157.161/29 brd 89.107.157.167 scope global noprefixroute ens3
ens11:
  inet 10.0.6.225/16 brd 10.0.255.255 scope global noprefixroute dynamic ens11
```

## ARP table:

Address	Hwtype	Hwaddress	Flags	Mask	Iface
10.0.5.1	ether	64:d1:54:c4:75:cb	C		ens11
89.107.157.129	ether	5c:5e:ab:01:85:cf	C		ens3
89.107.157.162	ether	52:54:00:e1:44:0a	C		ens3
10.0.255.1	ether	00:50:7f:e3:aa:1c	C		ens11

```
/etc/resolv.conf:
Generated by NetworkManager
search company.com
nameserver 10.0.5.1
```

Which of the following is MOST likely the cause of the issue?

- A. An internal-only DNS server is configured.
- B. The IP netmask is wrong for ens3.
- C. Two default routes are configured.
- D. The ARP table contains incorrect entries.

**Answer: C**

**NEW QUESTION 101**

A new Linux systems administrator just generated a pair of SSH keys that should allow connection to the servers. Which of the following commands can be used to copy a key file to remote servers? (Choose two.)

- A. wget
- B. ssh-keygen
- C. ssh-keyscan
- D. ssh-copy-id
- E. ftpd
- F. scp

**Answer: DF**

**NEW QUESTION 104**

A Linux administrator has logged in to a server for the first time and needs to know which services are allowed through the firewall. Which of the following options will return the results for which the administrator is looking?

- A. firewall-cmd —get-services
- B. firewall-cmd —check-config
- C. firewall-cmd —list-services
- D. systemctl status firewalld

**Answer: C**

**NEW QUESTION 105**

A systems administrator is encountering performance issues. The administrator runs 3 commands with the following output

```
09:10:18 up 457 days, 32min, 5 users, load average: 4.22 6.63 5.98
```

The Linux server has the following system properties CPU: 4 vCPU

Memory: 50GB

Which of the following accurately describes this situation?

- A. The system is under CPU pressure and will require additional vCPUs

- B. The system has been running for over a year and requires a reboot.
- C. Too many users are currently logged in to the system
- D. The system requires more memory

**Answer:** B

#### NEW QUESTION 108

The security team has identified a web service that is running with elevated privileges. A Linux administrator is working to change the systemd service file to meet security compliance standards. Given the following output:

```
[Unit]
Description=CompTIA server daemon
Documentation=man:webserver(8) man:webserver_config(5)
After=network.target

[Service]
Type=notify
EnvironmentFile=/etc/webserver/config
ExecStart=/usr/sbin/webserver -D SOPTIONS
ExecReload=/bin/kill -HUP $MAINPID
KillMode=process
Restart=on-failure
RestartSec=42s

[Install]
WantedBy=multi-user.target
```

Which of the following remediation steps will prevent the web service from running as a privileged user?

- A. Removing the ExecStarWusr/sbin/webserver -D SOPTIONS from the service file
- B. Updating the Environment File line in the [Service] section to /home/websevice/config
- C. Adding the User=websevice to the [Service] section of the service file
- D. Changing the:mult-i-user.target in the [Install] section to basic.target

**Answer:** A

#### NEW QUESTION 112

Due to low disk space, a Linux administrator is finding and removing all log files that were modified more than 180 days ago. Which of the following commands will accomplish this task?

- A. `find /var/log -type d -mtime +180 -print -exec rm {} \;`
- B. `find /var/log -type f -modified +180 -rm`
- C. `find /var/log -type f -mtime +180 -exec rm {} \`
- D. `find /var/log -type c -atime +180 -remove`

**Answer:** A

#### NEW QUESTION 113

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your XK0-005 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/XK0-005-dumps.html>