



LPI

Exam Questions 101-500

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

NEW QUESTION 1

- (Exam Topic 1)

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

Answer: ABD

NEW QUESTION 2

- (Exam Topic 1)

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Answer: A

NEW QUESTION 3

- (Exam Topic 1)

Which SysV init configuration file should be modified to disable the ctrl-alt-delete key combination?

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

Answer: C

NEW QUESTION 4

- (Exam Topic 1)

Which of the following information is stored within the BIOS? (Choose TWO correct answers.)

- A. Boot device order
- B. Linux kernel version
- C. Timezone
- D. Hardware configuration
- E. The system's hostname

Answer: AD

NEW QUESTION 5

- (Exam Topic 1)

The system is having trouble and the engineer wants to bypass the usual /sbin/init start up and run /bin/sh. What is the usual way to pass this change to the kernel from your boot loader?

- A. Start in runlevel 1.
- B. Pass init=/bin/sh on the kernel parameter line.
- C. Pass /bin/sh on the kernel parameter line.
- D. Pass start=/bin/sh on the kernel parameter line.

Answer: B

NEW QUESTION 6

- (Exam Topic 1)

The USB device filesystem can be found under /proc/_____/usb/. (Please fill in the blank with the single word only)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

bus

NEW QUESTION 7

- (Exam Topic 1)

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks? (Choose TWO correct answers.)

- A. shutdown -R 1 now
- B. shutdown -single now
- C. init 1
- D. telinit 1
- E. runlevel 1

Answer: CD

NEW QUESTION 8

- (Exam Topic 1)

Which command displays the contents of the Kernel Ring Buffer on the command line? (Provide only the command name without any options or path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

dmesg, /bin/dmesg

NEW QUESTION 9

- (Exam Topic 1)

You suspect that a new ethernet card might be conflicting with another device. Which file should you check within the /proc tree to learn which IRQs are being used by which kernel drivers?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

interrupts, /proc/interrupts

NEW QUESTION 10

- (Exam Topic 1)

The message "Hard Disk Error" is displayed on the screen during Stage 1 of the GRUB boot process. What does this indicate?

- A. The kernel was unable to execute /bin/init
- B. The next Stage cannot be read from the hard disk because GRUB was unable to determine the size and geometry of the disk
- C. One or more of the filesystems on the hard disk has errors and a filesystem check should be run
- D. The BIOS was unable to read the necessary data from the Master Boot Record to begin the boot process

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

Which file in the /proc filesystem lists parameters passed from the bootloader to the kernel? (Specify the file name only without any path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

cmdline, /proc/cmdline

NEW QUESTION 12

- (Exam Topic 2)

Which command will disable swapping on a device? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

swapoff, /sbin/swapoff

NEW QUESTION 17

- (Exam Topic 2)

In which directory must definition files be placed to add additional repositories to yum?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/yum.repos.d, /etc/yum.repos.d/, yum.repos.d, yum.repos.d/

NEW QUESTION 18

- (Exam Topic 2)

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -KI /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi/etc/exports

Answer: B

NEW QUESTION 20

- (Exam Topic 2)

Which of the following commands overwrites the bootloader located on /dev/sda without overwriting the partition table or any data following it?

- A. dd if=/dev/zero of=/dev/sda bs=512
- B. dd if=/dev/zero of=/dev/sda bs=512 count=1
- C. dd if=/dev/zero of=/dev/sda bs=440 count=1
- D. dd if=/dev/zero of=/dev/sda bs=440

Answer: C

NEW QUESTION 25

- (Exam Topic 2)

Which of the following environment variables overrides or extends the list of directories holding shared libraries?

- A. LD_LOAD_PATH
- B. LD_LIB_PATH
- C. LD_LIBRARY_PATH
- D. LD_SHARE_PATH
- E. LD_RUN_PATH

Answer: C

NEW QUESTION 27

- (Exam Topic 2)

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list --installed

Answer: C

NEW QUESTION 31

- (Exam Topic 2)

To prevent users from being able to fill up the / partition, the _____ directory should be on a separate partition if possible because it is world writeable.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/tmp, tmp

NEW QUESTION 34

- (Exam Topic 2)

What is the difference between the --remove and the --purge action with the dpkg command?

- A. --remove removes the program, --purge also removes the config files
- B. --remove only removes the program, --purge only removes the config files
- C. --remove removes a package, --purge also removes all packages dependent on it
- D. --remove removes only the package file itself, --purge removes all files related to the package

Answer: A

NEW QUESTION 37

- (Exam Topic 2)

An administrator has issued the following command: `grub-install --root-directory=/custom-grub /dev/sda`
In which directory will new configuration files be found? (Provide the full directory path only without the filename)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/custom-grub/boot/grub/`, `/custom-grub/boot/grub`

NEW QUESTION 42

- (Exam Topic 2)

Which function key is used to start Safe Mode in Windows NT?

- A. F10
- B. F8
- C. F6
- D. Windows NT does not support Safe Mode

Answer: D

NEW QUESTION 43

- (Exam Topic 2)

Which of the following apt-get commands will install the newest versions of all currently installed packages without removing any packages or installing new packages that are not already installed?

- A. auto-update
- B. upgrade
- C. dist-upgrade
- D. install
- E. update

Answer: B

NEW QUESTION 46

- (Exam Topic 2)

When removing a package, which of the following dpkg options will completely remove the files including configuration files?

- A. --clean
- B. --delete
- C. --purge
- D. --remove

Answer: C

NEW QUESTION 47

- (Exam Topic 2)

Which world-writable directory should be placed on a separate partition in order to prevent users from being able to fill up the / filesystem? (Specify the full path to the directory.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/tmp`, `tmp`, `/var/tmp`, `/tmp/`, `/var/tmp/`

NEW QUESTION 49

- (Exam Topic 2)

Typically, which top level system directory is used for files and data that change regularly while the system is running and are to be kept between reboots? (Specify only the top level directory)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/var`, `/var/`, `var`, `var/`

NEW QUESTION 50

- (Exam Topic 2)

Which of the following commands can be used to perform a full text search on all available packages on a Debian system?

- A. apt
- B. apt-cache
- C. apt-get
- D. apt-search
- E. dpkg

Answer: B

NEW QUESTION 51

- (Exam Topic 2)

You want to preview where the package file, apache.xml.i386.rpm, will install its files before installing it. What command do you issue?

- A. rpm -qp apache.xml.i386.rpm
- B. rpm -qv apache.xml.i386.rpm
- C. rpm -ql apache.xml.i386.rpm
- D. rpm -qpl apache.xml.i386.rpm

Answer: D

NEW QUESTION 53

- (Exam Topic 2)

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

Answer: E

NEW QUESTION 54

- (Exam Topic 3)

What is the difference between the i and a commands of the vi editor?

- A. i (interactive) requires the user to explicitly switch between vi modes whereas a (automatic) switches modes automatically.
- B. i (insert) inserts text before the current cursor position whereas a (append) inserts text after the cursor.
- C. i (independent rows) starts every new line at the first character whereas a (aligned rows) keeps the indentation of the previous line.
- D. i (interrupt) temporarily suspends editing of a file to the background whereas a (abort) terminates editing.

Answer: B

NEW QUESTION 55

- (Exam Topic 3)

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tar | tar xvf -
- B. tar ztf archive.tar
- C. gzip -d archive.tar | tar tvf -
- D. tar cf archive.tar

Answer: B

NEW QUESTION 57

- (Exam Topic 3)

In Bash, inserting 1>&2 after a command redirects

- A. standard error to standard input.
- B. standard input to standard error.
- C. standard output to standard error.
- D. standard error to standard output.
- E. standard output to standard input.

Answer: C

NEW QUESTION 59

- (Exam Topic 3)

Which variable defines the directories in which a Bash shell searches for executable commands?

- A. BASHEXEC
- B. BASHRC
- C. PATH
- D. EXECPATH
- E. PATHRC

Answer: C

NEW QUESTION 64

- (Exam Topic 3)

Which grep command will print only the lines that do not end with a / in the file foo?

- A. grep '\$' foo
- B. grep '# ' foo
- C. grep -v '\$' foo
- D. grep -v '# ' foo

Answer: C

NEW QUESTION 69

- (Exam Topic 3)

What does the ? symbol within regular expressions represent?

- A. Match the preceding qualifier one or more times.
- B. Match the preceding qualifier zero or more times.
- C. Match the preceding qualifier zero or one times.
- D. Match a literal ?character.

Answer: C

NEW QUESTION 73

- (Exam Topic 3)

Which of the following commands moves and resumes in the background the last stopped shell job?

- A. run
- B. bg
- C. fg
- D. back

Answer: B

NEW QUESTION 75

- (Exam Topic 3)

What command will generate a list of user names from /etc/passwd along with their login shell?

- A. column -s : 1,7 /etc/passwd
- B. chop -c 1,7 /etc/passwd
- C. colrm 1,7 /etc/passwd
- D. cut -d: -f1,7 /etc/passwd

Answer: D

NEW QUESTION 78

- (Exam Topic 3)

In compliance with the FHS, in which of the directories are man pages found?

- A. /usr/share/man
- B. /opt/man
- C. /usr/doc/
- D. /var/pkg/man
- E. /var/man

Answer: A

NEW QUESTION 81

- (Exam Topic 3)

What is the default nice level when a process is started using the nice command?

- A. -10
- B. 10
- C. 20

Answer: B

NEW QUESTION 84

- (Exam Topic 3)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. split -c 1,4 /etc/passwd
- C. cut -d : -f 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd

Answer: C

NEW QUESTION 85

- (Exam Topic 3)

Which of the following commands prints all files and directories within the /tmp directory or its subdirectories which are also owned by the user root? (Choose TWO correct answers.)

- A. find /tmp -uid root -print
- B. find -path /tmp -uid root
- C. find /tmp -user root -print
- D. find /tmp -user root
- E. find -path /tmp -user root -print

Answer: CD

NEW QUESTION 86

- (Exam Topic 3)

Which shell command is used to continue background execution of a suspended command?

- A. &
- B. bg
- C. cont
- D. exec
- E. :&

Answer: B

NEW QUESTION 90

- (Exam Topic 3)

What is the purpose of the Bash built-in export command?

- A. It allows disks to be mounted remotely.
- B. It runs a command as a process in a subshell.
- C. It makes the command history available to subshells.
- D. It sets up environment variables for applications.
- E. It shares NFS partitions for use by other systems on the network.

Answer: D

NEW QUESTION 93

- (Exam Topic 3)

Which of the following commands can be used to create a USB storage media from a disk image?

- A. gdisk
- B. dd
- C. cc
- D. fdisk
- E. mount

Answer: B

NEW QUESTION 97

- (Exam Topic 3)

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. ./usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

Answer: AB

NEW QUESTION 99

- (Exam Topic 3)

Which of the following explanations are valid reasons to run a command in the background of your shell?

- A. The command does not need to execute immediately.
- B. The command has to run immediately but the user needs to log out.
- C. The system is being shut down and the command needs to restart execution immediately after the reboot.
- D. The command can run at a lower priority than normal commands run on the command line.

Answer: B

NEW QUESTION 101

- (Exam Topic 3)

When starting a program with the nice command without any additional parameters, which nice level is set for the resulting process?

- A. -10
- B. 10
- C. 20

Answer: C

NEW QUESTION 106

- (Exam Topic 3)

What is the default action of the split command on an input file?

- A. It will break the file into new files of 1,024 byte pieces each.
- B. It will break the file into new files of 1,000 line pieces each.
- C. It will break the file into new files of 1,024 kilobyte pieces each.
- D. It will break the file into new files that are no morethan 5% of the size of the original file.

Answer: B

NEW QUESTION 108

- (Exam Topic 3)

Which signal is missing from the following command that is commonly used to instruct a daemon to reinitialize itself, including reading configuration files?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

killall -s _____ daemon
HUP, SIGHUP, 1

NEW QUESTION 112

- (Exam Topic 3)

Which of the following statements is correct regarding the command `foo 1> bar`?

- A. The stdout from the command `foo` is appended to the file `bar`.
- B. The stdout from the command `foo` overwrites the file `bar`.
- C. The command `foo` receives its stdin from the file `bar`.
- D. The command `foo` receives its stdin from the stdout of the command `bar`.
- E. The stderr from the command `foo` is saved to the file `bar`.

Answer: B

NEW QUESTION 117

- (Exam Topic 3)

You are trying to make a hard link to an ordinary file but `ln` returns an error. Which of the following could cause this?

- A. The source file is hidden.
- B. The source file is read-only.
- C. The source file is a shell script.
- D. You do not own the source file.
- E. The source and the target are on different filesystems.

Answer: E

NEW QUESTION 118

- (Exam Topic 4)

Which of the following commands is used to modify quota settings? (Choose two.)

- A. `editquota`
- B. `setquota`
- C. `edquota`
- D. `quotaedit`
- E. `quotaset`

Answer: C

NEW QUESTION 119

- (Exam Topic 4)

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creatinga hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command `touch` on the old path.
- E. By mounting the new filesystem on the original path of the data.

Answer: CE

NEW QUESTION 122

- (Exam Topic 4)

Which of the following statements describes a difference between GNU GRUB Legacy and GRUB 2?

- A. GRUB 2 no longer requires a configuration file.
- B. Partition numbers start at 0 in GRUB Legacy and 1 in GRUB 2.
- C. grub-mkconfig only works with GRUB Legacy if the --version 1 option is used.
- D. The configuration files menu.lst (and grub.conf) have been replaced with grub.config.

Answer: B

NEW QUESTION 127

- (Exam Topic 4)

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed.
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

Answer: B

NEW QUESTION 132

- (Exam Topic 4)

Which of the following commands will load a kernel module along with any required dependency modules?

- A. depmod
- B. insmod
- C. modprobe
- D. module_install
- E. loadmod

Answer: C

NEW QUESTION 137

- (Exam Topic 4)

What is the purpose of the Filesystem Hierarchy Standard?

- A. It is a security model used to ensure files are organized according to their permissions and accessibility.
- B. It provides unified tools to create, maintain and manage multiple filesystems in a common way.
- C. It defines a common internal structure of inodes for all compliant filesystems.
- D. It is a distribution neutral description of locations of files and directories.

Answer: D

NEW QUESTION 142

- (Exam Topic 4)

Which of the following statements is correct for a command line ending with a & character?

- A. The command's output is redirected to /dev/null.
- B. The result of the command defines if the next command will be run.
- C. The command is run in background of the current shell.
- D. The command is run as a direct child of the init process.

Answer: C

NEW QUESTION 146

- (Exam Topic 4)

Which of the following commands prints a list of available package updates when using RPM-based package management?

- A. dpkg list
- B. yum list
- C. dpkg check-update
- D. yum check-update
- E. yum list-update

Answer: D

NEW QUESTION 147

- (Exam Topic 4)

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/creation time and does NOT generate them as needed?

(Choose TWO correct answers.)

- A. ext3
- B. JFS
- C. ext2
- D. XFS
- E. procfs

Answer: AC

NEW QUESTION 152

- (Exam Topic 4)

Which command is used to query information about the available packages on a Debian system?

- A. apt-cache
- B. apt-get
- C. apt-search
- D. dpkg
- E. dpkg-search

Answer: A

NEW QUESTION 153

- (Exam Topic 4)

Which of the following commands changes the ownership of file.txt to the user dan and the group staff?

- A. chown dan/staff file.txt
- B. chown dan:staff file.txt
- C. chown -u dan -g staff file.txt
- D. chown dan -g staff file.txt

Answer: B

NEW QUESTION 156

- (Exam Topic 4)

Which command creates a swap space on a block device or a file? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkswap

NEW QUESTION 160

- (Exam Topic 4)

Which type of filesystem is created by mkfs when it is executed with the block device name only and without any additional parameters?

- A. ext2
- B. ext3
- C. ext4
- D. XFS
- E. VFAT

Answer: A

NEW QUESTION 164

- (Exam Topic 4)

Which of the following is a limitation of the cut command?

- A. The cut command can only select output by field position.
- B. The cut command cannot reorder fields.
- C. The cut command only works on ASCII text.
- D. The cut command cannot use different input and output delimiters.

Answer: B

NEW QUESTION 169

- (Exam Topic 4)

Which command reads and displays the current contents of the Kernel Ring Buffer on the command line? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer:

A

Explanation:

dmesg

NEW QUESTION 174

- (Exam Topic 4)

Which of the following commands converts spaces in a file to tab characters and prints the result to standard output?

- A. iconv
- B. expand
- C. unexpand
- D. tab

Answer: C

NEW QUESTION 177

- (Exam Topic 4)

Which of the following commands will print important system information such as the kernel version and machine hardware architecture?

- A. sysinfo
- B. uname
- C. lspci
- D. arch
- E. info

Answer: B

NEW QUESTION 178

- (Exam Topic 4)

How many fields are in a syntactically correct line of /etc/fstab?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7

Answer: D

NEW QUESTION 179

- (Exam Topic 4)

Where does the BIOS search for a bootloader?

- A. On all connected storage media regardless of the boot device order.
- B. On all connected storage media in the defined boot device order.
- C. Only on hard disk drives in the defined boot device order.
- D. Only on the last added storage media.
- E. The BIOS is not responsible to search for a valid bootloader.

Answer: B

NEW QUESTION 184

- (Exam Topic 4)

When using regular expressions, which of the following characters match the beginning of a line?

- A. ^
- B. ?
- C. *
- D. +
- E. \$

Answer: A

NEW QUESTION 189

- (Exam Topic 4)

Which of the following commands will mount an already inserted CD-ROM in /dev/sr0 onto an existing directory /mnt/cdrom when issued with root privileges?

- A. mount /dev/cdrom /mnt/cdrom
- B. mount /dev/sr0 /mnt/cdrom
- C. mount -t cdrom /dev/sr0 /mnt/cdrom
- D. mount -l cdrom /dev/sr0 /mnt/cdrom
- E. mount -f /dev/sr0/mnt/cdrom

Answer: C

NEW QUESTION 191

- (Exam Topic 4)

What is the process ID number of the init process on a SysV init based system?

- A. -1
- B. 1
- C. It is different with each reboot.
- D. It is set to the current run level.

Answer: C

NEW QUESTION 192

- (Exam Topic 4)

Which of the following partition types is used for Linux swap spaces when partitioning hard disk drives?

- A. 82
- B. 83
- C. 8e
- D. fd
- E. 7

Answer: B

NEW QUESTION 197

- (Exam Topic 4)

Which command is used to start another command with a given nice level? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

nice

NEW QUESTION 199

- (Exam Topic 4)

Which of the following shell commands makes the already defined variable TEST visible to new child processes? (Choose two.)

- A. visible TEST
- B. declare +x TEST
- C. declare -x TEST
- D. export TEST
- E. export -v TEST

Answer: D

NEW QUESTION 201

- (Exam Topic 4)

The system configuration file named _____ is commonly used to set the default runlevel. (Please provide the file name with full path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 203

- (Exam Topic 4)

Which of the following pieces of information of an existing file is changed when a hard link pointing to that file is created?

- A. File size
- B. Modify timestamp
- C. Link count
- D. Inode number
- E. Permissions

Answer: C

NEW QUESTION 205

- (Exam Topic 4)

Which signal is sent by the kill command by default?

- A. SIGHUP(1)

- B. SIGQUIT(3)
- C. SIGKILL(9)
- D. SIGTERM(15)

Answer: D

NEW QUESTION 208

- (Exam Topic 4)

Which program updates the database that is used by the locate command?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

updatedb

NEW QUESTION 209

- (Exam Topic 4)

How is a symbolic link called bar.conf pointing to foo.conf created?

- A. In `ln -s foo.conf bar.conf`
- B. In `ln foo.conf bar.conf`
- C. In `ln -s bar.conf foo.conf`
- D. In `ln bar.conffoo.conf`

Answer: A

NEW QUESTION 214

- (Exam Topic 4)

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. `-rep-space`
- B. `-print0`
- C. `-nospace`
- D. `-ignore-space`

Answer: B

NEW QUESTION 218

- (Exam Topic 4)

What does the command `mount -a` do?

- A. It ensures that all file systems listed with the option `noauto` in `/etc/fstab` are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads `/etc/fstab` for editing.
- D. It ensures that all file systems listed with the option `auto` in `/etc/fstab` are mounted.
- E. It ensures that all file systems listed in `/etc/fstab` are mounted regardless of their options.

Answer: D

NEW QUESTION 222

- (Exam Topic 4)

Which of the following commands print the current working directory when using a Bash shell? (Choose two.)

- A. `echo "${PWD}"`
- B. `echo "${WD}"`
- C. `pwd`
- D. `printwd`
- E. `echo "${pwd}"`

Answer: C

NEW QUESTION 227

- (Exam Topic 4)

Pressing the Ctrl-C combination on the keyboard while a command is executing in the foreground sends which of the following signal codes?

- A. 1(SIGHUP)
- B. 2(SIGINT)
- C. 3(SIGQUIT)
- D. 9(SIGKILL)
- E. 15(SIGTERM)

Answer: B

NEW QUESTION 228

- (Exam Topic 4)

Which chown command will change the ownership to dave and the group to staff on a file named data.txt?

- A. chown dave/staff data.txt
- B. chown -u dave -g staff data.txt
- C. chown --user dave --group staff data.txt
- D. chown dave:staff data.txt

Answer: D

NEW QUESTION 233

- (Exam Topic 4)

Which of the following commands can be used to display the inode number of a given file?

- A. inode
- B. ls
- C. ln
- D. cp

Answer: B

NEW QUESTION 234

- (Exam Topic 4)

Which of the following commands shows the definition of a given shell command?

- A. where
- B. stat
- C. type
- D. case

Answer: C

NEW QUESTION 238

- (Exam Topic 4)

Which file in /proc describes the IRQs that are used by various kernel drivers? (Specify the file name only without any path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

interrupts

NEW QUESTION 241

- (Exam Topic 4)

After running the command `mount /mnt`, the following error message is displayed: `mount: /mnt: device is busy.`

What is a common reason for this message?

- A. The kernel has not finished flushing disk writes to the mounted device.
- B. A user has a file open in the /mnt directory.
- C. Another file system still contains a symlink to a file inside /mnt.
- D. The files in /mnt have been scanned and added to the locate database.
- E. The kernel thinks that a process is about to open a file in /mnt for reading.

Answer: B

NEW QUESTION 243

- (Exam Topic 4)

Which file from the /proc file system contains a list of all currently mounted devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mounts

NEW QUESTION 245

- (Exam Topic 4)

What command changes the nice level of a running process? (Specify ONLY the command without any path or parameters)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
renice

NEW QUESTION 250

- (Exam Topic 4)

Which command shows all shared libraries required by a binary executable or another shared library? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
ldd

NEW QUESTION 254

- (Exam Topic 4)

Which option to the tee command will cause the output to be concatenated on the end of the output file instead of overwriting the existing file contents?

- A. -a
- B. -c
- C. --no-clobber
- D. --continue

Answer: A

NEW QUESTION 257

- (Exam Topic 4)

Which of the following commands creates an ext3 filesystem on /dev/sdb1? (Choose TWO correct answers.)

- A. /sbin/mke2fs -j /dev/sdb1
- B. /sbin/mkfs -t ext3 /dev/sdb1
- C. /sbin/mkfs -c ext3 /dev/sdb1
- D. /sbin/mke3fs -j /dev/sdb1

Answer: AB

NEW QUESTION 262

- (Exam Topic 4)

Which of the following commands can be used to search for the executable file foo when it has been placed in a directory not included in \$PATH?

- A. apropos
- B. which
- C. find
- D. query
- E. whereis

Answer: C

NEW QUESTION 266

- (Exam Topic 4)

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

- A. tune2fs -d 200 /dev/sda1
- B. tune2fs -c 200 /dev/sda1
- C. tune2fs -i 200 /dev/sda1
- D. tune2fs -n 200 /dev/sda1
- E. tune2fs --days 200 /dev/sda1

Answer: C

NEW QUESTION 269

- (Exam Topic 4)

Which of the following commands will display the inode usage of each mounted filesystem?

- A. du -i
- B. df -i
- C. lsfs -i
- D. printfs -i

Answer: B

NEW QUESTION 271

- (Exam Topic 4)

Which of the following commands updates the already installed RPM package rpmname?

- A. rpm --update rpmname
- B. rpm -U rpmname
- C. rpm -q rpmname
- D. rpm --force rpmname
- E. rpm -u rpmname

Answer: B

NEW QUESTION 275

- (Exam Topic 4)

Which of the following is the device file name for the second partition on the only SCSI drive?

- A. /dev/hda1
- B. /dev/sda2
- C. /dev/sd0a2
- D. /dev/sd1p2

Answer: B

NEW QUESTION 277

- (Exam Topic 5)

Consider the following directory:

```
drwxrwxr-x 2 root sales 4096 Jan 1 15:21 sales
```

Which command ensures new files created within the directory sales are owned by the group sales? (Choose two.)

- A. chmod g+s sales
- B. setpol -R newgroup=sales sales
- C. chgrp -p sales sales
- D. chown --persistent *.sales sales
- E. chmod 2775 sales

Answer: CE

NEW QUESTION 278

- (Exam Topic 5)

Which command must be entered before exiting vi to save the current file as filea.txt?

- A. %s filea.txt
- B. %w filea.txt
- C. :save filea.txt
- D. :w filea.txt
- E. :s filea.txt

Answer: D

NEW QUESTION 280

- (Exam Topic 5)

Which of the following are valid stream redirection operators within Bash? (Choose two.)

- A. <
- B. #>
- C. %>
- D. >>>
- E. 2>&1

Answer: AE

NEW QUESTION 283

- (Exam Topic 5)

Which program runs a command in specific intervals and refreshes the display of the program's output? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

watch

NEW QUESTION 286

- (Exam Topic 5)

Which of the following is true when a file system, which is neither listed in /etc/fstab nor known to system, is mounted manually?

- A. systemd ignores any manual mounts which are not done using the systemctl mount command
- B. The command systemctl mountsinc can be used to create a mount unit based on the existing mount
- C. systemd automatically generates a mount unit and monitors the mount point without changing it
- D. Unless a systemd mount unit is created, systemd unmounts the file system after a short period of time
- E. systemctl unmount must be used to remove the mount because system opens a file descriptor on the mount point

Answer: B

NEW QUESTION 289

- (Exam Topic 5)

When is the content of the kernel ring buffer reset? (Choose two.)

- A. When the ring buffer is explicitly reset using the command dmesg --clear
- B. When the ring buffer is read using dmesg without any additional parameters
- C. When a configurable amount of time, 15 minutes by default, has passed
- D. When the kernel loads a previously unloaded kernel module
- E. When the system is shut down or rebooted

Answer: AE

NEW QUESTION 293

- (Exam Topic 5)

A Debian package creates several files during its installation. Which of the following commands searches for packages owning the file /etc/debian_version?

- A. apt-get search /etc/debian_version
- B. apt -r /etc/debian_version
- C. find /etc/debian_version -dpkg
- D. dpkg -S /etc/debian_version
- E. apt-file /etc/debian_version

Answer: C

NEW QUESTION 296

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

du

NEW QUESTION 299

- (Exam Topic 5)

Which of the following commands installs GRUB 2 into the master boot record on the third hard disk?

- A. grub2 install /dev/sdc
- B. grub-mkrescue /dev/sdc
- C. grub-mbrinstall /dev/sdc
- D. grub-setup /dev/sdc
- E. grub-install /dev/sdc

Answer: E

NEW QUESTION 300

- (Exam Topic 5)

Which of the following regular expressions represents a single upper-case letter?

- A. :UPPER:
- B. [A-Z]
- C. !a-z
- D. %C
- E. {AZ}

Answer: B

NEW QUESTION 301

- (Exam Topic 5)

Which of the following files exist in a standard GRUB 2 installation? (Choose two.)

- A. /boot/grub/stages/stage0
- B. /boot/grub/i386-pc/1vm.mod
- C. /boot/grub/fstab

- D. /boot/grub/grub.cfg
- E. /boot/grub/linux/vmlinuz

Answer: BD

NEW QUESTION 304

- (Exam Topic 5)

What is the first program the Linux kernel starts at boot time when using System V init?

- A. /lib/init.so
- B. /proc/sys/kernel/init
- C. /etc/rc.d/rcinit
- D. /sbin/init
- E. /boot/init

Answer: D

NEW QUESTION 307

- (Exam Topic 5)

Which of the following files, located in a user's home directory, contains the Bash history?

- A. .bashrc_history
- B. .bash_histfile
- C. .history
- D. .bash_history
- E. .history_bash

Answer: B

NEW QUESTION 311

- (Exam Topic 5)

Which of the following commands list all files and directories within the /tmp/ directory and its subdirectories which are owned by the user root? (Choose two.)

- A. find /tmp -user root -print
- B. find -path /tmp -uid root
- C. find /tmp -uid root -print
- D. find /tmp -user root
- E. find -path /tmp -user root -print

Answer: AE

NEW QUESTION 314

- (Exam Topic 5)

Which of the following commands redirects the output of ls to standard error?

- A. ls >-1
- B. ls <<ERR
- C. ls >&2
- D. ls >>2
- E. ls |error

Answer: C

NEW QUESTION 315

- (Exam Topic 5)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. cut -d : -f 1,4 /etc/passwd
- C. sort -t : -k 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd
- E. split -c 1,4 /etc/passwd

Answer: B

NEW QUESTION 320

- (Exam Topic 5)

What is true regarding the configuration of yum? (Choose two.)

- A. Changes to the repository configuration become active after running yum confupdate
- B. Changes to the yum configuration become active after restarting the yum service
- C. The configuration of package repositories can be divided into multiple files
- D. Repository configurations can include variables such as \$basearch or \$releasever
- E. In case /etc/yum.repos.d/ contains files, /etc/yum.conf is ignored

Answer: DE

NEW QUESTION 323

- (Exam Topic 5)

The command `dbmaint &` was used to run `dbmaint` in the background. However, `dbmaint` is terminated after logging out of the system. Which alternative `dbmaint` invocation lets `dbmaint` continue to run even when the user running the program logs out?

- A. `job -b dbmaint`
- B. `dbmaint &>/dev/pts/null`
- C. `nohup dbmaint &`
- D. `bg dbmaint`
- E. `wait dbmaint`

Answer: D

NEW QUESTION 328

Which Bash environment variable defines in which file the user history is stored when exiting a Bash process? (Specify ONLY the variable name.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

HISTFILE

NEW QUESTION 331

When in Normal mode `invi`, which character can be used to begin a reverse search of the text?

- A. A.?B./C.FD.r

Answer: A

NEW QUESTION 335

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

101-500 Practice Exam Features:

- * 101-500 Questions and Answers Updated Frequently
- * 101-500 Practice Questions Verified by Expert Senior Certified Staff
- * 101-500 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 101-500 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 101-500 Practice Test Here](#)