

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work.

What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Pre-launch
- B. Workspace Control
- C. Session Linging
- D. Session Timeout

Answer: B

NEW QUESTION 2

Scenario: A Citrix Administrator manages a Citrix Gateway with a Standard Platform License, with remote employees in the environment. The administrator wants to increase employee access by 300 users through the Citrix Gateway, using VPN access.

Which license should the administrator recommend purchasing for this environment?

- A. Citrix ADC Burst Packs License
- B. Citrix ADC Upgrade License
- C. Citrix Gateway Universal License
- D. Citrix Gateway Express License

Answer: C

NEW QUESTION 3

Scenario: A Citrix Administrator has made changes to the Citrix ADC, deleting parts of the configuration, and then saved the new configurations. The changes caused an outage which needs to be resolved as quickly as possible. There is no Citrix ADC backup.

What does the administrator need to do to recover the configuration quickly?

- A. Restore from revision history.
- B. Restart the Citrix ADC.
- C. Run HA file synchronization.
- D. Run Save v/s Running configuration.

Answer: A

NEW QUESTION 4

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 5

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 6

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C

NEW QUESTION 7

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 8

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests. Which expression, when used, meets this requirement?

- A. HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B. HTTP.REQ.HOSTNAME("example.com")
- C. HTTP.RES.HOSTNAME.CONTAINS("www.example.com")
- D. HTTP.RES.HOSTNAME.EQ("www.example.com")

Answer: A

NEW QUESTION 9

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects.

Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Answer: CD

NEW QUESTION 10

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: CDF

NEW QUESTION 10

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 12

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY –srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600
- C. add simpleacl rule1 DENY –srcIP 192.168.100.25 –TTL 600000
- D. add ns acl rule1 DENY –destIP 192.168.100.25 –TTL 600000

Answer: B

NEW QUESTION 13

A user calls the help desk to report that when launching any application from within their published desktop session, it takes a long time and the overall performance is poor.

Which Citrix Director report can a Citrix Administrator use to initiate the investigation of the issue?

- A. Machine Utilization in Machine Details
- B. Launch Failures in Trends
- C. Load Evaluator in Trends
- D. Session Data in Filters

Answer: C

NEW QUESTION 14

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails. What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. It is in sync with UTC time instead of local time.
- B. Enhanced Security Configuration (ESC) is set to 'off'.
- C. It cannot run on a machine template cloned across multiple machines.
- D. It is NOT joined to the domain.

Answer: D

NEW QUESTION 16

Scenario: A Citrix Administrator has executed the following command:

```
set httpcallout httpcallout1 -cacheForSecs 120
```

What will be the effect of this command?

- A. The cache duration of the HTTP request is set to 120 seconds.
- B. The cache duration of the HTTP callout request is set to 120 seconds.
- C. The cache duration of the HTTP response is set to 120 seconds.
- D. The cache duration of the HTTP callout response is set to 120 seconds.

Answer: D

NEW QUESTION 18

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 19

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *site*
- B. Get-Service -DisplayName *citrix*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 23

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 24

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

NEW QUESTION 28

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B

NEW QUESTION 29

Scenario: A Lead Citrix Administrator for a large company hired a new administrator for the team to help manage a Citrix Virtual Desktops infrastructure. The new administrator will need to manage user sessions and power-manage machines within the Delivery Group but should NOT be able to create any new objects.

Which role should the lead administrator create for the new administrator?

- A. Delivery Group Administrator
- B. Machine Catalog Administrator
- C. Help Desk Administrator
- D. Host Administrator

Answer: C

NEW QUESTION 30

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots?

Click the Exhibit button to view the screenshots.

- A. Truncate CSS
- B. Inline CSS
- C. Move CSS to head
- D. Rearrange CSS

Answer: B

NEW QUESTION 34

What is the effect of the “set cs vserver vserver-CS-1 –redirectURL http://www.newdomain.com/mysite/” command?

- A. All the requests without url path /mysite/ will be redirected to http://www.newdomain.com/mysite/.
- B. All the requests to vserver-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- C. If the vserver-CS-1 encounters high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vserver-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D

NEW QUESTION 39

Scenario: A Citrix Administrator received reports from users regarding published applications freezing and crashing randomly within their Virtual Delivery Agent (VDA) machine sessions. The administrator would like to review the history of applications that have crashed recently.

Which step can the administrator take to gather the necessary information from within Citrix Director?

- A. Review Failed Server OS Machines under Dashboard.
- B. Configure Application Faults under Trends.
- C. Configure Application Errors under Trends.
- D. Review Citrix Alerts under Alerts.

Answer: B

NEW QUESTION 44

Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.

Which two configurations could the administrator have made to prevent this from happening? (Choose two.)

- A. Enable HA monitoring on all the interfaces of the SECONDARY device.
- B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
- C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
- D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Answer: CD

NEW QUESTION 48

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 51

What is the first thing a Citrix Administrator should create when creating a Server Certificate for Citrix ADC to secure traffic?

- A. A Private Key
- B. A Certificate key-pair
- C. A Certificate Signing Request
- D. A Certificate Revocation list

Answer: C

NEW QUESTION 56

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A

NEW QUESTION 57

Scenario: A Citrix Administrator has received complaints from published application users. They report that it takes a long time to relaunch an application after they close it by mistake.

The administrator needs a solution that will reduce application launch times in these situations. Which feature should the administrator enable?

- A. Session Sharing
- B. Session Reliability
- C. Application Linging
- D. Application Prelaunch

Answer: D

NEW QUESTION 61

Scenario: A Citrix Administrator has configured an Authentication, Authorization, and Auditing (AAA) action policy to allow users access through the Citrix ADC. The Administrator bound the policy to a specific vServer.

Which policy expression will allow all users access through the vServer?

- A. ns_disallow
- B. ns_false
- C. ns_true
- D. ns_allow

Answer: D

NEW QUESTION 63

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 65

Scenario: A Citrix Administrator configured the rewrite policies below:

In which order will the policies be evaluated?

- A. POL_2, POL_3
- B. POL_2
- C. POL_2, POL_3, POL_4, POL_1
- D. POL_2, POL_3, POL_4

Answer: C

NEW QUESTION 69

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 72

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: bind vlan 20 –ifnum 1/1
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 73

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

How will the administrator rectify the issue?

- A. Change the expression of the Responder policy to “HTTP.REQ.HEADER(\\”Request\\”).EQ(\\”Callout Request\\”).NOT &&SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\”IP Matched\\”)”
- B. Change the expression of the Responder policy to “HTTP.REQ.HEADER(\\”Request\\”).EQ(\\”Callout Request\\”).NOT &&SYS.HTTP_CALLOUT(myCallout).CONTAINS(\\”IP Matched\\”)”.NOT
- C. In the HTTP Callout policy, change the –parameters to “cip(CLIENT.IP.SRC)&&HTTP.REQ.HEADER(\\”Request\\”).EQ(\\”Callout Request\\”)”
- D. In the HTTP Callout policy, change the –parameters to “cip(CLIENT.IP.DST)&&HTTP.REQ.HEADER(\\”Request\\”).EQ(\\”Callout Request\\”)”

Answer: B

NEW QUESTION 74

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year