



Cisco

Exam Questions 200-201

Understanding Cisco Cybersecurity Operations Fundamentals

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

During which phase of the forensic process is data that is related to a specific event labeled and recorded to preserve its integrity?

- A. examination
- B. investigation
- C. collection
- D. reporting

Answer: C

NEW QUESTION 2

Which data format is the most efficient to build a baseline of traffic seen over an extended period of time?

- A. syslog messages
- B. full packet capture
- C. NetFlow
- D. firewall event logs

Answer: C

NEW QUESTION 3

Which two elements are assets in the role of attribution in an investigation? (Choose two.)

- A. context
- B. session
- C. laptop
- D. firewall logs
- E. threat actor

Answer: AE

NEW QUESTION 4

Refer to the exhibit.

Interface: 192.168.1.29 --- 0x11		
Internet Address	Physical Address	Type
192.168.1.10	d8-a7-56-d7-19-ea	dynamic
192.168.1.67	d8-a7-56-d7-19-ea	dynamic
192.168.1.1	01-00-5e-00-00-16	static

What is occurring in this network?

- A. ARP cache poisoning
- B. DNS cache poisoning
- C. MAC address table overflow
- D. MAC flooding attack

Answer: A

NEW QUESTION 5

Refer to the exhibit.

No.	Time	Source	Destination	Protocol	Length	Info
1878	6.473353	173.37.145.84	10.0.2.15	TCP	62	80->49522 [ACK] Seq=14404 Ack=2987 Win=65535 Len=0
1986	6.736855	173.37.145.84	10.0.2.15	HTTP	245	HTTP/1.1 304 Not Modified
1987	6.736873	10.0.2.15	173.37.145.84	TCP	56	49522->80 [ACK] Seq=2987 Ack=14593 Win=59640 Len=0
2317	7.245088	10.0.2.15	173.37.145.84	TCP	2976	[TCP segment of a reassembled PDU]
2318	7.245192	10.0.2.15	173.37.145.84	HTTP	1020	GET /web/fw/i/ntpametag.gif?js=1&ts=147629607552.286&tc
2321	7.246633	173.37.145.84	10.0.2.15	TCP	62	80->49522 [ACK] Seq=14593 Ack=4447 Win=65535 Len=0
2322	7.246640	173.37.145.84	10.0.2.15	TCP	62	80->49522 [ACK] Seq=14593 Ack=5907 Win=65535 Len=0
2323	7.246642	173.37.145.84	10.0.2.15	TCP	62	80->49522 [ACK] Seq=14593 Ack=6871 Win=65535 Len=0
2542	7.512750	173.37.145.84	10.0.2.15	HTTP	442	HTTP/1.1 200 OK (GIF89a)
2543	7.512781	10.0.2.15	173.37.145.84	TCP	56	49522->80 [ACK] Seq=6871 Ack=14979 Win=62480 Len=0

Which packet contains a file that is extractable within Wireshark?

- A. 2317
- B. 1986
- C. 2318
- D. 2542

Answer: D

NEW QUESTION 6

Which process is used when IPS events are removed to improve data integrity?

- A. data availability
- B. data normalization
- C. data signature
- D. data protection

Answer: B

NEW QUESTION 7

Drag and drop the technology on the left onto the data type the technology provides on the right.

tcpdump	session data
web content filtering	full packet capture
traditional stateful firewall	transaction data
NetFlow	connection event

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

tcpdump	web content filtering
web content filtering	tcpdump
traditional stateful firewall	NetFlow
NetFlow	traditional stateful firewall

NEW QUESTION 8

Which two elements of the incident response process are stated in NIST Special Publication 800-61 r2? (Choose two.)

- A. detection and analysis
- B. post-incident activity
- C. vulnerability management
- D. risk assessment
- E. vulnerability scoring

Answer: AB

NEW QUESTION 9

Which category relates to improper use or disclosure of PII data?

- A. legal
- B. compliance
- C. regulated
- D. contractual

Answer: C

NEW QUESTION 10

Which piece of information is needed for attribution in an investigation?

- A. proxy logs showing the source RFC 1918 IP addresses
- B. RDP allowed from the Internet
- C. known threat actor behavior
- D. 802.1x RADIUS authentication pass and fail logs

Answer: C

NEW QUESTION 10

A user received a malicious attachment but did not run it. Which category classifies the intrusion?

- A. weaponization
- B. reconnaissance
- C. installation
- D. delivery

Answer: D

NEW QUESTION 14

An organization has recently adjusted its security stance in response to online threats made by a known hacktivist group. What is the initial event called in the NIST SP800-61?

- A. online assault
- B. precursor
- C. trigger
- D. instigator

Answer: B

NEW QUESTION 19

What is the function of a command and control server?

- A. It enumerates open ports on a network device
- B. It drops secondary payload into malware
- C. It is used to regain control of the network after a compromise
- D. It sends instruction to a compromised system

Answer: D

NEW QUESTION 24

Refer to the exhibit.

```
GET /item.php?id=34' or sleep(10)
```

This request was sent to a web application server driven by a database. Which type of web server attack is represented?

- A. parameter manipulation
- B. heap memory corruption
- C. command injection
- D. blind SQL injection

Answer: D

NEW QUESTION 26

An analyst is investigating a host in the network that appears to be communicating to a command and control server on the Internet. After collecting this packet capture the analyst cannot determine the technique and payload used for the communication.


```
File      Actions      Edit      View      Help

 48 41.270348133 185.199.111.153 → 192.168.88.164 TLSv1.2 123 Application Data
 49 41.270348165 185.199.111.153 → 192.168.88.164 TLSv1.2 104 Application Data
 50 41.270356290 192.168.88.164 → 185.199.111.153 TCP 66 44736 → 443 [ACK]
Seq=834 Ack=3104 Win=64128 Len=0 TSval=3947973757 TSecr=2989424849
 51 41.270369874 192.168.88.164 → 185.199.111.153 TCP 66 44736 → 443 [ACK]
Seq=834 Ack=3142 Win=64128 Len=0 TSval=3947973757 TSecr=2989424849
 52 41.270430171 192.168.88.164 → 185.199.111.153 TLSv1.2 104 Application Data
 53 41.271767772 185.199.111.153 → 192.168.88.164 TLSv1.2 2854 Application Data
 54 41.271767817 185.199.111.153 → 192.168.88.164 TLSv1.2 904 Application Data
 55 41.271788996 192.168.88.164 → 185.199.111.153 TCP 66 44736 → 443 [ACK]
Seq=872 Ack=6768 Win=62592 Len=0 TSval=3947973758 TSecr=2989424849
 56 41.271973293 192.168.88.164 → 185.199.111.153 TLSv1.2 97 Encrypted Alert
 57 41.272411701 192.168.88.164 → 185.199.111.153 TCP 66 44736 → 443 [FIN, ACK]
Seq=903 Ack=6768 Win=64128 Len=0 TSval=3947973759 TSecr=2989424849
 58 41.283301751 185.199.111.153 → 192.168.88.164 TCP 66 443 → 44736 [ACK]
Seq=6768 Ack=903 Win=28160 Len=0 TSval=2989424852 TSecr=3947973757
 59 41.283301808 185.199.111.153 → 192.168.88.164 TLSv1.2 97 Encrypted Alert
 60 41.283321947 192.168.88.164 → 185.199.111.153 TCP 54 44736 → 443 [RST]
Seq=903 Win=0 Len=0
 61 41.283939151 185.199.111.153 → 192.168.88.164 TCP 66 443 → 44736 [FIN, ACK]
Seq=6799 Ack=903 Win=28160 Len=0 TSval=2989424852 TSecr=3947973757
 62 41.283945760 192.168.88.164 → 185.199.111.153 TCP 54 44736 → 443 [RST]
Seq=903 Win=0 Len=0
 63 41.284635561 185.199.111.153 → 192.168.88.164 TCP 66 443 → 44736 [ACK]
Seq=6800 Ack=904 Win=28160 Len=0 TSval=2989424853 TSecr=3947973759
 64 41.284642324 192.168.88.164 → 185.199.111.153 TCP 54 44736 → 443 [RST]
Seq=904 Win=0 Len=0
```

Which obfuscation technique is the attacker using?

- A. Base64 encoding
- B. transport layer security encryption
- C. SHA-256 hashing
- D. ROT13 encryption

Answer: B

NEW QUESTION 27

Which regular expression matches "color" and "colour"?

- A. colo?ur
- B. col[08]+our
- C. colou?r
- D. col[09]+our

Answer: C

NEW QUESTION 28

How does certificate authority impact a security system?

- A. It authenticates client identity when requesting SSL certificate
- B. It validates domain identity of a SSL certificate
- C. It authenticates domain identity when requesting SSL certificate
- D. It validates client identity when communicating with the server

Answer: B

NEW QUESTION 33

What is the difference between mandatory access control (MAC) and discretionary access control (DAC)?

- A. MAC is controlled by the discretion of the owner and DAC is controlled by an administrator
- B. MAC is the strictest of all levels of control and DAC is object-based access
- C. DAC is controlled by the operating system and MAC is controlled by an administrator
- D. DAC is the strictest of all levels of control and MAC is object-based access

Answer: B

NEW QUESTION 35

Refer to the exhibit.

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	10.0.0.2	10.128.0.2	TCP	54	3341 → 80 [SYN] Seq=0 Win=512 Len=0
2	0.003987	10.128.0.2	10.0.0.2	TCP	58	88 → 3222 [SYN, ACK] Seq=0 Ack=1 Win=29288 Len=0 NSS=1468
3	0.005514	10.128.0.2	10.0.0.2	TCP	58	88 → 3341 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 NSS=1460
4	0.008429	10.0.0.2	10.128.0.2	TCP	54	3342 → 80 [SYN] Seq=0 Win=512 Len=0
5	0.010233	10.128.0.2	10.0.0.2	TCP	58	88 → 3220 [SYN, ACK] Seq=0 Ack=1 Win=2988 Len=0 NSS=1468
6	0.014072	10.128.0.2	10.0.0.2	TCP	58	80 → 3342 [SYN, ACK] Seq=0 Ack=1 Win=2900 Len=0 NSS=1460
7	0.016930	10.0.0.2	10.128.0.2	TCP	54	3343 → 88 [SYN] Seq=0 Win=512 Len=0
8	0.022220	10.128.0.2	10.0.0.2	TCP	58	89 → 3343 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
9	0.023496	10.128.0.2	10.0.0.2	TCP	58	89 → 3219 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
10	0.025243	10.0.0.2	10.128.0.2	TCP	54	3344 → 88 [SYN] Seq=0 Win=512 Len=0
11	0.026672	10.128.0.2	10.0.0.2	TCP	58	89 → 3218 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
12	0.028038	10.128.0.2	10.0.0.2	TCP	58	80 → 3221 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460
13	0.030523	10.128.0.2	10.0.0.2	TCP	58	88 → 3344 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460

Frame 1: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface 0
 Ethernet II, Src: 42:01:0a:f0:00:17 (42:01:0a:f0:00:17), Dst: 42:01:0a:f0:00:01 (42:01:0a:f0:00:01)
 Internet Protocol Version 4, Src: 18.0.0.2, Dst: 10.128.0.2
 Transmission Control Protocol, Src Port: 3341, Dst Port: 80, Seq: 0, Len: 0

Source Port: 3341
 Destination Port: 80
 [Stream index: 0]
 [TCP Segment Len: 0]
 Sequence number: 0 (relative sequence number)
 [Next sequence number: 0 (relative sequence number)]

Acknowledgement number: 1023350884
 0101 ... = Header Length: 20 bytes (5)

Flags: 0x002 (SYN)
 Windows Size Value: 512
 [Calculated window size: 512]
 Checksum: 0x8d5a [unverified]
 [Checksum Status: Unverified]
 Urgent pointer: 0
 [Timestamps]

What is occurring in this network traffic?

- A. high rate of SYN packets being sent from a multiple source towards a single destination IP
- B. high rate of SYN packets being sent from a single source IP towards multiple destination IPs
- C. flood of ACK packets coming from a single source IP to multiple destination IPs
- D. flood of SYN packets coming from a single source IP to a single destination IP

Answer: D

NEW QUESTION 40

What is a difference between inline traffic interrogation and traffic mirroring?

- A. Inline inspection acts on the original traffic data flow
- B. Traffic mirroring passes live traffic to a tool for blocking
- C. Traffic mirroring inspects live traffic for analysis and mitigation
- D. Inline traffic copies packets for analysis and security

Answer: B

NEW QUESTION 44

What are two differences in how tampered and untampered disk images affect a security incident? (Choose two.)

- A. Untampered images are used in the security investigation process
- B. Tampered images are used in the security investigation process
- C. The image is tampered if the stored hash and the computed hash match
- D. Tampered images are used in the incident recovery process
- E. The image is untampered if the stored hash and the computed hash match

Answer: BE

NEW QUESTION 48

Which security principle is violated by running all processes as root or administrator?

- A. principle of least privilege
- B. role-based access control
- C. separation of duties
- D. trusted computing base

Answer: A

NEW QUESTION 49

Which metric is used to capture the level of access needed to launch a successful attack?

- A. privileges required
- B. user interaction
- C. attack complexity
- D. attack vector

Answer: A

NEW QUESTION 50

What should a security analyst consider when comparing inline traffic interrogation with traffic tapping to determine which approach to use in the network?

- A. Tapping interrogation replicates signals to a separate port for analyzing traffic
- B. Tapping interrogations detect and block malicious traffic
- C. Inline interrogation enables viewing a copy of traffic to ensure traffic is in compliance with security policies
- D. Inline interrogation detects malicious traffic but does not block the traffic

Answer: A

NEW QUESTION 52

What is the practice of giving employees only those permissions necessary to perform their specific role within an organization?

- A. least privilege
- B. need to know
- C. integrity validation
- D. due diligence

Answer: A

NEW QUESTION 53

What is rule-based detection when compared to statistical detection?

- A. proof of a user's identity
- B. proof of a user's action
- C. likelihood of user's action
- D. falsification of a user's identity

Answer: B

NEW QUESTION 55

Which evasion technique is a function of ransomware?

- A. extended sleep calls
- B. encryption
- C. resource exhaustion
- D. encoding

Answer: B

NEW QUESTION 60

An analyst discovers that a legitimate security alert has been dismissed. Which signature caused this impact on network traffic?

- A. true negative
- B. false negative
- C. false positive
- D. true positive

Answer: B

NEW QUESTION 64

Which metric in CVSS indicates an attack that takes a destination bank account number and replaces it with a different bank account number?

- A. integrity
- B. confidentiality
- C. availability
- D. scope

Answer: A

NEW QUESTION 67

A security engineer has a video of a suspect entering a data center that was captured on the same day that files in the same data center were transferred to a competitor.

Which type of evidence is this?

- A. best evidence
- B. prima facie evidence
- C. indirect evidence
- D. physical evidence

Answer: C

NEW QUESTION 69

Refer to the exhibit.

File name	CVE-2009-4324 PDF 2009-11-30 note200911.pdf
File size	400918 bytes
File type	PDF document, version 1.6
CRC32	11638A9B
MD5	61baabd6fc12e01ff73ceacc07c84f9a
SHA1	0805d0ae62f5358b9a3f4c1868d552fc3561b17
SHA256	27cced58a0fcbb0bbe3894f74d3014611039fefdf3bd2b0ba7ad85b18194c
SHA512	5a43bc7eef279b209e2590432cc3e2eb480d0f78004e265f00b98b4afdc9a
Ssdeep	1536:p0AAH2KthGBjcdBj8VETeePxsT65ZZ3pdx/ves/QR/875+prahGV6B
PEID	None matched
Yara	<ul style="list-style-type: none"> • embedded_pe (Contains an embedded PE32 file) • embedded_win_api (A non-Windows executable contains win32 API) • vmdetect (Possibly employs anti-virtualization techniques)
VirusTotal	Permalink VirusTotal Scan Date: 2013-12-27 06:51:52 Detection Rate: 32/46 (collapse)

An engineer is analyzing this Cuckoo Sandbox report for a PDF file that has been downloaded from an email. What is the state of this file?

- A. The file has an embedded executable and was matched by PEiD threat signatures for further analysis.
- B. The file has an embedded non-Windows executable but no suspicious features are identified.
- C. The file has an embedded Windows 32 executable and the Yara field lists suspicious features for further analysis.
- D. The file was matched by PEiD threat signatures but no suspicious features are identified since the signature list is up to date.

Answer: C

NEW QUESTION 70

One of the objectives of information security is to protect the CIA of information and systems. What does CIA mean in this context?

- A. confidentiality, identity, and authorization
- B. confidentiality, integrity, and authorization
- C. confidentiality, identity, and availability
- D. confidentiality, integrity, and availability

Answer: D

NEW QUESTION 74

An intruder attempted malicious activity and exchanged emails with a user and received corporate information, including email distribution lists. The intruder asked the user to engage with a link in an email. When the link launched, it infected machines and the intruder was able to access the corporate network. Which testing method did the intruder use?

- A. social engineering
- B. eavesdropping
- C. piggybacking
- D. tailgating

Answer: A

NEW QUESTION 79

Which evasion technique is indicated when an intrusion detection system begins receiving an abnormally high volume of scanning from numerous sources?

- A. resource exhaustion
- B. tunneling
- C. traffic fragmentation
- D. timing attack

Answer: A

NEW QUESTION 81

Refer to the exhibit.

```
10.44.101.23 - - [20/Nov/2017:14:18:06 -0500] "GET / HTTP/1.1"
200 1254 "-" "Mozilla/5.0(X11; Ubuntu; Linux x86_64; rv:54.0)
Gecko/20100101 Firefox/54.0"
```

What does the message indicate?

- A. an access attempt was made from the Mosaic web browser
- B. a successful access attempt was made to retrieve the password file
- C. a successful access attempt was made to retrieve the root of the website
- D. a denied access attempt was made to retrieve the password file

Answer: C

NEW QUESTION 84

Which event artifact is used to identity HTTP GET requests for a specific file?

- A. destination IP address
- B. TCP ACK
- C. HTTP status code
- D. URI

Answer: D

NEW QUESTION 85

How does an SSL certificate impact security between the client and the server?

- A. by enabling an authenticated channel between the client and the server
- B. by creating an integrated channel between the client and the server
- C. by enabling an authorized channel between the client and the server
- D. by creating an encrypted channel between the client and the server

Answer: D

NEW QUESTION 87

Which system monitors local system operation and local network access for violations of a security policy?

- A. host-based intrusion detection
- B. systems-based sandboxing
- C. host-based firewall
- D. antivirus

Answer: C

NEW QUESTION 92

What do the Security Intelligence Events within the FMC allow an administrator to do?

- A. See if a host is connecting to a known-bad domain.
- B. Check for host-to-server traffic within your network.
- C. View any malicious files that a host has downloaded.
- D. Verify host-to-host traffic within your network.

Answer: A

NEW QUESTION 94

What makes HTTPS traffic difficult to monitor?

- A. SSL interception
- B. packet header size
- C. signature detection time
- D. encryption

Answer: D

NEW QUESTION 97

Which NIST IR category stakeholder is responsible for coordinating incident response among various business units, minimizing damage, and reporting to regulatory agencies?

- A. CSIRT
- B. PSIRT
- C. public affairs
- D. management

Answer: D

NEW QUESTION 98

Refer to the exhibit.

Severity	Date	Time	Sig ID	Source IP	Source Port	Dest IP	Dest Port	Description
6	Jan 15 2020	05:15:22	33883	62.5.22.54	22557	198.168.5.22	53	*

Which type of log is displayed?

- A. IDS
- B. proxy
- C. NetFlow
- D. sys

Answer: D

NEW QUESTION 101

Which two components reduce the attack surface on an endpoint? (Choose two.)

- A. secure boot
- B. load balancing
- C. increased audit log levels
- D. restricting USB ports
- E. full packet captures at the endpoint

Answer: AD

NEW QUESTION 103

An offline audit log contains the source IP address of a session suspected to have exploited a vulnerability resulting in system compromise. Which kind of evidence is this IP address?

- A. best evidence
- B. corroborative evidence
- C. indirect evidence
- D. forensic evidence

Answer: B

NEW QUESTION 106

What is the difference between an attack vector and attack surface?

- A. An attack surface identifies vulnerabilities that require user input or validation; and an attack vector identifies vulnerabilities that are independent of user actions.
- B. An attack vector identifies components that can be exploited; and an attack surface identifies the potential path an attack can take to penetrate the network.
- C. An attack surface recognizes which network parts are vulnerable to an attack; and an attack vector identifies which attacks are possible with these vulnerabilities.
- D. An attack vector identifies the potential outcomes of an attack; and an attack surface launches an attack using several methods against the identified vulnerabilities.

Answer: C

NEW QUESTION 108

When trying to evade IDS/IPS devices, which mechanism allows the user to make the data incomprehensible without a specific key, certificate, or password?

- A. fragmentation
- B. pivoting
- C. encryption
- D. stenography

Answer: D

NEW QUESTION 110

Which list identifies the information that the client sends to the server in the negotiation phase of the TLS handshake?

- A. ClientStart, ClientKeyExchange, cipher-suites it supports, and suggested compression methods
- B. ClientStart, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- C. ClientHello, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- D. ClientHello, ClientKeyExchange, cipher-suites it supports, and suggested compression methods

Answer: C

NEW QUESTION 113

A network engineer discovers that a foreign government hacked one of the defense contractors in their home country and stole intellectual property. What is the threat agent in this situation?

- A. the intellectual property that was stolen
- B. the defense contractor who stored the intellectual property
- C. the method used to conduct the attack
- D. the foreign government that conducted the attack

Answer: D

NEW QUESTION 116

What is an example of social engineering attacks?

- A. receiving an unexpected email from an unknown person with an uncharacteristic attachment from someone in the same company
- B. receiving an email from human resources requesting a visit to their secure website to update contact information
- C. sending a verbal request to an administrator who knows how to change an account password
- D. receiving an invitation to the department's weekly WebEx meeting

Answer: B

NEW QUESTION 118

Refer to the exhibit.

No.	Time	Source	Destination	Protocol	Length	Info
17	0.011641	10.0.2.15	192.124.249.9	TCP	76	50586-443 [SYN] Seq=0 Win=
18	0.011918	10.0.2.15	192.124.249.9	TCP	76	50588-443 [SYN] Seq=0 Win=
19	0.022656	192.124.249.9	10.0.2.15	TCP	62	443-50588 [SYN, ACK] Seq=0
20	0.022702	10.0.2.15	192.124.249.9	TCP	56	50588-443 [ACK] Seq=1 Ack=
21	0.022988	192.124.249.9	10.0.2.15	TCP	62	443-50586 [SYN, ACK] Seq=0
22	0.022996	10.0.2.15	192.124.249.9	TCP	56	50586-443 [ACK] Seq=1 Ack=
23	0.023212	10.0.2.15	192.124.249.9	TLSv1.2	261	Client Hello
24	0.023373	10.0.2.15	192.124.249.9	TLSv1.2	261	Client Hello
25	0.023445	192.124.249.9	10.0.2.15	TCP	62	443-50588 [ACK] Seq=1 Ack=
26	0.023617	192.124.249.9	10.0.2.15	TCP	62	443-50586 [ACK] Seq=1 Ack=
27	0.037413	192.124.249.9	10.0.2.15	TLSv1.2	2792	Server Hello
28	0.037426	10.0.2.15	192.124.249.9	TCP	56	50586-443 [ACK] Seq=206 Ac

> Frame 23: 261 bytes on wire (2088 bits), 261 bytes captured (2088 bits)

> Linux cooked capture

> Internet Protocol Version 4, Src: 10.0.2.15 (10.0.2.15), Dst: 192.124.249.9 (192.124.249.9)

> Transmission Control Protocol, Src Port: 50588 (50588), Dst Port: 443 (443), Seq: 1, Ack:1,

> Secure Sockets Layer

0000	00 04 00 01 00 06 08 00	27 7a 3c 93 00 00 08 00 *z<.....
0010	45 00 00 f5 eb 3e 40 00	40 06 89 2f 0a 00 02 0f	E....>@. @../....
0020	c0 7c f9 09 c5 9c 01 bb	4d db 7f f7 00 b3 b0 02 M.....
0030	50 18 72 10 c6 7c 00 00	16 03 01 00 c8 01 00 00	P.r..
0040	c4 03 03 d1 08 45 78 b7	2c 90 04 ee 51 16 f1 82Ex.0...
0050	16 43 ec d4 89 60 34 4a	7b 80 a6 d1 72 d5 11 87	.C....4J {...r...
0060	10 57 cc 00 00 1e c0 2b	c0 2f cc a9 cc a8 c0 2c	.W.....+ ./.....
0070	c0 30 c0 0a c0 09 c0 13	c0 14 00 33 00 39 00 2f	.0..... ...3.9./
0080	00 35 00 0a 01 00 00 7d	00 00 00 16 00 14 00 00	.5.....}
0090	11 77 77 77 2e 6c 69 6e	75 78 6d 69 6e 74 2e 63	.wwwlin uxmint.c
00a0	6f 6d 00 17 00 00 ff 01	00 01 00 00 0a 00 08 00	om.....
00b0	06 00 17 00 18 00 19 00	0b 00 02 01 00 00 23 00
00c0	00 33 74 00 00 00 10 00	17 00 15 02 68 32 08 73	.3t.....h2.s
00d0	70 64 79 2f 33 2e 31 08	68 74 74 70 2f 31 2e 31	pd/3.2. http/1.1
00e0	00 05 00 05 01 00 00 00	00 00 0d 00 18 00 16 04
00f0	01 05 01 06 01 02 01 04	03 05 03 06 03 02 03 05
0100	02 04 02 02 02	

Drag and drop the element name from the left onto the correct piece of the PCAP file on the right.

source address	10.0.2.15
destination address	50588
source port	443
destination port	192.124.249.9
Network Protocol	Transmission Control Protocol
Transport Protocol	Internet Protocol v4
Application Protocol	Transport Layer Security v1.2

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

source address	source address
destination address	source port
source port	destination port
destination port	destination address
Network Protocol	Transport Protocol
Transport Protocol	Network Protocol
Application Protocol	Application Protocol

NEW QUESTION 120

How is attacking a vulnerability categorized?

- A. action on objectives
B. delivery
C. exploitation
D. installation

Answer: C

NEW QUESTION 122

What are two social engineering techniques? (Choose two.)

- A. privilege escalation
B. DDoS attack
C. phishing
D. man-in-the-middle
E. pharming

Answer: CE

NEW QUESTION 127

An analyst is exploring the functionality of different operating systems.

What is a feature of Windows Management Instrumentation that must be considered when deciding on an operating system?

- A. queries Linux devices that have Microsoft Services for Linux installed
- B. deploys Windows Operating Systems in an automated fashion
- C. is an efficient tool for working with Active Directory
- D. has a Common Information Model, which describes installed hardware and software

Answer: D

NEW QUESTION 129

At which layer is deep packet inspection investigated on a firewall?

- A. internet
- B. transport
- C. application
- D. data link

Answer: C

NEW QUESTION 133

An analyst received an alert on their desktop computer showing that an attack was successful on the host. After investigating, the analyst discovered that no mitigation action occurred during the attack. What is the reason for this discrepancy?

- A. The computer has a HIPS installed on it.
- B. The computer has a NIPS installed on it.
- C. The computer has a HIDS installed on it.
- D. The computer has a NIDS installed on it.

Answer: C

NEW QUESTION 138

Which two elements are used for profiling a network? (Choose two.)

- A. session duration
- B. total throughput
- C. running processes
- D. listening ports
- E. OS fingerprint

Answer: DE

NEW QUESTION 141


How is NetFlow different than traffic mirroring?

- A. NetFlow collects metadata and traffic mirroring clones data
- B. Traffic mirroring impacts switch performance and NetFlow does not
- C. Traffic mirroring costs less to operate than NetFlow
- D. NetFlow generates more data than traffic mirroring

Answer: A

NEW QUESTION 143

Refer to the exhibit.



First Packet	Last Packet	Action	Reason	Initiator IP	Initiator Country	Initiator User	Responder IP	Responder Country	Security Intelligence Category	Ingress Security Zone	Egress Security Zone	Source Port
2018-03-07 13:42:01		Sinkhole DNS Block		10.0.10.75		JERI LABORDE (DCLOUD-SOC LDAP)	10.110.10.11		DNS Intelligence-CnC	External	Internal	54925 / udp
2018-03-07 13:42:01		Sinkhole DNS Block		10.0.0.100		AMPARO GIVENS (DCLOUD-SOC LDAP)	10.110.10.11		DNS Intelligence-CnC	External	Internal	54925 / udp
2018-03-07 13:42:01		Sinkhole DNS Block		10.112.10.158		VERNETTA DONNEL (DCLOUD-SOC LDAP)	192.168.1.153		DNS Intelligence-CnC	External	Internal	54925 / udp

Which two elements in the table are parts of the 5-tuple? (Choose two.)

- A. First Packet

- B. Initiator User
- C. Ingress Security Zone
- D. Source Port
- E. Initiator IP

Answer: DE

NEW QUESTION 145

Which type of data consists of connection level, application-specific records generated from network traffic?

- A. transaction data
- B. location data
- C. statistical data
- D. alert data

Answer: A

NEW QUESTION 147

Which IETF standard technology is useful to detect and analyze a potential security incident by recording session flows that occurs between hosts?

- A. SFlow
- B. NetFlow
- C. NFlow
- D. IPFIX

Answer: D

NEW QUESTION 148

.....

Relate Links

100% Pass Your 200-201 Exam with ExamBible Prep Materials

<https://www.exambible.com/200-201-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>