

Exam Questions 300-820

Implementing Cisco Collaboration Cloud and Edge Solutions (CLCEI)

<https://www.2passeasy.com/dumps/300-820/>



NEW QUESTION 1

Jabber cannot log in via Mobile and Remote Access. You inspect Expressway-C logs and see this error message: XCP_JABBERD Detail="Unable to connect to host '%IP%', port 7400:(111) Connection refused"
Which is the cause of this issue?

- A. Rich Media Session licenses are not activated on Expressway-E.
- B. Expressway-E is listening on the wrong IP interface.
- C. The destination port for Expressway-E is set to 7400 instead of 8443 on the Expressway-C.
- D. The XCP Service is not activated on Expressway-E.

Answer: B

NEW QUESTION 2

What is the purpose of using ICE for Mobile and Remote Access endpoints in the Cisco Collaboration infrastructure?

- A. ICE controls the bandwidth usage for Cisco Collaboration endpoints if the endpoints are located outside the company network.
- B. ICE enables Cisco Collaboration endpoints to determine if there is direct connectivity between them.
- C. ICE uses FAST updates to optimize the video quality in case of packet loss.
- D. This technology is available only from Cisco Unified CM version 11.5 and later.
- E. ICE enablement allows for the Cisco Collaboration endpoint to register through Expressway servers to Cisco Unified Communications Manager behind a firewall.

Answer: B

NEW QUESTION 3

Refer to the exhibit. What is the result of a transformation applied to alias 88514?

- A. 98851@ccnpcollab.com
- B. 88513@ccnpcollab.com
- C. 88514@ccnpcollab.com
- D. 88515@ccnpcollab.com

Answer: A

NEW QUESTION 4

When configuring a Cisco Expressway solution and need to design the dial plan with various rules for URIs and numbers coming through the device. To do so, it is important that some dial plan rules are applied in a certain order. When configuring the transform section, you must know the range of the priorities. Which range is correct?

- A. any number in the drop-down menu
- B. any number in the dialog box
- C. any number between 1-128
- D. any number between 1-65534

Answer: D

NEW QUESTION 5

Which describes what could be done on the Expressway-E to successfully route calls from Expressway-C on the internal network to the Internet?

- A. Application layer gateway could be enabled to bridge the media traffic.
- B. A static NAT route could be added to the firewall to bridge the two networks.
- C. The Expressway-E could be enabled for Dual-NIC capability.
- D. The Expressway-E could be enabled for interworking.

Answer: C

NEW QUESTION 6

A Jabber user is being prompted to trust the Expressway-E certificate when using Mobile and Remote Access. The administrator has validated that the Expressway-E certificate is being trusted by the machine running the Jabber client. What else can be done to solve this problem?

- A. Create a new CSR with new information on the SAN field.
- B. Include Cisco Unified Communications Manager registration domain in the Expressway-E certificate as a SAN.
- C. Change the domain name.
- D. Change the FQDN of the Expressway.

Answer: B

NEW QUESTION 7

What is a key configuration requirement for Hybrid Message Service High Availability deployment with multiple IM and Presence clusters?

- A. You must have the Intercluster Sync Agent working across your IM and Presence clusters.
- B. You must have the Intercluster Lookup Service working across all of your IM and Presence clusters.
- C. Your IM and Presence Service clusters must have Multiple Device Messaging disabled.
- D. AXL service should be activated only on the publisher of each IM and Presence cluster.

Answer: A

NEW QUESTION 8

Which DNS record and port combination must be resolved externally for Mobile and Remote Access to be used?

- A. _collab-edge on port 8443
- B. _cisco-uds-edge on port 5061
- C. _collab-edge on port 5061
- D. _cisco-uds on port 8443

Answer: A

NEW QUESTION 9

Which step is taken when configuring a Cisco Expressway solution?

- A. Configure the Expressway-E by using a non-traversal server zone.
- B. Enable static NAT on the Expressway-E only.
- C. Disable H.323 mode on the Expressway-E.
- D. Enable H.323 H.460.19 demultiplexing mode on the Expressway-C.

Answer: B

NEW QUESTION 10

What is the purpose of a transform in the Expressway server?

- A. A transform has the function as a neighbor zone in the Expresswa
- B. It creates a connection with another server.
- C. A transform changes the audio codec when the call goes through the Expressway.
- D. A transform is used to route calls to a destination.
- E. A transform changes an alias that matches certain criteria into another alias.

Answer: D

NEW QUESTION 10

Where are voice calls handled in a Cisco Jabber hybrid cloud-based deployment with Cisco Webex Platform Service?

- A. Voice calls use Webex Calling platform for call control and use hybrid media nodes for local conferencing.
- B. Voice calls use local media nodes to keep traffic internal for internal traffic and use Webex Calling for external calls.
- C. Voice call use Cisco Unified Communications Manager for local calls and Webex Calling for external calls.
- D. Voice calls use local Cisco Unified Communications Manager for all calls.

Answer: D

NEW QUESTION 13

Which two licenses are required for the B2B feature to work? (Choose two.)

- A. Traversal Server
- B. TURN Relays
- C. Rich Media Sessions
- D. Advanced Networking
- E. Device Provisioning

Answer: CE

NEW QUESTION 14

Refer to the exhibit. Cisco Unified Communications Manager routes the call via the Webex Meetings route list and route group to the Video Mesh cluster Node#1 in the Video Mesh cluster is hosting the meeting and has reached full capacity, but other nodes in the cluster still have spare capacity.

What happens to the participant's call?

- A. Another node in the cluster is used and an intra-cluster cascade between the two Video Mesh nodes is formed.
- B. The call is queued.
- C. The call fails.
- D. Another node in the cluster is used and an intra-cluster cascade between Webex and the new Video Mesh node is formed.

Answer: D

NEW QUESTION 16

Which entry in the public (external) DNS is valid to configure DNS SRV records for a Cisco Mobile and Remote Access solution?

- A. _cisco-uds._tcp.<domain>
- B. _cisco-mra._tls.<domain>
- C. _collab-edge._tls.<domain>
- D. _cisco-expwy._tls.<domain>

Answer: A

NEW QUESTION 19

Which statement about scheduling Expressway backups is true?

- A. It is not supported on the application.
- B. It is allowed from the application CLI of the Expressway only.
- C. It is allowed from the application CLI and GUI of the Expressway.
- D. It is allowed from the application GUI of the Expressway only.

Answer: C

NEW QUESTION 22

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-820 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-820 Product From:

<https://www.2passeasy.com/dumps/300-820/>

Money Back Guarantee

300-820 Practice Exam Features:

- * 300-820 Questions and Answers Updated Frequently
- * 300-820 Practice Questions Verified by Expert Senior Certified Staff
- * 300-820 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-820 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year