

Amazon

Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty



NEW QUESTION 1

Considering your knowledge of both the OSI and TCP/IP models - select the following statement which you consider to NOT be true.

- A. The TCP/IP Application layer maps to 2 of the OSI Layers
- B. The top layer in the OSI model is named the Application layer
- C. The TCP/IP Application layer maps to 3 of the OSI Layers
- D. The top layer in the TCP/IP model is named the Application layer

Answer: A

Explanation:

Reference:
https://en.wikipedia.org/wiki/OSI_model

NEW QUESTION 2

Select the answer/s that correctly state how Jumbo Frames work

- A. Jumbo Frames assist with application disk storage
- B. Jumbo Frames can assist with application performance
- C. Jumbo Frames are supported across Virtual Private Gateway connections
- D. Jumbo Frames are enabled by increasing the MTU size to 9000 kilobytes

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 3

You are the AWS cloud architect and have been tasked with designing an appropriate subnetting design for your production VPC. Your production VPC requires secure communications back to the corporate private network. Quality of Service (QoS) is very important 24x7 for this particular connection, as real-time data is passed continually backwards and forwards between your on-prem bioinformatics enterprise application, and the number crunching servers deployed in the cloud. Any potential latency incurred on this connection will have a direct impact on the company's ability to attract investors and expansion into new markets. Select the correct network configuration that best facilitates your company's continued growth plans.

- A. Provision a Direct Connect connection - between your service provider's data center and the AWS region that your cloud compute resources exist in . Configure just a Private VirtualInterface
- B. As this is a Direct Connection, a Virtual Private Gateway is not required
- C. Configure a site-to-site layer 2 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- D. Configure a site-to-site layer 3 software router using OpenVPN within your VPC and ensure that QoS enabled - this is a secure and cheap option
- E. Provision a Direct Connect connection - between your existing service provider's data center and the AWS region that your cloud compute resources exist i
- F. Configure a Virtual Private Gateway and Private Virtual Interface

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/directconnect/faqs/>

NEW QUESTION 4

In your current role as the corporate network architect - you have decided to replace your existing hardware firewall appliances with a pair of Juniper SRX-Series Services Gateways. You have chosen these as AWS lists these as supportable devices for establishing IPsec connections. With this in mind, select the minimum set of options to ensure that you can establish IPsec connectivity between your on premise private corporate network and your AWS hosted VPC. Select which option is NOT required

- A. Initiate network connections from somewhere within your corporate network, this is required to bring the tunnels UP
- B. Deploy a Customer Gateway within your corporate network
- C. Deploy a Customer Gateway within your VPC
- D. Deploy a Virtual Private Gateway within your VPC

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 5

Which of the following statements does not describe Jumbo Frames in an AWS VPC environment?

- A. For instances that are colocated inside a placement group, jumbo frames help to achieve the maximum network throughput possible
- B. Jumbo Frames are not supported for traffic that exits the Virtual Private Gateway
- C. Jumbo Frames are not supported for traffic that exits the Internet Gateway
- D. T2.micro instances do not support Jumbo Frames

Answer: D

Explanation:

Reference:

http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html**NEW QUESTION 6**

Within the TCP/IP model what is the name of the Packet Data Unit (PDU) used between Transport Layers for communication between sender and receiver

- A. Frames
- B. Packets
- C. Data
- D. Segments

Answer: D**Explanation:**

Reference:

https://en.wikipedia.org/wiki/Transmission_Control_Protocol**NEW QUESTION 7**

Which statement is NOT true about accessing remote AWS region in the US by your AWS Direct Connect which is located in the US?

- A. To connect to a VPC in a remote region, you can use a virtual private network (VPN) connection over your public virtual interface.
- B. To access public resources in a remote region, you must set up a public virtual interface and establish a border gateway protocol (BGP) session.
- C. If you have a public virtual interface and established a BGP session to it, your router learns the routes of the other AWS regions in the US.
- D. Any data transfer out of a remote region is billed at the location of your AWS Direct Connect data transfer rate.

Answer: D**Explanation:**

Reference:

http://docs.aws.amazon.com/directconnect/latest/UserGuide/remote_regions.html**NEW QUESTION 8**

Over which of the following Ethernet standards does AWS Direct Connect link your internal network to an AWS Direct Connect location?

- A. Copper backplane cable
- B. Twisted pair cable
- C. Single mode fiber-optic cable
- D. Shielded balanced copper cable

Answer: C**Explanation:**

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>**NEW QUESTION 9**

In AWS Direct Connect, to provide for failover, AWS recommends that you request and configure two dedicated connections to AWS. These connections can terminate on one or two routers in your network. You can do this while _____ with AWS Direct Connect step.

- A. creating a Virtual Interface
- B. configuring redundant connections
- C. completing the cross-connect
- D. verifying your Virtual Interface

Answer: B**Explanation:**

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>**NEW QUESTION 10**

Imagine you are using AWS Direct Connect with just one connection from your router to the AWS Direct Connect router. If your connection becomes unavailable, the communication with AWS cloud is lost. What is the best method to prevent this from happening?

- A. AWS Direct Connect neither provides BGP nor provides the failover.
- B. AWS Direct Connect recommends to have the same configuration set up in a multi AZ zone to prevent such loss in connections.
- C. AWS Direct Connect recommends that you request and configure two dedicated connections to AWS either using BGP Multipath (Active/Active) connection or the failover (Active/Passive) connection.
- D. AWS Direct connect does not have a provision to prevent the situation but when you design the system, it is recommended to request a back-up instance to which the traffic can be re-routed.

Answer: C**Explanation:**

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>

NEW QUESTION 10

After setting an AWS Direct Connect, which of the following cannot be done with an AWS Direct Connect Virtual Interface?

- A. You can delete a virtual interface; if its connection has no other virtual interfaces, you can delete the connection.
- B. You can change the region of your virtual interface.
- C. You can create a hosted virtual interface.
- D. You can exchange traffic between the two ports in the same region connecting to different Virtual Private Gateways (VGWs) if you have more than one virtual interface.

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/directconnect/latest/UserGuide/WorkingWithVirtualInterfaces.html>

NEW QUESTION 14

In Amazon CloudFront, if you need to quickly remove objects from a distribution, you can:

- A. delete the objects from cache.
- B. invalidate the objects.
- C. remove your Amazon S3 bucket.
- D. delete your distribution and recreate it

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/AddRemoveReplaceObjects.html>

NEW QUESTION 16

Which of the following types of contents cannot serve over HTTP or HTTPS in Amazon CloudFront?

- A. Apple HTTP Live Streaming
- B. Static and dynamic download content
- C. Adobe Flash multimedia content
- D. CloudFront RTMP distribution

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-overview.html>

NEW QUESTION 17

In the context of CloudFront RTMP Distribution, the Adobe Flash Media Server _____ file specifies which domains can access media files in a particular domain.

- A. accessdomain.JSON
- B. crossdomain.xml
- C. accessdomain.xml
- D. crossdomain.JSON

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_CrossDomain.html

NEW QUESTION 19

In Amazon CloudFront, which of the following is true of Smooth Streaming?

- A. It is a Microsoft format for streaming of media files.
- B. It is a CloudFront format for streaming of media files in RTMP distribution.
- C. It is the Adobe format for streaming of media files.
- D. It is a CloudFront format for streaming of media files in web distribution

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/on-demand-streamingsmooth.html>

NEW QUESTION 20

What is the maximum number of CloudTrails that you can create per AWS region?

- A. 10
- B. 2

- C. 16
- D. 5

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 22

To directly manage your CloudTrail security layer, you can use _____ for your CloudTrail log files.

- A. SSE-S3
- B. SCE-KMS
- C. SCE-S3
- D. SSE-KMS

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/awsccloudtrail/latest/userguide/encrypting-cloudtrail-log-files-withaws-kms.html>

NEW QUESTION 25

In AWS, which tool records API calls for a specific AWS account and also delivers the log files for that account?

- A. CloudTrail
- B. Redshift
- C. Beanstalk
- D. Cognito

Answer: A

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 27

An AWS CloudTrail log file provides the identity and source IP address of the API caller, and a time of the API call, request parameters, and _____.

- A. response elements
- B. event selectors
- C. port alarms
- D. destination buckets

Answer: A

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 32

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. inputParameters
- B. invokingEvent
- C. ruleConfiguration
- D. mappingTemplate

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 34

Non-compliant resources identified through the use of AWS Config Rules are automatically removed from operational service.

- A. It depends on the Rule configuration
- B. Only if it remains non-compliant for more than 6 hours
- C. True
- D. False

Answer: D

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 38

AWS Config flags a resource as _____ if a resource violates any conditions of an AWS Config rule that it evaluates on the resource in question.

- A. corrupted
- B. noncompliant
- C. invalid
- D. misconfigured

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config.html>

NEW QUESTION 39

A user is trying to understand the detailed CloudWatch monitoring concept. Which of the below mentioned services does not provide detailed monitoring with CloudWatch?

- A. AWS Route53
- B. AWS EMR
- C. AWS ELB
- D. AWS RDS

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/supported_services.html

NEW QUESTION 42

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. invokingEvent
- B. mappingTemplate
- C. ruleConfiguration
- D. inputParameters

Answer: D

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 47

An AWS account owner has setup multiple IAM users. One of these IAM users, named John, has CloudWatch access, but no access to EC2 services. John has setup an alarm action which stops EC2 instances when their CPU utilization is below the threshold limit. When an EC2 instance's CPU Utilization rate drops below the threshold John has set, what will happen and why?

- A. Nothing will happen
- B. John cannot set an alarm on EC2 since he does not have the permission.
- C. CloudWatch will stop the instance when the action is executed
- D. Nothing will happen because it is not possible to stop the instance using the CloudWatch alarm
- E. Nothing will happen
- F. John can setup the action, but it will not be executed because he does not have EC2 access through IAM policies.

Answer: D

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/UsingAlarmActions.html>

NEW QUESTION 50

You can use the _____ command of the AWS Config service CLI to see the compliance state of each resource that AWS Config evaluates for a specific rule.

- A. describe-compliance-by-resource
- B. describe-compliance-by-config-rule
- C. get-compliance-details-by-config-rule
- D. get-compliance-details-by-config-rule

Answer: C

Explanation:

Reference:

http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 52

A user is running a batch process on EBS backed EC2 instances. The batch process launches few EC2 instances to process hadoop Map reduce jobs which can run between 50 – 600 minutes or sometimes for even more time. The user wants a configuration that can terminate the instance only when the process is completed. How can the user configure this with CloudWatch?

- A. Configure a job which terminates all instances after 600 minutes
- B. It is not possible to terminate instances automatically
- C. Set up the CloudWatch with Auto Scaling to terminate all the instances
- D. Configure the CloudWatch action to terminate the instance when the CPU utilization falls below 5%

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/UsingAlarmActions.html>

NEW QUESTION 57

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Certified-Advanced-Networking-Specialty Practice Exam Features:

- * AWS-Certified-Advanced-Networking-Specialty Questions and Answers Updated Frequently
- * AWS-Certified-Advanced-Networking-Specialty Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Advanced-Networking-Specialty Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Certified-Advanced-Networking-Specialty Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Certified-Advanced-Networking-Specialty Practice Test Here](#)