

## 300-715 Dumps

# Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



**NEW QUESTION 1**

Which personas can a Cisco ISE node assume?

- A. policy service, gatekeeping, and monitoring
- B. administration, monitoring, and gatekeeping
- C. administration, policy service, and monitoring
- D. administration, policy service, gatekeeping

**Answer: C**

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 2**

DRAG DROP

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 3**

What is a requirement for Feed Service to work?

- A. TCP port 8080 must be opened between Cisco ISE and the feed server.
- B. Cisco ISE has access to an internal server to download feed update.
- C. Cisco ISE has a base license.
- D. Cisco ISE has Internet access to download feed update.

**Answer: B**

**NEW QUESTION 4**

What is a method for transporting security group tags throughout the network?

- A. by embedding the security group tag in the 802.1Q header
- B. by the Security Group Tag Exchange Protocol
- C. by enabling 802.1AE on every network device
- D. by embedding the security group tag in the IP header

**Answer: B**

**NEW QUESTION 5**

How is policy services node redundancy achieved in a deployment?

- A. by creating a node group
- B. by deploying both primary and secondary node
- C. by enabling VIP
- D. by utilizing RADIUS server list on the NAD

**Answer: B**

**NEW QUESTION 6**

What are two requirements of generating a single certificate in Cisco ISE by using a certificate provisioning portal, without generating a certificate signing request? (Choose two.)

- A. Enter the IP address of the device.

- B. Enter the common name.
- C. Choose the hashing method.
- D. Locate the CSV file for the device MAC.
- E. Select the certificate template.


**Answer:** BE

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/identity-services-engine/200534-ISE-2-0-Certificate-Provisioning-Portal.html>

**NEW QUESTION 7**

Refer to the exhibit.



Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

**Answer:** A

**NEW QUESTION 8**

Which two events trigger a CoA for an endpoint when CoA is enabled globally for ReAuth? (Choose two.)

- A. addition of endpoint to My Devices Portal
- B. endpoint marked as lost in My Devices Portal
- C. updating of endpoint dACL
- D. endpoint profile transition from Apple-device to Apple-iPhone
- E. endpoint profile transition from Unknown to Windows10-Workstation

**Answer:** DE

**NEW QUESTION 9**

Which two ports do network devices typically use for CoA? (Choose two.)

- A. 19005
- B. 443
- C. 3799
- D. 8080
- E. 1700

**Answer:** CE

**Explanation:**

Reference: [https://documentation.meraki.com/MR/Encryption\\_and\\_Authentication/Change\\_of\\_Authorization\\_with\\_RADIUS\\_\(CoA\)\\_on\\_MR\\_Access\\_Points](https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_(CoA)_on_MR_Access_Points)

**NEW QUESTION 10**

Which three default endpoint identity groups does Cisco ISE create? (Choose three.)

- A. endpoint
- B. unknown
- C. blacklist
- D. profiled
- E. whitelist

**Answer:** BCD

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_identities.html#wp1203054](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html#wp1203054)

**NEW QUESTION 10**

Which two endpoint compliance statuses are possible? (Choose two.)

- A. compliant

- B. valid
- C. unknown
- D. known
- E. invalid

**Answer:** AC

**NEW QUESTION 12**

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

**Answer:** BE

**NEW QUESTION 16**

Which term refers to an endpoint agent that tries to join an 802.1X- enabled network?

- A. EAP server
- B. authenticator
- C. supplicant
- D. client

**Answer:** C

**NEW QUESTION 17**

DRAG DROP

Drag the Cisco ISE node types from the left onto the appropriate purposes on the right.

Administration	provides advanced troubleshooting tools that can be used to effectively manage the network and resources
Policy Service	shares context-sensitive information from Cisco ISE to subscribers
Monitoring	manages all system-related configuration and configurations that relate to functionality such as authentication, authorization, and auditing
pxGrid	provides network access, posture, guest access, client provisioning and profiling services, and evaluates the policies to make all decisions

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

uses username and password for authentication	PEAP-MSCHAPv2
uses certificates for authentication	
changes credentials through the admin portal	
supports fragmentation after the tunnel is established	PEAP-EAP-TLS
uses the X.509 format	
supports auto-enrollment for obtaining credentials	

**NEW QUESTION 21**

What must match between Cisco ISE and the network access device to successfully authenticate endpoints?

- A. shared secret
- B. profile
- C. certificate
- D. SNMP version

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_network\\_devices.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_network_devices.html)

**NEW QUESTION 23**

What are two benefits of TACACS+ versus RADIUS for device administration? (Choose two.)

- A. TACACS+ has command authorization, and RADIUS does not.
- B. TACACS+ uses UDP, and RADIUS uses TCP.
- C. TACACS+ supports 802.1X, and RADIUS supports MAB.
- D. TACACS+ provides the service type, and RADIUS does not.
- E. TACACS+ encrypts the whole payload, and RADIUS encrypts only the password.

**Answer:** AE

**NEW QUESTION 25**

Which two features must be used on Cisco ISE to enable the TACACS+ feature? (Choose two.)

- A. Command Sets
- B. Server Sequence
- C. Device Administration License
- D. External TACACS Servers
- E. Device Admin Service

**Answer:** CE

**NEW QUESTION 28**

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_sw\\_cnfg.pdf](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf)

**NEW QUESTION 33**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 300-715 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/300-715-dumps.html>