



**Microsoft**

## **Exam Questions AZ-700**

Designing and Implementing Microsoft Azure Networking Solutions

### NEW QUESTION 1

- (Exam Topic 3)

You configure a route table named RT1 that has the routes shown in the following table.

Name	Prefix	Next hop type	Next hop IP address
Route1	0.0.0.0/0	Network virtual appliance (NVA)	192.168.0.4
Route2	10.0.0.0/24	Network virtual appliance (NVA)	192.168.0.4

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.

Name	Prefix	Route table
DMZ	192.168.0.0/24	None
FrontEnd	192.168.1.0/24	RT1
BackEnd	192.168.2.0/24	None

You have the resources shown in the following table.

Name	IP address	Type
NVA1	192.168.0.4	NVA
VM1	192.168.1.4	Virtual machine
VM2	192.168.2.4	Virtual machine

Vnet1 connects to an ExpressRoute circuit. The on-premises router advertises the following routes:

\* 0.0.0.0/0

\* 10.0.0.0/16

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>

### NEW QUESTION 2

- (Exam Topic 2)

You need to meet the network security requirements for the NSG flow logs.

Which type of resource do you need, and how many instances should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area


Resource type: 
 An Azure Monitor workbook  
 An Azure Monitor data collection rule  
 A Log Analytics workspace  
 An NSG  
 A storage account

Minimum number of instances: 0

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 3

- (Exam Topic 2)

What should you implement to meet the virtual network requirements for the virtual machines that connect to Vnet4 and Vnet5?

- A. a private endpoint
- B. a virtual network peering
- C. a private link service
- D. a routing table
- E. a service endpoint

Answer: B

Explanation:


There is no virtual network peering between VM4's VNet (VNet3) and VM5's VNet (VNet4). To enable the VMs to communicate over the Microsoft backbone network a VNet peering is required between VNet3 and VNet4.

NEW QUESTION 4

- (Exam Topic 2)

In which NSGs can you use ASG1 and to which virtual machine network interfaces can you associate ASG1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

NGS1 only  
VM2, VM3, VM4 and VM5

NEW QUESTION 5

- (Exam Topic 1)

You need to implement a P2S VPN for the users in the branch office. The solution must meet the hybrid networking requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/openvpn-azure-ad-tenant>

**NEW QUESTION 6**

- (Exam Topic 1)

You need to connect Vnet2 and Vnet3. The solution must meet the virtual networking requirements and the business requirements.

Which two actions should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the peerings from Vnet2 and Vnet3, select Use remote gateways.
- B. On the peering from Vnet1, select Allow forwarded traffic.
- C. On the peering from Vnet1, select Use remote gateways.
- D. On the peering from Vnet1, select Allow gateway transit.
- E. On the peerings from Vnet2 and Vnet3, select Allow gateway transit.

**Answer:** BD

**NEW QUESTION 7**

- (Exam Topic 3)

You have 10 Azure App Service instances. Each instance hosts the same web app. Each instance is in a different Azure region.

You need to configure Azure Traffic Manager to direct users to the instance that has the lowest latency. Which routing method should you use?

- A. geographic
- B. weighted
- C. performance
- D. priority

**Answer:** D

**NEW QUESTION 8**

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network.

You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.

GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity statuses of the tunnel.

RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.

P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

**NEW QUESTION 9**

- (Exam Topic 3)

You have an Azure subscription that contains a single virtual network and a virtual network gateway.

You need to ensure that administrators can use Point-to-Site (P2S) VPN connections to access resources in the virtual network. The connections must be authenticated by Azure Active Directory (Azure AD).

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



#### Answer Area

Azure AD configuration:

An access package  
A conditional access policy  
An enterprise application  
A VPN certificate

P2S VPN tunnel type:

IKEv2  
IKEv2 and SSTP (SSL)  
OpenVPN (SSL)  
SSTP (SSL)

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

Azure AD configuration:

An access package  
A conditional access policy  
An enterprise application  
A VPN certificate

P2S VPN tunnel type:

IKEv2  
IKEv2 and SSTP (SSL)  
OpenVPN (SSL)  
SSTP (SSL)

#### NEW QUESTION 10

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that provides access to the following hosts:

- \* www.adatum.com
- \* www.contoso.com
- \* www.fabrikam.com

AppGW1 has the listeners shown in the following table.

Name	Frontend IP address	Type	Host name
Listen1	Public	Multi site	www.contoso.com
Listen2	Public	Multi site	www.fabrikam.com
Listen3	Public	Multi site	www.adatum.com

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

Name	Policy mode	Custom rule		
		Priority	Condition	Association
Policy1	Prevention	50	If IP address does contain 131.107.10.15 then deny traffic.	Application gateway: AppGW1
Policy2	Detection	10	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen1
Policy3	Prevention	70	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From 131.107.10.15, you can access www.contoso.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.fabrikam.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.adatum.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface Description automatically generated with medium confidence  
Reference:  
<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

NEW QUESTION 10

- (Exam Topic 3)  
You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.  
You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.  
You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of subnets:

1

2

6

12

Minimum number of Virtual Network NAT instances:

1

2

6

12

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**  
Graphical user interface, table Description automatically generated  
Reference:  
<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-overview>

NEW QUESTION 12

- (Exam Topic 3)  
You have an Azure Web Application Firewall (WAF) policy in prevention mode that is associated to an Azure Front Door instance.  
You need to configure the policy to meet the following requirements:

- > Log all connections from Australia.
- > Deny all connections from New Zealand.
- > Deny all further connections from a network of 131.107.100.0/24 if there are more than 100 connections during one minute.

What is the minimum number of objects you should create?

- A. three custom rules that each has one condition
- B. one custom rule that has three conditions
- C. one custom rule that has one condition
- D. one rule that has two conditions and another rule that has one condition

Answer: A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/afds/afds-overview>

**NEW QUESTION 14**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 16**

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

**Answer: A**


**NEW QUESTION 17**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 and an on-premises network.

The on-premises network has policy-based VPN devices. In Vnet1, you deploy a virtual network gateway named GW1 that uses a SKU of VpnGw1 and is route-based.

You have a Site-to-Site VPN connection for GW1 as shown in the following exhibit.



You need to ensure that the on-premises network can connect to the route-based GW1. What should you do before you create the connection?

- A. Set Use Azure Private IP Address to Enabled
- B. Set IPsec / IKE policy to Custom.
- C. Set Connection Mode to ResponderOnly
- D. Set BGP to Enabled


**Answer: A**

**NEW QUESTION 21**

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.





VM1 is a virtual machine that has an instance-level public IP address (ILPIP). Basic Load Balancer uses a public IP address. VM1 and VM2 are in the backend pool. NAT Gateway uses a public IP address named IP3 that is associated to SubnetA. VNet1 has a virtual network gateway that has a public IP address named IP4. When initiating outbound traffic to the internet from VM1, which public address is used?

- A. IP1
- B. IP2
- C. IP3
- D. IP4

Answer: A

NEW QUESTION 24

- (Exam Topic 3)  
 Azure virtual networks in the East US Azure region as shown in the following table.

Name	IP address space
Vnet1	192.168.0.0/20
Vnet2	10.0.0.0/20

The virtual networks are peered to one another. Each virtual network contains four subnets. You plan to deploy a virtual machine named VM1 that will inspect and route traffic between all the subnets on both the virtual networks. What is the minimum number of IP addresses that you must assign to VM1?

- A. 1
- B. 2
- C. 4
- D. 8

Answer: A

NEW QUESTION 28

- (Exam Topic 3)  
 You need to use Traffic Analytics to monitor the usage of applications deployed to Azure virtual machines. Which Azure Network Watcher feature should you implement first?

- A. Connection monitor
- B. Packet capture
- C. NSG flow logs
- D. IP flow verify

Answer: A

NEW QUESTION 31

- (Exam Topic 3)  
 You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution. (Choose two.)  
 NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Application Gateway



- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

Answer: AD

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

NEW QUESTION 32

- (Exam Topic 3)

You have an Azure subscription that contains the virtual networks shown in the following table.

Name	In resource group	Location
Vnet1	RG1	West US
Vnet2	RG1	Central US
Vnet3	RG2	Central US
Vnet4	RG2	West US
Vnet5	RG3	East US

You plan to deploy an Azure firewall named AF1 to RG1 in the West US Azure region. To which virtual networks can you deploy AF1?

- A. Vnet1 only
- B. Vnet1 and Vnet2 only
- C. Vnet1, Vnet2, and Vnet4 only
- D. Vnet1 and Vnet4 only
- E. Vnet1, Vnet2, Vnet3, and Vnet4

Answer: C

NEW QUESTION 37

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.

Vnet1 connects to an on-premises datacenter by using ExpressRoute.

You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
- B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
- C. Modify the DNS server settings of Vnet1.
- D. For FW1, enable DNS proxy.
- E. For FW1, configure a custom DNS server.

Answer: AD

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/private-link/private-endpoint-dns#on-premises-workloads-using-a-dns-forwarder> <https://azure.microsoft.com/en-gb/blog/new-enhanced-dns-features-in-azure-firewall-now-generally-available/>

NEW QUESTION 39

- (Exam Topic 3)

You need to connect an on-premises network and an Azure environment. The solution must use ExpressRoute and support failing over to a Site-to-Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Routing type:

▼

Policy-based

Route-based

Static routing

Number of virtual network gateways:

▼

1

2

3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-howto-coexist-resource-manager>

NEW QUESTION 42

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that connects to an on-premises network. You have an Azure Storage account named storageaccount1 that contains blob storage.

You need to configure a private endpoint for the blob storage. The solution must meet the following requirements:

- > Ensure that all on-premises users can access storageaccount1 through the private endpoint.
- > Prevent access to storageaccount1 from being interrupted.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Install the DNS server role and configure the forwarding of blob.core.windows.net to 168.63.129.16

Configure on-premises DNS servers to forward blob.core.windows.net to the virtual machine

Configure a private endpoint on storageaccount1 and disable public access to the account

Configure on-premises DNS server to forward blob.core.windows.net to 168.63.129.16

Deploy a virtual machine to a subnet in Vnet1

Answer Area

>

<

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

\* 168.63.129.16 is the IP address of Azure DNS which hosts Azure Private DNS zones. It is only accessible from within a VNet which is why we need to forward on-prem DNS requests to the VM running DNS in the VNet. The VM will then forward the request to Azure DNS for the IP of the storage account private endpoint.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints>

NEW QUESTION 43

- (Exam Topic 3)


You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.

You build the website on Web1.

You plan to configure ContosoFD1 to publish the website for testing.

When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.



You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net
- B. a CNAME record that maps www.contoso.com to Web1.contoso.com
- C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
- D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: D

Explanation:

Reference:  
<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain#map-the-temporary-afdverify-subd>

NEW QUESTION 45

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit, (Click the NATgateway1 tab)

NATgateway1

NAT gateway

»

Delete

Refresh

^

Essentials

JSON View

Resource group (change)

:

RG1

Location

:

North Europe (Zone 1)

Subscription (change)

:

Subscription1

Subscription ID

:

489f2hht-se7y-987v-g571-463hw3679512

Virtual network

:

Vnet1

Subnets

:

1

Public IP addresses

:

0

Public IP prefixes

:

1

Tags (change)

:

Click here to add tags

You have the virtual machine shown in the VM1 exhibit, (Click the VM1 tab)

VM1

Virtual machine

»

Connect

Start

Restart

Stop

Capture

Delete

Refresh

^

Essentials

Resource group (change)

:

RG1

Operating system

Windows

Status

:

Running

Size

Standard B1s (1 vcpus, 1 GiB memory)

Location

:

North Europe (Zone 2)

Public IP address

Subscription (change)

:

Subscription1

Virtual network/subnet

Vnet1/Subnet1

Subscription ID

:

489f2hht-se7y-987v-g571-463hw3679512

DNS name

Availability zone

:

2

Tags (change)

:

Click here to add tags

Subnet1 is configured as shown in the Subnet1 exhibit, (Click the Subnet1 tab)



Subnet1

Vnet1

Name

Subnet1

Subnet address range \* ⓘ

10.100.1.0/24

10.100.1.0 – 10.100.1.255 (251 + 5 Azure reserved addresses)

☐ Add IPv6 address space ⓘ

NAT gateway ⓘ

NATgateway1

▼

Network security group

None

▼

Route table

RouteTable1

▼


SERVICE ENDPOINTS

Create service endpoint policies to allow traffic to specific azure resources from your virtual network over service endpoints. [Learn more](#)

Services ⓘ

Microsoft.Storage

▼

Service	Status	
Microsoft.Storage	Succeeded	

Service endpoint policies

0 selected

▼

SUBNET DELEGATION

Delegate subnets to a service ⓘ

None

▼

For each of the following statements, select Yes if the statement is true. Otherwise, select No

Answer Area

Statements	Yes	No
VM1 can communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
The virtual machines in Subnet2 communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
All the virtual machines that use NATgateway1 to connect to the internet use the same public IP address	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1 cannot use the NAT gateway.

Box 2: Yes

NATgateway1 is configured in the settings for Subnet2.

Box 3: No

The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs the use the NAT Gateway can use different public IP addresses contained within the IP prefix.

Reference:

https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource

NEW QUESTION 47

- (Exam Topic 3)

You have an Azure subscription that contains the route tables and routes shown in the following table.



Route table name	Route name	Prefix	Destination
RT1	Default Route	0.0.0.0/0	VirtualNetworkGateway
RT2	Default Route	0.0.0.0/0	Internet

The subscription contains the subnets shown in the following table.

Name	Prefix	Route table	Virtual network
Subnet1	10.10.1.0/24	RT1	Vnet1
Subnet2	10.10.2.0/24	RT2	Vnet1
GatewaySubnet	10.10.3.0/24	None	Vnet1

The subscription contains the virtual machines shown in the following table.

Name	IP address
VM1	10.10.1.5
VM2	10.10.2.5

There is a Site-to-Site VPN connection to each local network gateway.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
Traffic from VM2 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to VM2 is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 to the internet is routed through the New-York Site-to-Site VPN connection	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

### NEW QUESTION 48

- (Exam Topic 3)

Your company has an Azure virtual network named Vnet1 that uses an IP address space of 192.168.0.0/20. Vnet1 contains a subnet named Subnet1 that uses an IP address space of 192.168.0.0/24.

You create an IPv6 address range to Vnet1 by using a CIDR suffix of /48.

You need to enable the virtual machines on Subnet1 to communicate with each other by using IPv6 addresses assigned by the company. The solution must minimize the number of additional IPv4 addresses.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

### Answer Area

Create an IPv6 subnet that uses a CIDR suffix of:

☐ /20
 ☐ /24
 ☐ /48
 ☐ /64

For each virtual machine, create an additional:

☐ IP configuration
 ☐ NIC
 ☐ Public IPv6 address



Graphical user interface, text, application, email Description automatically generated

Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.

Box 2:

The "Visit Azure Firewall Manager to configure and manage this firewall" link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

#### NEW QUESTION 54

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2.

Solution: You reset the gateway of Vnet1. Does this meet the goal?

A. Yes

B. No

**Answer: B**

#### Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

#### NEW QUESTION 56

- (Exam Topic 3)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Location
WebApp1	Web app	West US
VNet1	Virtual network	East US

The IP Addresses settings for Vnet1 are configured as shown in the exhibit.

Basic **IP Addresses** Security Tags Review + create

The virtual network's address space, specified as one or more address prefixes in CIDR notation (e.g. 192.168.1.0/24).

#### IPv4 address space

10.3.0.0/16 10.3.0.0 - 10.3.255.255 (65536 addresses)




☐ Add IPv6 address space ⓘ

The subnet's address range in CIDR notation (e.g. 192.168.1.0/24). It must be contained by the address space of the virtual network.

+ Add subnet - Remove subnet

<input type="checkbox"/> Subnet name	Subnet address range	NAT gateway
<input type="checkbox"/> Subnet1	10.3.0.0/16	



Use of a NAT gateway is recommended for outbound internet access from a subnet. You can deploy a NAT gateway and assign it to a subnet after you create the virtual network. [Learn more](#)

You need to ensure that you can integrate WebApp1 and Vnet1.

Which three actions should you perform in sequence before you can integrate WebApp1 and Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Actions

Answer Area

Create a service endpoint

Deploy a VPN gateway

Add a private endpoint

Modify the address space of Vnet1

Configure a Point-to-Site (P2S) VPN



- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet#gateway-required-vnet-integra>

NEW QUESTION 60

- (Exam Topic 3)

You have the Azure Traffic Manager profiles shown in the following table.

Name	Routing method
Profile1	Performance
Profile2	Multivalue

You plan to add the endpoints shown in the following table.

Name	Type	Additional settings
Endpoint1	Azure endpoint	Target resource type: App Service
Endpoint2	External endpoint	FQDN or IP: www.contoso.com
Endpoint3	External endpoint	FQDN or IP: 131.107.10.15
Endpoint4	Nested endpoint	Target resource: Profile1

Which endpoints can you add to Profile2?

- A. Endpoint1 and Endpoint4 only  
B. Endpoint1, Endpoint2, Endpoint3, and Endpoint4  
C. Endpoint1 only  
D. Endpoint2 and Endpoint3 only  
E. Endpoint3 only

Answer: A

NEW QUESTION 62

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### AZ-700 Practice Exam Features:

- \* AZ-700 Questions and Answers Updated Frequently
- \* AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- \* AZ-700 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* AZ-700 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The AZ-700 Practice Test Here](#)**