

MCD-Level-1 Dumps

MuleSoft Certified Developer - Level 1 (Mule 4)

<https://www.certleader.com/MCD-Level-1-dumps.html>



NEW QUESTION 1

What does to the attributes of a Mule event happen in a flow after an outbound HTTP Request is made?

- A. Attributes do not change.
- B. Previous attributes are passed unchanged.
- C. Attributes are replaced with new attributes from the HTTP Request response.
- D. New attributes may be added from the HTTP response headers, but no headers are ever removed.

Answer: C

NEW QUESTION 2

What is the difference between a subflow and a sync flow?

- A. Sync flow has no error handling of its own and subflow does.
- B. Subflow has no error handling of its own and sync flow does.
- C. Subflow is synchronous and sync flow is asynchronous.
- D. No difference.

Answer: B

NEW QUESTION 3

What is not an asset?

- A. Exchange
- B. Template
- C. Example
- D. Connector

Answer: A

NEW QUESTION 4

How can you call a flow from Dataweave?

- A. Not allowed
- B. Include function
- C. Look up function
- D. Tag function

Answer: C

NEW QUESTION 5

An API has been created in Design Center.
What is the next step to make the API discoverable?

- A. Deploy the API to a Maven repository.
- B. Publish the API from inside flow designer.
- C. Publish the API to Anypoint Exchange.
- D. Enable autodiscovery in API Manager.

Answer: C

NEW QUESTION 6

How is policy defined in terms of classloader of an API?

- A. Classloader isolation does not exist between the application, the runtime and connectors, and policies.
- B. Classloader isolation exists between the application, the runtime and connectors, and policies.
- C. None of these.
- D. Classloader isolation partially exists between the application, the runtime and connectors, and policies.

Answer: B

NEW QUESTION 7

According to Semantic Versioning, which version would you change for incompatible API changes?

- A. MINOR
- B. PATCH
- C. MAJOR
- D. No change

Answer: C

NEW QUESTION 8

What are the latest specification of RAML available?

- A. 0.8
- B. 1
- C. 2
- D. 1.8

Answer: B

NEW QUESTION 9

Which one of them is NOT a flow in Mule?

- A. sync flow
- B. subflow
- C. async flow
- D. async sub flow

Answer: D

NEW QUESTION 10

How are multiple conditions used in a Choice router to route events?

- A. To route the same event to the matched route of EVERY true condition.
- B. None of these.
- C. To find the FIRST true condition, then distribute the event to the ONE matched route.
- D. To find the FIRST true condition, then route the same event to the matched route and ALL FOLLOWING routes.

Answer: C

NEW QUESTION 10

What asset can NOT be created by using Design Center?

- A. API
- B. API Portals
- C. Mule Apps
- D. API Fragments

Answer: B

NEW QUESTION 14

A flow has a JMS Publish consume operation followed by a JMS Publish operation. Both of these operations have the default configurations. Which operation is asynchronous and which one is synchronous?

- A. Publish consume: Synchronou
- B. Publish: Asynchronous.
- C. Publish consume: Asynchronou
- D. Publish: Synchronous.
- E. Publish consume: Asynchronou
- F. Publish: Asynchronous.
- G. Publish consume: Synchronou
- H. Publish: Synchronous.

Answer: A

NEW QUESTION 18

What is the DataWeave expression to log the Content-Type header using a Logger component?

- A. #["Content-Type: " ++ attributes.headers.'content-type']
- B. #["Content-Type: " ++ headers.'content-type']
- C. #["Content-Type: " + headers.'content-type']
- D. #["Content-Type: " + attributes.headers.'content-type']

Answer: A

NEW QUESTION 21

What is the purpose of API autodiscovery?

- A. Enables API Manager to discover the published API on Anypoint Exchange.
- B. Allows a deployed Mule application to connect with API Manager to download policies and act as its own API proxy.
- C. Enables an API to be directly managed in API Manager.
- D. Allows the Mule application to be automatically discovered on Anypoint Exchange.

Answer: B

NEW QUESTION 24

What DataWeave 2.0 type can be used as input to a mapObject operation?

- A. Array
- B. Object
- C. String
- D. Map

Answer: B

NEW QUESTION 25

Why would you use SOAP instead of http?

- A. If the architecture mandates.
- B. It is up to the integration specialist.
- C. Successful/retry logic for reliable messaging functionality.
- D. It is part of agile methodology.

Answer: C

NEW QUESTION 27

What statement is a part of MuleSoft's description of an application network?

- A. Creates and manages high availability and fault tolerant services and infrastructure.
- B. Creates reusable APIs and assets designed to be consumed by other business units.
- C. Creates and manages a collection of JMS messaging services and infrastructure.
- D. Leverages Central IT to deliver complete point-to-point solutions with master data management.

Answer: B

NEW QUESTION 29

What is the correct syntax to reference a fragment in RAML?

- A. examples: #include examples/BankAccountsExample.raml
- B. examples: \$include examples/BankAccountsExample.raml
- C. examples: ?include examples/BankAccountsExample.raml
- D. examples: !include examples/BankAccountsExample.raml

Answer: D

NEW QUESTION 33

Which keyword do you use to create a new function in DataWeave?

- A. function
- B. fun
- C. func
- D. None of these

Answer: B

NEW QUESTION 37

What are the features of CloudHub Fabric?

- A. Non-persistent queue
- B. Horizontal Scaling
- C. VPN Mock Services
- D. None of these

Answer: B

NEW QUESTION 41

What is the purpose of the api:router element in APIkit?

- A. Serves as an API implementation.
- B. Validates requests against RAML API specifications and routes them to API implementations.
- C. Creates native connectors using a 3rd party Java library.
- D. Validates responses returned from API requests and routes them back to the caller.

Answer: B

NEW QUESTION 46

What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Answer: B

NEW QUESTION 49

What is the minimum required configuration in a flow for a Mule application to compile?

- A. An event source
- B. RAML file
- C. An event processor
- D. Logger Component

Answer: C

NEW QUESTION 53

What DataWeave 2.0 type can be used as input to a map operation?

- A. Object
- B. Array
- C. String
- D. Map

Answer: B

NEW QUESTION 56

What MuleSoft product enables publishing, sharing, and searching of APIs?

- A. Runtime Manager
- B. Exchange
- C. API Notebook
- D. API Designer

Answer: B

NEW QUESTION 61

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your MCD-Level-1 Exam with Our Prep Materials Via below:

<https://www.certleader.com/MCD-Level-1-dumps.html>