

# Amazon-Web-Services

## Exam Questions SAA-C03

AWS Certified Solutions Architect - Associate (SAA-C03)



### NEW QUESTION 1

- (Exam Topic 1)

A company is preparing to launch a public-facing web application in the AWS Cloud. The architecture consists of Amazon EC2 instances within a VPC behind an Elastic Load Balancer (ELB). A third-party service is used for the DNS. The company's solutions architect must recommend a solution to detect and protect against large-scale DDoS attacks.

Which solution meets these requirements?

- A. Enable Amazon GuardDuty on the account.
- B. Enable Amazon Inspector on the EC2 instances.
- C. Enable AWS Shield and assign Amazon Route 53 to it.
- D. Enable AWS Shield Advanced and assign the ELB to it.

**Answer:** D

#### Explanation:

<https://aws.amazon.com/shield/faqs/>

### NEW QUESTION 2

- (Exam Topic 1)

A company collects temperature, humidity, and atmospheric pressure data in cities across multiple continents. The average volume of data collected per site each day is 500 GB. Each site has a high-speed internet connection. The company's weather forecasting applications are based in a single Region and analyze the data daily.

What is the FASTEST way to aggregate data from all of these global sites?

- A. Enable Amazon S3 Transfer Acceleration on the destination bucket
- B. Use multipart uploads to directly upload site data to the destination bucket.
- C. Upload site data to an Amazon S3 bucket in the closest AWS Region
- D. Use S3 cross-Region replication to copy objects to the destination bucket.
- E. Schedule AWS Snowball jobs daily to transfer data to the closest AWS Region
- F. Use S3 cross-Region replication to copy objects to the destination bucket.
- G. Upload the data to an Amazon EC2 instance in the closest Region
- H. Store the data in an Amazon Elastic Block Store (Amazon EBS) volume
- I. Once a day take an EBS snapshot and copy it to the centralized Region
- J. Restore the EBS volume in the centralized Region and run an analysis on the data daily.

**Answer:** A

#### Explanation:

You might want to use Transfer Acceleration on a bucket for various reasons, including the following: You have customers that upload to a centralized bucket from all over the world.

You transfer gigabytes to terabytes of data on a regular basis across continents.

You are unable to utilize all of your available bandwidth over the Internet when uploading to Amazon S3.

<https://docs.aws.amazon.com/AmazonS3/latest/dev/transfer-acceleration.html> [https://aws.amazon.com/s3/transfer-acceleration/#:~:text=S3%20Transfer%20Acceleration%20\(S3TA\)%20redu](https://aws.amazon.com/s3/transfer-acceleration/#:~:text=S3%20Transfer%20Acceleration%20(S3TA)%20redu) "Amazon S3 Transfer Acceleration can speed up content transfers to and from Amazon S3 by as much as 50-500% for long-distance transfer of larger objects. Customers who have either web or mobile applications with widespread users or applications hosted far away from their S3 bucket can experience long and variable upload and download speeds over the Internet"

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/mpuoverview.html> "Improved throughput - You can upload parts in parallel to improve throughput."

### NEW QUESTION 3

- (Exam Topic 1)

A company performs monthly maintenance on its AWS infrastructure. During these maintenance activities, the company needs to rotate the credentials for its Amazon ROS for MySQL databases across multiple AWS Regions

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the credentials as secrets in AWS Secrets Manager
- B. Use multi-Region secret replication for the required Regions Configure Secrets Manager to rotate the secrets on a schedule
- C. Store the credentials as secrets in AWS Systems Manager by creating a secure string parameter Use multi-Region secret replication for the required Regions Configure Systems Manager to rotate the secrets on a schedule
- D. Store the credentials in an Amazon S3 bucket that has server-side encryption (SSE) enabled Use Amazon EventBridge (Amazon CloudWatch Events) to invoke an AWS Lambda function to rotate the credentials
- E. Encrypt the credentials as secrets by using AWS Key Management Service (AWS KMS) multi-Region customer managed keys Store the secrets in an Amazon DynamoDB global table Use an AWS Lambda function to retrieve the secrets from DynamoDB Use the RDS API to rotate the secrets.

**Answer:** A

#### Explanation:

<https://aws.amazon.com/blogs/security/how-to-replicate-secrets-aws-secrets-manager-multiple-regions/>

### NEW QUESTION 4

- (Exam Topic 1)

A company is building an ecommerce web application on AWS. The application sends information about new orders to an Amazon API Gateway REST API to process. The company wants to ensure that orders are processed in the order that they are received.

Which solution will meet these requirements?

- A. Use an API Gateway integration to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic when the application receives an order
- B. Subscribe an AWS Lambda function to the topic to perform processing.
- C. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) FIFO queue when the application receives an order
- D. Configure the SQS FIFO queue to invoke an AWS Lambda function for processing.

- E. Use an API Gateway authorizer to block any requests while the application processes an order.
- F. Use an API Gateway integration to send a message to an Amazon Simple Queue Service (Amazon SQS) standard queue when the application receives an order.
- G. Configure the SQS standard queue to invoke an AWS Lambda function for processing.

**Answer: B**

#### NEW QUESTION 5

- (Exam Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour. What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recover
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes
- H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

**Answer: B**

#### Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

#### NEW QUESTION 6

- (Exam Topic 1)

An application allows users at a company's headquarters to access product data. The product data is stored in an Amazon RDS MySQL DB instance. The operations team has isolated an application performance slowdown and wants to separate read traffic from write traffic. A solutions architect needs to optimize the application's performance quickly. What should the solutions architect recommend?

- A. Change the existing database to a Multi-AZ deployment
- B. Serve the read requests from the primary Availability Zone.
- C. Change the existing database to a Multi-AZ deployment
- D. Serve the read requests from the secondary Availability Zone.
- E. Create read replicas for the database
- F. Configure the read replicas with half of the compute and storage resources as the source database.
- G. Create read replicas for the database
- H. Configure the read replicas with the same compute and storage resources as the source database.

**Answer: D**

#### Explanation:

[https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER\\_MySQL.Replication.ReadReplicas.html](https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/USER_MySQL.Replication.ReadReplicas.html)

#### NEW QUESTION 7

- (Exam Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources. What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls
- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls

**Answer: B**

#### NEW QUESTION 8

- (Exam Topic 1)

A company hosts a containerized web application on a fleet of on-premises servers that process incoming requests. The number of requests is growing quickly. The on-premises servers cannot handle the increased number of requests. The company wants to move the application to AWS with minimum code changes and minimum development effort. Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS Fargate on Amazon Elastic Container Service (Amazon ECS) to run the containerized web application with Service Auto Scaling
- B. Use an Application Load Balancer to distribute the incoming requests.
- C. Use two Amazon EC2 instances to host the containerized web application
- D. Use an Application Load Balancer to distribute the incoming requests
- E. Use AWS Lambda with a new code that uses one of the supported languages
- F. Create multiple Lambda functions to support the load
- G. Use Amazon API Gateway as an entry point to the Lambda functions.
- H. Use a high performance computing (HPC) solution such as AWS ParallelCluster to establish an HPC cluster that can process the incoming requests at the appropriate scale.

**Answer: A**

#### NEW QUESTION 9

- (Exam Topic 1)

A survey company has gathered data for several years from areas in the United States. The company hosts the data in an Amazon S3 bucket that is 3 TB in size and growing. The company has started to share the data with a European marketing firm that has S3 buckets. The company wants to ensure that its data transfer costs remain as low as possible.

Which solution will meet these requirements?

- A. Configure the Requester Pays feature on the company's S3 bucket
- B. Configure S3 Cross-Region Replication from the company's S3 bucket to one of the marketing firm's S3 buckets.
- C. Configure cross-account access for the marketing firm so that the marketing firm has access to the company's S3 bucket.
- D. Configure the company's S3 bucket to use S3 Intelligent-Tiering Sync the S3 bucket to one of the marketing firm's S3 buckets

**Answer: A**

#### Explanation:

"Typically, you configure buckets to be Requester Pays buckets when you want to share data but not incur charges associated with others accessing the data. For example, you might use Requester Pays buckets when making available large datasets, such as zip code directories, reference data, geospatial information, or web crawling data." <https://docs.aws.amazon.com/AmazonS3/latest/userguide/RequesterPaysBuckets.html>

#### NEW QUESTION 10

- (Exam Topic 1)

A company wants to improve its ability to clone large amounts of production data into a test environment in the same AWS Region. The data is stored in Amazon EC2 instances on Amazon Elastic Block Store (Amazon EBS) volumes. Modifications to the cloned data must not affect the production environment. The software that accesses this data requires consistently high I/O performance.

A solutions architect needs to minimize the time that is required to clone the production data into the test environment.

Which solution will meet these requirements?

- A. Take EBS snapshots of the production EBS volume
- B. Restore the snapshots onto EC2 instance store volumes in the test environment.
- C. Configure the production EBS volumes to use the EBS Multi-Attach feature
- D. Take EBS snapshots of the production EBS volume
- E. Attach the production EBS volumes to the EC2 instances in the test environment.
- F. Take EBS snapshots of the production EBS volume
- G. Create and initialize new EBS volume
- H. Attach the new EBS volumes to EC2 instances in the test environment before restoring the volumes from the production EBS snapshots.
- I. Take EBS snapshots of the production EBS volume
- J. Turn on the EBS fast snapshot restore feature on the EBS snapshot
- K. Restore the snapshots into new EBS volume
- L. Attach the new EBS volumes to EC2 instances in the test environment.

**Answer: C**

#### NEW QUESTION 10

- (Exam Topic 1)

A company uses NFS to store large video files in on-premises network attached storage. Each video file ranges in size from 1MB to 500 GB. The total storage is 70 TB and is no longer growing. The company decides to migrate the video files to Amazon S3. The company must migrate the video files as soon as possible while using the least possible network bandwidth.

Which solution will meet these requirements?

- A. Create an S3 bucket Create an IAM role that has permissions to write to the S3 bucket
- B. Use the AWS CLI to copy all files locally to the S3 bucket.
- C. Create an AWS Snowball Edge job
- D. Receive a Snowball Edge device on premise
- E. Use the Snowball Edge client to transfer data to the device
- F. Return the device so that AWS can import the data into Amazon S3.
- G. Deploy an S3 File Gateway on premise
- H. Create a public service endpoint to connect to the S3 File Gateway Create an S3 bucket Create a new NFS file share on the S3 File Gateway Point the new file share to the S3 bucket
- I. Transfer the data from the existing NFS file share to the S3 File Gateway.
- J. Set up an AWS Direct Connect connection between the on-premises network and AWS
- K. Deploy an S3 File Gateway on premise
- L. Create a public virtual interface (VIF) to connect to the S3 File Gateway
- M. Create an S3 bucket
- N. Create a new NFS file share on the S3 File Gateway
- O. Point the new file share to the S3 bucket
- P. Transfer the data from the existing NFS file share to the S3 File Gateway.

**Answer: B**

#### NEW QUESTION 14

- (Exam Topic 1)

A company is designing an application where users upload small files into Amazon S3. After a user uploads a file, the file requires one-time simple processing to transform the data and save the data in JSON format for later analysis.

Each file must be processed as quickly as possible after it is uploaded. Demand will vary. On some days, users will upload a high number of files. On other days, users will upload a few files or no files.

Which solution meets these requirements with the LEAST operational overhead?

- A. Configure Amazon EMR to read text files from Amazon S3. Run processing scripts to transform the data
- B. Store the resulting JSON file in an Amazon Aurora DB cluster.

- C. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- D. Use Amazon EC2 instances to read from the queue and process the data
- E. Store the resulting JSON file in Amazon DynamoDB.
- F. Configure Amazon S3 to send an event notification to an Amazon Simple Queue Service (Amazon SQS) queue
- G. Use an AWS Lambda function to read from the queue and process the data
- H. Store the resulting JSON file in Amazon DynamoDB
- I. Most Voted
- J. Configure Amazon EventBridge (Amazon CloudWatch Events) to send an event to Amazon Kinesis Data Streams when a new file is uploaded
- K. Use an AWS Lambda function to consume the event from the stream and process the data
- L. Store the resulting JSON file in Amazon Aurora DB cluster.

**Answer: C**

**Explanation:**

Amazon S3 sends event notifications about S3 buckets (for example, object created, object removed, or object restored) to an SNS topic in the same Region. The SNS topic publishes the event to an SQS queue in the central Region. The SQS queue is configured as the event source for your Lambda function and buffers the event messages for the Lambda function. The Lambda function polls the SQS queue for messages and processes the Amazon S3 event notifications according to your application's requirements.  
<https://docs.aws.amazon.com/prescriptive-guidance/latest/patterns/subscribe-a-lambda-function-to-event-notific>

**NEW QUESTION 16**

- (Exam Topic 1)

A company's HTTP application is behind a Network Load Balancer (NLB). The NLB's target group is configured to use an Amazon EC2 Auto Scaling group with multiple EC2 instances that run the web service.

The company notices that the NLB is not detecting HTTP errors for the application. These errors require a manual restart of the EC2 instances that run the web service. The company needs to improve the application's availability without writing custom scripts or code.

What should a solutions architect do to meet these requirements?

- A. Enable HTTP health checks on the NLB
- B. supplying the URL of the company's application.
- C. Add a cron job to the EC2 instances to check the local application's logs once each minute
- D. If HTTP errors are detected, the application will restart.
- E. Replace the NLB with an Application Load Balance
- F. Enable HTTP health checks by supplying the URL of the company's application
- G. Configure an Auto Scaling action to replace unhealthy instances.
- H. Create an Amazon Cloud Watch alarm that monitors the UnhealthyHostCount metric for the NLB
- I. Configure an Auto Scaling action to replace unhealthy instances when the alarm is in the ALARM state.

**Answer: C**

**NEW QUESTION 18**

- (Exam Topic 1)

A company has an application that ingests incoming messages. These messages are then quickly consumed by dozens of other applications and microservices. The number of messages varies drastically and sometimes spikes as high as 100,000 each second. The company wants to decouple the solution and increase scalability. Which solution meets these requirements?

- A. Persist the messages to Amazon Kinesis Data Analytics
- B. All the applications will read and process the messages.
- C. Deploy the application on Amazon EC2 instances in an Auto Scaling group, which scales the number of EC2 instances based on CPU metrics.
- D. Write the messages to Amazon Kinesis Data Streams with a single shard
- E. All applications will read from the stream and process the messages.
- F. Publish the messages to an Amazon Simple Notification Service (Amazon SNS) topic with one or more Amazon Simple Queue Service (Amazon SQS) subscriptions
- G. All applications then process the messages from the queues.

**Answer: D**

**Explanation:**

<https://aws.amazon.com/sqs/features/>

By routing incoming requests to Amazon SQS, the company can decouple the job requests from the processing instances. This allows them to scale the number of instances based on the size of the queue, providing more resources when needed. Additionally, using an Auto Scaling group based on the queue size will automatically scale the number of instances up or down depending on the workload. Updating the software to read from the queue will allow it to process the job requests in a more efficient manner, improving the performance of the system.

**NEW QUESTION 22**

- (Exam Topic 1)

A company runs its Infrastructure on AWS and has a registered base of 700,000 users for a document management application. The company intends to create a product that converts large PDF files to JPEG image files. The PDF files average 5 MB in size. The company needs to store the original files and the converted files. A solutions architect must design a scalable solution to accommodate demand that will grow rapidly over time.

Which solution meets these requirements MOST cost-effectively?

- A. Save the PDF files to Amazon S3. Configure an S3 PUT event to invoke an AWS Lambda function to convert the files to JPEG format and store them back in Amazon S3.
- B. Save the PDF files to Amazon DynamoDB.
- C. Use the DynamoDB Streams feature to invoke an AWS Lambda function to convert the files to JPEG format and store them back in DynamoDB.
- D. Upload the PDF files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances, Amazon Elastic Block Store (Amazon EBS) storage, and an Auto Scaling group.
- E. Use a program in the EC2 instances to convert the files to JPEG format. Save the PDF files and the JPEG files in the EBS store.
- F. Upload the PDF files to an AWS Elastic Beanstalk application that includes Amazon EC2 instances, Amazon Elastic File System (Amazon EFS) storage, and an Auto Scaling group.

G. Use a program in the EC2 instances to convert the file to jpg format Save the pdf files and the jpg files in the EBS store.

**Answer:** A

**Explanation:**

Elastic BeanStalk is expensive, and DocumentDB has a 400KB max to upload files. So Lambda and S3 should be the one.

**NEW QUESTION 23**

- (Exam Topic 1)

A company hosts an application on AWS Lambda functions that are invoked by an Amazon API Gateway API. The Lambda functions save customer data to an Amazon Aurora MySQL database. Whenever the company upgrades the database, the Lambda functions fail to establish database connections until the upgrade is complete. The result is that customer data is not recorded for some of the event.

A solutions architect needs to design a solution that stores customer data that is created during database upgrades.

Which solution will meet these requirements?

- A. Provision an Amazon RDS proxy to sit between the Lambda functions and the database. Configure the Lambda functions to connect to the RDS proxy.
- B. Increase the run time of the Lambda functions to the maximum. Create a retry mechanism in the code that stores the customer data in the database.
- C. Persist the customer data to Lambda local storage.
- D. Configure new Lambda functions to scan the local storage to save the customer data to the database.
- E. Store the customer data in an Amazon Simple Queue Service (Amazon SQS) FIFO queue. Create a new Lambda function that polls the queue and stores the customer data in the database.

**Answer:** D

**Explanation:**

<https://www.learnaws.org/2020/12/13/aws-rds-proxy-deep-dive/>

RDS proxy can improve application availability in such a situation by waiting for the new database instance to be functional and maintaining any requests received from the application during this time. The end result is that the application is more resilient to issues with the underlying database.

This will enable solution to hold data till the time DB comes back to normal. RDS proxy is to optimally utilize the connection between Lambda and DB. Lambda can open multiple connection concurrently which can be taxing on DB compute resources, hence RDS proxy was introduced to manage and leverage these connections efficiently.

**NEW QUESTION 25**

- (Exam Topic 1)

A solutions architect is designing a two-tier web application. The application consists of a public-facing web tier hosted on Amazon EC2 in public subnets. The database tier consists of Microsoft SQL Server running on Amazon EC2 in a private subnet. Security is a high priority for the company.

How should security groups be configured in this situation? (Select TWO.)

- A. Configure the security group for the web tier to allow inbound traffic on port 443 from 0.0.0.0/0.
- B. Configure the security group for the web tier to allow outbound traffic on port 443 from 0.0.0.0/0.
- C. Configure the security group for the database tier to allow inbound traffic on port 1433 from the security group for the web tier.
- D. Configure the security group for the database tier to allow outbound traffic on ports 443 and 1433 to the security group for the web tier.
- E. Configure the security group for the database tier to allow inbound traffic on ports 443 and 1433 from the security group for the web tier.

**Answer:** AC

**Explanation:**

"Security groups create an outbound rule for every inbound rule." Not completely right. Stateful does NOT mean that if you create an inbound (or outbound) rule, it will create an outbound (or inbound) rule. What it does mean is: suppose you create an inbound rule on port 443 for the X ip. When a request enters on port 443 from X ip, it will allow traffic out for that request in the port 443. However, if you look at the outbound rules, there will not be any outbound rule on port 443 unless explicitly create it. In ACLs, which are stateless, you would have to create an inbound rule to allow incoming requests and an outbound rule to allow your application responds to those incoming requests.

[https://docs.aws.amazon.com/vpc/latest/userguide/VPC\\_SecurityGroups.html#SecurityGroupRules](https://docs.aws.amazon.com/vpc/latest/userguide/VPC_SecurityGroups.html#SecurityGroupRules)

**NEW QUESTION 28**

- (Exam Topic 1)

A company recently migrated to AWS and wants to implement a solution to protect the traffic that flows in and out of the production VPC. The company had an inspection server in its on-premises data center. The inspection server performed specific operations such as traffic flow inspection and traffic filtering. The company wants to have the same functionalities in the AWS Cloud.

Which solution will meet these requirements?

- A. Use Amazon GuardDuty for traffic inspection and traffic filtering in the production VPC.
- B. Use Traffic Mirroring to mirror traffic from the production VPC for traffic inspection and filtering.
- C. Use AWS Network Firewall to create the required rules for traffic inspection and traffic filtering for the production VPC.
- D. Use AWS Firewall Manager to create the required rules for traffic inspection and traffic filtering for the production VPC.

**Answer:** C

**Explanation:**

AWS Network Firewall supports both inspection and filtering as required.

**NEW QUESTION 30**

- (Exam Topic 1)

A company's dynamic website is hosted using on-premises servers in the United States. The company is launching its product in Europe, and it wants to optimize site loading times for new European users. The site's backend must remain in the United States. The product is being launched in a few days, and an immediate solution is needed.

What should the solutions architect recommend?

- A. Launch an Amazon EC2 instance in us-east-1 and migrate the site to it.

- B. Move the website to Amazon S3. Use cross-Region replication between Regions.
- C. Use Amazon CloudFront with a custom origin pointing to the on-premises servers.
- D. Use an Amazon Route 53 geo-proximity routing policy pointing to on-premises servers.

**Answer: C**

**Explanation:**

<https://aws.amazon.com/pt/blogs/aws/amazon-cloudfront-support-for-custom-origins/>

You can now create a CloudFront distribution using a custom origin. Each distribution will can point to an S3 or to a custom origin. This could be another storage service, or it could be something more interesting and more dynamic, such as an EC2 instance or even an Elastic Load Balancer

**NEW QUESTION 35**

- (Exam Topic 1)

A company needs to store its accounting records in Amazon S3. The records must be immediately accessible for 1 year and then must be archived for an additional 9 years. No one at the company, including administrative users and root users, can be able to delete the records during the entire 10-year period. The records must be stored with maximum resiliency.

Which solution will meet these requirements?

- A. Store the records in S3 Glacier for the entire 10-year period
- B. Use an access control policy to deny deletion of the records for a period of 10 years.
- C. Store the records by using S3 Intelligent-Tiering
- D. Use an IAM policy to deny deletion of the records. After 10 years, change the IAM policy to allow deletion.
- E. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 Glacier Deep Archive after 1 year
- F. Use S3 Object Lock in compliance mode for a period of 10 years.
- G. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 1 year
- H. Use S3 Object Lock in governance mode for a period of 10 years.

**Answer: C**

**NEW QUESTION 40**

- (Exam Topic 1)

A company is storing sensitive user information in an Amazon S3 bucket. The company wants to provide secure access to this bucket from the application tier running on Amazon EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Select TWO.)

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC
- B. Create a bucket policy to make the objects in the S3 bucket public
- C. Create a bucket policy that limits access to only the application tier running in the VPC
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket

**Answer: AC**

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-private-connection-no-authentication/>

**NEW QUESTION 44**

- (Exam Topic 1)

A company is running a business-critical web application on Amazon EC2 instances behind an Application Load Balancer. The EC2 instances are in an Auto Scaling group. The application uses an Amazon Aurora PostgreSQL database that is deployed in a single Availability Zone. The company wants the application to be highly available with minimum downtime and minimum loss of data.

Which solution will meet these requirements with the LEAST operational effort?

- A. Place the EC2 instances in different AWS Regions
- B. Use Amazon Route 53 health checks to redirect traffic
- C. Use Aurora PostgreSQL Cross-Region Replication.
- D. Configure the Auto Scaling group to use multiple Availability Zones
- E. Configure the database as Multi-AZ
- F. Configure an Amazon RDS Proxy instance for the database.
- G. Configure the Auto Scaling group to use one Availability Zone
- H. Generate hourly snapshots of the database
- I. Recover the database from the snapshots in the event of a failure.
- J. Configure the Auto Scaling group to use multiple AWS Regions
- K. Write the data from the application to Amazon S3. Use S3 Event Notifications to launch an AWS Lambda function to write the data to the database.

**Answer: B**

**NEW QUESTION 49**

- (Exam Topic 1)

A company needs the ability to analyze the log files of its proprietary application. The logs are stored in JSON format in an Amazon S3 bucket. Queries will be simple and will run on-demand. A solutions architect needs to perform the analysis with minimal changes to the existing architecture. What should the solutions architect do to meet these requirements with the LEAST amount of operational overhead?

- A. Use Amazon Redshift to load all the content into one place and run the SQL queries as needed
- B. Use Amazon CloudWatch Logs to store the logs. Run SQL queries as needed from the Amazon CloudWatch console
- C. Use Amazon Athena directly with Amazon S3 to run the queries as needed
- D. Use AWS Glue to catalog the logs. Use a transient Apache Spark cluster on Amazon EMR to run the SQL queries as needed

**Answer: C**

**Explanation:**

Amazon Athena can be used to query JSON in S3

**NEW QUESTION 51**

- (Exam Topic 1)

A company runs an online marketplace web application on AWS. The application serves hundreds of thousands of users during peak hours. The company needs a scalable, near-real-time solution to share the details of millions of financial transactions with several other internal applications. Transactions also need to be processed to remove sensitive data before being stored in a document database for low-latency retrieval.

What should a solutions architect recommend to meet these requirements?

- A. Store the transactions data into Amazon DynamoDB. Set up a rule in DynamoDB to remove sensitive data from every transaction upon write. Use DynamoDB Streams to share the transactions data with other applications.
- B. Stream the transactions data into Amazon Kinesis Data Firehose to store data in Amazon DynamoDB and Amazon S3. Use AWS Lambda integration with Kinesis Data Firehose to remove sensitive data.
- C. Other applications can consume the data stored in Amazon S3.
- D. Stream the transactions data into Amazon Kinesis Data Streams. Use AWS Lambda integration to remove sensitive data from every transaction and then store the transactions data in Amazon DynamoDB. Other applications can consume the transactions data off the Kinesis data stream.
- E. Store the batched transactions data in Amazon S3 as file.
- F. Use AWS Lambda to process every file and remove sensitive data before updating the files in Amazon S3. The Lambda function then stores the data in Amazon DynamoDB. Other applications can consume transaction files stored in Amazon S3.

**Answer: C**

**Explanation:**

The destination of your Kinesis Data Firehose delivery stream. Kinesis Data Firehose can send data records to various destinations, including Amazon Simple Storage Service (Amazon S3), Amazon Redshift, Amazon OpenSearch Service, and any HTTP endpoint that is owned by you or any of your third-party service providers. The following are the supported destinations:

\* Amazon OpenSearch Service

\* Amazon S3

\* Datadog

\* Dynatrace

\* Honeycomb

\* HTTP Endpoint

\* Logic Monitor

\* MongoDB Cloud

\* New Relic

\* Splunk

\* Sumo Logic <https://docs.aws.amazon.com/firehose/latest/dev/create-name.html> <https://aws.amazon.com/kinesis/data-streams/>

Amazon Kinesis Data Streams (KDS) is a massively scalable and durable real-time data streaming service. KDS can continuously capture gigabytes of data per second from hundreds of thousands of sources such as website clickstreams, database event streams, financial transactions, social media feeds, IT logs, and location-tracking events.

**NEW QUESTION 56**

- (Exam Topic 1)

A solutions architect is using Amazon S3 to design the storage architecture of a new digital media application. The media files must be resilient to the loss of an Availability Zone. Some files are accessed frequently while other files are rarely accessed in an unpredictable pattern. The solutions architect must minimize the costs of storing and retrieving the media files.

Which storage option meets these requirements?

- A. S3 Standard
- B. S3 Intelligent-Tiering
- C. S3 Standard-Infrequent Access (S3 Standard-IA)
- D. S3 One Zone-Infrequent Access (S3 One Zone-IA)

**Answer: B**

**Explanation:**

S3 Intelligent-Tiering - Perfect use case when you don't know the frequency of access or irregular patterns of usage.

Amazon S3 offers a range of storage classes designed for different use cases. These include S3 Standard for general-purpose storage of frequently accessed data; S3 Intelligent-Tiering for data with unknown or changing access patterns; S3 Standard-Infrequent Access (S3 Standard-IA) and S3 One Zone-Infrequent Access (S3 One Zone-IA) for long-lived, but less frequently accessed data; and Amazon S3 Glacier (S3 Glacier) and Amazon S3 Glacier Deep Archive (S3 Glacier Deep Archive) for long-term archive and digital preservation. If you have data residency requirements that can't be met by an existing AWS Region, you can use the S3 Outposts storage class to store your S3 data on-premises. Amazon S3 also offers capabilities to manage your data throughout its lifecycle. Once an S3 Lifecycle policy is set, your data will automatically transfer to a different storage class without any changes to your application.

[https://aws.amazon.com/getting-started/hands-on/getting-started-using-amazon-s3-intelligent-tiering/?nc1=h\\_ls](https://aws.amazon.com/getting-started/hands-on/getting-started-using-amazon-s3-intelligent-tiering/?nc1=h_ls)

**NEW QUESTION 60**

- (Exam Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale out.
- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data.
- E. Configure the S3 bucket as the rule's target.
- F. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complete.

- G. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- H. Create a Docker container to use instead of an EC2 instance
- I. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

**Answer: B**

**Explanation:**

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.  
<https://aws.amazon.com/appflow/>

**NEW QUESTION 61**

- (Exam Topic 1)

A company uses 50 TB of data for reporting. The company wants to move this data from on premises to AWS. A custom application in the company's data center runs a weekly data transformation job. The company plans to pause the application until the data transfer is complete and needs to begin the transfer process as soon as possible.

The data center does not have any available network bandwidth for additional workloads. A solutions architect must transfer the data and must configure the transformation job to continue to run in the AWS Cloud.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS DataSync to move the data. Create a custom transformation job by using AWS Glue.
- B. Order an AWS Snowcone device to move the data. Deploy the transformation application to the device.
- C. Order an AWS Snowball Edge Storage Optimized device.
- D. Copy the data to the device.
- E. Create a custom transformation job by using AWS Glue.
- F. Order an AWS Snowball Edge Storage Optimized device that includes Amazon EC2 compute. Copy the data to the device. Create a new EC2 instance on AWS to run the transformation application.
- G. Snowball Edge Storage Optimized device that includes Amazon EC2 compute. Copy the data to the device. Create a new EC2 instance on AWS to run the transformation application.

**Answer: C**

**NEW QUESTION 64**

- (Exam Topic 1)

A company needs to keep user transaction data in an Amazon DynamoDB table. The company must retain the data for 7 years. What is the MOST operationally efficient solution that meets these requirements?

- A. Use DynamoDB point-in-time recovery to back up the table continuously.
- B. Use AWS Backup to create backup schedules and retention policies for the table.
- C. Create an on-demand backup of the table by using the DynamoDB console.
- D. Store the backup in an Amazon S3 bucket.
- E. Set an S3 Lifecycle configuration for the S3 bucket.
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function to back up the table and to store the backup in an Amazon S3 bucket.
- G. Configure the Lambda function to back up the table and to store the backup in an Amazon S3 bucket.
- H. Set an S3 Lifecycle configuration for the S3 bucket.

**Answer: C**

**NEW QUESTION 69**

- (Exam Topic 1)

A company runs a highly available image-processing application on Amazon EC2 instances in a single VPC. The EC2 instances run inside several subnets across multiple Availability Zones. The EC2 instances do not communicate with each other. However, the EC2 instances download images from Amazon S3 and upload images to Amazon S3 through a single NAT gateway. The company is concerned about data transfer charges.

What is the MOST cost-effective way for the company to avoid Regional data transfer charges?

- A. Launch the NAT gateway in each Availability Zone.
- B. Replace the NAT gateway with a NAT instance.
- C. Deploy a gateway VPC endpoint for Amazon S3.
- D. Provision an EC2 Dedicated Host to run the EC2 instances.

**Answer: A**

**NEW QUESTION 70**

- (Exam Topic 1)

A company has an application that provides marketing services to stores. The services are based on previous purchases by store customers. The stores upload transaction data to the company through SFTP, and the data is processed and analyzed to generate new marketing offers. Some of the files can exceed 200 GB in size.

Recently, the company discovered that some of the stores have uploaded files that contain personally identifiable information (PII) that should not have been included. The company wants administrators to be alerted if PII is shared again. The company also wants to automate remediation.

What should a solutions architect do to meet these requirements with the LEAST development effort?

- A. Use an Amazon S3 bucket as a secure transfer point.
- B. Use Amazon Inspector to scan the objects in the bucket.
- C. If objects contain PII, trigger an S3 Lifecycle policy to remove the objects that contain PII.
- D. Use an Amazon S3 bucket as a secure transfer point.
- E. Use Amazon Macie to scan the objects in the bucket.
- F. If objects contain PII, trigger an Amazon SNS notification to the administrators to remove the objects that contain PII.
- G. Use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- H. Use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.

- I. Implement custom scanning algorithms in an AWS Lambda function
- J. Trigger the function when objects are loaded into the bucket
- K. If objects contain RPI
- L. use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- M. Implement custom scanning algorithms in an AWS Lambda function
- N. Trigger the function when objects are loaded into the bucket
- O. If objects contain PII
- P. use Amazon Simple Email Service (Amazon SES) to trigger a notification to the administrators and trigger on S3 Lifecycle policy to remove the objects that contain PII.

**Answer: B**

#### NEW QUESTION 75

- (Exam Topic 1)

A company has an Amazon S3 bucket that contains critical data. The company must protect the data from accidental deletion. Which combination of steps should a solutions architect take to meet these requirements? (Choose two.)

- A. Enable versioning on the S3 bucket.
- B. Enable MFA Delete on the S3 bucket.
- C. Create a bucket policy on the S3 bucket.
- D. Enable default encryption on the S3 bucket.
- E. Create a lifecycle policy for the objects in the S3 bucket.

**Answer: AB**

#### NEW QUESTION 80

- (Exam Topic 1)

A company has applications that run on Amazon EC2 instances in a VPC. One of the applications needs to call the Amazon S3 API to store and read objects. According to the company's security regulations, no traffic from the applications is allowed to travel across the internet. Which solution will meet these requirements?

- A. Configure an S3 interface endpoint.
- B. Configure an S3 gateway endpoint.
- C. Create an S3 bucket in a private subnet.
- D. Create an S3 bucket in the same Region as the EC2 instance.

**Answer: B**

#### Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/privatelink-interface-endpoints.html#types-of-vpc-endpoints>  
<https://docs.aws.amazon.com/vpc/latest/userguide/vpc-endpoints-s3.html>

#### NEW QUESTION 83

- (Exam Topic 1)

A company wants to move a multi-tiered application from on premises to the AWS Cloud to improve the application's performance. The application consists of application tiers that communicate with each other by way of RESTful services. Transactions are dropped when one tier becomes overloaded. A solutions architect must design a solution that resolves these issues and modernizes the application. Which solution meets these requirements and is the MOST operationally efficient?

- A. Use Amazon API Gateway and direct transactions to the AWS Lambda functions as the application layer
- B. Use Amazon Simple Queue Service (Amazon SQS) as the communication layer between application services.
- C. Use Amazon CloudWatch metrics to analyze the application performance history to determine the server's peak utilization during the performance failure
- D. Increase the size of the application server's Amazon EC2 instances to meet the peak requirements.
- E. Use Amazon Simple Notification Service (Amazon SNS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group
- F. Use Amazon CloudWatch to monitor the SNS queue length and scale up and down as required.
- G. Use Amazon Simple Queue Service (Amazon SQS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group
- H. Use Amazon CloudWatch to monitor the SQS queue length and scale up when communication failures are detected.

**Answer: A**

#### Explanation:

<https://aws.amazon.com/getting-started/hands-on/build-serverless-web-app-lambda-apigateway-s3-dynamodb-cognito/> Build a Serverless Web Application with AWS Lambda, Amazon API Gateway, AWS Amplify, Amazon DynamoDB, and Amazon Cognito. This example showed similar setup as question: Build a Serverless Web Application with AWS Lambda, Amazon API Gateway, AWS Amplify, Amazon DynamoDB, and Amazon Cognito

#### NEW QUESTION 84

- (Exam Topic 1)

A company has a production web application in which users upload documents through a web interface or a mobile app. According to a new regulatory requirement, new documents cannot be modified or deleted after they are stored. What should a solutions architect do to meet this requirement?

- A. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning and S3 Object Lock enabled
- B. Store the uploaded documents in an Amazon S3 bucket
- C. Configure an S3 Lifecycle policy to archive the documents periodically.
- D. Store the uploaded documents in an Amazon S3 bucket with S3 Versioning enabled. Configure an ACL to restrict all access to read-only.
- E. Store the uploaded documents on an Amazon Elastic File System (Amazon EFS) volume
- F. Access the data by mounting the volume in read-only mode.

**Answer: A**

**Explanation:**

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/object-lock-overview.html>

**NEW QUESTION 88**

- (Exam Topic 1)

A company has registered its domain name with Amazon Route 53. The company uses Amazon API Gateway in the ca-central-1 Region as a public interface for its backend microservice APIs. Third-party services consume the APIs securely. The company wants to design its API Gateway URL with the company's domain name and corresponding certificate so that the third-party services can use HTTPS.

Which solution will meet these requirements?

- A. Create stage variables in API Gateway with Name="Endpoint-URL" and Value="Company Domain Name" to overwrite the default UR
- B. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM).
- C. Create Route 53 DNS records with the company's domain nam
- D. Point the alias record to the Regional API Gateway stage endpoint
- E. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Region.
- F. Create a Regional API Gateway endpoint
- G. Associate the API Gateway endpoint with the company's domain nam
- H. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the same Regio
- I. Attach the certificate to the API Gateway endpoint
- J. Configure Route 53 to route traffic to the API Gateway endpoint.
- K. Create a Regional API Gateway endpoint
- L. Associate the API Gateway endpoint with the company's domain nam
- M. Import the public certificate associated with the company's domain name into AWS Certificate Manager (ACM) in the us-east-1 Regio
- N. Attach the certificate to the API Gateway APIs.Create Route 53 DNS records with the company's domain nam
- O. Point an A record to the company's domain name.

**Answer: D**

**NEW QUESTION 93**

- (Exam Topic 1)

A company has a website hosted on AWS. The website is behind an Application Load Balancer (ALB) that is configured to handle HTTP and HTTPS separately. The company wants to forward all requests to the website so that the requests will use HTTPS.

What should a solutions architect do to meet this requirement?

- A. Update the ALB's network ACL to accept only HTTPS traffic
- B. Create a rule that replaces the HTTP in the URL with HTTPS.
- C. Create a listener rule on the ALB to redirect HTTP traffic to HTTPS.
- D. Replace the ALB with a Network Load Balancer configured to use Server Name Indication (SNI).

**Answer: C**

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

How can I redirect HTTP requests to HTTPS using an Application Load Balancer? Last updated: 2020-10-30 I want to redirect HTTP requests to HTTPS using Application Load Balancer listener rules. How can I do this? Resolution Reference:

<https://aws.amazon.com/premiumsupport/knowledge-center/elb-redirect-http-to-https-using-alb/>

**NEW QUESTION 97**

- (Exam Topic 1)

A company receives 10 TB of instrumentation data each day from several machines located at a single factory. The data consists of JSON files stored on a storage area network (SAN) in an on-premises data center located within the factory. The company wants to send this data to Amazon S3 where it can be accessed by several additional systems that provide critical near-real-time analytics. A secure transfer is important because the data is considered sensitive.

Which solution offers the MOST reliable data transfer?

- A. AWS DataSync over public internet
- B. AWS DataSync over AWS Direct Connect
- C. AWS Database Migration Service (AWS DMS) over public internet
- D. AWS Database Migration Service (AWS DMS) over AWS Direct Connect

**Answer: B**

**Explanation:**

These are some of the main use cases for AWS DataSync: • Data migration – Move active datasets rapidly over the network into Amazon S3, Amazon EFS, or FSx for Windows File Server. DataSync includes automatic encryption and data integrity validation to help make sure that your data arrives securely, intact, and ready to use.

"DataSync includes encryption and integrity validation to help make sure your data arrives securely, intact, and ready to use."

<https://aws.amazon.com/datasync/faqs/>

**NEW QUESTION 101**

- (Exam Topic 1)

A company's website uses an Amazon EC2 instance store for its catalog of items. The company wants to make sure that the catalog is highly available and that the catalog is stored in a durable location.

What should a solutions architect do to meet these requirements?

- A. Move the catalog to Amazon ElastiCache for Redis.
- B. Deploy a larger EC2 instance with a larger instance store.
- C. Move the catalog from the instance store to Amazon S3 Glacier Deep Archive.
- D. Move the catalog to an Amazon Elastic File System (Amazon EFS) file system.

**Answer:** A

#### NEW QUESTION 105

- (Exam Topic 1)

A company has an application that generates a large number of files, each approximately 5 MB in size. The files are stored in Amazon S3. Company policy requires the files to be stored for 4 years before they can be deleted. Immediate accessibility is always required as the files contain critical business data that is not easy to reproduce. The files are frequently accessed in the first 30 days of the object creation but are rarely accessed after the first 30 days. Which storage solution is MOST cost-effective?

- A. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Glacier 30 days from object creation. Delete the files 4 years after object creation.
- B. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) 30 days from object creation. Delete the files 4 years after object creation.
- C. Delete the files 4 years after object creation.
- D. Create an S3 bucket lifecycle policy to move files from S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Delete the files 4 years after object creation.
- E. Delete the files 4 years after object creation.
- F. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Move the files to S3 Glacier 4 years after object creation.

**Answer:** B

#### Explanation:

[https://aws.amazon.com/s3/storage-classes/?trk=66264cd8-3b73-416c-9693-ea7cf4fe846a&sc\\_channel=ps&s\\_k](https://aws.amazon.com/s3/storage-classes/?trk=66264cd8-3b73-416c-9693-ea7cf4fe846a&sc_channel=ps&s_k)

#### NEW QUESTION 110

- (Exam Topic 1)

An application runs on an Amazon EC2 instance in a VPC. The application processes logs that are stored in an Amazon S3 bucket. The EC2 instance needs to access the S3 bucket without connectivity to the internet. Which solution will provide private network connectivity to Amazon S3?

- A. Create a gateway VPC endpoint to the S3 bucket.
- B. Stream the logs to Amazon CloudWatch Log.
- C. Export the logs to the S3 bucket.
- D. Create an instance profile on Amazon EC2 to allow S3 access.
- E. Create an Amazon API Gateway API with a private link to access the S3 endpoint.

**Answer:** A

#### Explanation:

VPC endpoint allows you to connect to AWS services using a private network instead of using the public Internet.

#### NEW QUESTION 115

- (Exam Topic 1)

A company is deploying a new public web application to AWS. The application will run behind an Application Load Balancer (ALB). The application needs to be encrypted at the edge with an SSL/TLS certificate that is issued by an external certificate authority (CA). The certificate must be rotated each year before the certificate expires.

What should a solutions architect do to meet these requirements?

- A. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate.
- B. Apply the certificate to the ALB.
- C. Use the managed renewal feature to automatically rotate the certificate.
- D. Use AWS Certificate Manager (ACM) to issue an SSL/TLS certificate.
- E. Import the key material from the certificate.
- F. Apply the certificate to the ALB.
- G. Use the managed renewal feature to automatically rotate the certificate.
- H. Use AWS Certificate Manager (ACM) Private Certificate Authority to issue an SSL/TLS certificate from the root CA.
- I. Apply the certificate to the ALB.
- J. Use the managed renewal feature to automatically rotate the certificate.
- K. Use AWS Certificate Manager (ACM) to import an SSL/TLS certificate.
- L. Apply the certificate to the ALB.
- M. Use Amazon EventBridge (Amazon CloudWatch Events) to send a notification when the certificate is nearing expiration.
- N. Rotate the certificate manually.

**Answer:** D

#### NEW QUESTION 116

- (Exam Topic 1)

A company wants to migrate its on-premises application to AWS. The application produces output files that vary in size from tens of gigabytes to hundreds of terabytes. The application data must be stored in a standard file system structure. The company wants a solution that scales automatically, is highly available, and requires minimum operational overhead.

Which solution will meet these requirements?

- A. Migrate the application to run as containers on Amazon Elastic Container Service (Amazon ECS). Use Amazon S3 for storage.
- B. Migrate the application to run as containers on Amazon Elastic Kubernetes Service (Amazon EKS). Use Amazon Elastic Block Store (Amazon EBS) for storage.
- C. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group. Use Amazon Elastic File System (Amazon EFS) for storage.
- D. Use Amazon Elastic File System (Amazon EFS) for storage.
- E. Migrate the application to Amazon EC2 instances in a Multi-AZ Auto Scaling group. Use Amazon Elastic Block Store (Amazon EBS) for storage.
- F. Use Amazon Elastic Block Store (Amazon EBS) for storage.

**Answer:** C

**Explanation:**

EFS is a standard file system, it scales automatically and is highly available.

**NEW QUESTION 119**

- (Exam Topic 1)

A company maintains a searchable repository of items on its website. The data is stored in an Amazon RDS for MySQL database table that contains more than 10 million rows. The database has 2 TB of General Purpose SSD storage. There are millions of updates against this data every day through the company's website. The company has noticed that some insert operations are taking 10 seconds or longer. The company has determined that the database storage performance is the problem.

Which solution addresses this performance issue?

- A. Change the storage type to Provisioned IOPS SSD
- B. Change the DB instance to a memory optimized instance class
- C. Change the DB instance to a burstable performance instance class
- D. Enable Multi-AZ RDS read replicas with MySQL native asynchronous replication.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/ebs/features/>

"Provisioned IOPS volumes are backed by solid-state drives (SSDs) and are the highest performance EBS volumes designed for your critical, I/O intensive database applications.

These volumes are ideal for both IOPS-intensive and throughput-intensive workloads that require extremely low latency."

[https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/CHAP\\_Storage.html](https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/CHAP_Storage.html)

**NEW QUESTION 120**

- (Exam Topic 1)

A company has thousands of edge devices that collectively generate 1 TB of status alerts each day. Each alert is approximately 2 KB in size. A solutions architect needs to implement a solution to ingest and store the alerts for future analysis.

The company wants a highly available solution. However, the company needs to minimize costs and does not want to manage additional infrastructure. Additionally, the company wants to keep 14 days of data available for immediate analysis and archive any data older than 14 days.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.
- B. Launch Amazon EC2 instances across two Availability Zones and place them behind an Elastic Load Balancer to ingest the alerts. Create a script on the EC2 instances that will store the alerts in an Amazon S3 bucket. Set up an S3 Lifecycle configuration to transition data to Amazon S3 Glacier after 14 days.
- C. Create an Amazon Kinesis Data Firehose delivery stream to ingest the alerts. Configure the Kinesis Data Firehose stream to deliver the alerts to an Amazon Elasticsearch Service (Amazon ES) cluster. Set up the Amazon ES cluster to take manual snapshots every day and delete data from the cluster that is older than 14 days.
- D. Create an Amazon Simple Queue Service (Amazon SQS) standard queue to ingest the alerts and set the message retention period to 14 days. Configure consumers to poll the SQS queue, check the age of the message, and analyze the message data as needed. If the message is 14 days old, the consumer should copy the message to an Amazon S3 bucket and delete the message from the SQS queue.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/kinesis/data-firehose/features/?nc=sn&loc=2#:~:text=into%20Amazon%20S3%2C%20>

**NEW QUESTION 123**

- (Exam Topic 2)

A large media company hosts a web application on AWS. The company wants to start caching confidential media files so that users around the world will have reliable access to the files. The content is stored in Amazon S3 buckets. The company must deliver the content quickly, regardless of where the requests originate geographically.

Which solution will meet these requirements?

- A. Use AWS DataSync to connect the S3 buckets to the web application.
- B. Deploy AWS Global Accelerator to connect the S3 buckets to the web application.
- C. Deploy Amazon CloudFront to connect the S3 buckets to CloudFront edge servers.
- D. Use Amazon Simple Queue Service (Amazon SQS) to connect the S3 buckets to the web application.

**Answer:** C

**Explanation:**

CloudFront uses a local cache to provide the response, AWS Global accelerator proxies requests and connects to the application all the time for the response.

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

**NEW QUESTION 126**

- (Exam Topic 2)

A solutions architect needs to securely store a database user name and password that an application uses to access an Amazon RDS DB instance. The application that accesses the database runs on an Amazon EC2 instance. The solutions architect wants to create a secure parameter in AWS Systems Manager Parameter Store.

What should the solutions architect do to meet this requirement?

- A. Create an IAM role that has read access to the Parameter Store parameter.
- B. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter.
- C. Assign this IAM role to the EC2 instance.
- D. Create an IAM policy that allows read access to the Parameter Store parameter.
- E. Allow Decrypt access to an AWS Key Management Service (AWS KMS) key that is used to encrypt the parameter.

- F. Assign this IAM policy to the EC2 instance.
- G. Create an IAM trust relationship between the Parameter Store parameter and the EC2 instance.
- H. Specify Amazon RDS as a principal in the trust policy.
- I. Create an IAM trust relationship between the DB instance and the EC2 instance.
- J. Specify Systems Manager as a principal in the trust policy.

**Answer: B**

**Explanation:**

[https://docs.aws.amazon.com/IAM/latest/UserGuide/reference\\_aws-services-that-work-with-iam.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/reference_aws-services-that-work-with-iam.html)

**NEW QUESTION 129**

- (Exam Topic 2)

A company stores its application logs in an Amazon CloudWatch Logs log group. A new policy requires the company to store all application logs in Amazon OpenSearch Service (Amazon Elasticsearch Service) in near-real time.

Which solution will meet this requirement with the LEAST operational overhead?

- A. Configure a CloudWatch Logs subscription to stream the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- B. Create an AWS Lambda function.
- C. Use the log group to invoke the function to write the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- D. Create an Amazon Kinesis Data Firehose delivery stream.
- E. Configure the log group as the delivery stream's source.
- F. Configure Amazon OpenSearch Service (Amazon Elasticsearch Service) as the delivery stream's destination.
- G. Install and configure Amazon Kinesis Agent on each application server to deliver the logs to Amazon Kinesis Data Stream.
- H. Configure Kinesis Data Streams to deliver the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).

**Answer: B**

**Explanation:**

<https://computingforgeeks.com/stream-logs-in-aws-from-cloudwatch-to-elasticsearch/>

**NEW QUESTION 133**

- (Exam Topic 2)

A company is migrating an application from on-premises servers to Amazon EC2 instances. As part of the migration design requirements, a solutions architect must implement infrastructure metric alarms. The company does not need to take action if CPU utilization increases to more than 50% for a short burst of time. However, if the CPU utilization increases to more than 50% and read IOPS on the disk are high at the same time, the company needs to act as soon as possible. The solutions architect also must reduce false alarms.

What should the solutions architect do to meet these requirements?

- A. Create Amazon CloudWatch composite alarms where possible.
- B. Create Amazon CloudWatch dashboards to visualize the metrics and react to issues quickly.
- C. Create Amazon CloudWatch Synthetics canaries to monitor the application and raise an alarm.
- D. Create single Amazon CloudWatch metric alarms with multiple metric thresholds where possible.

**Answer: A**

**NEW QUESTION 138**

- (Exam Topic 2)

A company wants to direct its users to a backup static error page if the company's primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53. The domain is pointing to an Application Load Balancer (ALB). The company needs a solution that minimizes changes and infrastructure overhead.

Which solution will meet these requirements?

- A. Update the Route 53 records to use a latency routing policy.
- B. Add a static error page that is hosted in an Amazon S3 bucket to the records so that the traffic is sent to the most responsive endpoints.
- C. Set up a Route 53 active-passive failover configuration.
- D. Direct traffic to a static error page that is hosted in an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- E. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance that hosts a static error page as endpoint.
- F. Configure Route 53 to send requests to the instance only if the health checks fail for the ALB.
- G. Update the Route 53 records to use a multivalue answer routing policy.
- H. Create a health check.
- I. Direct traffic to the website if the health check passes.
- J. Direct traffic to a static error page that is hosted in Amazon S3 if the health check does not pass.

**Answer: B**

**NEW QUESTION 140**

- (Exam Topic 2)

A company uses a popular content management system (CMS) for its corporate website. However, the required patching and maintenance are burdensome. The company is redesigning its website and wants a new solution. The website will be updated four times a year and does not need to have any dynamic content available. The solution must provide high scalability and enhanced security.

Which combination of changes will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Deploy an AWS WAF web ACL in front of the website to provide HTTPS functionality.
- B. Create and deploy an AWS Lambda function to manage and serve the website content.
- C. Create the new website and an Amazon S3 bucket. Deploy the website on the S3 bucket with static website hosting enabled.
- D. Create the new website.
- E. Deploy the website by using an Auto Scaling group of Amazon EC2 instances behind an Application Load Balancer.

**Answer:** AD

**NEW QUESTION 142**

- (Exam Topic 2)

A solutions architect must design a solution that uses Amazon CloudFront with an Amazon S3 origin to store a static website. The company's security policy requires that all website traffic be inspected by AWS WAF. How should the solutions architect comply with these requirements?

- A. Configure an S3 bucket policy to accept requests coming from the AWS WAF Amazon Resource Name (ARN) only.
- B. Configure Amazon CloudFront to forward all incoming requests to AWS WAF before requesting content from the S3 origin.
- C. Configure a security group that allows Amazon CloudFront IP addresses to access Amazon S3 only. Associate AWS WAF to CloudFront.
- D. Configure Amazon CloudFront and Amazon S3 to use an origin access identity (OAI) to restrict access to the S3 bucket.
- E. Enable AWS WAF on the distribution.

**Answer:** D

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>  
<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-web-aws-waf.html>

**NEW QUESTION 144**

- (Exam Topic 2)

A company runs its e-commerce application on AWS. Every new order is published as a message in a RabbitMQ queue that runs on an Amazon EC2 instance in a single Availability Zone. These messages are processed by a different application that runs on a separate EC2 instance. This application stores the details in a PostgreSQL database on another EC2 instance. All the EC2 instances are in the same Availability Zone.

The company needs to redesign its architecture to provide the highest availability with the least operational overhead. What should a solutions architect do to meet these requirements?

- A. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- B. Create a Multi-AZ Auto Scaling group (or EC2 instances) that host the applicatio
- C. Create another Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.
- D. Migrate the queue to a redundant pair (active/standby) of RabbitMQ instances on Amazon M
- E. Create a Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- F. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- G. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queu
- H. Create another Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- I. Migrate the database to run on a Multi-AZ deployment of Amazon RDS for PostgreSQL.
- J. Create a Multi-AZ Auto Scaling group for EC2 instances that host the RabbitMQ queu
- K. Create another Multi-AZ Auto Scaling group for EC2 instances that host the applicatio
- L. Create a third Multi-AZ Auto Scaling group for EC2 instances that host the PostgreSQL database.

**Answer:** B

**NEW QUESTION 149**

- (Exam Topic 2)

A company has a Windows-based application that must be migrated to AWS. The application requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones.

What should a solutions architect do to meet this requirement?

- A. Configure AWS Storage Gateway in volume gateway mode.
- B. Mount the volume to each Windows instance.
- C. Configure Amazon FSx for Windows File System.
- D. Mount the Amazon FSx file system to each Windows instance.
- E. Configure a file system by using Amazon Elastic File System (Amazon EFS). Mount the EFS file system to each Windows instance.
- F. Configure an Amazon Elastic Block Store (Amazon EBS) volume with the required size.
- G. Attach each EC2 instance to the volume.
- H. Mount the file system within the volume to each Windows instance.

**Answer:** B

**NEW QUESTION 153**

- (Exam Topic 2)

A company has a highly dynamic batch processing job that uses many Amazon EC2 instances to complete it. The job is stateless in nature, can be started and stopped at any given time with no negative impact, and typically takes upwards of 60 minutes total to complete. The company has asked a solutions architect to design a scalable and cost-effective solution that meets the requirements of the job.

What should the solutions architect recommend?

- A. Implement EC2 Spot Instances
- B. Purchase EC2 Reserved Instances
- C. Implement EC2 On-Demand Instances
- D. Implement the processing on AWS Lambda

**Answer:** A

**NEW QUESTION 157**

- (Exam Topic 2)

A company needs to save the results from a medical trial to an Amazon S3 repository. The repository must allow a few scientists to add new files and must restrict all other users to read-only access. No users can have the ability to modify or delete any files in the repository. The company must keep every file in the repository.

for a minimum of 1 year after its creation date.  
Which solution will meet these requirements?

- A. Use S3 Object Lock In governance mode with a legal hold of 1 year
- B. Use S3 Object Lock in compliance mode with a retention period of 365 days.
- C. Use an IAM role to restrict all users from deleting or changing objects in the S3 bucket Use an S3 bucket policy to only allow the IAM role
- D. Configure the S3 bucket to invoke an AWS Lambda function every time an object is added Configure the function to track the hash of the saved object to that modified objects can be marked accordingly

**Answer: C**

#### NEW QUESTION 162

- (Exam Topic 2)

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Move the data to the S3 bucket
- B. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- C. Create an AWS Key Management Service (AWS KMS) customer managed key
- D. Enable automatic key rotation
- E. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- F. Move the data to the S3 bucket.
- G. Create an AWS Key Management Service (AWS KMS) customer managed key
- H. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- I. Move the data to the S3 bucket
- J. Manually rotate the KMS key every year.
- K. Encrypt the data with customer key material before moving the data to the S3 bucket
- L. Create an AWS Key Management Service (AWS KMS) key without key material
- M. Import the customer key material into the KMS key
- N. Enable automatic key rotation.

**Answer: C**

#### NEW QUESTION 164

- (Exam Topic 2)

A solutions architect is creating a new Amazon CloudFront distribution for an application. Some of the information submitted by users is sensitive. The application uses HTTPS but needs another layer of security. The sensitive information should be protected throughout the entire application stack, and access to the information should be restricted to certain applications.

Which action should the solutions architect take?

- A. Configure a CloudFront signed URL.
- B. Configure a CloudFront signed cookie.
- C. Configure a CloudFront field-level encryption profile.
- D. Configure CloudFront and set the Origin Protocol Policy setting to HTTPS Only for the Viewer Protocol Policy.

**Answer: C**

#### Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/field-level-encryption.html>

"With Amazon CloudFront, you can enforce secure end-to-end connections to origin servers by using HTTPS. Field-level encryption adds an additional layer of security that lets you protect specific data throughout system processing so that only certain applications can see it."

#### NEW QUESTION 168

- (Exam Topic 2)

A company wants to build a scalable key management Infrastructure to support developers who need to encrypt data in their applications.

What should a solutions architect do to reduce the operational burden?

- A. Use multifactor authentication (MFA) to protect the encryption keys.
- B. Use AWS Key Management Service (AWS KMS) to protect the encryption keys
- C. Use AWS Certificate Manager (ACM) to create, store, and assign the encryption keys
- D. Use an IAM policy to limit the scope of users who have access permissions to protect the encryption keys

**Answer: B**

#### Explanation:

<https://aws.amazon.com/kms/faqs/#:~:text=If%20you%20are%20a%20developer%20who%20needs%20to%20d>

#### NEW QUESTION 170

- (Exam Topic 2)

A company runs its two-tier ecommerce website on AWS. The web tier consists of a load balancer that sends traffic to Amazon EC2 instances. The database tier uses an Amazon RDS DB instance. The EC2 instances and the RDS DB instance should not be exposed to the public internet. The EC2 instances require internet access to complete payment processing of orders through a third-party web service. The application must be highly available.

Which combination of configuration options will meet these requirements? (Choose two.)

- A. Use an Auto Scaling group to launch the EC2 instances in private subnet
- B. Deploy an RDS Multi-AZ DB instance in private subnets.
- C. Configure a VPC with two private subnets and two NAT gateways across two Availability Zones. Deploy an Application Load Balancer in the private subnets.
- D. Use an Auto Scaling group to launch the EC2 instances in public subnets across two Availability Zones. Deploy an RDS Multi-AZ DB instance in private subnets.

- E. Configure a VPC with one public subnet, one private subnet, and two NAT gateways across two Availability Zone
- F. Deploy an Application Load Balancer in the public subnet.
- G. Configure a VPC with two public subnets, two private subnets, and two NAT gateways across two Availability Zone
- H. Deploy an Application Load Balancer in the public subnets.

**Answer:** AE

**Explanation:**

Before you begin: Decide which two Availability Zones you will use for your EC2 instances. Configure your virtual private cloud (VPC) with at least one public subnet in each of these Availability Zones. These public subnets are used to configure the load balancer. You can launch your EC2 instances in other subnets of these Availability Zones instead.

**NEW QUESTION 171**

- (Exam Topic 2)

A solutions architect needs to help a company optimize the cost of running an application on AWS. The application will use Amazon EC2 instances, AWS Fargate, and AWS Lambda for compute within the architecture.

The EC2 instances will run the data ingestion layer of the application. EC2 usage will be sporadic and unpredictable. Workloads that run on EC2 instances can be interrupted at any time. The application front end will run on Fargate, and Lambda will serve the API layer. The front-end utilization and API layer utilization will be predictable over the course of the next year.

Which combination of purchasing options will provide the MOST cost-effective solution for hosting this application? (Choose two.)

- A. Use Spot Instances for the data ingestion layer
- B. Use On-Demand Instances for the data ingestion layer
- C. Purchase a 1-year Compute Savings Plan for the front end and API layer.
- D. Purchase 1-year All Upfront Reserved instances for the data ingestion layer.
- E. Purchase a 1-year EC2 instance Savings Plan for the front end and API layer.

**Answer:** AC

**NEW QUESTION 172**

- (Exam Topic 2)

A company is building a containerized application on premises and decides to move the application to AWS. The application will have thousands of users soon after it is deployed. The company is unsure how to manage the deployment of containers at scale. The company needs to deploy the containerized application in a highly available architecture that minimizes operational overhead.

Which solution will meet these requirements?

- A. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- B. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the AWS Fargate launch type to run the container
- C. Use target tracking to scale automatically based on demand.
- D. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- E. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the Amazon EC2 launch type to run the container
- F. Use target tracking to scale automatically based on demand.
- G. Store container images in a repository that runs on an Amazon EC2 instance
- H. Run the containers on EC2 instances that are spread across multiple Availability Zones
- I. Monitor the average CPU utilization in Amazon CloudWatch
- J. Launch new EC2 instances as needed
- K. Create an Amazon EC2 Amazon Machine Image (AMI) that contains the container image. Launch EC2 instances in an Auto Scaling group across multiple Availability Zones
- L. Use an Amazon CloudWatch alarm to scale out EC2 instances when the average CPU utilization threshold is breached.

**Answer:** A

**NEW QUESTION 176**

- (Exam Topic 2)

A company is developing a file-sharing application that will use an Amazon S3 bucket for storage. The company wants to serve all the files through an Amazon CloudFront distribution. The company does not want the files to be accessible through direct navigation to the S3 URL.

What should a solutions architect do to meet these requirements?

- A. Write individual policies for each S3 bucket to grant read permission for only CloudFront access.
- B. Create an IAM user
- C. Grant the user read permission to objects in the S3 bucket
- D. Assign the user to CloudFront.
- E. Write an S3 bucket policy that assigns the CloudFront distribution ID as the Principal and assigns the target S3 bucket as the Amazon Resource Name (ARN).
- F. Create an origin access identity (OAI). Assign the OAI to the CloudFront distribution
- G. Configure the S3 bucket permissions so that only the OAI has read permission.

**Answer:** D

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudfront-access-to-amazon-s3/>

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

**NEW QUESTION 179**

- (Exam Topic 2)

An e-commerce company hosts its analytics application in the AWS Cloud. The application generates about 300 MB of data each month. The data is stored in JSON format. The company is evaluating a disaster recovery solution to back up the data. The data must be accessible in milliseconds if it is needed, and the data must be kept for 30 days.

Which solution meets these requirements MOST cost-effectively?

- A. Amazon OpenSearch Service (Amazon Elasticsearch Service)
- B. Amazon S3 Glacier
- C. Amazon S3 Standard
- D. Amazon RDS for PostgreSQL

**Answer: C**

#### NEW QUESTION 181

- (Exam Topic 2)

A company is planning to build a high performance computing (HPC) workload as a service solution that is hosted on AWS. A group of 16 Amazon EC2 Linux instances requires the lowest possible latency for node-to-node communication. The instances also need a shared block device volume for high-performing storage.

Which solution will meet these requirements?

- A. Use a duster placement group
- B. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach
- C. Use a cluster placement group
- D. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS)
- E. Use a partition placement group
- F. Create shared tile systems across the instances by using Amazon Elastic File System (Amazon EFS).
- G. Use a spread placement group
- H. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach

**Answer: A**

#### NEW QUESTION 186

- (Exam Topic 2)

A media company is evaluating the possibility of moving its systems to the AWS Cloud. The company needs at least 10 TB of storage with the maximum possible I/O performance for video processing, 300 TB of very durable storage for storing media content, and 900 TB of storage to meet requirements for archival media that is not in use anymore.

Which set of services should a solutions architect recommend to meet these requirements?

- A. Amazon EBS for maximum performance, Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage
- B. Amazon EBS for maximum performance, Amazon EFS for durable data storage and Amazon S3 Glacier for archival storage
- C. Amazon EC2 instance store for maximum performance
- D. Amazon EFS for durable data storage and Amazon S3 for archival storage
- E. Amazon EC2 Instance store for maximum performance
- F. Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage

**Answer: A**

#### Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/InstanceStorage.html>

#### NEW QUESTION 190

- (Exam Topic 2)

Organizers for a global event want to put daily reports online as static HTML pages. The pages are expected to generate millions of views from users around the world. The files are stored in an Amazon S3 bucket. A solutions architect has been asked to design an efficient and effective solution.

Which action should the solutions architect take to accomplish this?

- A. Generate presigned URLs for the files.
- B. Use cross-Region replication to all Regions.
- C. Use the geoproximity feature of Amazon Route 53.
- D. Use Amazon CloudFront with the S3 bucket as its origin.

**Answer: D**

#### NEW QUESTION 193

- (Exam Topic 2)

An application runs on Amazon EC2 instances across multiple Availability Zones. The instances run in an Amazon EC2 Auto Scaling group behind an Application Load Balancer. The application performs best when the CPU utilization of the EC2 instances is at or near 40%.

What should a solutions architect do to maintain the desired performance across all instances in the group?

- A. Use a simple scaling policy to dynamically scale the Auto Scaling group
- B. Use a target tracking policy to dynamically scale the Auto Scaling group
- C. Use an AWS Lambda function to update the desired Auto Scaling group capacity.
- D. Use scheduled scaling actions to scale up and scale down the Auto Scaling group

**Answer: B**

#### Explanation:

<https://docs.aws.amazon.com/autoscaling/application/userguide/application-auto-scaling-target-tracking.html>

#### NEW QUESTION 196

- (Exam Topic 2)

A solutions architect is optimizing a website for an upcoming musical event. Videos of the performances will be streamed in real time and then will be available on demand. The event is expected to attract a global online audience.

Which service will improve the performance of both the real-time and on-demand streaming?

- A. Amazon CloudFront
- B. AWS Global Accelerator
- C. Amazon Route 53
- D. Amazon S3 Transfer Acceleration

**Answer:** A

**Explanation:**

You can use CloudFront to deliver video on demand (VOD) or live streaming video using any HTTP origin. One way you can set up video workflows in the cloud is by using CloudFront together with AWS Media Services.

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/on-demand-streaming-video.html>

**NEW QUESTION 199**

- (Exam Topic 2)

A company uses AWS Organizations to create dedicated AWS accounts for each business unit to manage each business unit's account independently upon request. The root email recipient missed a notification that was sent to the root user email address of one account. The company wants to ensure that all future notifications are not missed. Future notifications must be limited to account administrators.

Which solution will meet these requirements?

- A. Configure the company's email server to forward notification email messages that are sent to the AWS account root user email address to all users in the organization.
- B. Configure all AWS account root user email addresses as distribution lists that go to a few administrators who can respond to alert
- C. Configure AWS account alternate contacts in the AWS Organizations console or programmatically.
- D. Configure all AWS account root user email messages to be sent to one administrator who is responsible for monitoring alerts and forwarding those alerts to the appropriate groups.
- E. Configure all existing AWS accounts and all newly created accounts to use the same root user email address
- F. Configure AWS account alternate contacts in the AWS Organizations console or programmatically.

**Answer:** D

**NEW QUESTION 204**

- (Exam Topic 2)

A company has a data ingestion workflow that includes the following components:

- An Amazon Simple Notification Service (Amazon SNS) topic that receives notifications about new data deliveries
- An AWS Lambda function that processes and stores the data

The ingestion workflow occasionally fails because of network connectivity issues. When a failure occurs the corresponding data is not ingested unless the company manually reruns the job. What should a solutions architect do to ensure that all notifications are eventually processed?

- A. Configure the Lambda function (or deployment across multiple Availability Zones)
- B. Modify the Lambda function's configuration to increase the CPU and memory allocations for the function
- C. Configure the SNS topic's retry strategy to increase both the number of retries and the wait time between retries
- D. Configure an Amazon Simple Queue Service (Amazon SQS) queue as the on-failure destination. Modify the Lambda function to process messages in the queue

**Answer:** A

**NEW QUESTION 206**

- (Exam Topic 2)

A gaming company has a web application that displays scores. The application runs on Amazon EC2 instances behind an Application Load Balancer. The application stores data in an Amazon RDS for MySQL database. Users are starting to experience long delays and interruptions that are caused by database read performance. The company wants to improve the user experience while minimizing changes to the application's architecture.

What should a solutions architect do to meet these requirements?

- A. Use Amazon ElastiCache in front of the database.
- B. Use RDS Proxy between the application and the database.
- C. Migrate the application from EC2 instances to AWS Lambda.
- D. Migrate the database from Amazon RDS for MySQL to Amazon DynamoDB.

**Answer:** A

**Explanation:**

ElastiCache can help speed up the read performance of the database by caching frequently accessed data, reducing latency and allowing the application to access the data more quickly. This solution requires minimal modifications to the current architecture, as ElastiCache can be used in conjunction with the existing Amazon RDS for MySQL database.

**NEW QUESTION 207**

- (Exam Topic 2)

A company has an event-driven application that invokes AWS Lambda functions up to 800 times each minute with varying runtimes. The Lambda functions access data that is stored in an Amazon Aurora MySQL DB cluster. The company is noticing connection timeouts as user activity increases. The database shows no signs of being overloaded. CPU, memory, and disk access metrics are all low.

Which solution will resolve this issue with the LEAST operational overhead?

- A. Adjust the size of the Aurora MySQL nodes to handle more connections
- B. Configure retry logic in the Lambda functions for attempts to connect to the database
- C. Set up Amazon ElastiCache for Redis to cache commonly read items from the database
- D. Configure the Lambda functions to connect to ElastiCache for reads.
- E. Add an Aurora Replica as a reader node
- F. Configure the Lambda functions to connect to the reader endpoint of the DB cluster rather than to the writer endpoint.

- G. Use Amazon ROS Proxy to create a proxy
- H. Set the DB cluster as the target database. Configure the Lambda functions to connect to the proxy rather than to the DB cluster.

**Answer:** D

#### NEW QUESTION 208

- (Exam Topic 2)

A company's web application is running on Amazon EC2 instances behind an Application Load Balancer. The company recently changed its policy, which now requires the application to be accessed from one specific country only. Which configuration will meet this requirement?

- A. Configure the security group for the EC2 instances.
- B. Configure the security group on the Application Load Balancer.
- C. Configure AWS WAF on the Application Load Balancer in a VPC.
- D. Configure the network ACL for the subnet that contains the EC2 instances.

**Answer:** C

#### Explanation:

<https://aws.amazon.com/about-aws/whats-new/2017/10/aws-waf-now-supports-geographic-match/>

#### NEW QUESTION 213

- (Exam Topic 2)

A company wants to move its application to a serverless solution. The serverless solution needs to analyze existing and new data by using SL. The company stores the data in an Amazon S3 bucket. The data requires encryption and must be replicated to a different AWS Region. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a new S3 bucket
- B. Load the data into the new S3 bucket
- C. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- D. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon Athena to query the data.
- E. Create a new S3 bucket
- F. Load the data into the new S3 bucket
- G. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- H. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon RDS to query the data.
- I. Load the data into the existing S3 bucket
- J. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- K. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon Athena to query the data.
- L. Load the data into the existing S3 bucket
- M. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- N. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon RDS to query the data.

**Answer:** A

#### NEW QUESTION 215

- (Exam Topic 2)

A company runs an Oracle database on premises. As part of the company's migration to AWS, the company wants to upgrade the database to the most recent available version. The company also wants to set up disaster recovery (DR) for the database. The company needs to minimize the operational overhead for normal operations and DR setup. The company also needs to maintain access to the database's underlying operating system. Which solution will meet these requirements?

- A. Migrate the Oracle database to an Amazon EC2 instance
- B. Set up database replication to a different AWS Region.
- C. Migrate the Oracle database to Amazon RDS for Oracle
- D. Activate Cross-Region automated backups to replicate the snapshots to another AWS Region.
- E. Migrate the Oracle database to Amazon RDS Custom for Oracle
- F. Create a read replica for the database in another AWS Region.
- G. Migrate the Oracle database to Amazon RDS for Oracle
- H. Create a standby database in another Availability Zone.

**Answer:** C

#### Explanation:

<https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/rds-custom.html> and <https://docs.aws.amazon.com/AmazonRDS/latest/UserGuide/working-with-custom-oracle.html>

#### NEW QUESTION 220

- (Exam Topic 2)

A company runs a high performance computing (HPC) workload on AWS. The workload required low-latency network performance and high network throughput with tightly coupled node-to-node communication. The Amazon EC2 instances are properly sized for compute and storage capacity, and are launched using default options.

What should a solutions architect propose to improve the performance of the workload?

- A. Choose a cluster placement group while launching Amazon EC2 instances.
- B. Choose dedicated instance tenancy while launching Amazon EC2 instances.
- C. Choose an Elastic Inference accelerator while launching Amazon EC2 instances.
- D. Choose the required capacity reservation while launching Amazon EC2 instances.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-ec2-placementgroup.html> "A cluster placement group is a logical grouping of instances within a single Availability Zone that benefit from low network latency, high network throughput"

**NEW QUESTION 221**

- (Exam Topic 2)

A gaming company is designing a highly available architecture. The application runs on a modified Linux kernel and supports only UDP-based traffic. The company needs the front-end tier to provide the best possible user experience. That tier must have low latency, route traffic to the nearest edge location, and provide static IP addresses for entry into the application endpoints.

What should a solutions architect do to meet these requirements?

- A. Configure Amazon Route 53 to forward requests to an Application Load Balance
- B. Use AWS Lambda for the application in AWS Application Auto Scaling.
- C. Configure Amazon CloudFront to forward requests to a Network Load Balance
- D. Use AWS Lambda for the application in an AWS Application Auto Scaling group.
- E. Configure AWS Global Accelerator to forward requests to a Network Load Balance
- F. Use Amazon EC2 instances for the application in an EC2 Auto Scaling group.
- G. Configure Amazon API Gateway to forward requests to an Application Load Balance
- H. Use AmazonEC2 instances for the application in an EC2 Auto Scaling group.

**Answer: C**

**NEW QUESTION 226**

- (Exam Topic 2)

A hospital wants to create digital copies for its large collection of historical written records. The hospital will continue to add hundreds of new documents each day. The hospital's data team will scan the documents and will upload the documents to the AWS Cloud.

A solutions architect must implement a solution to analyze the documents, extract the medical information, and store the documents so that an application can run SQL queries on the data. The solution must maximize scalability and operational efficiency.

Which combination of steps should the solutions architect take to meet these requirements? (Select TWO.)

- A. Write the document information to an Amazon EC2 instance that runs a MySQL database.
- B. Write the document information to an Amazon S3 bucket
- C. Use Amazon Athena to query the data.
- D. Create an Auto Scaling group of Amazon EC2 instances to run a custom application that processes the scanned files and extracts the medical information.
- E. Create an AWS Lambda function that runs when new documents are uploaded
- F. Use Amazon Rekognition to convert the documents to raw text
- G. Use Amazon Transcribe Medical to detect and extract relevant medical information from the text.
- H. Create an AWS Lambda function that runs when new documents are uploaded
- I. Use Amazon Textract to convert the documents to raw text
- J. Use Amazon Comprehend Medical to detect and extract relevant medical information from the text.

**Answer: DE**

**NEW QUESTION 231**

- (Exam Topic 2)

A company has an ecommerce checkout workflow that writes an order to a database and calls a service to process the payment. Users are experiencing timeouts during the checkout process. When users resubmit the checkout form, multiple unique orders are created for the same desired transaction.

How should a solutions architect refactor this workflow to prevent the creation of multiple orders?

- A. Configure the web application to send an order message to Amazon Kinesis Data Firehose
- B. Set the payment service to retrieve the message from Kinesis Data Firehose and process the order.
- C. Create a rule in AWS CloudTrail to invoke an AWS Lambda function based on the logged application path request Use Lambda to query the database, call the payment service, and pass in the order information.
- D. Store the order in the database
- E. Send a message that includes the order number to Amazon Simple Notification Service (Amazon SNS). Set the payment service to poll Amazon SNS
- F. retrieve the message, and process the order.
- G. Store the order in the database
- H. Send a message that includes the order number to an Amazon Simple Queue Service (Amazon SQS) FIFO queue
- I. Set the payment service to retrieve the message and process the order
- J. Delete the message from the queue.

**Answer: D**

**Explanation:**

This approach ensures that the order creation and payment processing steps are separate and atomic. By sending the order information to an SQS FIFO queue, the payment service can process the order one at a time and in the order they were received. If the payment service is unable to process an order, it can be retried later, preventing the creation of multiple orders. The deletion of the message from the queue after it is processed will prevent the same message from being processed multiple times.

**NEW QUESTION 236**

- (Exam Topic 2)

A company runs an application using Amazon ECS. The application creates resized versions of an original image and then makes Amazon S3 API calls to store the resized images in Amazon S3.

How can a solutions architect ensure that the application has permission to access Amazon S3?

- A. Update the S3 role in AWS IAM to allow read/write access from Amazon ECS, and then relaunch the container.
- B. Create an IAM role with S3 permissions, and then specify that role as the taskRoleArn in the task definition.
- C. Create a security group that allows access from Amazon ECS to Amazon S3, and update the launch configuration used by the ECS cluster.
- D. Create an IAM user with S3 permissions, and then relaunch the Amazon EC2 instances for the ECS cluster while logged in as this account.

Answer: B

**NEW QUESTION 240**

- (Exam Topic 2)

A corporation has recruited a new cloud engineer who should not have access to the CompanyConfidential Amazon S3 bucket. The cloud engineer must have read and write permissions on an S3 bucket named AdminTools.

Which IAM policy will satisfy these criteria?

A. Text, letter Description automatically generated

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}

```

B. Text Description automatically generated

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": [
        "arn:aws:s3:::AdminTools",
        "arn:aws:s3:::CompanyConfidential/*"
      ]
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": "arn:aws:s3:::CompanyConfidential"
    }
  ]
}

```

C. Text, application Description automatically generated

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject" ],
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::CompanyConfidential"
      ]
    }
  ]
}

```

D. Text, application Description automatically generated

```

{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "s3:ListBucket",
      "Resource": "arn:aws:s3:::AdminTools/*"
    },
    {
      "Effect": "Allow",
      "Action": [ "s3:GetObject", "s3:PutObject", "s3:DeleteObject" ],
      "Resource": "arn:aws:s3:::AdminTools/"
    },
    {
      "Effect": "Deny",
      "Action": "s3:*",
      "Resource": [
        "arn:aws:s3:::CompanyConfidential",
        "arn:aws:s3:::CompanyConfidential/*",
        "arn:aws:s3:::AdminTools/*"
      ]
    }
  ]
}

```

**Answer:** A

**Explanation:**

[https://docs.amazonaws.cn/en\\_us/IAM/latest/UserGuide/reference\\_policies\\_examples\\_s3\\_rw-bucket.html](https://docs.amazonaws.cn/en_us/IAM/latest/UserGuide/reference_policies_examples_s3_rw-bucket.html)

**NEW QUESTION 245**

- (Exam Topic 2)

A company wants to manage Amazon Machine Images (AMIs). The company currently copies AMIs to the same AWS Region where the AMIs were created. The company needs to design an application that captures AWS API calls and sends alerts whenever the Amazon EC2 CreateImage API operation is called within the company's account.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an AWS Lambda function to query AWS CloudTrail logs and to send an alert when a CreateImage API call is detected.
- B. Configure AWS CloudTrail with an Amazon Simple Notification Service (Amazon SNS) notification that occurs when updated logs are sent to Amazon S3. Use Amazon Athena to create a new table and to query on CreateImage when an API call is detected.
- C. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for the CreateImage API call. Configure the target as an Amazon Simple Notification Service (Amazon SNS) topic to send an alert when a CreateImage API call is detected.
- D. Configure an Amazon Simple Queue Service (Amazon SQS) FIFO queue as a target for AWS CloudTrail log
- E. Create an AWS Lambda function to send an alert to an Amazon Simple Notification Service (Amazon SNS) topic when a CreateImage API call is detected.

**Answer:** B

**NEW QUESTION 250**

- (Exam Topic 2)

A company hosts a two-tier application on Amazon EC2 instances and Amazon RDS. The application's demand varies based on the time of day. The load is minimal after work hours and on weekends. The EC2 instances run in an EC2 Auto Scaling group that is configured with a minimum of two instances and a maximum of five instances. The application must be available at all times, but the company is concerned about overall cost.

Which solution meets the availability requirement MOST cost-effectively?

- A. Use all EC2 Spot Instance
- B. Stop the RDS database when it is not in use.
- C. Purchase EC2 Instance Savings Plans to cover five EC2 instance
- D. Purchase an RDS Reserved DB Instance
- E. Purchase two EC2 Reserved Instances Use up to three additional EC2 Spot Instances as needed
- F. Stop the RDS database when it is not in use.
- G. Purchase EC2 Instance Savings Plans to cover two EC2 instance
- H. Use up to three additional EC2 On-Demand Instances as needed
- I. Purchase an RDS Reserved DB Instance.

**Answer:** D

**NEW QUESTION 252**

- (Exam Topic 3)

A company wants to deploy a new public web application on AWS. The application includes a web server tier that uses Amazon EC2 instances. The application also includes a database tier that uses an Amazon RDS for MySQL DB instance.

The application must be secure and accessible for global customers that have dynamic IP addresses. How should a solutions architect configure the security groups to meet these requirements?

- A. Configure the security group for the web servers to allow inbound traffic on port 443 from 0.0.0.0/0. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the security group of the web servers.
- B. Configure the security group for the web servers to allow inbound traffic on port 443 from the IP addresses of the customers. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the security group of the web servers.
- C. Configure the security group for the web servers to allow inbound traffic on port 443 from the IP addresses of the customers. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the IP addresses of the customers.

D. Configure the security group for the web servers to allow inbound traffic on port 443 from 0.0.0.0/0 Configure the security group for the DB instance to allow inbound traffic on port 3306 from 0.0.0.0/0)

**Answer:** A

#### NEW QUESTION 256

- (Exam Topic 3)

A company uses a payment processing system that requires messages for a particular payment ID to be received in the same order that they were sent Otherwise, the payments might be processed incorrectly.

Which actions should a solutions architect take to meet this requirement? (Select TWO.)

- A. Write the messages to an Amazon DynamoDB table with the payment ID as the partition key
- B. Write the messages to an Amazon Kinesis data stream with the payment ID as the partition key.
- C. Write the messages to an Amazon ElastiCache for Memcached cluster with the payment ID as the key
- D. Write the messages to an Amazon Simple Queue Service (Amazon SQS) queue Set the message attribute to use the payment ID
- E. Write the messages to an Amazon Simple Queue Service (Amazon SQS) FIFO queue
- F. Set the message group to use the payment ID.

**Answer:** AE

#### NEW QUESTION 261

- (Exam Topic 3)

A company hosts a marketing website in an on-premises data center. The website consists of static documents and runs on a single server. An administrator updates the website content infrequently and uses an SFTP client to upload new documents.

The company decides to host its website on AWS and to use Amazon CloudFront. The company's solutions architect creates a CloudFront distribution. The solutions architect must design the most cost-effective and resilient architecture for website hosting to serve as the CloudFront origin.

Which solution will meet these requirements?

- A. Create a virtual server by using Amazon Lightsail
- B. Configure the web server in the Lightsail instance.Upload website content by using an SFTP client.
- C. Create an AWS Auto Scaling group for Amazon EC2 instance
- D. Use an Application Load Balancer.Upload website content by using an SFTP client.
- E. Create a private Amazon S3 bucket
- F. Use an S3 bucket policy to allow access from a CloudFront origin access identity (OAI). Upload website content by using theAWSCLI.
- G. Create a public Amazon S3 bucket
- H. Configure AWS Transfer for SFT
- I. Configure the S3 bucket for website hosting
- J. Upload website content by using the SFTP client.

**Answer:** C

#### Explanation:

<https://docs.aws.amazon.com/cli/latest/reference/transfer/describe-server.html>

#### NEW QUESTION 263

- (Exam Topic 3)

A company needs to transfer 600 TB of data from its on-premises network-attached storage (NAS) system to the AWS Cloud. The data transfer must be complete within 2 weeks. The data is sensitive and must be encrypted in transit. The company's internet connection can support an upload speed of 100 Mbps.

Which solution meets these requirements MOST cost-effectively?

- A. Use Amazon S3 multi-part upload functionality to transfer the files over HTTPS
- B. Create a VPN connection between the on-premises NAS system and the nearest AWS Region Transfer the data over the VPN connection
- C. Use the AWS Snow Family console to order several AWS Snowball Edge Storage Optimized devices Use the devices to transfer the data to Amazon S3.
- D. Set up a 10 Gbps AWS Direct Connect connection between the company location and the nearest AWS Region Transfer the data over a VPN connection into the Region to store the data in Amazon S3

**Answer:** D

#### NEW QUESTION 266

- (Exam Topic 3)

A company needs to create an Amazon Elastic Kubernetes Service (Amazon EKS) cluster to host a digital

media streaming application. The EKS cluster will use a managed node group that is backed by Amazon Elastic Block Store (Amazon EBS) volumes for storage. The company must encrypt all data at rest by using a customer managed key that is stored in AWS Key Management Service (AWS KMS)

Which combination of actions will meet this requirement with the LEAST operational overhead? (Select TWO.)

- A. Use a Kubernetes plugin that uses the customer managed key to perform data encryption.
- B. After creation of the EKS cluster, locate the EBS volume
- C. Enable encryption by using the customer managed key.
- D. Enable EBS encryption by default in the AWS Region where the EKS cluster will be created
- E. Select the customer managed key as the default key.
- F. Create the EKS cluster Create an IAM role that has a policy that grants permission to the customer managed key
- G. Associate the role with the EKS cluster.
- H. Store the customer managed key as a Kubernetes secret in the EKS cluster
- I. Use the customer managed key to encrypt the EBS volumes.

**Answer:** AD

#### NEW QUESTION 268

- (Exam Topic 3)

A company wants to create an application to store employee data in a hierarchical structured relationship. The company needs a minimum-latency response to high-traffic queries for the employee data and must protect any sensitive data. The company also need to receive monthly email messages if any financial information is present in the employee data.

Which combination of steps should a solution architect take to meet these requirements? ( Select TWO.)

- A. Use Amazon Redshift to store the employee data in hierarchie
- B. Unload the data to Amazon S3 every month.
- C. Use Amazon DynamoDB to store the employee data in hierarchies Export the data to Amazon S3 every month.
- D. Configure Amazon Macie for the AWS account Integrate Macie with Amazon EventBridge to send monthly events to AWS Lambda.
- E. Use Amazon Athena to analyze the employee data in Amazon S3 integrate Athena with Amazon QuickSight to publish analysis dashboards and share the dashboards with users.
- F. Configure Amazon Macie for the AWS account
- G. integrate Macie with Amazon EventBridge to send monthly notifications through an Amazon Simple Notification Service (Amazon SNS) subscription.

**Answer:** BE

#### NEW QUESTION 269

- (Exam Topic 3)

A company manages its own Amazon EC2 instances that run MySQL databases. The company is manually managing replication and scaling as demand increases or decreases. The company needs a new solution that simplifies the process of adding or removing compute capacity to or from its database tier as needed. The solution also must offer improved performance, scaling, and durability with minimal effort from operations.

Which solution meets these requirements?

- A. Migrate the databases to Amazon Aurora Serverless for Aurora MySQL.
- B. Migrate the databases to Amazon Aurora Serverless for Aurora PostgreSQL.
- C. Combine the databases into one larger MySQL database
- D. Run the larger database on larger EC2 instances.
- E. Create an EC2 Auto Scaling group for the database tier
- F. Migrate the existing databases to the new environment.

**Answer:** A

#### Explanation:

<https://aws.amazon.com/rds/aurora/serverless/>

#### NEW QUESTION 272

- (Exam Topic 3)

A company has deployed a Java Spring Boot application as a pod that runs on Amazon Elastic Kubernetes Service (Amazon EKS) in private subnets. The application needs to write data to an Amazon DynamoDB table. A solutions architect must ensure that the application can interact with the DynamoDB table without exposing traffic to the internet.

Which combination of steps should the solutions architect take to accomplish this goal? (Choose two.)

- A. Attach an IAM role that has sufficient privileges to the EKS pod.
- B. Attach an IAM user that has sufficient privileges to the EKS pod.
- C. Allow outbound connectivity to the DynamoDB table through the private subnets' network ACLs.
- D. Create a VPC endpoint for DynamoDB.
- E. Embed the access keys in the Java Spring Boot code.

**Answer:** AD

#### Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/vpc-endpoints-dynamodb.html> <https://aws.amazon.com/about-aws/whats-new/2019/09/amazon-eks-adds-support-to-assign-iam-permissions-to->

#### NEW QUESTION 277

- (Exam Topic 3)

A company has a Microsoft .NET application that runs on an on-premises Windows Server. The application stores data by using an Oracle Database Standard Edition server. The company is planning a migration to AWS and wants to minimize development changes while moving the application. The AWS application environment should be highly available.

Which combination of actions should the company take to meet these requirements? (Select TWO.)

- A. Refactor the application as serverless with AWS Lambda functions running .NET Core
- B. Rehost the application in AWS Elastic Beanstalk with the .NET platform in a Multi-AZ deployment
- C. Replatform the application to run on Amazon EC2 with the Amazon Linux Amazon Machine Image (AMI)
- D. Use AWS Database Migration Service (AWS DMS) to migrate from the Oracle database to Amazon DynamoDB in a Multi-AZ deployment
- E. Use AWS Database Migration Service (AWS DMS) to migrate from the Oracle database to Oracle on Amazon RDS in a Multi-AZ deployment

**Answer:** BE

#### NEW QUESTION 281

- (Exam Topic 3)

A company wants to migrate its 1 PB on-premises image repository to AWS. The images will be used by a serverless web application. Images stored in the repository are rarely accessed, but they must be immediately available. Additionally, the images must be encrypted at rest and protected from accidental deletion. Which solution meets these requirements?

- A. Implement client-side encryption and store the images in an Amazon S3 Glacier vault. Set a vault lock to prevent accidental deletion.
- B. Store the images in an Amazon S3 bucket in the S3 Standard-Infrequent Access (S3 Standard-IA) storage class. Enable versioning, default encryption, and MFA Delete on the S3 bucket.

- C. Store the images in an Amazon FSx for Windows File Server file share Configure the Amazon FSx file share to use an AWS Key Management Service (AWS KMS) customer master key (CMK) to encrypt the images in the file share Use NTFS permission sets on the images to prevent accidental deletion
- D. Store the images in an Amazon Elastic File System (Amazon EFS) file share in the Infrequent Access storage class Configure the EFS file share to use an AWS Key Management Service (AWS KMS) customer master key (CMK) to encrypt the images in the file share
- E. Use NFS permission sets on the images to prevent accidental deletion

**Answer: B**

#### NEW QUESTION 282

- (Exam Topic 3)

A company is implementing new data retention policies for all databases that run on Amazon RDS DB instances. The company must retain daily backups for a minimum period of 2 years. The backups must be consistent and restorable.

Which solution should a solutions architect recommend to meet these requirements?

- A. Create a backup vault in AWS Backup to retain RDS backup
- B. Create a new backup plan with a daily schedule and an expiration period of 2 years after creation
- C. Assign the RDS DB instances to the backup plan.
- D. Configure a backup window for the RDS DB instances for daily snapshot
- E. Assign a snapshot retention policy of 2 years to each RDS DB instance
- F. Use Amazon Data Lifecycle Manager (Amazon DLM) to schedule snapshot deletions.
- G. Configure database transaction logs to be automatically backed up to Amazon CloudWatch Logs with an expiration period of 2 years.
- H. Configure an AWS Database Migration Service (AWS DMS) replication task
- I. Deploy a replication instance, and configure a change data capture (CDC) task to stream database changes to Amazon S3 as the target
- J. Configure S3 Lifecycle policies to delete the snapshots after 2 years.

**Answer: A**

#### NEW QUESTION 285

- (Exam Topic 3)

A research laboratory needs to process approximately 8 TB of data The laboratory requires sub-millisecond latencies and a minimum throughput of 6 GBps for the storage subsystem Hundreds of Amazon EC2 instances that run Amazon Linux will distribute and process the data

Which solution will meet the performance requirements?

- A. Create an Amazon FSx for NetApp ONTAP file system Set each volume's tiering policy to ALL Import the raw data into the file system Mount the file system on the EC2 instances
- B. Create an Amazon S3 bucket to store the raw data Create an Amazon FSx for Lustre file system that uses persistent SSD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances
- C. Create an Amazon S3 bucket to store the raw data Create an Amazon FSx for Lustre file system that uses persistent HDD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances
- D. Create an Amazon FSx for NetApp ONTAP file system Set each volume's tiering policy to NON
- E. Import the raw data into the file system Mount the file system on the EC2 instances

**Answer: B**

#### Explanation:

Create an Amazon S3 bucket to store the raw data Create an Amazon FSx for Lustre file system that uses persistent SSD storage Select the option to import data from and export data to Amazon S3 Mount the file system on the EC2 instances. Amazon FSx for Lustre uses SSD storage for sub-millisecond latencies and up to 6 GBps throughput, and can import data from and export data to Amazon S3. Additionally, the option to select persistent SSD storage will ensure that the data is stored on the disk and not lost if the file system is stopped.

#### NEW QUESTION 287

- (Exam Topic 3)

As part of budget planning, management wants a report of AWS billed items listed by user. The data will be used to create department budgets. A solution architect needs to determine the most efficient way to obtain this report Information

Which solution meets these requirements?

- A. Run a query with Amazon Athena to generate the report.
- B. Create a report in Cost Explorer and download the report
- C. Access the bill details from the billing dashboard and download the bill.
- D. Modify a cost budget in AWS Budgets to alert with Amazon Simple Email Service (Amazon SES).

**Answer: B**

#### NEW QUESTION 292

- (Exam Topic 3)

A company has an AWS Lambda function that needs read access to an Amazon S3 bucket that is located in the same AWS account. Which solution will meet these requirements in the MOST secure manner?

- A. Apply an S3 bucket policy that grants read access to the S3 bucket
- B. Apply an IAM role to the Lambda function Apply an IAM policy to the role to grant read access to the S3 bucket
- C. Embed an access key and a secret key in the Lambda function's code to grant the required IAM permissions for read access to the S3 bucket
- D. Apply an IAM role to the Lambda function
- E. Apply an IAM policy to the role to grant read access to all S3 buckets in the account

**Answer: B**

#### NEW QUESTION 293

- (Exam Topic 3)

A company runs a public three-Tier web application in a VPC. The application runs on Amazon EC2 instances across multiple Availability Zones. The EC2 instances that run in private subnets need to communicate with a license server over the internet. The company needs a managed solution that minimizes operational maintenance.

Which solution meets these requirements?"

- A. Provision a NAT instance in a public subnet. Modify each private subnet's route table with a default route that points to the NAT instance.
- B. Provision a NAT instance in a private subnet. Modify each private subnet's route table with a default route that points to the NAT instance.
- C. Provision a NAT gateway in a public subnet. Modify each private subnet's route table with a default route that points to the NAT gateway.
- D. Provision a NAT gateway in a private subnet. Modify each private subnet's route table with a default route that points to the NAT gateway.

**Answer: C**

#### NEW QUESTION 297

- (Exam Topic 3)

A company wants to migrate an Oracle database to AWS. The database consists of a single table that contains millions of geographic information systems (GIS) images that are high resolution and are identified by a geographic code.

When a natural disaster occurs, tens of thousands of images get updated every few minutes. Each geographic code has a single image or row that is associated with it. The company wants a solution that is highly available and scalable during such events.

Which solution meets these requirements MOST cost-effectively?"

- A. Store the images and geographic codes in a database table. Use Oracle running on an Amazon RDS Multi-AZ DB instance.
- B. Store the images in Amazon S3 buckets. Use Amazon DynamoDB with the geographic code as the key and the image S3 URL as the value.
- C. Store the images and geographic codes in an Amazon DynamoDB table. Configure DynamoDB Accelerator (DAX) during times of high load.
- D. Store the images in Amazon S3 buckets. Store geographic codes and image S3 URLs in a database table. Use Oracle running on an Amazon RDS Multi-AZ DB instance.

**Answer: A**

#### NEW QUESTION 299

- (Exam Topic 3)

A company runs a containerized application on a Kubernetes cluster in an on-premises data center. The company is using a MongoDB database for data storage. The company wants to migrate some of these environments to AWS, but no code changes or deployment method changes are possible at this time. The company needs a solution that minimizes operational overhead.

Which solution meets these requirements?"

- A. Use Amazon Elastic Container Service (Amazon ECS) with Amazon EC2 worker nodes for compute and MongoDB on EC2 for data storage.
- B. Use Amazon Elastic Container Service (Amazon ECS) with AWS Fargate for compute and Amazon DynamoDB for data storage.
- C. Use Amazon Elastic Kubernetes Service (Amazon EKS) with Amazon EC2 worker nodes for compute and Amazon DynamoDB for data storage.
- D. Use Amazon Elastic Kubernetes Service (Amazon EKS) with AWS Fargate for compute and Amazon DocumentDB (with MongoDB compatibility) for data storage.

**Answer: D**

#### Explanation:

Amazon DocumentDB (with MongoDB compatibility) is a fast, reliable, and fully managed database service. Amazon DocumentDB makes it easy to set up, operate, and scale MongoDB-compatible databases in the cloud. With Amazon DocumentDB, you can run the same application code and use the same drivers and tools that you use with MongoDB.

<https://docs.aws.amazon.com/documentdb/latest/developerguide/what-is.html>

#### NEW QUESTION 301

- (Exam Topic 3)

A financial company hosts a web application on AWS. The application uses an Amazon API Gateway Regional API endpoint to give users the ability to retrieve current stock prices. The company's security team has noticed an increase in the number of API requests. The security team is concerned that HTTP flood attacks might take the application offline.

A solutions architect must design a solution to protect the application from this type of attack. Which solution meets these requirements with the LEAST operational overhead?"

- A. Create an Amazon CloudFront distribution in front of the API Gateway Regional API endpoint with a maximum TTL of 24 hours.
- B. Create a Regional AWS WAF web ACL with a rate-based rule.
- C. Associate the web ACL with the API Gateway stage.
- D. Use Amazon CloudWatch metrics to monitor the Count metric and alert the security team when the predefined rate is reached.
- E. Create an Amazon CloudFront distribution with Lambda@Edge in front of the API Gateway Regional API endpoint. Create an AWS Lambda function to block requests from IP addresses that exceed the predefined rate.

**Answer: B**

#### NEW QUESTION 302

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **SAA-C03 Practice Exam Features:**

- \* SAA-C03 Questions and Answers Updated Frequently
- \* SAA-C03 Practice Questions Verified by Expert Senior Certified Staff
- \* SAA-C03 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* SAA-C03 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The SAA-C03 Practice Test Here](#)**