

AZ-801 Dumps

Configuring Windows Server Hybrid Advanced Services

<https://www.certleader.com/AZ-801-dumps.html>



NEW QUESTION 1

DRAG DROP

You are planning the implementation of Cluster2 to support the on-premises migration plan.

You need to ensure that the disks on Cluster2 meet the security requirements.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Add a disk resource to the cluster.	
Enable BitLocker on the volume.	
Update the BitLockerProtectorInfo property of the volume.	
Create a Cluster Shared Volume (CSV).	
Put the disk in maintenance mode.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/failover-clustering/bitlocker-on-csv-in-ws-2022>

NEW QUESTION 2

HOTSPOT

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements.

Which service should you use to enforce the security policy, and what should you use to manage the policy settings? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Enforce the security policy:	<div>Microsoft Defender Application Control</div> <div>Microsoft Defender Application Guard</div> <div>Microsoft Defender Credential Guard</div> <div>Microsoft Defender for Endpoint</div>
Manage the policy settings:	<div>Configuration profiles in Microsoft Intune</div> <div>Compliance policies in Microsoft Intune</div> <div>Group Policy Objects (GPOs)</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wdacand-applockeroverview>

NEW QUESTION 3

You are planning the deployment of Microsoft Sentinel.

Which type of Microsoft Sentinel data connector should you use to meet the security requirements?

- A. Threat Intelligence - TAXII
- B. Azure Active Directory
- C. Microsoft Defender for Cloud
- D. Microsoft Defender for Identity

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/cas-isp-legacy-protocols>

NEW QUESTION 4

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
User1 can sign in to Server4 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
User2 can sign in to Server4 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>
User3 can sign in to Server4 by using Remote Desktop.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 can sign in to Server4 by using Remote Desktop.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can sign in to Server4 by using Remote Desktop.	<input checked="" type="radio"/>	<input type="radio"/>
User3 can sign in to Server4 by using Remote Desktop.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 5

HOTSPOT

With which servers can Server1 and Server3 communicate? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Server1 can communicate with:

Server2 only
Server3 only
Server2 and Server3 only
Server2, Server3, and Server4
None of the servers

Server3 can communicate with:

Server2 only
Server1 and Server2 only
Server1 and Server4 only
Server1, Server2, and Server4
None of the servers

NEW QUESTION 6

You need to back up Server 4 to meet the technical requirements.
What should you do first?

- A. Deploy Microsoft Azure Backup Server (MABS).
- B. Configure Windows Server Backup.
- C. Install the Microsoft Azure Recovery Services (MARS) agent.
- D. Configure Storage Replica.

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/install-mars-agent>

NEW QUESTION 7

You need to meet the technical requirements for Cluster3.
What should you include in the solution?

- A. Enable integration services on all the virtual machines.
- B. Add a Windows Server server role.
- C. Configure a fault domain doe the cluster.
- D. Add a failover cluster role.

Answer: D

Explanation:

The Hyper-V replica broker role is required on the cluster.

Reference: <https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replicabroker-required>

NEW QUESTION 8

HOTSPOT

You are planning the DHCP1 migration to support the DHCP migration plan.

Which two PowerShell cmdlets should you run on DHCP1, and which two PowerShell cmdlets should you run on DHCP2?

To answer, drag the appropriate cmdlets to the correct servers. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Cmdlets	Answer Area
Add-DhcpServerInDC	DHCP1: Cmdlet
Add-DhcpServerv4Scope	Cmdlet
Export-DhcpServer	
Import-DhcpServer	DHCP2: Cmdlet
Remove-DhcpServerInDC	Cmdlet
Remove-DhcpServerv4Scope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://theitbros.com/how-to-migrate-dhcp-to-windows-server-2016/>

NEW QUESTION 9**HOTSPOT**

You are planning the migration of APP3 and APP4 to support the Azure migration plan.

What should you do on Cluster1 and in Azure before you perform the migration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

On Cluster1:

Configure Azure Network Adapter.
Create a Point-to-Site (P2S) VPN connection to Vnet1.
Import the Azure Migrate appliance.
Install the Azure File Sync agent.
Install the Windows Server Migration Tools.

In Azure:

Create a premium block blobs Azure Storage account.
Create a private endpoint.
Create a VPN gateway.
Create an Azure Migrate project.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-hyper-v>

NEW QUESTION 10

You need to meet the technical requirements for User1.

To which group in contoso.com should you add User1?

- A. Domain Admins
- B. Account Operators
- C. Schema Admins
- D. Backup Operators

Answer: A

NEW QUESTION 10

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From Virus & threat protection, you configure Tamper Protection Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

NEW QUESTION 14

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1.

Solution: From App & browser control, you configure the Exploit protection settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

NEW QUESTION 17

DRAG DROP

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

The AD DS domain contains a domain controller named DC1. DC1 does NOT have internet access.

You need to configure password security for on-premises users. The solution must meet the following requirements:

Prevent the users from using known weak passwords.

Prevent the users from using the company name in passwords.

What should you do? To answer, drag the appropriate configurations to the correct targets. Each configuration may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Configurations	Answer Area
Configure Azure AD Identity Protection.	On DC1: <input type="text"/>
Configure Azure AD Password Protection.	On a member server: <input type="text"/>
Install the Azure AD Pass-through Authentication Agent.	In Azure: <input type="text"/>
Install the Azure AD Password Protection DC agent.	
Install the Azure AD Password Protection proxy service.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Reference: <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdeploy>

NEW QUESTION 19


HOTSPOT

The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)


The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)



An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.)



You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The password of ServiceAccount1 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
The password of ServiceAccount2 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
Accounts that have the Service Accounts Policy applied can change their password to P@\$w0rd1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/get-started/adac/introduction-to-active-directoryadministrativecenterenhancements--level-100-#fine_grained_pswd_policy_mgmt

NEW QUESTION 20

You have an Azure virtual machine named VM1 that runs Windows Server.
You plan to deploy a new line-of-business (LOB) application to VM1.
You need to ensure that the application can create child processes.
What should you configure on VM1?

- A. Microsoft Defender Credential Guard
B. Microsoft Defender Application Control
C. Microsoft Defender SmartScreen
D. Exploit protection

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-exploitprotection?view=o365-worldwide>

NEW QUESTION 21

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant by using password hash synchronization.
You have a Microsoft 365 subscription.
All devices are hybrid Azure AD-joined.
Users report that they must enter their password manually when accessing Microsoft 365 applications.
You need to reduce the number of times the users are prompted for their password when they access Microsoft 365 and Azure services.
What should you do?

- A. In Azure AD, configure a Conditional Access policy for the Microsoft Office 365 applications.
B. In the DNS zone of the AD DS domain, create an autodiscover record.
C. From Azure AD Connect, enable single sign-on (SSO).
D. From Azure AD Connect, configure pass-through authentication.

Answer: C

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

NEW QUESTION 23

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

Name	Domain controller	Configuration
fabrikam.com	DC1	PDC emulator
	DC2	Infrastructure master
	DC3	Read-only domain controller (RODC)
eu.fabrikam.com	DC4	PDC emulator
	DC5	Infrastructure master
	DC6	Read-only domain controller (RODC)

You are implementing Microsoft Defender for Identity sensors.
You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains.
What should you identify? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.
Hot Area:

Answer Area

Domain controllers that require the sensors:

DC1 and DC4 only
DC2 and DC5 only
DC1, DC2, DC4, and DC5 only
All the domain controllers in the forest

Authentication information that must be provided during the sensor installation:

An AD DS group managed service account (gMSA)
A cloud-only user from Azure Active Directory (Azure AD)
The access key generated by the Microsoft Defender for Identity portal

- A. Mastered
B. Not Mastered

Answer: A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defenderforidentity/install-step4>

NEW QUESTION 24

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.

Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
B. all the rules in the Remote Event Log Management group
C. the Windows Management Instrumentation (WMI-In) rule
D. the COM+ Remote Administration (DCOM-In) rule
E. the Windows Management Instrumentation (DCOM-In) rule

Answer: AB**Explanation:**

Reference: <https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-managementin-servermanager>

NEW QUESTION 26

You have a server that runs Windows Server. The server is configured to encrypt all incoming traffic by using a connection security rule.

You need to ensure that Server1 can respond to the unencrypted tracert commands initiated from computers on the same network.

What should you do from Windows Defender Firewall with Advanced Security?

- A. From the IPsec Settings, configure IPsec defaults.
B. Create a new custom outbound rule that allows ICMPv4 protocol connections for all profiles.
C. Change the Firewall state of the Private profile to Off.
D. From the IPsec Settings, configure IPsec exemptions.

Answer: D**NEW QUESTION 29**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.


After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: You increase Maximum failures in the specified period for the App1 cluster role.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The Maximum failures setting is used to determine when the cluster determines that a node is offline. It does not affect whether a cluster will fail back when a node comes online.


NEW QUESTION 33

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.


After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)



Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the General settings, you move Server2 up.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

NEW QUESTION 38

HOTSPOT

You have a failover cluster named FC1 that contains two nodes named Server1 and Server2. FC1 is configured to use a file share witness.

You plan to configure FC1 to use a cloud witness.

You need to configure Azure Storage accounts for the cloud witness.

Which storage account type and authorization method should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Storage account type:

- Premium block blobs
- Premium file shares
- Premium page blobs
- Standard

Authentication method:

- Access key
- Shared access signature (SAS)
- System-assigned managed identity in Azure Active Directory (Azure AD)
- User-assigned managed identity in Azure Active Directory (Azure AD)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/failover-clustering/deploy-cloud-witness>

NEW QUESTION 42

DRAG DROP

You have three servers named Server1, Server2, Server3 that run Windows Server and have the Hyper-V server role installed.

You plan to create a hyper-converged cluster to host Hyper-V virtual machines.

You need to ensure that you can store virtual machines in Storage Spaces Direct.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create a failover cluster.	
Create a Distributed File System (DFS) namespace.	
Enable Storage Spaces Direct.	
Create a volume.	
Add a Scale-Out File Server for application role.	
Create a file share.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/system-center/vmm/s2d-hyper-converged?view=sc-vmm-2019>

NEW QUESTION 44

You have a Storage Spaces Direct configuration that has persistent memory and contains the data volumes shown in the following table.

Name	File system
Volume1	NTFS
Volume2	ReFS

You plan to add data volumes to Storage Spaces Direct as shown in the following table.

Name	File system
Volume3	NTFS
Volume4	ReFS

On which volumes can you use direct access (DAX)?

- A. Volume3 only
- B. Volume4 only
- C. Volume1 and Volume3 only
- D. Volume2 and Volume4 only
- E. Volume3 and Volume4 only

Answer: A

Explanation:

DAX can only be used on one volume and the volume has to be NTFS. You could configure DAX on Volume1 (although that would require reformatting the volume) or Volume3. However, 'Volume1 only' isn't an answer option so Volume3 is the correct answer.

'Volume1 and Volume3' is incorrect because of the single volume limitation.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/persistent-memory-direct-access>

NEW QUESTION 49

HOTSPOT

You have a failover cluster named Cluster1 that contains three nodes.

You plan to add two file server cluster roles named File1 and File2 to Cluster1. File1 will use the File Server for general use role. File2 will use the Scale-Out File Server for application data role.

What is the maximum number of nodes for File1 and File2 that can concurrently serve client connections? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

File1:	<div><div></div><div>1</div><div>2</div><div>3</div></div>
File2:	<div><div></div><div>1</div><div>2</div><div>3</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/failover-clustering/sofs-overview>

NEW QUESTION 52

HOTSPOT

You have a Hyper-V failover cluster named Cluster1 that uses a cloud witness. Cluster1 hosts a virtual machine named VM1 that runs Windows Server.

You need to fail over VM1 automatically to a different node when a service named Service1 on VM1 fails.

What should you do on Cluster1 and VM1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Cluster1:	<div><div></div><div>Modify the settings of the VM1 cluster role.</div><div>Configure monitoring of the VM1 cluster role.</div><div>Change the startup priority of the VM1 cluster role.</div></div>
VM1:	<div><div></div><div>Configure the Startup Type of Service1.</div><div>Configure the Recovery settings of Service1.</div><div>Configure the Startup and Recovery settings.</div><div>Install and configure the Azure Monitor agent.</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Cluster1:

Modify the settings of the VM1 cluster role.
Configure monitoring of the VM1 cluster role.
Change the startup priority of the VM1 cluster role.

VM1:

Configure the Startup Type of Service1.
Configure the Recovery settings of Service1.
Configure the Startup and Recovery settings.
Install and configure the Azure Monitor agent.

NEW QUESTION 57

DRAG DROP

You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days. You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Unmount the disks.	
Download the file recovery script for VM1.	
Copy the file by using Azure Storage Explorer.	
Copy the file by using File Explorer.	
Restore the file by using Windows Server Backup.	
Run the file recovery script on VM2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 59

You have three Azure virtual machines named VM1, VM2, and VM3 that host a multitier application.

You plan to implement Azure Site Recovery.

You need to ensure that VM1, VM2, and VM3 fail over as a group.

What should you configure?

- A. an availability zone
- B. a recovery plan
- C. an availability set

Answer: B

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

NEW QUESTION 62

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. All domain controllers are backed up daily.

You accidentally remove all the users from a domain group.

You need to get a list of the users that were previously in the group.

Which four actions should you perform in sequence from a domain controller? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Action	Answer Area
Mount Active Directory to port 51389.	
View the membership of the group.	
Restore the system state to an alternate location.	
From the Deleted Objects container in Active Directory Administrative Center, run the Restore task.	
From Active Directory Users and Computers, change the domain controller to localhost:51389.	
Restore the group from the Active Directory Recycle Bin.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <http://sysadmindoc.blogspot.com/2018/10/mount-active-directory-database-from.html>

NEW QUESTION 67

You have 200 Azure virtual machines.

You create a recovery plan in Azure Site Recovery to fail over all the virtual machines to an Azure region. The plan has three manual actions.

You need to replace one of the manual actions with an automated process.

What should you use?

- A. an Azure Desired State Configuration (DSC) virtual machine extension
B. an Azure Automation runbook
C. an Azure PowerShell function
D. a Custom Script Extension on the virtual machines

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/recovery-plan-overview>

NEW QUESTION 69

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The functional level of the forest and the domain is Windows Server 2012 R2. The domain contains the domain controllers shown in the following table.

Name	Operating system	FSMO role
DC1	Windows Server 2012 R2	All
DC2	Windows Server 2022	None
DC3	Windows Server 2019	None

You need to raise the forest functional level to Windows Server 2016. The solution must meet the following requirements:

Ensure that there are three domain controllers after you raises the level. Minimize how long the FSMO roles are unavailable.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Install the Active Directory Migration Tool (ADMT).	
Deploy an additional domain controller.	
Raise the domain and forest functional level.	
Upgrade DC3.	
Migrate computer accounts by using the Active Directory Migration Tool (ADMT).	
Upgrade DC1.	
Create a custom AD DS partition.	
Move the FSMO roles to DC2.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Install the Active Directory Migration Tool (ADMT).	Move the FSMO roles to DC2.
Deploy an additional domain controller.	Upgrade DC1.
	Raise the domain and forest functional level.
Upgrade DC3.	
Migrate computer accounts by using the Active Directory Migration Tool (ADMT).	
Create a custom AD DS partition.	

NEW QUESTION 74

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10TB of data. You plan to decommission Server1. You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements: Ensure that share, file, and folder permissions are copied. After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy. Minimize administrative effort. What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storagemigration-service>

NEW QUESTION 77

DRAG DROP
You have a server named Server1 that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts an ASP.NET Core web app named WebApp1 and the app's source files. You install Docker on Server1. You need to ensure that you can deploy WebApp1 to an Azure App Service web app from the Azure Container Registry. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
Select and Place:

Actions	Answer Area
Run the docker push command.	
Run the docker run command.	
Run the docker build command.	
Create a Dockerfile.	
Create an Azure Resource Manager (ARM) template.	
Run the docker pull command.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Create a Dockerfile. This file contains instructions for the build process.
Step 2: Run the docker build command to create a container image.
Step 3: Run the docker push command to upload the image to Azure Container Registry.

NEW QUESTION 82

DRAG DROP
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a print server named Server1. All printers are deployed to users by using a Group Policy Object (GPO) named GPO1. You deploy a new server named Server2.

You need to decommission Server1. The solution must meet the following requirements:

Migrate the shared printers to Server2 by using the Printer Migration Wizard.

Ensure that the users use the printers on Server2. Minimize downtime for the users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Decommission Server1.	
Import the printers on Server2.	
Deploy Windows Server Hybrid Cloud Print.	
Export the printers on Server1.	
Update the service principal name (SPN) of each printer.	
Modify GPO1.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/archive/blogs/canitpro/step-by-step-migrating-print-servers-from-windowsserver-2008-towindowsserver-2012>

NEW QUESTION 85

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You import the Azure Migrate appliance as VM1.

You need to register VM1 with Azure Migrate.

What should you do in Azure Migrate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a project.
- B. Add a migration tool.
- C. Add an assessment tool.
- D. Generate a project key.
- E. Download the Azure Migrate installer script ZIP file.

Answer: ADE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/how-to-set-up-appliance-hyper-v>

NEW QUESTION 87

You have two servers that run Windows Server as shown in the following table.

Name	Location	Domain/workgroup
Server1	On-premises	Domain
Server2	Azure virtual machine	Workgroup

You need to copy the contents of volume E from Server1 to Server2. The solution must meet the following requirements:

Ensure that files in-use are copied. Minimize administrative effort.

What should you use?

- A. Storage Migration Service
- B. Azure File Sync
- C. Azure Backup
- D. Storage Replica

Answer: A

NEW QUESTION 92

You have an on-premises network and an Azure virtual network.

You establish a Site-to-Site VPN connection from the on-premises network to the Azure virtual network, but the connection frequently disconnects.

You need to debug the IPsec tunnel from Azure.

Which Azure VPN Gateway diagnostic log should you review?

- A. GatewayDiagnosticLog
- B. RouteDiagnosticLog
- C. IKEDiagnosticLog
- D. TunnelDiagnosticLog

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 94

You have an Azure virtual machine named VM1. Crash dumps for a process named Process1 are enabled for VM1.

When process1.exe on VM1 crashes, a technician must access the memory dump files on the virtual machine. The technician must be prevented from accessing the virtual machine.

To what should you provide the technician access?

- A. an Azure file share
- B. an Azure Log Analytics workspace
- C. an Azure Blob Storage container
- D. a managed disk

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/agents/diagnostics-extension-overview>

NEW QUESTION 96

You have a Site-to-Site VPN between an on-premises network and an Azure VPN gateway. BGP is disabled for the Site-to-Site VPN.

You have an Azure virtual network named Vnet1 that contains a subnet named Subnet1. Subnet1 contains a virtual machine named Server1.

You can connect to Server1 from the on-premises network.

You extend the address space of Vnet1. You add a subnet named Subnet2 to Vnet1. Subnet2 uses the extended address space. You deploy an Azure virtual machine named Server2 to Subnet2.

You cannot connect to Server2 from the on-premises network. Server1 can connect to Server2.

You need to ensure that you can connect to Subnet2 from the on-premises network.

What should you do?

- A. Add an additional Site-to-Site VPN between the on-premises network and Vnet1.
- B. Add a private endpoint to Subnet2.
- C. To Subnet2, add a route table that contains a user-defined route.
- D. Update the routing information on the on-premises routers.

Answer: D

NEW QUESTION 101

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-801 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-801-dumps.html>