

AZ-801 Dumps

Configuring Windows Server Hybrid Advanced Services

<https://www.certleader.com/AZ-801-dumps.html>



NEW QUESTION 1

HOTSPOT

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

User1:	<div><div></div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div></div>
Admin1:	<div><div></div><div>8</div><div>9</div><div>10</div><div>11</div><div>12</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 9

When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.

Box 2: 8

There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies.

The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

NEW QUESTION 2

DRAG DROP

You need to meet the technical requirements for Cluster2.

Which four actions should you perform in sequence before you can enable replication? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create an Azure Recovery Services vault.	
Install Azure Connected Machine agents.	
Install and register Azure Site Recovery Providers.	
Create and associate replication policies.	
Create a Hyper-V site.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

NEW QUESTION 3

HOTSPOT

You are planning the www.fabrikam.com website migration to support the Azure migration plan.

How should you configure WebApp1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

To enable WebApp1 to handle requests for the website:

Add a custom domain name.
Create a deployment slot.
Create a private endpoint.

To point client connections to WebApp1:

Add HTTP redirect rules on WEB1 and WEB2.
Implement Azure Front Door.
Implement Azure Traffic Manager.
Modify a DNS record.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Add a custom domain name

To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will make the domain name available to use in the web app.

Box 2: Modify a DNS record

You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned.

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecli>

NEW QUESTION 4

HOTSPOT

You are planning the DHCP1 migration to support the DHCP migration plan.

Which two PowerShell cmdlets should you run on DHCP1, and which two PowerShell cmdlets should you run on DHCP2?

To answer, drag the appropriate cmdlets to the correct servers. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Cmdlets

Add-DhcpServerInDC

Add-DhcpServerv4Scope

Export-DhcpServer

Import-DhcpServer

Remove-DhcpServerInDC

Remove-DhcpServerv4Scope

Answer Area

DHCP1:

Cmdlet

Cmdlet

DHCP2:

Cmdlet

Cmdlet

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://theitbros.com/how-to-migrate-dhcp-to-windows-server-2016/>

NEW QUESTION 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1.

Solution: From Virus & threat protection, you configure Controlled folder access.

Does this meet the goal?

- A. Yes
B. No

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlledfolders?view=o365-worldwide>

NEW QUESTION 6

DRAG DROP

You have an on-premises Active Directory Domain Services (AD DS) domain that syncs with an Azure Active Directory (Azure AD) tenant.

The AD DS domain contains a domain controller named DC1. DC1 does NOT have internet access.

You need to configure password security for on-premises users. The solution must meet the following requirements:

Prevent the users from using known weak passwords.

Prevent the users from using the company name in passwords.

What should you do? To answer, drag the appropriate configurations to the correct targets. Each configuration may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Configurations	Answer Area
Configure Azure AD Identity Protection.	On DC1: <input type="text"/>
Configure Azure AD Password Protection.	On a member server: <input type="text"/>
Install the Azure AD Pass-through Authentication Agent.	In Azure: <input type="text"/>
Install the Azure AD Password Protection DC agent.	
Install the Azure AD Password Protection proxy service.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdeploy>

NEW QUESTION 7

HOTSPOT

The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)

Group Policy Management

File Action View Window Help

Group Policy Management

Forest: Fabrikam.com

Domains

Fabrikam.com

Default Domain Policy

Domain Controllers

ServiceAccounts

Group Policy Objects

WMI Filters

Starter GPOs

Sites

Group Policy Modeling

Group Policy Results

Default Domain Policy

Scope Details Settings Delegation

Default Domain Policy

Data collected on: 10/18/2021 9:06:02 PM [show all](#)

General [hide](#)

Details [show](#)

Links [show](#)

Security Filtering [show](#)

Delegation [show](#)

Computer Configuration (Enabled) [hide](#)

Policies [hide](#)

Windows Settings [hide](#)

Security Settings [hide](#)

Account Policies/Password Policy [hide](#)

Policy	Setting
Enforce password history	24 passwords remembered
Maximum password age	42 days
Minimum password age	1 days
Minimum password length	7 characters
Password must meet complexity requirements	Enabled
Store passwords using reversible encryption	Disabled

Account Policies/Account Lockout Policy [show](#)

Account Policies/Kerberos Policy [show](#)


Local Policies/Security Options [show](#)

Public Key Policies/Encrypting File System [show](#)


User Configuration (Enabled) [hide](#)

No settings defined.


The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)



An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.)



You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The password of ServiceAccount1 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
The password of ServiceAccount2 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
Accounts that have the Service Accounts Policy applied can change their password to P@\$w0rd1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/get-started/adac/introduction-to-active-directoryadministrativecenterenhancements--level-100-#fine_grained_pswd_policy_mgmt

NEW QUESTION 8

DRAG DROP

Your network contains an Active Directory Domain Services (AD DS) domain.

You need to implement a solution that meets the following requirements:

Ensures that the members of the Domain Admins group are allowed to sign in only to domain controllers Ensures that the lifetime of Kerberos

Ticket Granting Ticket (TGT) for the members of the Domain Admins group is limited to one hour Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create a Dynamic Access Control central access policy.	
Configure the Kerberos Policy settings for the Default Domain Policy Group Policy Object (GPO).	
Create a Dynamic Access Control claim type.	
Create an authentication policy.	
Assign the authentication policy silo to user and computer accounts.	
Create an authentication policy silo.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/manage/how-to-configure-protected-accounts>

NEW QUESTION 9

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

Name	Contents
Domain Controllers	All the domain controllers in the domain
Domain Servers	All the servers that run Windows Server in the domain
Domain Client Computers	All the client computers that run Windows 10 in the domain
Domain Users	All the users in the domain

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

Name	IPsec setting
GPO1	Require authentication by using Kerberos V5 for inbound connections
GPO2	Request authentication by using Kerberos V5 for inbound connections
GPO3	Require authentication by using X.509 certificates for inbound connections
GPO4	Request authentication by using X.509 certificates for inbound connections

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain.

The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Domain Controllers:

▼

GPO1

GPO2

GPO3

GPO4

Domain Servers:

▼

GPO1

GPO2

GPO3

GPO4

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authenticationmethods>

NEW QUESTION 10

You have an Azure subscription that has Microsoft Defender for Cloud enabled.

You have 50 Azure virtual machines that run Windows Server.

You need to ensure that any security exploits detected on the virtual machines are forwarded to Defender for Cloud.

Which extension should you enable on the virtual machines?

- A. Vulnerability assessment for machines
B. Microsoft Dependency agent
C. Log Analytics agent for Azure VMs
D. Guest Configuration agent

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/defender-for-cloud/deploy-vulnerability-assessment-vm>

NEW QUESTION 10

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

Name	Domain controller	Configuration
fabrikam.com	DC1	PDC emulator
	DC2	Infrastructure master
	DC3	Read-only domain controller (RODC)
eu.fabrikam.com	DC4	PDC emulator
	DC5	Infrastructure master
	DC6	Read-only domain controller (RODC)

You are implementing Microsoft Defender for Identity sensors.

You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Domain controllers that require the sensors:

DC1 and DC4 only
DC2 and DC5 only
DC1, DC2, DC4, and DC5 only
All the domain controllers in the forest

Authentication information that must be provided during the sensor installation:

An AD DS group managed service account (gMSA)
A cloud-only user from Azure Active Directory (Azure AD)
The access key generated by the Microsoft Defender for Identity portal

- A. Mastered
B. Not Mastered

Answer: A**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defenderforidentity/install-step4>

NEW QUESTION 14

You have an Azure virtual machine named VM1 that runs Windows Server.

You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption.

What is a prerequisite for implementing Azure Disk Encryption?

- A. Customer Lockbox for Microsoft Azure
B. an Azure key vault
C. a BitLocker recovery key
D. data-link layer encryption in Azure

Answer: B**Explanation:**Reference: <https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>**NEW QUESTION 16**

You are planning the migration of Archive1 to support the on-premises migration plan.

What is the minimum number of IP addresses required for the node and cluster roles on Cluster3?

- A. 2
B. 3
C. 4
D. 5

Answer: B**Explanation:**

One IP for each of the two nodes in the cluster and one IP for the cluster virtual IP (VIP).

NEW QUESTION 17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

App1 Properties

General Failover

App1

Name: App1

Preferred Owners
Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.

☐ Server1
☐ Server2

Priority: Medium

Status: Running

Node: Server2

OK Cancel Apply

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

App1 Properties

General Failover

Failover
Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.
If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Failback
Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent failback
☒ Allow failback

☒ Immediately
☐ Failback between 0 and 0 hours

OK Cancel Apply

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2.

Solution: From the Failover settings, you select Prevent failback.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Prevent failback setting will prevent the cluster failing back to Server1.

NEW QUESTION 19

You have a failover cluster named Cluster1 that has the following configurations:

Number of nodes: 6

Quorum: Dynamic quorum

Witness: File share, Dynamic witness

What is the maximum number of nodes that can fail simultaneously while maintaining quorum?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: C

Explanation:

Note this question is asking about nodes failing ‘simultaneously’, not nodes failing one after the other.

With six nodes and one witness, there are seven votes. To maintain quorum there needs to be four votes available (four votes is the majority of seven). This means that a minimum of three nodes plus the witness need to remain online for the cluster to function. Therefore, the maximum number of simultaneous failures is three.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/understand-quorum>

NEW QUESTION 20

You have a Storage Spaces Direct configuration that has persistent memory and contains the data volumes shown in the following table.

Name	File system
Volume1	NTFS
Volume2	ReFS

You plan to add data volumes to Storage Spaces Direct as shown in the following table.

Name	File system
Volume3	NTFS
Volume4	ReFS

On which volumes can you use direct access (DAX)?

- A. Volume3 only
- B. Volume4 only
- C. Volume1 and Volume3 only
- D. Volume2 and Volume4 only
- E. Volume3 and Volume4 only

Answer: A

Explanation:

DAX can only be used on one volume and the volume has to be NTFS. You could configure DAX on Volume1 (although that would require reformatting the volume) or Volume3. However, ‘Volume1 only’ isn’t an answer option so Volume3 is the correct answer.

‘Volume1 and Volume3’ is incorrect because of the single volume limitation.

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/persistent-memory-direct-access>

NEW QUESTION 24

You have two servers named Server1 and Server2 that run Windows Server. Both servers have the Hyper-V server role installed.

Server1 hosts three virtual machines named VM1, VM2, and VM3. The virtual machines replicate to Server2.

Server1 experiences a hardware failure.

You need to bring VM1, VM2, and VM3 back online as soon as possible.

From the Hyper-V Manager console on Server2, what should you run for each virtual machine?

- A. Start
- B. Move
- C. Unplanned Failover
- D. Planned Failover

Answer: C

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 25

DRAG DROP

You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days.

You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

- Unmount the disks.
- Download the file recovery script for VM1.
- Copy the file by using Azure Storage Explorer.
- Copy the file by using File Explorer.
- Restore the file by using Windows Server Backup.
- Run the file recovery script on VM2.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 29

HOTSPOT

You have three servers named Host1, Host2, and VM1 that run Windows Server. Host1 and Host2 have the Hyper-V server role installed. VM1 is a virtual machine hosted on Host1.

You configure VM1 to replicate to Host2 by using Hyper-V Replica.

Which types of failovers can you perform on VM1 on each host? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

VM1 on Host1:

- Failover only
- Test Failover only
- Planned Failover only
- Failover and Planned Failover only
- Test Failover and Failover only

VM1 on Host2:

- Failover only
- Test Failover only
- Planned Failover only
- Failover and Planned Failover only
- Test Failover and Failover only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

VM1 on Host1:

- Failover only
- Test Failover only
- Planned Failover only
- Failover and Planned Failover only
- Test Failover and Failover only

VM1 on Host2:

- Failover only
- Test Failover only
- Planned Failover only
- Failover and Planned Failover only
- Test Failover and Failover only

NEW QUESTION 32

You have 200 Azure virtual machines.

You create a recovery plan in Azure Site Recovery to fail over all the virtual machines to an Azure region. The plan has three manual actions.

You need to replace one of the manual actions with an automated process.

What should you use?

- A. an Azure Desired State Configuration (DSC) virtual machine extension
- B. an Azure Automation runbook
- C. an Azure PowerShell function
- D. a Custom Script Extension on the virtual machines

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/recovery-plan-overview>

NEW QUESTION 35

DRAG DROP

You manage 200 physical servers that run Windows Server.

You plan to migrate the servers to Azure.

You need to prepare for discovery of the servers by using Azure Migrate.

Which three actions should you perform in sequence on a physical server? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Download and extract the Azure Migrate installer script ZIP file.	
Download and extract the Azure Migrate Appliance VHD file.	
Run AzureMigrateInstaller.ps1.	
Import a virtual machine.	
Configure the appliance and register the appliance with Azure Migrate.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/migrate/tutorial-discover-physical>

NEW QUESTION 40

You have an on-premises server that runs Windows Server and has the Web Server (IIS) server role installed. The server hosts a web app that connects to an on-premises Microsoft SQL Server database.

You plan to migrate the web app to an Azure App Services web app. The database will remain on-premises.

You need to ensure that the migrated web app can access the database.

What should you configure in Azure?

- A. an Azure SQL managed instance
- B. an on-premises data gateway
- C. Azure Extended Network
- D. a Hybrid Connection

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/azure/app-service/app-service-hybrid-connections>

NEW QUESTION 44

HOTSPOT

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains the servers shown in the following table.

Name	Operating system	Server role
Server1	Windows Server 2019	DHCP Server
Server2	Windows Server 2022	DHCP Server
Server3	Windows Server 2019	File Server

Server3 contains a share named Share1.

On Server1, DHCP has the following configurations:

Conflict detection attempts: 3

An IPv4 scope named Scope1 that has the following settings: 1. Address Pool: 172.16.10.100

- 172.16.10.130 2. Address Leases:

- 172.16.10.100 computer1.contoso.com
- 172.16.10.101 computer2.contoso.com
Reservations: 172.16.10.101 computer2.contoso.com Policies: Policy1
You perform the following actions:
On Server1, you run
Export-DhcpServer -File \\Server3\Share1\File1.xml.
On Server2, you run
Import-DhcpServer -File \\Server3\Share1\File1.xml -BackupPath \\Server3\Share1.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.
Hot Area:

Statements	Yes	No
On Server2, Conflict detection attempts is set to 3.	<input type="radio"/>	<input type="radio"/>
On Server2, there is a reservation for computer2.contoso.com.	<input type="radio"/>	<input type="radio"/>
On Server2, Policy1 is applied to Scope1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
Reference: <https://docs.microsoft.com/en-us/powershell/module/dhcpserver/export-dhcpserver?view=windowsserver2022-ps>
<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/import-dhcpserver?view=windowsserver2022-ps>

NEW QUESTION 45

DRAG DROP
You have a server named Server1 that runs Windows Server and has the Web Server (IIS) server role installed. Server1 hosts an ASP.NET Core web app named WebApp1 and the app's source files.
You install Docker on Server1.
You need to ensure that you can deploy WebApp1 to an Azure App Service web app from the Azure Container Registry.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
Select and Place:

Actions

Run the docker push command.

Run the docker run command.

Run the docker build command.

Create a Dockerfile.

Create an Azure Resource Manager (ARM) template.

Run the docker pull command.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
Step 1: Create a Dockerfile. This file contains instructions for the build process.
Step 2: Run the docker build command to create a container image.
Step 3: Run the docker push command to upload the image to Azure Container Registry.

NEW QUESTION 49

DRAG DROP
Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a print server named Server1. All printers are deployed to users by using a Group Policy Object (GPO) named GPO1.
You deploy a new server named Server2.
You need to decommission Server1. The solution must meet the following requirements:
Migrate the shared printers to Server2 by using the Printer Migration Wizard.
Ensure that the users use the printers on Server2. Minimize downtime for the users.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.
Select and Place:

Actions	Answer Area
Decommission Server1.	
Import the printers on Server2.	
Deploy Windows Server Hybrid Cloud Print.	
Export the printers on Server1.	
Update the service principal name (SPN) of each printer.	
Modify GPO1.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: <https://docs.microsoft.com/en-us/archive/blogs/canitpro/step-by-step-migrating-print-servers-from-windowsserver-2008-towindowsserver-2012>

NEW QUESTION 51

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed.

You import the Azure Migrate appliance as VM1.

You need to register VM1 with Azure Migrate.

What should you do in Azure Migrate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a project.
- B. Add a migration tool.
- C. Add an assessment tool.
- D. Generate a project key.
- E. Download the Azure Migrate installer script ZIP file.

Answer: ADE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/how-to-set-up-appliance-hyper-v>

NEW QUESTION 53

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Sysvol replicates by using the File Replication Service (FRS).

You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.

You need to ensure that you can add the first domain controller that runs Windows Server 2022.

Solution: You upgrade the PDC emulator.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 55

You have an Azure virtual machine named VM1 that has the Web Server (IIS) server role installed. VM1 hosts a critical lineof- business (LOB) application.

After the security team at your company deploys a new security baseline to VM1, users begin reporting that the application is unresponsive.

You suspect that the security baseline has caused networking issues.

You need to perform a network trace on VM1.

What should you do?

- A. From VM1, run netstat.
- B. From Performance Monitor on VM1, create a Data Collector Set.
- C. From the Azure portal, configure the Diagnostics settings for VM1.
- D. From the Azure portal, configure the Performance diagnostics settings for VM1.

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/performance-diagnostics>

NEW QUESTION 56

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server.

Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
- B. the name and the access key of an Azure Storage account

- C. a connection string for an Azure SQL database
- D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference: <https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 57

Your on-premises network contains two subnets. The subnets contain servers that run Windows Server as shown in the following table.

Name	IP address
Server1	192.168.1.10
Server2	192.168.0.250
Server3	192.168.0.240
Server4	192.168.0.10

Server4 has the following IP configurations:

Ethernet adapter Ethernet:

Connection-specific DNS Suffix . . . :

IPv4 Address : 192.168.0.10

Subnet Mask : 255.255.255.0

Default Gateway : 192.168.0.1

From Server4, you can ping Server1 and Server2 successfully. When you ping Server3, you get a Request timed out response.

From Server2, you can ping Server1 and Server3 successfully.

The misconfiguration of which component on Server3 can cause the Request timed out response?

- A. default gateway
- B. IP address
- C. subnet mask
- D. DNS server

Answer: C

NEW QUESTION 59

HOTSPOT

You have a server named Server1 that runs Windows Server.

On Server1, you create a Data Collector Set named CollectorSet1 based on the Basic template.

You need to configure CollectorSet1 to meet the following requirements:

Older performance counter logs must be overwritten by new ones.

Performance counter logging must stop if there is less than 500 MB of free disk space.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Older performance counter logs must be overwritten by new ones:

The Configuration properties
The Data Manager properties
The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

The Configuration properties
The Data Manager properties
The Performance Counter properties

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Older performance counter logs must be overwritten by new ones:

The Configuration properties
The Data Manager properties
The Performance Counter properties

Performance counter logging must stop if there is less than 500 MB of free disk space:

The Configuration properties
The Data Manager properties
The Performance Counter properties

NEW QUESTION 60

You have an Azure virtual machine named VM1.

You install an application on VM1, and then restart the virtual machine.

After the restart, you get the following error message: "Boot failure. Reboot and Select proper Boot Device or Insert Boot Media in selected Boot Device." You need to mount the operating system disk offline from VM1 to a temporary virtual machine to troubleshoot the issue.

Which command should you run in Azure CLI?

- A. az vm repair create
- B. az vm boot-diagnostics enable
- C. az vm capture
- D. az vm disk attach

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cli/azure/vm/repair?view=azure-cli-latest>

NEW QUESTION 61

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-801 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-801-dumps.html>