

Microsoft

Exam Questions PL-100

Microsoft Power Platform App Maker



NEW QUESTION 1

DRAG DROP - (Topic 4)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories.

You are creating an app to manage requests for new products.

The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings.

Only two new tables should be created in Microsoft Dataverse:

? Products: Holds the products that can be requested.

? Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse.

Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data types	Answer Area	Data types
Lookup	Scenario Create a column in the Products table that displays the category of the product Create a column in the Products table for the product ID of the product Create a column in the Requests table that allows the user to select form a list of available products	Data type
Choice		Data type
Text		Data type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice

You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

NEW QUESTION 2

- (Topic 4)

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- B. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- C. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- D. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- E. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Accounts.Set the Item property of the form to First(Accounts).Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- F. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Ne
- G. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- H. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- I. Add a display form to Screen_AccountDetail.Set the data source of the form to Account
- J. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 3

- (Topic 4)

You create a canvas app within a Power Platform environment.

You need to identify potential accessibility issues for the canvas app before making the app available to other users.

Which tool should you use?

- A. Portal Checker
- B. App Checker
- C. Solution Checker

Answer: B

Explanation:

Find accessibility issues

* 1. In the upper-right corner of Power Apps Studio, select the icon for the App checker.



* 2. In the menu that appears, select Accessibility.

A list of issues appears, sorted first by severity and then by screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 4

DRAG DROP - (Topic 4)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned.

How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Action	Option
Power BI Service	Create the team as a role.	Option
Power BI Desktop	Add members to the role.	Option
Common Data Service		
Power Platform Admin center		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

? Import data into your Power BI Desktop report, or configure a DirectQuery connection.

? From the Modeling tab, select Manage Roles.

? From the Manage roles window, select Create.

? Etc.


Box 2: Power BI Service

After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.



On the Row-level security page, you add members to a role you created in Power BI Desktop.

NEW QUESTION 5

- (Topic 4)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.

- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.
By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 6

DRAG DROP - (Topic 4)
You have a solution that contains a Power Automate flow, an environment variable, and a
Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Select the managed solution.

Adjust the version number.

Publish all changes.

Select the unmanaged solution.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Adjust the version number. Step 2: Select the managed solution.
Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.
Step 3: Publish all changes.

NEW QUESTION 7

DRAG DROP - (Topic 4)
: 186 DRAG DROP
A company uses Power Apps.
The company requites a canvas app that connects to the following sources:

- SharePoint list
- Microsoft 365 mailbox
- SOAP API

You need to select connector types.
Which connector types should you use' To answer, drag the appropriate connector types to the correct sources. Each connector type may be used once, more than once, or not at all You may need to drag the split bar between panes or scroll to view content.

Connector types

Standard

Custom

Answer Area

Sources

SharePoint list

Microsoft 365 mailbox

SOAP API

Connector type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Connector types

Standard

Custom

Answer Area

Sources

SharePoint list

Microsoft 365 mailbox

SOAP API

Connector tvpe

Standard

Standard

Custom

NEW QUESTION 8

- (Topic 4)

You create a weekly report app as a canvas app. The data source for the app is a Microsoft SharePoint list. The file that contains the weekly report must be attached to each submission made in the app. Employees must modify the report through the canvas app after the initial submission. The manager must be notified by email when an employee updates the report. You need to create cloud flows. Which SharePoint trigger should you use?

- A. When an item is created
- B. When an item or file is modified
- C. When a file is created (properties only)
- D. When a file is created in a folder

Answer: B

NEW QUESTION 9

- (Topic 4)

You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team. Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

Answer: C

Explanation:

Restrict access to the dataset.
Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the dataset will also be shared as read-only for users.
Reference:
<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but-useful>

NEW QUESTION 10

- (Topic 4)

A company uses Power Apps in a single Microsoft Dataverse environment. Users are divided into two groups about not a canvas app should work. The company decides that each group of users will try a version of the app for one week and switch to the other version of the app the following week. You need to manage the app creation. What should you do?

- A. Create one app with two different version numbers.
- B. Create one app with two different version notes.
- C. Create two apps with the same name.
- D. Create two apps with different app names.

Answer: A

NEW QUESTION 10

DRAG DROP - (Topic 4)

You are developing a Power BI report for a company. The Power BI report must display company performance metrics in Power BI service. The report must include three fields in a visualization. The data for the report exists in a dataset. The company will display the report on a large television screen during team meetings. You need to create the report. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer and arrange them in the correct order.

Actions

Add the report to a new dashboard

Create a report

Add a visualization to the report

Create a paginated report

Select a dataset

Answer Area

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Select a dataset
Sign in to your Power BI online account, or sign up, if you don't have an account yet. Open the Power BI service.
Get some data and open it in report view.
Box 2: Create a report
Use that data to create visualizations and save it as a report. Box 3: Add a visualization to the report
Box 4: Add the report to a new dashboard
Visualizations (known as visuals for short) display insights that have been discovered in the data. A Power BI report might have a single page with one visual or it might have pages full of visuals. In the Power BI service, visuals can be pinned from reports to dashboards.

NEW QUESTION 14

HOTSPOT - (Topic 4)
You need to create a model-driven app without using code.
Which tools should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Tool
Select the forms and views that the app will use.	<div><div></div><div>Site Map designer</div><div>Solution Explorer</div><div>App designer</div><div>Entity view</div></div>
Design the navigation for the app.	<div><div></div><div>Site Map designer</div><div>Dynamics 365 Admin center</div><div>Microsoft Azure DevOps</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App designer
As an app maker, you can create and edit public views by using Power Apps.
Box 2: Site Map designer
Site maps define the navigation for your app. Create a site map for your app with ease by using the tile-based site map designer.

NEW QUESTION 16

DRAG DROP - (Topic 4)
DRAG DROP
A company uses Microsoft Power Platform. All users in the company have read/write and create access to SharePoint.
You create a canvas app that displays data from a SharePoint list. A group of users must use the app without the ability to change the data source.
You need to shore the app with the users.
What should you do? To answer, drag the appropriate actions to the correct components. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Actions	Answer Area	Component	Action
<div>Send all users an email invitation.</div> <div>Enable Can use permission.</div> <div>Set the users as co-owners.</div> <div>Enable Can edit permission.</div>		<div>Canvas app</div> <div>SharePoint connection</div>	<div></div> <div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area	Component	Action
<div>Send all users an email invitation.</div> <div>Enable Can use permission.</div> <div>Set the users as co-owners.</div> <div>Enable Can edit permission.</div>		<div>Canvas app</div> <div>SharePoint connection</div>	<div>Send all users an email invitation.</div> <div>Enable Can use permission.</div>

NEW QUESTION 19

DRAG DROP - (Topic 4)
DRAG DROP
A company is creating Power Apps apps for their customer service team.

You must create a final released solution to export to their test environment that cannot be changed in the new environment. You need to determine the types of solutions to use. Which type of solution should you use? To answer, drag the appropriate solution types to the correct conditions. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Solution type	Condition	Solution type
Managed	Assign a publisher for the first time	Solution type
Unmanaged	Export the solution	Solution type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Unmanaged
Unmanaged solutions are used in development environments while you make changes to your application.
Box 2: Managed
Managed solutions are used to deploy to any environment that isn't a development environment for that solution.

NEW QUESTION 22

DRAG DROP - (Topic 4)
You create an expense claim app for a manufacturing company. Employees use the app to enter details of their expenses and upload receipts. The company has an on-premises finance system with no APIs. The company requires an automation to enable the manager to approve employee claim requests when they are submitted. After a claim request is approved, the expense details must be entered in the on-premises finance system. You need to create the flow. Which flow type should you use for each requirement? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Flow types

Requirement	Flow type
Approve employee claim requests when they are submitted.	Automated flow Automated flow Scheduled flow Instant flow
Enter the expense details in the on-premises finance system.	Cloud flow Cloud flow Desktop flow Business process flow

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Flow types

Requirement
Approve employee claim requests when they are submitted.
Enter the expense details in the on-premises finance system.

Flow type
Automated flow
Cloud flow

NEW QUESTION 27

HOTSPOT - (Topic 4)
HOTSPOT
A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with ail users who all have the Basic User security role. You must prevent the users from running and sharing the app. What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	Turn off the app.
	Export the app.
	Turn off the app.
	Remove access to the table.
Prevent users from sharing the app.	Remove access to the table.
	Export the app.
	Turn off the app.
	Remove access to the table.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Action
Prevent users from running the app.	Turn off the app.
	Export the app.
	Turn off the app.
	Remove access to the table.
Prevent users from sharing the app.	Remove access to the table.
	Export the app.
	Turn off the app.
	Remove access to the table.

NEW QUESTION 29

DRAG DROP - (Topic 4)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties. You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates.

Box 2: Component

A component can receive input values and emit data if you create one or more custom properties.

NEW QUESTION 31

- (Topic 4)

A company plans to roll out several Power Apps apps to multiple business units across international operations.

The apps must be managed through an application lifecycle management (ALM) solution to provide a consistent and predictable use experience. All changes to the app must be traceable and documented in a single location. You must be able to revert to a previous version of an app. The app release cycles must be as streamlined as possible.

You need to create an application for the apps.

Which two tools should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Azure DevOps
- B. Microsoft Visual Studio
- C. Lifecycle Services
- D. AppSource
- E. Common Data Service

Answer: AD

Explanation:

A: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps.

D: Microsoft AppSource is now embedded in the Dynamics 365 home page and throughout the common navigation. It now includes a private gallery of apps available to you within your company. Select Get more apps from the home page or task pane, and navigate to the My Organization tab to see apps that are available to you.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/devops-build-tools> <https://docs.microsoft.com/en-us/powerapps/user/app-source>

NEW QUESTION 33

DRAG DROP - (Topic 3)

You need to create the food bank notification.

Which four actions should you perform in sequence? To answer, move the appropriate

Actions

Create a food bank topic.
Retrieve the food bank locations.
Authenticate the food bank user.
Retrieve meals in food pool filtered by location.
Filter the list of food available to the food pool.
Prompt the user to select a location.
Prompt the user to select meals.

Answer area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a food bank topic.
Retrieve the food bank locations.
Authenticate the food bank user.
Retrieve meals in food pool filtered by location.
Filter the list of food available to the food pool.
Prompt the user to select a location.
Prompt the user to select meals.

Answer area

Retrieve meals in food pool filtered by location.

Filter the list of food available to the food pool.

Prompt the user to select a location.

Prompt the user to select meals.

NEW QUESTION 34

- (Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

Answer: A

Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

? Generate a sequential job number.

? Copy key sales information to the Job Setup entity used by manufacturing.

NEW QUESTION 39

- (Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.
A component library provides a centralized and managed repository of components for reusability.
Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 44

HOTSPOT - (Topic 2)
You need to configure the system to meet the sales requirements.
What should you do? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Action
Ensure that work estimates are complete before entering estimated sales values into the Sales Log.	<div><div></div><div>Use a Business Process flow</div><div>Use a UI flow</div></div>
Prevent modification of timesheet entries by an employee.	<div><div></div><div>Add a custom control to the Business Process flow</div><div>Use a formula to set the DisplayMode property</div><div>Use a business rule</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Business Process flow
Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.
Box 2: Use a formula to set the DisplayMode property
DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

NEW QUESTION 48

HOTSPOT - (Topic 2)
If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.
You need to configure the system to meet the requirements.
What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div><div></div><div>1:N</div><div>N:N</div><div>Self-referential</div></div>
Configure ownership for the Time Tracking entity.	<div><div></div><div>Business-owned</div><div>Organization-owned</div><div>User or Team owned</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1:N
Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.
Box 2: User or Team owned
Scenario: Employees must only be able to access their own time tracking records from the app.
User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

NEW QUESTION 52

HOTSPOT - (Topic 1)
You need to configure the app to meet the requirements.
Which object properties should you configure? To answer, select the appropriate options in
NOTE: Each correct selection is worth one point.

Requirement	Property
Provide a visual indicator when the app is offline.	<div><div></div><div>Visible</div><div>OnSelect</div><div>DisplayMode</div><div>Fill</div></div>
Store data when the app is offline.	<div><div></div><div>OnSelect</div><div>LoadData</div><div>SubmitForm</div><div>Now</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Fill
Scenario: You must display a visual indicator in the app so that sales representatives know whether the app is offline before submitting reports.
Fill – The background color of a control.

NEW QUESTION 56

- (Topic 1)
You need to resolve the issue for User1.
What should you use? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Requirement	Option
Submit a status report.	<div><div></div><div>Dynamics 365 mobile app</div><div>Power Apps Studio</div><div>Power Apps mobile app</div><div>Azure mobile app</div></div>
Edit an existing status report.	<div><div></div><div>Azure SQL Database</div><div>Connector</div><div>SQL Lite DB</div><div>Collections</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Box 1: Power Apps mobile app Scenario:
User1 often works in a warehouse that does not have internet connectivity. User1 needs to edit an existing status report and submit a new status report.
The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.
You can build offline capabilities in your PowerApps app so your app users can access some data or save some data even when they don't have an internet connection.
Box 2: Connector
Scenario: Azure SQL Database is used to store other data
Use the SQL Server connector to connect to SQL Server, in either Azure or an on- premises database, so that you can manage your data with create, read, update, and delete operations.

NEW QUESTION 59

DRAG DROP - (Topic 1)
You need to modify the app design to meet the accessibility needs of the sales associates.
Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	
AccessibleLabel	Design for User3	
Tooltip		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated
Box 1: AccessibleLabel
Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers. An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users.
Box 2: TabIndex
User3 is unable to use a mouse.
TabIndex determines if the control participates in keyboard navigation. Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should: Mirror what is seen visually. Only have a tab stop at controls that are interactive. Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 63

HOTSPOT - (Topic 1)
You need to create a flow for sending required emails to the regional manager.
How should you create the flow? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div><div>Instant</div><div>Automated</div><div>Business Process</div><div>Scheduled</div></div>
Trigger to start flow	<div><div>HTTP Webhook</div><div>Power Apps</div><div>Common Data Service when a record is created</div><div>Office 365 Outlook Send an email</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated
Box 1: Business Process
Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager. Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.
Box 2: Common Data Service when a record is created
The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:
? When a row is created, updated, or deleted

- ? When an action is performed
- ? When a flow step is run from a business process flow

NEW QUESTION 67

- (Topic 4)
You need to set the value for a global variable named RunningTotal to 5 and navigate to the previous screen named MainScreen. Which formula should you use?

- A. UpdateContext({ RunningTotal: 5 }); Navigate(MainScreen, ScreenTransition.Cover, RunningTotal);
- B. If(Value(TextBox1.Text) >= 0, (Set(RunningTotal, 5); Back();), Color.Green)
- C. UpdateContext({ RunningTotal:5 }); Back()
- D. Set(RunningTotal, 5); Back();

Answer: D

Explanation:

You set the value of the global variable with the Set function. Set(MyVar, 1) sets the global variable MyVar to a value of 1. Use the Back and Navigate function to change which screen is displayed. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-variables>
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function- navigate>

NEW QUESTION 69

DRAG DROP - (Topic 4)
You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app. Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
<div>Business rule</div>	Guide a user through the set of steps needed for onboarding a new employee.	<div></div>
<div>Power Automate</div>	Make date of birth mandatory when creating a new employee record.	<div></div>
<div>Business process flow</div>	Implement an approval flow for expense reports submitted by employees.	<div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Business process flow
A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.
Box 2: Business rule Box 3: Power Automate
A Power Automate flow does not have any visual components like a business process flow. Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

NEW QUESTION 74


- (Topic 4)
A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. History

Answer: D

NEW QUESTION 78

HOTSPOT - (Topic 4)
The managers in an organization use a model-driven app. The app should display only one dashboard named Corporate Data. The managers observe that several dashboards are displayed.



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

How do you remove all the dashboards from the list of dashboards displayed?

<input type="text"/>	▼
Open the model-driven app in the app designer and clear all dashboard check boxes except the Corporate Data dashboard.	
Open the site map in the sitemap designer and clear all dashboard check boxes except the Corporate Data subarea except for the Corporate Data dashboard.	
Open the solution and delete all dashboards from the solution except for the Corporate Data dashboard.	

You need to remove the Ideas dashboard from the navigation bar. What should you do?

<input type="text"/>	▼
Open the model-driven app in the app designer and clear the check box for the ideas dashboard	
Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group	
Open the solutions and delete all the Ideas dashboards from the solution	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table

Description automatically generated

Box 1: Open the model-driven app in the app designer.

* 1. On the app designer canvas, select the Dashboards tile.

On the app designer canvas, the right pane shows dashboards that are available in the default solution.

* 2. Clearing the corresponding check box.

Box 2: Open the site map in the sitemap designer and delete the Ideas dashboard from the Results group

Site maps define the manner by which users move between tables in a model-driven app.

NEW QUESTION 81

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision a developer environment named D1 and a sandbox environment named S1.

? Copy the production environment to both D1 and S1.

? Use D1 for development and S1 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.

Note: Instead use two sandboxed environments: one for development and one for testing.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 85

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

? Provision sandbox environments named S1 and S2.

? Copy the production environment to both S1 and S2.

? Use S1 for development and S2 for testing.

Does the solution meet the goal?

A. Yes

B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 89

DRAG DROP - (Topic 4)

DRAG DROP

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form.

You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the spirt bar between panes or scroll to view/ content.

NOTE: Each correct selection is worth one point.

Component types		Answer Area		Data		Component type
Card form				Columns from a single record found in a lookup		
System view				List of related records		
Public view						
Quick view form						

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Component types		Answer Area		Data		Component type
Card form				Columns from a single record found in a lookup		System view
System view				List of related records		Public view
Public view						
Quick view form						

NEW QUESTION 92

DRAG DROP - (Topic 4)

You are creating a Power Automate cloud flow.

The data in the flow must perform the following actions:

- Return the first character of a string of text.
- Convert an array to a single string. You need to manipulate the data.

Which data operations should you use? To answer, drag the appropriate data operations to the correct changes. Each data operation may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data operations		Answer Area		Change		Data operation
Join				Return the first character of a string of text.		
Select				Convert an array to a single string.		
Compose						
Filter array						

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Data operations

Join

Select

Compose

Filter array

Answer Area

Change

Return the first character of a string of text.

Convert an array to a single string.

Data operation

Select

Join

NEW QUESTION 96

DRAG DROP - (Topic 4)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson.

You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Field types

Rollup

Calculated

Simple

Answer Area

Field name

GrossAmount

DiscountAmount

TotalSales

Field type

Field type

Field type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column.

Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

NEW QUESTION 99

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 103

- (Topic 4)
A company delivers products to multiple communities. The company creates a canvas app connected to a Common Data Service database. The app tracks communities to see where Drivers must enter delivery information on a form that uses an entity named Delivery. Depot staff must enter information on a pick-up form that uses an entity named Pick-up. Each form contains a community field that is based on a shared list across both forms. You need to create the community field. Which type of field should you create?

- A. local option set
- B. text
- C. global option set
- D. text area

Answer: C

Explanation:

Can use a global option set, no need to use localized option sets.
Note: In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage – once you define its text values you can centrally managed it. Reference:
<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 105

HOTSPOT - (Topic 4)
A company is using Power Automate to send an email with all active projects that are at risk. Projects that are stored in a table in Microsoft Dataverse are deemed at risk if the column for a risk score is greater than 70 or has a zero value. The flow will loop over all the records in the Dataverse Projects table and update the risk status field based on the risk score. You need to create a single evaluation expression to update the risk status field. Which expression component should you use? To answer, select the appropriate options in NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Expression component
Return a true value if a value in the risk column meets one of the two conditions.	<div>@or</div> <div>@or</div> <div>@and</div> <div>if</div> <div>equals</div>
Return a true value if a value in the risk column is 0.	<div>equals</div> <div>@if</div> <div>contains</div> <div>@startsWith</div> <div>equals</div>
Return a true value if the value in the risk column is above 70.	<div>greater</div> <div>@greaterOrEquals</div> <div>greater</div> <div>contains</div> <div>@if</div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Expression component
Return a true value if a value in the risk column meets one of the two conditions.	<div>@or</div> <div>@or</div> <div>@and</div> <div>if</div> <div>equals</div>
Return a true value if a value in the risk column is 0.	<div>equals</div> <div>@if</div> <div>contains</div> <div>@startsWith</div> <div>equals</div>
Return a true value if the value in the risk column is above 70.	<div>greater</div> <div>@greaterOrEquals</div> <div>greater</div> <div>contains</div> <div>@if</div>

NEW QUESTION 107

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom column that converts the order total to USD by using the relationship between order local currency and the USD exchange rate table in Power BI Desktop and display this column in a Power BI chart by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 110

- (Topic 4)

A company is onboarding new workers to the Microsoft Power Platform.

A user reports an access issue with a Power Apps app. The user provides no additional information about the access issue.

You need to troubleshoot the app and data security configurations for the user. Which tool should you use?

- A. Azure AD Security review
- B. User information page
- C. Accessibility checker
- D. Run diagnostics

Answer: D

Explanation:

User access diagnostic tool in the Power Platform admin center:

Several factors influence user access in a Microsoft Dataverse environment. To help administrators with diagnosing user access to an environment and reasons for access or no access, the new "Run diagnostics" feature in the Power Platform admin center provides basic access diagnostics for individual users in the environment. The feature helps to detect potential causes to user sign-in and other issues and suggests potential mitigations.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organization>

NEW QUESTION 112

- (Topic 4)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 117

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services.

You need to configure the data sources. What should you do?

- A. Create a data gateway.
- B. Use a content pack.
- C. Create a custom data connector.
- D. Add metadata to standard entities.

Answer: B

Explanation:

Common Data Model is built upon a rich and extensible metadata definition system that enables you to describe and share your own semantically enhanced data

types and structured tags, capturing valuable business insight which can be integrated and enriched with heterogeneous data to deliver actionable intelligence. Common Data Model can be used by various applications and services including Microsoft Dataverse, Dynamics 365, Microsoft Power Platform, and Azure ensuring that all of your services can access the same data.

Note: A wide variety of applications and services can easily access data in a data lake, however, each consumer must understand the format and meaning of the data before it can provide value. The Common Data Model simplifies this process by providing a metadata system that describes the data and standard entities to which producers can map.

Reference:

<https://docs.microsoft.com/en-us/common-data-model/use>

NEW QUESTION 119

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up.

Proposed solution: Create a Power Automate flow with conditions that use entered data as default data.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-classic-common-data-service-workflows>

NEW QUESTION 124

- (Topic 4)

You are creating a canvas app.

A small amount of tabular data must be available only to the app. The data must be available before user inter action.

You need to create the data source for this data. What should you do?

A. Use a formula to populate a table when the app starts.

B. Use the Excel Online connector to retrieve the data.

C. Create a Microsoft Dataverse table and use the Microsoft Dataverse connector.

D. Read the data from a file on the device.

Answer: B

NEW QUESTION 125

- (Topic 4)

You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment.

You need to ensure that you can transfer the flow to another environment. What should you do?

A. Add the flow to the default solution of the development environment and export as a managed solution.

B. Change the environment for the flow.

C. Add the flow to the existing solution.

D. Add the flow to the default solution of the production environment.

Answer: A

Explanation:

It is very normal for a developer to build the power automate in one environment and then export that automate & import it to another destination environment.

Exporting our Solution

After validating our flows work in our test environment, we now want to promote it to our production environment. We can export our solution by finding it in our Solutions experience, clicking on the ..., selecting Export.

Reference:

<https://flow.microsoft.com/en-us/blog/solutions-in-microsoft-flow/>

NEW QUESTION 129

HOTSPOT - (Topic 4)

A state planning department stores demographic data in a local SQL Server database.

The department uses a local report server to analyze the data for land development purposes.

You need to create a visual to display the demographic data.

Which component should you use? To answer, select the appropriate option in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Component
Visual control.	Filled map
	Filled map
	Shape map
	ArcGIS map
	Latitude and Longitude
	Location
	Latitude and Longitude
	Data Category
Mandatory data for the visual control.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Component
Visual control.	Filled map
	Filled map
	Shape map
	ArcGIS map
	Latitude and Longitude
	Location
	Latitude and Longitude
	Data Category
Mandatory data for the visual control.	

NEW QUESTION 131

- (Topic 4)

A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.

Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

Answer: AB

NEW QUESTION 132

- (Topic 4)

A company uses Power Apps. You embed a canvas app in a model-driven app form. You need to bind the app to a form component. Which form component should you use?

- A. Section
- B. View
- C. Column
- D. Tab

Answer: C

NEW QUESTION 134

DRAG DROP - (Topic 4)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal.

You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create an entity in the new solution.

Enter the entity Display Name and use the existing prefix.

Add a new solution.

Enter the entity Display Name and modify the prefix to **xyz**.

Add a new publisher with the prefix **xyz**.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create an entity in the new solution.

Enter the entity Display Name and use the existing prefix.

Add a new solution.

Enter the entity Display Name and modify the prefix to **xyz**.

Add a new publisher with the prefix **xyz**.

Answer Area

Add a new publisher with the prefix **xyz**.

Add a new solution.

Create an entity in the new solution.

Enter the entity Display Name and modify the prefix to **xyz**.

NEW QUESTION 137

- (Topic 4)
 You create a personal view.
 You need to ensure that other users can access the view. What should you do?

- A. Email the users a link to the view.
- B. Set the view as the default view.
- C. Share the view with the users.
- D. Assign the view to the users.

Answer: C

NEW QUESTION 138

HOTSPOT - (Topic 4)
 A company is building a Power Apps app to track key project tasks.
 Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.
 For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.
 How should you configure the app? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Question	Response
Where do you enter the formula to change the button color?	<div> <div></div> <div>On the RiskStatus slider.</div> <div>On the RiskLevel button.</div> <div>In the variables of the Power Apps app.</div> <div>On the OnStart property of the Power Apps app.</div> </div>
Which formula should you use?	<div> <div></div> <div>If (RiskStatus.Value > 75) (return Red;)</div> <div>If (RiskStatus.Value > 75, Red, Green)</div> <div>If (RiskStatus.Value > 75 ? Red : Green)</div> <div>RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On the RiskLevel button.

On the RiskLevel button fill property.

Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;

Most every type of control in a Power App, has a Fill property, for the fill color.

NEW QUESTION 142

HOTSPOT - (Topic 4)

HOTSPOT

Inspectors for a city building department use a Microsoft Teams channel, inspectors use SharePoint to view construction bylaws, rules, and regulations.

The city clerk email inspectors links to new bylaw proposal, inspectors vote on the proposals and provide additional feedback.

You need to demonstrate to the city clerk how they can automate the process

Which option should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Flow element	Option
Type of flow.	<div>Cloud flow</div> <div>Desktop flow</div> <div>Business process flow</div>
Trigger type.	<div>Manually trigger a flow.</div> <div>For a selected message in Microsoft Teams.</div> <div>For a selected file in SharePoint.</div> <div>When a flow is run from a business process flow.</div>
Flow step to replace emailing the links.	<div>Get changes for an item in SharePoint.</div> <div>Post an adaptive card to a channel and wait for a response.</div> <div>Post a choice of options to a user in Teams.</div> <div>Send an email with options.</div>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Flow element	Option
Type of flow.	<div>Cloud flow</div> <div>Desktop flow</div> <div>Business process flow</div>
Trigger type.	<div>Manually trigger a flow.</div> <div>For a selected message in Microsoft Teams.</div> <div>For a selected file in SharePoint.</div> <div>When a flow is run from a business process flow.</div>
Flow step to replace emailing the links.	<div>Get changes for an item in SharePoint.</div> <div>Post an adaptive card to a channel and wait for a response.</div> <div>Post a choice of options to a user in Teams.</div> <div>Send an email with options.</div>

NEW QUESTION 145

DRAG DROP - (Topic 4)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	Relationship type
Clients	Branch offices	Relationship type
Branch offices	Employees	Relationship type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many

Box 2: Many-to-one

A client have a single branch office.

A branch office can have many clients.

Box 3: One-to-many

A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 149

- (Topic 4)

A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.

The canvas app must use one database to view and record all data used in the inspection process.

You need to design the solution.

Which three capabilities should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- D. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:

B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication.

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 150

- (Topic 4)

A company is using Microsoft Power Platform and Microsoft Teams to approve work contracts.

A manager must view all approved contracts in the past year that the company sent or received. The manager must approve any pending contracts. The solution must minimize effort.

You need to recommend a solution for the company. What should you recommend?

- A. Create a Microsoft Teams team with a tab that exposes all approvals.
- B. Install the Microsoft Teams approvals app.
- C. Embed a Power Apps app within a Microsoft Teams channel.
- D. Create a Power BI dashboard that includes all approval requests.
- E. Embed a SharePoint list into a Microsoft Teams channel.

Answer: B

NEW QUESTION 151

DRAG DROP - (Topic 4)

You are an app builder for a medical office. The medical office uses activities to book appointments and business process flows to track patient status. The cleaning staff wants the app to connect directly to a Microsoft Excel workbook to track cleaning tasks. The office does not have access to reporting tools including Power BI.

You need to create apps for the following groups of users. Apps must not require

Groups	Comments	Requirements
Reception area staff	Users will access the app only from desktop devices in the office.	Users must be able to access contacts and display activities as a doughnut chart.
Medical staff	Users will access the app from tablet devices.	Users must be able to access activities and business process flows.
Cleaning staff	Users will access the app only from mobile phone devices.	Users must be able to interact with a checklist to mark cleaning tasks as completed.

Which type of app should you build for each group? To answer, drag the appropriate app types to the correct groups. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

Group	App type
Reception area staff	App type
Medical staff	App type
Cleaning staff	App type

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

App types

Canvas app

Model-driven app

Embedded canvas app

Answer Area

Group	App type
Reception area staff	Canvas app
Medical staff	Embedded canvas app
Cleaning staff	Model-driven app

NEW QUESTION 156

DRAG DROP - (Topic 4)

A company must use a Power Apps app custom control that is exported from a different canvas Power Apps app.

You need to insert the custom control into the Power Apps app.

Where should you complete the actions? To answer, drag the appropriate locations to the correct actions. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Answer Area						
<div>Display</div> <div>Components</div>	<table><thead><tr><th>Action</th><th>Location</th></tr></thead><tbody><tr><td>Import a custom control from a file.</td><td></td></tr><tr><td>Add an alignment to the custom control to display it in the middle of the Power Apps app screen.</td><td></td></tr></tbody></table>	Action	Location	Import a custom control from a file.		Add an alignment to the custom control to display it in the middle of the Power Apps app screen.	
Action	Location						
Import a custom control from a file.							
Add an alignment to the custom control to display it in the middle of the Power Apps app screen.							

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Components

- * 1. To add code components to a canvas app:
- * 2. Navigate to Power Apps Studio.
- * 3. Create a new canvas app or edit an existing app to which you want to add the code component.
- * 4. Go to Insert > Custom > Import component.



NEW QUESTION 157

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege. Which security role privilege should you grant for each requirement? To answer, drag the

appropriate security roles to the correct requirements. Each security the may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.

Security roles		Requirement	Security role
System Customizer		Share in all Microsoft Dataverse environments.	
Microsoft Power Platform Administrator		Share in one environment and view only table records they create.	
Environment Maker			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Security roles		Requirement	Security role
System Customizer		Share in all Microsoft Dataverse environments.	Environment Maker
Microsoft Power Platform Administrator		Share in one environment and view only table records they create.	System Customizer
Environment Maker			

NEW QUESTION 158

DRAG DROP - (Topic 4)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina.

You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members.

You need to embed the list of boats associated with a Marina record in the entity form.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Add a Subgrid component to a form		
Select Show related records and then select the related entity and default view for the subgrid		
Save and publish the form		
Select the Allow users to change view option		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Allow users to change view

When selected, app users can change from the Default view to another view of the table

selected in the Table property. Step 4: Save and publish the form

NEW QUESTION 161

- (Topic 4)

You have a Power Apps solution that includes three model-driven apps, a business process flow, and a scheduled flow. The solution is deployed to a datacentre in the United States.

You plan to deploy the solution to Canada.

You need to identify applicable government regulations for all components of the solution. Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. View results in the Service Trust portal.
- B. Check the results of the Solution checker.
- C. Identify regulations for the region where the tenant resides.
- D. Identify all regulations for the region where the Common Data Service database resides.
- E. Configure data loss prevention (DLP) policies in the Power Platform Admin center.

Answer: ADE

Explanation:

A: The Microsoft Service Trust Portal provides a variety of content, tools, and other resources about Microsoft security, privacy, and compliance practices.

D: The Service Trust Portal contains details about Microsoft's implementation of controls and processes that protect our cloud services and the customer data therein.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/get-started-with-service-trust-portal>

NEW QUESTION 166

- (Topic 4)

A company has 500 vendor records stored in a SQL table. Each record contains the

team wants to view the vendor records by using Power Apps. The team must be able to change the list results by applying filters. You need to display the vendor records in a canvas app. Which control should you use?

- A. Text
- B. Form
- C. Chart
- D. Gallery

Answer: D

NEW QUESTION 167

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

? Create a Prediction custom model in AI Builder.

? Train the model with pictures of bicycles and then publish the trained model.

? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

NEW QUESTION 168

- (Topic 4)

You have a Power Automate flow that processes files in a Microsoft SharePoint document files.

Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM.

You need to configure the flow.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition action
- C. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- D. Manually trigger the flow.
- E. Add a Delay Until action and enter the timestamp for 11 00 PM.

Answer: CD

Explanation:

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

? Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.

? Add a fixed delay before the next step.

? Delay an action until a specific timestamp.

? Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

NEW QUESTION 173

- (Topic 4)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline.

Which set of functions should you use?

- A. SaveData, LoadData
- B. Set, Patch
- C. Patch, Collect
- D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 178

HOTSPOT - (Topic 4)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div><div></div><div>Use a Data Gateway</div><div>Use a Custom Connector</div><div>Use a Service Content Pack</div></div>
Create the relationship between the employee file and the work estimates.	<div><div></div><div>Create a composite model</div><div>Create an aggregated table</div><div>Create entity relationships in the CDS Solution Explorer</div></div>
Create calculations for work remaining, remaining budget.	<div><div></div><div>Create a Data Analysis Expressions formula</div><div>Create an aggregated table</div><div>Create a modeling view</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer.

Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

NEW QUESTION 179

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 180

- (Topic 4)


You create and publish a canvas app component library to perform complex calculations. You discover an error in one of the calculations. You correct the issue and publish the canvas app. You need to ensure that the co-worker uses the updated version of the component library. What should you do?

- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library. Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 184

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-100 Practice Test Here](#)