

# VEEAM

## Exam Questions VMCE2021

Veeam Certified Engineer 2021



#### NEW QUESTION 1

- (Exam Topic 1)

Veeam ONE \_\_\_\_\_ can detect when a potential ransomware attack is happening and be configured to take mitigating actions.

- A. Reporting
- B. Alert Management
- C. Alarm Management
- D. Data Protection View

**Answer: C**

#### Explanation:

Veeam ONE can help notify you of suspicious activity in your datacenter through the Possible Ransomware Activity alarm. This alarm can be configured to take mitigating actions such as sending an email notification, running a script or creating a support case.

#### NEW QUESTION 2

- (Exam Topic 1)

A director has asked for a quarterly report for capacity planning purposes. Which Veeam component should be used?

- A. Veeam Backup & Replication Console
- B. Enterprise Manager
- C. Business View
- D. Veeam ONE Web Client

**Answer: D**

#### NEW QUESTION 3

- (Exam Topic 1)

An infrastructure with 50 VMs has a power outage. After the VMware cluster has booted up again, 10 medium-sized VMs have corrupted VM disk files. Which action can be used to restore the VMs back to the production state?

- A. Use the "Restore guest files" option and restore all VM Files.
- B. Perform Restore VM Files and only restore the VM configuration files.
- C. Perform Restore VM Files and restore the VM configuration and disk files.
- D. Perform Instant VM Recovery with quick rollback.

**Answer: C**

#### NEW QUESTION 4

- (Exam Topic 1)

What data sources can be connected to Veeam ONE? (Choose two.)

- A. Veeam Backup & Replication servers
- B. Microsoft Hyper-V servers
- C. Veeam Backup & Replication agents
- D. Microsoft Azure VMs
- E. Amazon Web Services EC2 instances

**Answer: AB**

#### Explanation:

[https://helpcenter.veeam.com/docs/one/deployment/connect\\_servers.html?ver=120](https://helpcenter.veeam.com/docs/one/deployment/connect_servers.html?ver=120)

#### NEW QUESTION 5

- (Exam Topic 1)

A planned failover of three VMs has just completed successfully, starting the VMs at the disaster recovery location. What next actions are available for the failover plan?

- A. Undo, Start, Copy, Delete
- B. Cancel, Start, Edit, Delete
- C. Cancel, Start, Copy, Delete
- D. Undo, Start, Edit, Delete

**Answer: D**

#### Explanation:

[https://helpcenter.veeam.com/archive/backup/110/vsphere/failover\\_plan\\_undo.html](https://helpcenter.veeam.com/archive/backup/110/vsphere/failover_plan_undo.html)

According to the Veeam Backup & Replication user guide<sup>1</sup>, a failover plan is a set of rules that defines how VMs must be failed over to their replicas<sup>1</sup>. You can create and run failover plans for regular replicas and CDP replicas<sup>1</sup>.

After you run a failover plan, you can perform the following actions on it<sup>2</sup>:

- Undo — reverts VMs in the failover plan back to their original state at the production site<sup>2e</sup>.
- Start — runs the failover plan again if you need to repeat the failover operation for some reason<sup>2n</sup>.
- Edit — modifies the settings of the failover plan, such as adding or removing VMs, changing their order or time delay<sup>1</sup>.
- Delete — removes the failover plan from Veeam Backup & Replication. This does not affect the VM replicas that are used by the plan<sup>1</sup>.

## NEW QUESTION 6

- (Exam Topic 1)

A physical Linux file server needs to be migrated to VMware ESXi. The server has several volumes: /dev/sda (60GB), /dev/sdb (1TB) and /dev/sdc (4TB). What is the quickest option to migrate the server?

- A. Export all disks, create an empty VM and attach the disks.
- B. Create an empty VM and perform bare metal recovery inside the VM.
- C. Perform Instant VM Recovery.
- D. Perform Instant Disk Recovery for each volume.

**Answer:** C

## NEW QUESTION 7

- (Exam Topic 1)

A Windows VM running on Microsoft Hyper-V is protected using the file indexing option. The guest interaction proxy is offline. Which of the following Veeam servers will be used to deploy the runtime during the backup process?

- A. Backup & Replication server
- B. Indexing database server
- C. File proxy server
- D. Virtual lab server

**Answer:** A

### Explanation:

[https://helpcenter.veeam.com/archive/backup/110/hyperv/guest\\_interaction\\_proxy.html](https://helpcenter.veeam.com/archive/backup/110/hyperv/guest_interaction_proxy.html)

According to the Veeam Software Help Center<sup>1</sup>, Veeam Backup & Replication deploys runtime components on a VM guest OS to perform file indexing. These components can be either non-persistent or persistent depending on whether you have enabled application-aware processing for the VM.

If you have enabled application-aware processing for the VM, Veeam Backup & Replication uses a persistent agent component that is installed on the VM guest OS during backup job session and remains on the VM after that. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

If you have not enabled application-aware processing for the VM, Veeam Backup & Replication uses a non-persistent runtime component that is deployed on the fly and removed after indexing is complete. In this case, if the guest interaction proxy is offline, Veeam Backup & Replication will use another available guest interaction proxy or fail over to the backup server.

## NEW QUESTION 8

- (Exam Topic 1)

Which of the following are valid export options for Microsoft SQL Server items when using the Veeam Explorer for Microsoft SQL? (Choose two.)

- A. .mdb file
- B. .bak file
- C. .mdf file
- D. .sql file
- E. .xls file

**Answer:** BC


### Explanation:

[https://helpcenter.veeam.com/docs/backup/explorers/vesql\\_data\\_export.html?ver=120](https://helpcenter.veeam.com/docs/backup/explorers/vesql_data_export.html?ver=120)

## NEW QUESTION 9

- (Exam Topic 1)

A Scale-out Backup Repository with one local extent has been configured as follows.



**Edit Scale-out Backup Repository** [X]

**Capacity Tier**  
Specify object storage to copy backups to for redundancy and DR purposes. Older backups can be moved to object storage completely to reduce long-term retention costs while preserving the ability to restore directly from offloaded backups.

**Name**

**Performance Tier**

**Placement Policy**

**Capacity Tier**

**Archive Tier**

**Summary**

☒ **Extend scale-out backup repository capacity with object storage:**  
 Amazon S3 [v] [Add...]

**Define time windows when uploading to capacity tier is allowed** [Window...]

☐ **Copy backups to object storage as soon as they are created**  
 Create additional copy of your backups for added redundancy by having all backups copied to the capacity tier as soon as they are created on the performance tier.

☒ **Move backups to object storage as they age out of the operational restore window**  
 Reduce your long-term retention costs by moving older backups to object storage completely while preserving the ability to restore directly from offloaded backups.

Move backup files older than **14** days (your operational restore window) [Override...]

12 VMware VMs are being backed up daily by a forward incremental backup job, which has a 31-day retention, creating synthetic fulls on Saturdays. After running for more than 31 days, which of the following would be accurate?

- A. Both the performance tier and capacity tier will contain all restore points.
- B. The performance tier will contain all restore point

- C. The capacity tier will contain zero restore points.
- D. The performance tier will contain the most recent 15 to 22 days of restore point
- E. The capacity tier will contain the oldest 14 days of restore points.
- F. The performance tier will contain the most recent 14 to 20 days of restore point
- G. The capacity tier will contain all restore points.

**Answer:** C

#### NEW QUESTION 10

- (Exam Topic 1)

In the war against ransomware, a company decided to implement tape backup for the first time. The tape library has already been added. Of the following, what must be done first?

- A. Create vaults.
- B. Create media pools.
- C. Create libraries.
- D. Create media sets.

**Answer:** B

#### NEW QUESTION 10

- (Exam Topic 1)

What does Veeam's Secure Restore functionality ensure during restores?

- A. 256-bit AES encryption of in-flight data
- B. Anti-virus scanning
- C. Custom ports for in-flight data
- D. Proper rights/permissions on files and folders

**Answer:** B

#### NEW QUESTION 11

- (Exam Topic 1)

Veeam Backup & Replication is currently configured to back up different workloads: Windows VMs on vSphere and Linux VMs on vSphere. A secondary copy of all the backups including transaction logs must be created. Which of the following backup copy job configurations is the simplest?

- A. A single "periodic copy" backup copy job
- B. A single "immediate copy" backup copy job
- C. Two "immediate copy" backup copy jobs
- D. Two "periodic copy" backup copy jobs

**Answer:** B

#### Explanation:

According to the Veeam Backup & Replication best practice guide<sup>1</sup>, a new copy job mode was added called immediate copy. This mode immediately starts the backup copy job as soon as restore points appear in the repository. It also provides the ability to copy SQL and Oracle log backups which is not possible with traditional periodic backup copy<sup>2</sup>.

Therefore, if you want to create a secondary copy of all the backups including transaction logs, you should use an immediate copy backup copy job. The simplest configuration would be a single immediate copy backup copy job for all workloads (option B)

#### NEW QUESTION 13

- (Exam Topic 1)

A Veeam administrator is creating a protection group that needs to back up all servers for the accounting department using Veeam Agent for Microsoft Windows. New accounting servers must be automatically added to the protection group. How is this accomplished?

- A. Create a protection group that reads a .csv file listing the accounting servers.
- B. Create a protection group and set it to automatically scan every three hours for new servers.
- C. Install a configuration file on each of the accounting servers that adds it to the protection group.
- D. Create an Active Directory based protection group targeted at an Active Directory security group.

**Answer:** D

#### NEW QUESTION 16

- (Exam Topic 1)

Veeam Agent for Linux has been installed in standalone mode on a Linux physical server. The backup job is configured to write to a Veeam repository. Which of the following media types is available as a recovery media?

- A. ISO image
- B. Veeam Backup & Replication repository
- C. Object storage
- D. Tape

**Answer:** A

#### Explanation:

According to the Veeam Agent for Linux User Guide<sup>1</sup>, Veeam Agent for Linux lets you use the Veeam Recovery Media — a recovery image of the Linux OS that provides an alternative way to boot your computer. The recovery image is an ISO file that you can burn to a CD/DVD or write to a USB flash drive.

#### NEW QUESTION 21

- (Exam Topic 2)

A backup administrator is planning to install Veeam ONE. Which data collection mode collects the most data per VM?

- A. For vCenter data only
- B. Optimized for advanced scalability deployment
- C. For backup data only
- D. Optimized for typical deployment

**Answer:** D

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/one/deployment/data\\_collection\\_modes.html?ver=100](https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100)

#### NEW QUESTION 26

- (Exam Topic 2)

You fail back a VM replica to the original location. Which of the following requirements needs to be met to be able perform quick rollback during a failback of a replica?

- A. Perform failback to VM within the same subnet
- B. The VM replica must be created with the “Use Changed Block Tracking data” option enabled
- C. Indexing must be enabled for the original VM
- D. The VM replica must have access to the repository where the full backup of the VM resides

**Answer:** B

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/failback\\_quick\\_rollback.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/failback_quick_rollback.html?ver=100)

#### NEW QUESTION 27

- (Exam Topic 2)

Which transport mode uses the VMware vSphere Hot-Add feature to attach the virtual disks of a source VM to the backup proxy VM?

- A. Network
- B. vPower
- C. Virtual Appliance
- D. Direct SAN access
- E. Direct NFS access

**Answer:** C

#### NEW QUESTION 29

- (Exam Topic 2)

A backup administrator has replicated a virtual machine between two Hyper-V hosts and now would like to automatically verify the recoverability of the replica. What would they need to do?

- A. It is not supported to perform SureBackup replica testing for Hyper-V
- B. Create a virtual switch with no uplinks and start the virtual machine connected to the new switch
- C. Create a virtual lab and an application group; create a SureBackup for the replica job and run it once a day
- D. Start the virtual machine manually using the universal application item recovery wizard

**Answer:** A

#### NEW QUESTION 31

- (Exam Topic 2)

If you need to run a script to stop a service in order to get an application-consistent backup on a Windows server, where can the script be run?

- A. In the guest processing setting of the job, enable application-aware processing and add a pre-freeze script to the VM
- B. Configure the script to run on the Veeam Backup & Replication server using the Windows Task Scheduler
- C. Copy the script to the VM and schedule the script to run prior to the start of the backup job using the Windows Task Scheduler in the VM
- D. In the virtual machines setting of the job, add a script in the scripts tab under “Run the following script before the job:”

**Answer:** A

#### NEW QUESTION 36

- (Exam Topic 2)

What is the main advantage of using the Backup from Storage Snapshots feature?

- A. It does not create VMware snapshot(s).
- B. It saves space in the repository.
- C. It speeds up the backup process.
- D. It decreases the amount of time the VM is running on a VMware snapshot.

**Answer:** D



**Explanation:**

The backup process is going to take the same amount of time, but the commit operation of the vmware snapshot has shorter duration when working with storage snapshots

**NEW QUESTION 37**

- (Exam Topic 2)

What is the main purpose of the planned failover feature?

- A. Test the VM in a sandbox without impacting the production environment
- B. Proactively switch from running the regular VM to the replica VM
- C. Initiate a disaster recovery procedure when the main site is down
- D. Test a disaster recovery scenario without any downtime on the VM

**Answer: B**

**Explanation:**

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/planned\\_failover.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/planned_failover.html?ver=100)

**NEW QUESTION 40**

- (Exam Topic 2)

Which of the following need to be performed in order to switch from the original VM to a VM Replica and then to use this replica as the original VM?

- A. Change the replication Job to reverse the replication
- B. Failback + commit failback
- C. Undo failover
- D. Permanent failover

**Answer: D**

**NEW QUESTION 45**

- (Exam Topic 2)

Which of the following statements is true regarding the Veeam Backup & Replication integration with supported Storage Systems for VMware vSphere are true? (Choose three).

- A. On storage accesses through NFS, VMs with snapshots will be skipped from Backup from Storage Snapshots
- B. Veeam Backup & Replication can backup virtual machines from a supported secondary storage array
- C. On storage accessed through NFS, VMs with snapshots can be protected with Backup from Storage Snapshots
- D. When Backup from Storage Snapshots is performed, VMware snapshot is never utilized
- E. Enabling Backup from Storage Snapshots for all backup jobs are not recommended

**Answer: ABE**

**NEW QUESTION 50**

- (Exam Topic 2)

The backup administrator configured replication for a VM from Data Center 1 to Data Center 2, which runs every day at 1 a.m. A power surge takes out Data Center 1 at 7 a.m. and the administrator fails over the replica at 8 a.m. When the power comes back on, the administrator performs the “failback” action at 2 p.m. and checks the state of the original VM. They recognize that not all data is available. What is missing?

- A. Data from 1 a.
- B. to 7 a.m.
- C. Data from 1 a.
- D. to 2 p.m.
- E. Data from 8 a.
- F. to 2 p.m.
- G. Data from 7 a.
- H. to 8 a.m.

**Answer: A**

**Explanation:**

<https://helpcenter.veeam.com/docs/backup/vsphere/failback.html?ver=100>

**NEW QUESTION 54**

- (Exam Topic 2)

Which is the mount server component used?

- A. When there are multiple backup servers
- B. When backing up to tape at a remote site
- C. When the remote backup repository is a CIFS share
- D. When restoring files or application items with Veeam Explorers

**Answer: D**

**NEW QUESTION 56**

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can use integration with secondary arrays as a data source?

- A. Backup
- B. VM copy
- C. Replication
- D. Tape backup

**Answer:** A

#### NEW QUESTION 61

- (Exam Topic 2)

If the Backup Administrator has to perform a backup over a high-latency, low bandwidth network link, how can the disruptions to the backup process be avoided?

- A. By making a direct backup using WAN accelerator.
- B. By adding additional WAN accelerators to the target site.
- C. By making a backup locally and utilizing WAN accelerators for a backup copy Job.
- D. By adjusting the compression and deduplication settings for this Job.

**Answer:** C

#### NEW QUESTION 66

- (Exam Topic 2)

Veeam is used for replicating VMware VMs. The production environment is comprised of two networks: 192.168.1.0/24 and 172.16.0.0/16. A web application requires a database server (whose IP address is 172.21.1.12) to receive queries from a web client (whose IP address is 192.168.1.32). The replicas are spread over multiple hosts. A backup administrator needs to configure a virtual lab to test a web client to database server query. Which of the following virtual lab types must be configured?

- A. Advanced multi-host
- B. Advanced single-host
- C. All virtual lab configurations would support that
- D. Basic single-host

**Answer:** B

#### NEW QUESTION 67

- (Exam Topic 2)

Which procedure is used to finalize replica failback?

- A. Migrate to production
- B. VMware Storage vMotion
- C. Replica failback does not need to be finalized
- D. Commit failback
- E. Quick Migration

**Answer:** D

#### NEW QUESTION 70

- (Exam Topic 2)

A Backup Administrator needs to create a fully functional VM at a secondary location in an isolated network. The VM should not require manual editing or modifications to the configuration. Which of the following jobs could the Backup Administrator use? Choose two options.

- A. SureBackup
- B. VeeamZip
- C. VM Copy
- D. Replication
- E. Backup
- F. Configuration Backup

**Answer:** CD

#### Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/about\\_replication.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/about_replication.html?ver=100) [https://helpcenter.veeam.com/docs/backup/vsphere/vm\\_copy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/vm_copy.html?ver=100)

#### NEW QUESTION 74

- (Exam Topic 2)

A backup administrator needs to restore two data drives to a VM where the operating system remains intact. The target machine must remain powered on. What recovery option is most appropriate to perform this operation?

- A. Instant VM Recovery
- B. Instant disk recovery
- C. Restore entire VM
- D. Restore VM files

**Answer:** B

#### Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/instant\\_disk\\_recovery.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/instant_disk_recovery.html?ver=100)

#### NEW QUESTION 75

- (Exam Topic 2)

A company has outgrown their current data center and plans to use the second data center as the new primary and needs to migrate their workloads. They are running VMware in both data centers. Which steps would allow this migration to occur without any data loss?

- A. \* 1. Replication job \* 2. Failover plan \* 3. Permanent failover
- B. \* 1. Backup job\* 2. Instant VM Recovery\* 3. Finalize the Instant VM Recovery
- C. \* 1. Replication job \* 2. Failback \* 3. Commit failback
- D. \* 1. Replication job\* 2. Planned failover\* 3. Permanent failover

**Answer:** D

#### Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/planned\\_failover.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/planned_failover.html?ver=100)

#### NEW QUESTION 77

- (Exam Topic 2)

A backup administrator is creating a SureBackup environment up using Hyper-V as the hypervisor. Which virtual labs are available for Hyper-V? (Choose two.)

- A. Advanced multi-host (automatic configuration)
- B. Advanced single-host (automatic configuration)
- C. Basic single-host (automatic configuration)
- D. Advanced multi-host (manual configuration)
- E. Advanced single-host (manual configuration)

**Answer:** CE

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_basic\\_vlab.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_basic_vlab.html?ver=100)

#### NEW QUESTION 82

- (Exam Topic 2)

Which of the following can help reduce the amount of traffic that is sent over the network during the second run of a replication job?

- A. Replica seeding
- B. Re-IP rules
- C. Replica mapping
- D. WAN acceleration for replicas

**Answer:** A

#### Explanation:

[https://helpcenter.veeam.com/docs/backup/vsphere/replica\\_seeding.html#:~:text=Replica%20seeding%20and%](https://helpcenter.veeam.com/docs/backup/vsphere/replica_seeding.html#:~:text=Replica%20seeding%20and%20)

#### NEW QUESTION 87

- (Exam Topic 2)

When configuring a SureBackup job, what are some of the criteria for adding servers to an application group? (Choose two.)

- A. VMs cannot be encrypted
- B. VM backups must reside on the same repository
- C. VMs cannot be added to an application group twice
- D. VMs must be running the same OS version
- E. VMs must have at least one valid restore point

**Answer:** CE

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/vsphere/appgroup\\_vms\\_vm.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/appgroup_vms_vm.html?ver=100)

#### NEW QUESTION 92

- (Exam Topic 2)

Veeam ONE has been installed in the typical data collection mode and historical data is the installation default. A customer is looking at performance charts in Veeam ONE Monitor.

When troubleshooting a performance event from two days ago, what will they see?

- A. Aggregated data every two hours
- B. Data does not exist
- C. Raw data every 20 seconds
- D. Aggregated data every five minutes

**Answer:** D

#### Explanation:

[https://helpcenter.veeam.com/docs/one/deployment/data\\_collection\\_modes.html?ver=100](https://helpcenter.veeam.com/docs/one/deployment/data_collection_modes.html?ver=100)

#### NEW QUESTION 96

- (Exam Topic 2)



When protecting VMs, where is the Veeam CBT driver (file system filter driver) installed?

- A. On every managed Hyper-V 2012 R2 or older host
- B. On every managed Veeam backup proxy
- C. On every managed server
- D. On every managed VMware vSphere ESXi 5.1 or older host
- E. On every managed Hyper-V 2016 or newer host

**Answer:** A

#### NEW QUESTION 97

- (Exam Topic 2)

Which Veeam Backup & Replication feature component is able to utilize Microsoft SQL Server transaction log backups for point-in-time restore?

- A. U-AIR Microsoft SQL Recovery wizard
- B. Instant Recovery
- C. Full VM Restore
- D. Veeam Explorer for Microsoft SQL

**Answer:** D

#### NEW QUESTION 101

- (Exam Topic 2)

Which of the following statements regarding the Backup from Storage Snapshots feature when backing up virtual machines from a VMware vSphere environment are true? (Choose two.)

- A. Lower impact on WAN link during off-site backups
- B. Higher transfer speed from production NFS datastores
- C. A virtual machine with one virtual drive on shared storage and another drive on local storage will be processed with Backup from Storage Snapshots transport mode
- D. A virtual machine with one virtual drive on shared storage and another drive on local storage will failover to a different transport mode
- E. Reduce the impact of consolidating VM snapshots

**Answer:** BE

#### NEW QUESTION 103

- (Exam Topic 2)

Which backup method will always produce a full backup as the most recent restore point?

- A. Forever forward incremental backup
- B. Forward incremental backup
- C. Reverse incremental backup
- D. Forward incremental with transform

**Answer:** C

#### NEW QUESTION 108

- (Exam Topic 2)

Which of the following predefined tests can be performed during a SureBackup verification test on a backup file? (Choose three.)

- A. Application test
- B. Heartbeat test
- C. Ping test
- D. SAN check
- E. Boot time
- F. OS test

**Answer:** ABC

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/surebackup\\_tests.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/surebackup_tests.html?ver=100)

#### NEW QUESTION 111

- (Exam Topic 2)

Which of the following Veeam Backup & Replication jobs can utilize storage snapshots on VMware vSphere? Choose two options.

- A. Replication
- B. Backup copy
- C. VeeamZIP
- D. Backup
- E. Tape
- F. VM copy

**Answer:** AD

#### NEW QUESTION 114

- (Exam Topic 2)

Which of the following statements are true when deploying VMware backup proxy server? Choose three options.

- A. A managed Microsoft Windows server can be used as a backup proxy.
- B. The maximum number of concurrent tasks can be configured.
- C. The vPower NFS root folder location can be configured.
- D. A managed Linux server can be used as a backup proxy.
- E. Connected datastores can be configured.

**Answer:** ABC

#### NEW QUESTION 119

- (Exam Topic 2)

Which of the following is NOT an advantage of Veeam ONE Monitor?

- A. Built in phone home function for better security
- B. Updates are signature based
- C. Automatic problem mediation
- D. Manual or scheduled log analytics

**Answer:** A

#### NEW QUESTION 123

- (Exam Topic 2)

When planning to back up files and folders from shared sources, that is the correct method to connect to the file share from the Veeam backup server?

- A. Add the file share into the store infrastructure
- B. Add the file share into the physical infrastructure
- C. Add the file share into the inventory
- D. Add the file share into the managed servers

**Answer:** C

#### NEW QUESTION 127

- (Exam Topic 2)

If the deduplication setting are changed for an existing job, when will the new setting be applied?

- A. At the next run of the job
- B. If any kind of full backup is created
- C. If a new active full backup is created
- D. Only when you rescan the repository that stores the backup files

**Answer:** C

#### Explanation:

[https://helpcenter.veeam.com/archive/backup/95/vsphere/compression\\_deduplication.html](https://helpcenter.veeam.com/archive/backup/95/vsphere/compression_deduplication.html)

To apply new deduplication settings in backup jobs, you must create an active full backup after you change deduplication settings. Veeam Backup & Replication will use the new block size for the active full backup and subsequent backup files in the backup chain.

#### NEW QUESTION 130

- (Exam Topic 2)

You want to deploy an On-Demand Sandbox. While creating the application group, which sources can be used to add virtual machines to the Application Group? (Choose three.)

- A. Backup Copy in Backup repository
- B. Replica on non-Cloud Connect VMware vSphere host
- C. Replica on Cloud Connect VMware vSphere host
- D. Backup in Cloud Repository
- E. Storage Snapshot
- F. Backup on Backup Repository

**Answer:** BEF

#### NEW QUESTION 134

- (Exam Topic 2)

You use datastores as the source for your backup jobs. Some VM backups are consuming too much repository disk space. They have backup files created by multiple backup jobs. What could be the reason? (Choose two.)

- A. VMware Storage DRS (Distributed Resource Scheduler) moved VMs to different datastores
- B. Jobs are configured as per VM and these particular VM's need more fulls
- C. VM retention is set to do full backups more often than others in the job
- D. The VM is in a backup chain and trapped inside a single retention file
- E. The VMs were moved to different datastores manually

**Answer:** BE

#### NEW QUESTION 139

- (Exam Topic 2)

Sometimes snapshots are "lost" by vCenter. What tool finds and removes those lost snapshots?

- A. CLI Snapshot Removal Tool
- B. Snapshot Hunter
- C. Snapshot Extractor
- D. Veeam ONE Orphaned VM Reporter

**Answer:** B

#### NEW QUESTION 141

- (Exam Topic 2)

Which Veeam Backup & Replication functionality allows a VM to be powered on directly from a backup file?

- A. Planned failover
- B. Instant VM Recovery
- C. Item-Level Recovery using Veeam Explorer
- D. Full VM Recovery

**Answer:** B

#### NEW QUESTION 146

- (Exam Topic 2)

Which of the following is the extension of a Veeam Backup & Repletion configuration backup file?

- A. The file extension is specified in the configuration backup sellings.
- B. .bco
- C. .vbm
- D. .cbo
- E. .vbk

**Answer:** B

#### NEW QUESTION 150

- (Exam Topic 2)

Which of the following is an additional database restore option in the Veeam Explorer for Microsoft SQL?

- A. RECOVERY
- B. NORECOVERY
- C. SIMPLE
- D. ACTIVE

**Answer:** A

#### NEW QUESTION 152

- (Exam Topic 2)

An SMB customer installed Veeam Backup & Replication in a simple deployment. How can the customer comply with the 3-2-1 rule?

- A. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging copy mode
- B. Create a backup to tape job to a local virtual tape library
- C. Create a Scale-out Backup Repository with object storage in the public cloud used as the capacity tier leveraging move mode
- D. Copy the backups to a separate local NAS device

**Answer:** A

#### NEW QUESTION 155

- (Exam Topic 2)

A customer currently has one backup job that runs every four hours to backup their VMs in a transaction consistent state. Which job configuration will keep all restore points safe in case the primary site and backups go down while still being able to do a point-in-time recovery of a SQL database from the backups on the second site?

- A. Configure a second VM backup job and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- B. Configure a backup copy job in mirror mode, to a repository on the second site
- C. Configure a backup copy job in pruning mode and schedule it to copy every four hours, starting at midnight, to a repository on the second site
- D. Configure a backup copy job in pruning mode and have it copy data every day, starting at midnight, to a repository on the second site

**Answer:** B

#### Explanation:

<https://www.running-system.com/veeam-version-10-favorite-features-immediate-copy-mirroring/>

#### NEW QUESTION 158

- (Exam Topic 2)

A company has the following requirements:

Mission-critical VMs: hourly replication to disaster recovery site, daily backups of these VMs should be available at the disaster recovery site when required, the mission critical applications need to be available within 20 minutes.

Business-important VMs: daily backups should be stored at the disaster recovery site. When required, the business-important applications need to be available within four hours.

Define the RPO and RTO for the company's disaster recovery site.

- A. Mission-critical VMs: RPO = 60 minutes, RTO = one hour; business-important VMs: RPO = 60 minutes, RTO = four hours
- B. Mission-critical VMs: RPO = 24 hours, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- C. Mission-critical VMs: RPO = 60 minutes, RTO = 20 minutes; business-important VMs: RPO = 24 hours, RTO = four hours
- D. Mission-critical VMs: RPO = 24 hours, RTO = four hours; business-important VMs: RPO = 24 hours, RTO = four hours

**Answer:** C

#### NEW QUESTION 160

- (Exam Topic 2)

Is it possible to switch between backup modes in a backup job?

- A. No, if you want to create backups using another mode, you have to create another backup Job.
- B. Yes, but in this case, you will have to specify a new backup repository.
- C. Yes, the new mode leaves existing backups as they are and continues creating backups in the same backup repository.
- D. Yes, the new mode will transform all existing backups in the appropriate way and continue creating backups in the same backup repository.

**Answer:** C

#### NEW QUESTION 164

- (Exam Topic 2)

Which of the following best describes the Snapshot Hunter feature?

- A. A Veeam technology used to detect and remove orphaned VMware vSphere snapshots that may remain after backup or replication job sessions
- B. A Veeam CBT filter driver used for Instant VM Recovery in the Microsoft Hyper-V environments
- C. A part of Veeam Explorer for Storage Snapshots used to locate the required snapshot for restore
- D. A Veeam ONE, dashboard used to detect orphaned VMware vSphere snapshots that may remain after backup or replication job sessions

**Answer:** A

#### NEW QUESTION 169

- (Exam Topic 2)

Which of the following services are installed on every Veeam backup proxy server? Choose two options.

- A. Veeam Installer Service
- B. Veeam Backup Service
- C. Veeam Data Mover Service
- D. Veeam Distribution Service
- E. Veeam Backup Catalog Service

**Answer:** AC

#### Explanation:

Refer to [https://helpcenter.veeam.com/docs/backup/vsphere/backup\\_proxy.html?ver=100](https://helpcenter.veeam.com/docs/backup/vsphere/backup_proxy.html?ver=100)

#### NEW QUESTION 174

- (Exam Topic 2)

When a replication job is configured to use the replica mapping feature (no seeding), what will happen during the first run of the job?

- A. The replication job creates a clone of the mapped replica to preserve the original state before synchronizing the changes from the source infrastructure
- B. The replication job calculates the differences between the original and mapped VM; only the incremental changes will be synchronized
- C. The replication job will first restore the VM from the most recent restore point and then start to synchronize the incremental changes from the source infrastructure
- D. If a VM within the replication job is not mapped, the job will fail

**Answer:** B

#### Explanation:

Reference: [https://helpcenter.veeam.com/docs/backup/hyperv/replica\\_seeding\\_hv.html?ver=100](https://helpcenter.veeam.com/docs/backup/hyperv/replica_seeding_hv.html?ver=100)

#### NEW QUESTION 177

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### VMCE2021 Practice Exam Features:

- \* VMCE2021 Questions and Answers Updated Frequently
- \* VMCE2021 Practice Questions Verified by Expert Senior Certified Staff
- \* VMCE2021 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* VMCE2021 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The VMCE2021 Practice Test Here](#)**