

## 300-715 Dumps

# Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



**NEW QUESTION 1**

Which two features are available when the primary admin node is down and the secondary admin node has not been promoted? (Choose two.)

- A. new AD user 802.1X authentication
- B. hotspot
- C. posture
- D. guest AUP
- E. BYOD

**Answer:** BD

**NEW QUESTION 2**

What is a requirement for Feed Service to work?

- A. TCP port 8080 must be opened between Cisco ISE and the feed server.
- B. Cisco ISE has access to an internal server to download feed update.
- C. Cisco ISE has a base license.
- D. Cisco ISE has Internet access to download feed update.

**Answer:** B

**NEW QUESTION 3**

Which two fields are available when creating an endpoint on the context visibility page of Cisco ISE? (Choose two.)

- A. Security Group Tag
- B. Endpoint Family
- C. Policy Assignment
- D. Identity Group Assignment
- E. IP Address

**Answer:** CD

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010101.html)

**NEW QUESTION 4**

In which two ways can users and endpoints be classified for TrustSec? (Choose two.)

- A. VLAN
- B. dynamic
- C. QoS
- D. SGACL
- E. SXP

**Answer:** AD

**NEW QUESTION 5**

When configuring Active Directory groups, what does the Cisco ISE use to resolve ambiguous group names?

- A. MIB
- B. SID
- C. MAB
- D. TGT

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-0/ise\\_active\\_directory\\_integration/b\\_ISE\\_AD\\_integration\\_2x.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-0/ise_active_directory_integration/b_ISE_AD_integration_2x.html)

**NEW QUESTION 6**

What does the dot1x system-auth-control command do?

- A. globally enables 802.1x
- B. causes a network access switch not to track 802.1x sessions
- C. enables 802.1x on a network access device interface
- D. causes a network access switch to track 802.1x sessions

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/XE3-8-0E/15-24E/configuration/guide/xe-380-configuration/dot1x.html>

**NEW QUESTION 7**

Which command displays all 802.1X/MAB sessions that are active on the switch ports of a Cisco Catalyst switch?

- A. show authentication sessions interface Gi1/0/x output
- B. show authentication sessions
- C. show authentication sessions output
- D. show authentication sessions interface Gi 1/0/x

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/s1/sec-s1-xe-3se-3850-cr-book/sec-s1-xe-3se-3850-cr-book\\_chapter\\_01.html#wp3404908137](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/s1/sec-s1-xe-3se-3850-cr-book/sec-s1-xe-3se-3850-cr-book_chapter_01.html#wp3404908137)

**NEW QUESTION 8**

Refer to the exhibit.

```
Interface: GigabitEthernet2/0/36
MAC Address: 000e.84af.59af
Status: Authz Success
Domain: DATA
Oper host mode: single-host
Authorized By: Authentication Server
Vlan Policy: 10
Handle: 0xE0000000
Runnable methods list:
Method State
dot1x Authc Success
```

Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

**Answer:** A

**NEW QUESTION 9**

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

**Answer:** AE

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor\\_guide/b\\_spons\\_SponsorPortalUserGuide\\_13/b\\_spons\\_SponsorPortalUserGuide\\_13\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html)

**NEW QUESTION 10**

Which advanced option within a WLAN must be enabled to trigger Central Web Authentication for Wireless users on AireOS controller?

- A. DHCP server
- B. override Interface ACL
- C. static IP tunneling
- D. AAA override

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/wireless/controller/7-4/configuration/guides/consolidated/b\\_cg74\\_CONSOLIDATED/b\\_cg74\\_CONSOLIDATED\\_chapter\\_010110111.html](https://www.cisco.com/c/en/us/td/docs/wireless/controller/7-4/configuration/guides/consolidated/b_cg74_CONSOLIDATED/b_cg74_CONSOLIDATED_chapter_010110111.html)

**NEW QUESTION 10**

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue

- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue
- D. Dot1x and if user not found, continue

**Answer:** A

#### NEW QUESTION 11

What is the minimum certainty factor when creating a profiler policy?

- A. the minimum number that a predefined condition provides
- B. the maximum number that a predefined condition provides
- C. the minimum number that a device certainty factor must reach to become a member of the profile
- D. the maximum number that a device certainty factor must reach to become a member of the profile

**Answer:** C

#### NEW QUESTION 16

What sends the redirect ACL that is configured in the authorization profile back to the Cisco WLC?

- A. State attribute
- B. Class attribute
- C. Event
- D. Cisco-av-pair

**Answer:** D

#### Explanation:

Reference: <https://community.cisco.com/t5/network-access-control/ise-airespace-acl-wlc-problem/td-p/2110491>

#### NEW QUESTION 20

Which use case validates a change of authorization?

- A. An endpoint that is disconnected from the network is discovered.
- B. Endpoints are created through device registration for the guests.
- C. An endpoint profiling policy is changed for authorization policy.
- D. An authenticated, wired EAP-capable endpoint is discovered.

**Answer:** C

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user\\_guide/ise\\_user\\_guide/ise\\_prof\\_pol.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user_guide/ise_user_guide/ise_prof_pol.html)

#### NEW QUESTION 24

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_identities.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html)

#### NEW QUESTION 28

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_010100.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html)

#### NEW QUESTION 30

Which two ports do network devices typically use for CoA? (Choose two.)

- A. 19005
- B. 443
- C. 3799
- D. 8080

E. 1700

**Answer:** CE

**Explanation:**

Reference: [https://documentation.meraki.com/MR/Encryption\\_and\\_Authentication/Change\\_of\\_Authorization\\_with\\_RADIUS\\_\(CoA\)\\_on\\_MR\\_Access\\_Points](https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_(CoA)_on_MR_Access_Points)

### NEW QUESTION 33

Which statement about configuring certificates for BYOD is true?

- A. The SAN field is populated with the end user name.
- B. The CN field is populated with the endpoint host name.
- C. An endpoint certificate is mandatory for the Cisco ISE BYOD.
- D. An Android endpoint uses EST, whereas other operating systems use SCEP for enrollment.

**Answer:** C

### NEW QUESTION 35

If a user reports a device lost or stolen, which portal should be used to prevent the device from accessing the network while still providing information about why the device is blocked?

- A. Client Provisioning
- B. BYOD
- C. Guest
- D. Blacklist

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin\\_guide/b\\_ise\\_admin\\_guide\\_13/b\\_ise\\_admin\\_guide\\_sample\\_chapter\\_010000.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_010000.html)

### NEW QUESTION 38

Which port does Cisco ISE use for native supplicant provisioning of a Windows laptop?

- A. TCP 8905
- B. TCP 8909
- C. TCP 443
- D. UDP 1812

**Answer:** B

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010101.html)

### NEW QUESTION 41

What are two benefits of TACACS+ versus RADIUS for device administration? (Choose two.)

- A. TACACS+ has command authorization, and RADIUS does not.
- B. TACACS+ uses UDP, and RADIUS uses TCP.
- C. TACACS+ supports 802.1X, and RADIUS supports MAB.
- D. TACACS+ provides the service type, and RADIUS does not.
- E. TACACS+ encrypts the whole payload, and RADIUS encrypts only the password.

**Answer:** AE

### NEW QUESTION 43

Which two features must be used on Cisco ISE to enable the TACACS+ feature? (Choose two.)

- A. Command Sets
- B. Server Sequence
- C. Device Administration License
- D. External TACACS Servers
- E. Device Admin Service

**Answer:** CE

### NEW QUESTION 48

Which are two characteristics of TACACS+? (Choose two.)

- A. It separates authorization and authentication functions.
- B. It combines authorization and authentication functions.
- C. It uses UDP port 49.
- D. It encrypts the password only.
- E. It uses TCP port 49.

**Answer:** AE

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/remote-authentication-dial-user-service-radius/13838-10.html>

**NEW QUESTION 50**

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

**Answer: B**

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_sw\\_cnfg.pdf](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf)

**NEW QUESTION 53**

Which two responses from the RADIUS server to NAS are valid during the authentication process? (Choose two.)

- A. access-challenge
- B. access-accept
- C. access-request
- D. access-reserved
- E. access-response

**Answer: AB**

**NEW QUESTION 55**

What is a characteristic of the UDP protocol?

- A. UDP can detect when a server is down.
- B. UDP can detect when a server is slow.
- C. UDP offers best-effort delivery.
- D. UDP offers information about a non-existent server.

**Answer: C**

**NEW QUESTION 57**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 300-715 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/300-715-dumps.html>