

CompTIA

Exam Questions SY0-701

CompTIA Security+ Exam



NEW QUESTION 1

- (Exam Topic 1)

Which of the following is a cryptographic concept that operates on a fixed length of bits?

- A. Block cipher
- B. Hashing
- C. Key stretching
- D. Salting

Answer: A

Explanation:

Single-key or symmetric-key encryption algorithms create a fixed length of bits known as a block cipher with a secret key that the creator/sender uses to encipher data (encryption) and the receiver uses to decipher it.

NEW QUESTION 2

- (Exam Topic 1)

A company is planning to install a guest wireless network so visitors will be able to access the Internet. The stakeholders want the network to be easy to connect to so time is not wasted during meetings. The WAPs are configured so that power levels and antennas cover only the conference rooms where visitors will attend meetings. Which of the following would BEST protect the company's internal wireless network against visitors accessing company resources?

- A. Configure the guest wireless network to be on a separate VLAN from the company's internal wireless network
- B. Change the password for the guest wireless network every month.
- C. Decrease the power levels of the access points for the guest wireless network.
- D. Enable WPA2 using 802.1X for logging on to the guest wireless network.

Answer: A

Explanation:

Configuring the guest wireless network on a separate VLAN from the company's internal wireless network will prevent visitors from accessing company resources.

References: CompTIA Security+ Study Guide: Exam SY0-601, Chapter 4

NEW QUESTION 3

- (Exam Topic 1)

If a current private key is compromised, which of the following would ensure it cannot be used to decrypt all historical data?

- A. Perfect forward secrecy
- B. Elliptic-curve cryptography
- C. Key stretching
- D. Homomorphic encryption

Answer: A

Explanation:

Perfect forward secrecy would ensure that it cannot be used to decrypt all historical data. Perfect forward secrecy (PFS) is a security protocol that generates a unique session key for each session between two parties. This ensures that even if one session key is compromised, it cannot be used to decrypt other sessions.

NEW QUESTION 4

- (Exam Topic 1)

After gaining access to a dual-homed (i.e., wired and wireless) multifunction device by exploiting a vulnerability in the device's firmware, a penetration tester then gains shell access on another networked asset. This technique is an example of:

- A. privilege escalation
- B. footprinting
- C. persistence
- D. pivoting.

Answer: D

Explanation:

The technique of gaining access to a dual-homed multifunction device and then gaining shell access on another networked asset is an example of pivoting.

References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 8: Application, Data, and Host Security, Enumeration and Penetration Testing

NEW QUESTION 5

- (Exam Topic 1)

Developers are writing code and merging it into shared repositories several times a day, where it is tested automatically. Which of the following concepts does this BEST represent?

- A. Functional testing
- B. Stored procedures
- C. Elasticity
- D. Continuous integration

Answer: D

Explanation:

Continuous integration is a software development practice where developers merge their code into a shared repository several times a day, and the code is tested automatically. This ensures that code changes are tested and integrated continuously, reducing the risk of errors and conflicts.

NEW QUESTION 6

- (Exam Topic 1)

A company recently decided to allow its employees to use their personally owned devices for tasks like checking email and messaging via mobile applications. The company would like to use MDM, but employees are concerned about the loss of personal data. Which of the following should the IT department implement to BEST protect the company against company data loss while still addressing the employees' concerns?

- A. Enable the remote-wiping option in the MDM software in case the phone is stolen.
- B. Configure the MDM software to enforce the use of PINs to access the phone.
- C. Configure MDM for FDE without enabling the lock screen.
- D. Perform a factory reset on the phone before installing the company's applications.

Answer: C

Explanation:

MDM software is a type of remote asset-management software that runs from a central server. It is used by businesses to optimize the functionality and security of their mobile devices, including smartphones and tablets. It can monitor and regulate both corporate-owned and personally owned devices to the organization's policies.

FDE stands for full disk encryption, which is a method of encrypting all data on a device's storage. FDE can protect data from unauthorized access in case the device is lost or stolen.

If a company decides to allow its employees to use their personally owned devices for work tasks, it should configure MDM software to enforce FDE on those devices. This way, the company can protect its data from being exposed if the device falls into the wrong hands.

However, employees may be concerned about the loss of personal data if the company also enables the remote-wiping option in the MDM software. Remote wiping is a feature that allows the company to erase all data on a device remotely in case of theft or loss. Remote wiping can also affect personal data on the device, which may not be acceptable to employees.

Therefore, a possible compromise is to configure MDM for FDE without enabling the lock screen. This means that the device will be encrypted, but it will not require a password or PIN to unlock it. This way, employees can access their personal data easily, while the company can still protect its data with encryption. The other options are not correct because:

- A. Enable the remote-wiping option in the MDM software in case the phone is stolen. This option may address the company's concern about data loss, but it may not address the employees' concern about personal data loss. Remote wiping can erase both work and personal data on the device, which may not be desirable for employees.
- B. Configure the MDM software to enforce the use of PINs to access the phone. This option may enhance the security of the device, but it may not address the company's concern about data loss. PINs can be guessed or bypassed by attackers, and they do not protect data if the device is physically accessed.
- D. Perform a factory reset on the phone before installing the company's applications. This option may address the company's concern about data loss, but it may not address the employees' concern about personal data loss. A factory reset will erase all data on the device, including personal data, which may not be acceptable to employees.

According to CompTIA Security+ SY0-601 Exam Objectives 2.4 Given a scenario, implement secure systems design:

"MDM software is a type of remote asset-management software that runs from a central server¹. It is used by businesses to optimize the functionality and security of their mobile devices, including smartphones and tablets²."

"FDE stands for full disk encryption, which is a method of encrypting all data on a device's storage³." References:

<https://www.comptia.org/certifications/security#examdetails>

<https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>

<https://www.makeuseof.com/what-is-mobile-device-management-mdm-software/>

NEW QUESTION 7

- (Exam Topic 1)

The Chief Executive Officer announced a new partnership with a strategic vendor and asked the Chief Information Security Officer to federate user digital identities using SAML-based protocols. Which of the following will this enable?

- A. SSO
- B. MFA
- C. PKI
- D. OLP

Answer: A

Explanation:

Federating user digital identities using SAML-based protocols enables Single Sign-On (SSO), which allows users to log in once and access multiple applications without having to enter their credentials for each one. References:

- CompTIA Security+ Certification Exam Objectives 1.3: Explain authentication and access controls.
- CompTIA Security+ Study Guide, Sixth Edition, pages 41-42

NEW QUESTION 8

- (Exam Topic 1)

A company reduced the area utilized in its datacenter by creating virtual networking through automation and by creating provisioning routes and rules through scripting. Which of the following does this example describe?

- A. IaC
- B. MSSP
- C. Containers
- D. SaaS

Answer: A

Explanation:

IaaS (Infrastructure as a Service) allows the creation of virtual networks, automation, and scripting to reduce the area utilized in a datacenter. References: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 4

NEW QUESTION 9

- (Exam Topic 1)

A security researcher has alerted an organization that its sensitive user data was found for sale on a website. Which of the following should the organization use to inform the affected parties?

- A. A An incident response plan
- B. A communications plan
- C. A business continuity plan
- D. A disaster recovery plan

Answer: B

Explanation:

The organization should use a communications plan to inform the affected parties. A communications plan is a document that outlines how an organization will communicate with internal and external stakeholders during a crisis or incident. It should include details such as who will be responsible for communicating with different stakeholders, what channels will be used to communicate, and what messages will be communicated.

An incident response plan is a document that outlines the steps an organization will take to respond to a security incident or data breach. A business continuity plan is a document that outlines how an organization will continue to operate during and after a disruption. A disaster recovery plan is a document that outlines how an organization will recover its IT infrastructure and data after a disaster.

NEW QUESTION 10

- (Exam Topic 1)

A help desk technician receives an email from the Chief Information Officer (C/O) asking for documents. The technician knows the CIO is on vacation for a few weeks. Which of the following should the technician do to validate the authenticity of the email?

- A. Check the metadata in the email header of the received path in reverse order to follow the email's path.
- B. Hover the mouse over the CIO's email address to verify the email address.
- C. Look at the metadata in the email header and verify the "From." line matches the CIO's email address.
- D. Forward the email to the CIO and ask if the CIO sent the email requesting the documents.

Answer: B

Explanation:

The "From" line in the email header can be easily spoofed or manipulated by an attacker to make it look like the email is coming from the CIO's email address. However, this does not mean that the email address is actually valid or that the email is actually sent by the CIO. A better way to check the email address is to hover over it and see if it matches the CIO's email address exactly. This can help to spot any discrepancies or typos that might indicate a phishing attempt. For example, if the CIO's email address is cio@company.com, but when you hover over it, it shows cio@compnay.com, then you know that the email is not authentic and likely a phishing attempt.

NEW QUESTION 10

- (Exam Topic 1)

The following are the logs of a successful attack.

```
[DATA] attacking service ftp on port 21
[ATTEMPT] 09:00:01UTC target 192.168.50.1 - login "admin" -pass "p@55w0rd"
[ATTEMPT] 09:00:01UTC target 192.168.50.1 - login "admin" -pass "AcCe55"
[ATTEMPT] 09:00:01UTC target 192.168.50.1 - login "admin" -pass "A110w!"
[ATTEMPT] 09:00:01UTC target 192.168.50.1 - login "admin" -pass "FTPL0gin!"
[ATTEMPT] 09:00:01UTC target 192.168.50.1 - login "admin" -pass "L3tM31N!"
[21][ftp] host: 192.168.50.1 login: admin password: L3tM31N!
1 of 1 target successfully completed, 1 valid password found in <1 second
```

Which of the following controls would be BEST to use to prevent such a breach in the future?

- A. Password history
- B. Account expiration
- C. Password complexity
- D. Account lockout

Answer: C

Explanation:

To prevent such a breach in the future, the BEST control to use would be Password complexity.

Password complexity is a security measure that requires users to create strong passwords that are difficult to guess or crack. It can help prevent unauthorized access to systems and data by making it more difficult for attackers to guess or crack passwords.

The best control to use to prevent a breach like the one shown in the logs is password complexity. Password complexity requires users to create passwords that are harder to guess, by including a mix of upper and lowercase letters, numbers, and special characters. In the logs, the attacker was able to guess the user's password using a dictionary attack, which means that the password was not complex enough. References:

> CompTIA Security+ Certification Exam Objectives - Exam SY0-601

NEW QUESTION 12

- (Exam Topic 1)

A systems analyst determines the source of a high number of connections to a web server that were initiated by ten different IP addresses that belong to a network block in a specific country. Which of the following techniques will the systems analyst MOST likely implement to address this issue?

- A. Content filter
- B. SIEM
- C. Firewall rules
- D. DLP

Answer: C

Explanation:

A firewall is a network security system that monitors and controls incoming and outgoing network traffic based on predetermined security rules. The systems analyst can use firewall rules to block connections from the ten IP addresses in question, or from the entire network block in the specific country. This would be a quick and effective way to address the issue of high connections to the web server initiated by these IP addresses.

Reference: CompTIA Security+ SY0-601 Official Text Book, Chapter 5: "Network Security".

NEW QUESTION 14

- (Exam Topic 1)

Which of the following is the MOST secure but LEAST expensive data destruction method for data that is stored on hard drives?

- A. Pulverizing
- B. Shredding
- C. Incinerating
- D. Degaussing

Answer: B

Explanation:

Shredding may be the most secure and cost-effective way to destroy electronic data in any media that contain hard drives or solid-state drives and have reached their end-of-life¹. Shredding reduces electronic devices to pieces no larger than 2 millimeters². Therefore, shredding is the most secure but least expensive data destruction method for data that is stored on hard drives.

NEW QUESTION 19

- (Exam Topic 1)

Which of the following should a technician consider when selecting an encryption method for data that needs to remain confidential for a specific length of time?

- A. The key length of the encryption algorithm
- B. The encryption algorithm's longevity
- C. A method of introducing entropy into key calculations
- D. The computational overhead of calculating the encryption key

Answer: B

Explanation:

When selecting an encryption method for data that needs to remain confidential for a specific length of time, the longevity of the encryption algorithm should be considered to ensure that the data remains secure for the required period. References: CompTIA Security+ Certification Exam Objectives - 3.2 Given a scenario, use appropriate cryptographic methods. Study Guide: Chapter 4, page 131.

NEW QUESTION 23

- (Exam Topic 1)

A new plug-and-play storage device was installed on a PC in the corporate environment. Which of the following safeguards will BEST help to protect the PC from malicious files on the storage device?

- A. Change the default settings on the PC.
- B. Define the PC firewall rules to limit access.
- C. Encrypt the disk on the storage device.
- D. Plug the storage device in to the UPS

Answer: A

Explanation:

The best option that will help to protect the PC from malicious files on the storage device would be A. Change the default settings on the PC. Changing the default settings on the PC can include disabling the autorun or autoplay feature, which can prevent malicious files from executing automatically when the storage device is plugged in. Changing the default settings can also include enabling antivirus software, updating the operating system and applications, and configuring user account control and permissions.

NEW QUESTION 25

- (Exam Topic 1)

A company acquired several other small companies The company that acquired the others is transitioning network services to the cloud The company wants to make sure that performance and security remain intact Which of the following BEST meets both requirements?

- A. High availability
- B. Application security
- C. Segmentation
- D. Integration and auditing

Answer: A

Explanation:

High availability refers to the ability of a system or service to remain operational and available to users with minimal downtime. By ensuring high availability, the company can maintain good performance and ensure that users have access to the network services they need. High availability can also improve security, as it helps to prevent disruptions that could potentially be caused by security incidents or other issues.

NEW QUESTION 29

- (Exam Topic 1)

Which of the following authentication methods is considered to be the LEAST secure?

- A. TOTP
- B. SMS
- C. HOTP
- D. Token key

Answer: B

Explanation:

SMS-based authentication is considered to be the least secure among the given options. This is because SMS messages can be intercepted or redirected by attackers through techniques such as SIM swapping, man-in-the-middle attacks, or exploiting weaknesses in the SS7 protocol used by mobile networks. Additionally, SMS messages can be compromised if a user's phone is lost, stolen, or infected with malware. In contrast, TOTP (Time-based One-Time Password), HOTP (HMAC-based One-Time Password), and token keys are more secure as they rely on cryptographic algorithms or physical devices to generate one-time use codes, which are less susceptible to interception or unauthorized access. Reference: 1. National Institute of Standards and Technology (NIST). (2017). Digital Identity Guidelines: Authentication and Lifecycle Management (NIST SP 800-63B). <https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-63b.pdf>

NEW QUESTION 32

- (Exam Topic 1)

The Chief Information Security Officer wants to pilot a new adaptive, user-based authentication method. The concept Includes granting logical access based on physical location and proximity. Which of the following Is the BEST solution for the pilot?

- A. Geofencing
- B. Self-sovereign identification
- C. PKI certificates
- D. SSO

Answer: A

Explanation:

Geofencing is a location-based technology that allows an organization to define and enforce logical access control policies based on physical location and proximity. Geofencing can be used to grant or restrict access to systems, data, or facilities based on an individual's location, and it can be integrated into a user's device or the infrastructure. This makes it a suitable solution for the pilot project to test the adaptive, user-based authentication method that includes granting logical access based on physical location and proximity.

Reference: CompTIA Security+ SY0-601 Official Text Book, Chapter 4: "Identity and Access Management".

NEW QUESTION 34

- (Exam Topic 1)

Which of the following BEST describes the method a security analyst would use to confirm a file that is downloaded from a trusted security website is not altered in transit or corrupted using a verified checksum?

- A. Hashing
- B. Salting
- C. Integrity
- D. Digital signature

Answer: A

Explanation:

Hashing is a cryptographic function that produces a unique fixed-size output (i.e., hash value) from an input (i.e., data). The hash value is a digital fingerprint of the data, which means that if the data changes, so too does the hash value. By comparing the hash value of the downloaded file with the hash value provided by the security website, the security analyst can verify that the file has not been altered in transit or corrupted.

NEW QUESTION 38

- (Exam Topic 1)

Which of the following environments typically hosts the current version configurations and code, compares user-story responses and workflow, and uses a modified version of actual data for testing?

- A. Development
- B. Staging
- C. Production
- D. Test

Answer: B

Explanation:

Staging is an environment in the software development lifecycle that is used to test a modified version of the actual data, current version configurations, and code. This environment compares user-story responses and workflow before the software is released to the production environment. References: CompTIA Security+ Study Guide, Sixth Edition, Sybex, pg. 496

NEW QUESTION 40

- (Exam Topic 1)

A security engineer is installing a WAF to protect the company's website from malicious web requests over SSL. Which of the following is needed to meet the objective?

- A. A reverse proxy
- B. A decryption certificate
- C. A split-tunnel VPN

D. Load-balanced servers

Answer: B

Explanation:

A Web Application Firewall (WAF) is a security solution that protects web applications from various types of attacks such as SQL injection, cross-site scripting (XSS), and others. It is typically deployed in front of web servers to inspect incoming traffic and filter out malicious requests. To protect the company's website from malicious web requests over SSL, a decryption certificate is needed to decrypt the SSL traffic before it reaches the WAF. This allows the WAF to inspect the traffic and filter out malicious requests.

NEW QUESTION 45

- (Exam Topic 1)

After a hardware incident, an unplanned emergency maintenance activity was conducted to rectify the issue. Multiple alerts were generated on the SIEM during this period of time. Which of the following BEST explains what happened?

- A. The unexpected traffic correlated against multiple rules, generating multiple alerts.
- B. Multiple alerts were generated due to an attack occurring at the same time.
- C. An error in the correlation rules triggered multiple alerts.
- D. The SIEM was unable to correlate the rules, triggering the alert

Answer: A

Explanation:

Multiple alerts were generated on the SIEM during the emergency maintenance activity due to unexpected traffic correlated against multiple rules. The SIEM generates alerts when it detects an event that matches a rule in its rulebase. If the event matches multiple rules, the SIEM will generate multiple alerts. Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 3: Architecture and Design

NEW QUESTION 47

- (Exam Topic 1)

A client sent several inquiries to a project manager about the delinquent delivery status of some critical reports. The project manager claimed the reports were previously sent via email, but then quickly generated and backdated the reports before submitting them as plain text within the body of a new email message thread. Which of the following actions MOST likely supports an investigation for fraudulent submission?

- A. Establish chain of custody.
- B. Inspect the file metadata.
- C. Reference the data retention policy.
- D. Review the email event logs

Answer: D

Explanation:

Reviewing the email event logs can support an investigation for fraudulent submission, as these logs can provide details about the history of emails, including the message content, timestamps, and sender/receiver information. Reference: CompTIA Security+ Certification Exam Objectives, Exam SY0-601, 3.2 Given a scenario, implement appropriate data security and privacy controls.

NEW QUESTION 50

- (Exam Topic 1)

A security researcher is using an adversary's infrastructure and TTPs and creating a named group to track those targeted. Which of the following is the researcher MOST likely using?

- A. The Cyber Kill Chain
- B. The incident response process
- C. The Diamond Model of Intrusion Analysis
- D. MITRE ATT&CK

Answer: D

Explanation:

The researcher is most likely using the MITRE ATT&CK framework. MITRE ATT&CK is a globally accessible knowledge base of adversary tactics, techniques, and procedures (TTPs) based on real-world observations. It helps security teams better understand and track adversaries by creating a named group, which aligns with the scenario described in the question. The framework is widely recognized and referenced in the cybersecurity industry, including in CompTIA Security+ study materials. References: 1. CompTIA Security+ Certification Exam Objectives (SY0-601):

<https://www.comptia.jp/pdf/Security%2B%20SY0-601%20Exam%20Objectives.pdf> 2. MITRE ATT&CK: <https://attack.mitre.org/>

MITRE ATT&CK is a knowledge base of adversary tactics, techniques, and procedures (TTPs) that are observed in real-world cyberattacks. MITRE ATT&CK provides a common framework and language for describing and analyzing cyber threats and their behaviors. MITRE ATT&CK also allows security researchers to create named groups that track specific adversaries based on their TTPs.

The other options are not correct because:

- > A. The Cyber Kill Chain is a model that describes the stages of a cyberattack from reconnaissance to exfiltration. The Cyber Kill Chain does not provide a way to create named groups based on adversary TTPs.
- > B. The incident response process is a set of procedures and guidelines that defines how an organization should respond to a security incident. The incident response process does not provide a way to create named groups based on adversary TTPs.
- > C. The Diamond Model of Intrusion Analysis is a framework that describes the four core features of any intrusion: adversary, capability, infrastructure, and victim. The Diamond Model of Intrusion Analysis does not provide a way to create named groups based on adversary TTPs.

According to CompTIA Security+ SY0-601 Exam Objectives 1.1 Compare and contrast different types of social engineering techniques:

"MITRE ATT&CK is a knowledge base of adversary tactics, techniques, and procedures (TTPs) that are observed in real-world cyberattacks. MITRE ATT&CK provides a common framework and language for describing and analyzing cyber threats and their behaviors."

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives> <https://attack.mitre.org/>

NEW QUESTION 53

- (Exam Topic 1)

A Chief Information Security Officer (CISO) is evaluating the dangers involved in deploying a new ERP system for the company. The CISO categorizes the system, selects the controls that apply to the system, implements the controls, and then assesses the success of the controls before authorizing the system. Which of the following is the CISO using to evaluate the environment for this new ERP system?

- A. The Diamond Model of Intrusion Analysis
- B. CIS Critical Security Controls
- C. NIST Risk Management Framework
- D. ISO 27002

Answer: C

Explanation:

The CISO is using the NIST Risk Management Framework (RMF) to evaluate the environment for the new ERP system. The RMF is a structured process for managing risks that involves categorizing the system, selecting controls, implementing controls, assessing controls, and authorizing the system.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 4: Risk Management, pp. 188-191.

NEW QUESTION 57

- (Exam Topic 1)

Which of the following function as preventive, detective, and deterrent controls to reduce the risk of physical theft? (Select TWO).

- A. Mantraps
- B. Security guards
- C. Video surveillance
- D. Fences
- E. Bollards
- F. Antivirus

Answer: AB

Explanation:

A - a mantrap can trap those personnel with bad intentions (preventive), and kind of same as detecting, since you will know if someone is trapped there (detective), and it can deter those personnel from approaching as well (deterrent) B - security guards can surely do the same thing as above, preventing malicious personnel from entering (preventive+deterrent), and notice those personnel as well (detective)

NEW QUESTION 61

- (Exam Topic 1)

An organization wants to enable built-in FDE on all laptops. Which of the following should the organization ensure is installed on all laptops?

- A. TPM
- B. CA
- C. SAML
- D. CRL

Answer: A

Explanation:

The organization should ensure that a Trusted Platform Module (TPM) is installed on all laptops in order to enable built-in Full Disk Encryption (FDE). TPM is a hardware-based security chip that stores encryption keys and helps to protect data from malicious attacks. It is important to ensure that the TPM is properly configured and enabled in order to get the most out of FDE.

NEW QUESTION 64

- (Exam Topic 1)

Which of the following environments can be stood up in a short period of time, utilizes either dummy data or actual data, and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time?

- A. PoC
- B. Production
- C. Test
- D. Development

Answer: A

Explanation:

A proof of concept (PoC) environment can be stood up quickly and is used to demonstrate and model system capabilities and functionality for a fixed, agreed-upon duration of time. This environment can utilize either dummy data or actual data. References: CompTIA Security+ Certification Guide, Exam SY0-501

NEW QUESTION 66

- (Exam Topic 1)

A security analyst is investigating multiple hosts that are communicating to external IP addresses during the hours of 2:00 a.m. - 4:00 a.m. The malware has evaded detection by traditional antivirus software. Which of the following types of malware is MOST likely infecting the hosts?

- A. A RAT
- B. Ransomware
- C. Polymorphic
- D. A worm

Answer: A

Explanation:

Based on the given information, the most likely type of malware infecting the hosts is a RAT (Remote Access Trojan). RATs are often used for stealthy unauthorized access to a victim's computer, and they can evade traditional antivirus software through various sophisticated techniques. In particular, the fact that the malware is communicating with external IP addresses during specific hours suggests that it may be under the control of an attacker who is issuing commands from a remote location. Ransomware, polymorphic malware, and worms are also possible culprits, but the context of the question suggests that a RAT is the most likely answer.

NEW QUESTION 71

- (Exam Topic 1)

A security analyst wants to verify that a client-server (non-web) application is sending encrypted traffic. Which of the following should the analyst use?

- A. openssl
- B. hping
- C. netcat
- D. tcpdump

Answer: A

Explanation:

To verify that a client-server (non-web) application is sending encrypted traffic, a security analyst can use OpenSSL. OpenSSL is a software library that provides cryptographic functions, including encryption and decryption, in support of various security protocols, including SSL/TLS. It can be used to check whether a client-server application is using encryption to protect traffic. References:

➤ [CompTIA Security+ Certification Exam Objectives - Exam SY0-601](#)

NEW QUESTION 76

- (Exam Topic 1)

A customer has reported that an organization's website displayed an image of a smiley (ace rather than the expected web page for a short time two days earlier. A security analyst reviews log tries and sees the following around the lime of the incident:

Website	Time	Name server	A record
CompTIA.org	8:10	names.comptia.org	192.168.1.10
CompTIA.org	9:00	names.comptia.org	192.168.1.10
CompTIA.org	9:30	ns.attacker.org	10.10.50.5
CompTIA.org	10:00	names.comptia.org	192.168.1.10

Which of the following is MOST likely occurring?

- A. Invalid trust chain
- B. Domain hijacking
- C. DNS poisoning
- D. URL redirection

Answer: C

Explanation:

The log entry shows the IP address for "www.example.com" being changed to a different IP address, which is likely the result of DNS poisoning. DNS poisoning occurs when an attacker is able to change the IP address associated with a domain name in a DNS server's cache, causing clients to connect to the attacker's server instead of the legitimate server. References: CompTIA Security+ SY0-601 Exam Objectives: 3.2 Given a scenario, implement secure network architecture concepts.

NEW QUESTION 80

- (Exam Topic 1)

Which of the following cryptographic concepts would a security engineer utilize while implementing non-repudiation? (Select TWO)

- A. Block cipher
- B. Hashing
- C. Private key
- D. Perfect forward secrecy
- E. Salting
- F. Symmetric keys

Answer: BC

Explanation:

Non-repudiation is the ability to ensure that a party cannot deny a previous action or event. Cryptographic concepts that can be used to implement non-repudiation include hashing and digital signatures, which use a private key to sign a message and ensure that the signature is unique to the signer. References: CompTIA Security+ Certification Exam Objectives (SY0-601)

NEW QUESTION 81

- (Exam Topic 1)

A security administrator is setting up a SIEM to help monitor for notable events across the enterprise. Which of the following control types does this BEST represent?

- A. Preventive
- B. Compensating
- C. Corrective
- D. Detective

Answer: D

Explanation:

A SIEM is a security solution that helps detect security incidents by monitoring for notable events across the enterprise. A detective control is a control that is designed to detect security incidents and respond to them. Therefore, a SIEM represents a detective control.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 3: Architecture and Design

NEW QUESTION 83

- (Exam Topic 1)

An organization recently acquired an ISO 27001 certification. Which of the following would MOST likely be considered a benefit of this certification?

- A. It allows for the sharing of digital forensics data across organizations
- B. It provides insurance in case of a data breach
- C. It provides complimentary training and certification resources to IT security staff.
- D. It certifies the organization can work with foreign entities that require a security clearance
- E. It assures customers that the organization meets security standards

Answer: E

Explanation:

ISO 27001 is an international standard that outlines the requirements for an Information Security Management System (ISMS). It provides a framework for managing and protecting sensitive information using risk management processes. Acquiring an ISO 27001 certification assures customers that the organization meets security standards and follows best practices for information security management. It helps to build customer trust and confidence in the organization's ability to protect their sensitive information. References: CompTIA Security+ Certification Exam Objectives, Exam Domain 1.0: Attacks, Threats, and Vulnerabilities, 1.2 Given a scenario, analyze indicators of compromise and determine the type of malware, p. 7

NEW QUESTION 88

- (Exam Topic 1)

A user reports trouble using a corporate laptop. The laptop freezes and responds slowly when writing documents and the mouse pointer occasional disappears. The task list shows the following results

Name	CPU %	Memory	Network %
Calculator	0%	4.1MB	0Mbps
Chrome	0.2%	207.1MB	0.1Mbps
Explorer	99.7%	2.15GB	0.1Mbps
Notepad	0%	3.9MB	0Mbps

Which of the following is MOST likely the issue?

- A. RAT
- B. PUP
- C. Spyware
- D. Keylogger

Answer: C

Explanation:

Spyware is malicious software that can cause a computer to slow down or freeze. It can also cause the mouse pointer to disappear. The task list shows an application named "spyware.exe" running, indicating that spyware is likely the issue. References:

- > CompTIA Security+ Certification Exam Objectives 6.0: Given a scenario, analyze indicators of compromise and determine the type of malware.
- > CompTIA Security+ Study Guide, Sixth Edition, pages 125-126

NEW QUESTION 91

- (Exam Topic 1)

During a Chief Information Security Officer (CISO) convention to discuss security awareness, the attendees are provided with a network connection to use as a resource. As the convention progresses, one of the attendees starts to notice delays in the connection, and the HTTPS site requests are reverting to HTTP. Which of the following BEST describes what is happening?

- A. Birthday collision on the certificate key
- B. DNS hijacking to reroute traffic
- C. Brute force to the access point
- D. SSL/TLS downgrade

Answer: B

Explanation:

The attendee is experiencing delays in the connection, and the HTTPS site requests are reverting to HTTP, indicating that the DNS resolution is redirecting the connection to another server. DNS hijacking is a technique that involves redirecting a user's requests for a domain name to a different IP address. Attackers use DNS hijacking to redirect users to malicious websites and steal sensitive information, such as login credentials and credit card details.

Reference: <https://www.cloudflare.com/learning/dns/dns-hijacking/>

NEW QUESTION 94

- (Exam Topic 1)

A security analyst notices several attacks are being blocked by the NIPS but does not see anything on the boundary firewall logs. The attack seems to have been thwarted. Which of the following resiliency techniques was applied to the network to prevent this attack?

- A. NIC Teaming
- B. Port mirroring
- C. Defense in depth

- D. High availability
- E. Geographic dispersal

Answer: C

Explanation:

Defense in depth is a resiliency technique that involves implementing multiple layers of security controls to protect against different types of threats. In this scenario, the NIPS likely provided protection at a different layer than the boundary firewall, demonstrating the effectiveness of defense in depth. References: CompTIA Security+ Certification Exam Objectives (SY0-601)

NEW QUESTION 99

- (Exam Topic 1)

A grocery store is expressing security and reliability concerns regarding the on-site backup strategy currently being performed by locally attached disks. The main concerns are the physical security of the backup media and the durability of the data stored on these devices Which of the following is a cost-effective approach to address these concerns?

- A. Enhance resiliency by adding a hardware RAID.
- B. Move data to a tape library and store the tapes off-site
- C. Install a local network-attached storage.
- D. Migrate to a cloud backup solution

Answer: D

Explanation:

a backup strategy is a plan that defines how to protect data from loss or corruption by creating and storing copies of data on a different medium or location¹. A backup strategy should consider the security and reliability of the backup data and the backup storage²³⁴.

Based on these definitions, the best option that is a cost-effective approach to address the security and reliability concerns regarding the on-site backup strategy would be D. Migrate to a cloud backup solution²ⁿ⁴. A cloud backup solution can provide several benefits, such as:

- Enhanced physical security of the backup data by storing it in a remote location that is protected by multiple layers of security measures.
- Enhanced durability of the backup data by storing it on highly reliable storage devices that are replicated across multiple availability zones or regions.
- Reduced costs of backup storage by paying only for the amount of data stored and transferred, and by using features such as compression, deduplication, encryption, and lifecycle management.
- Increased flexibility and scalability of backup storage by choosing from various storage classes and tiers that match the performance and availability requirements of the backup data.

NEW QUESTION 100

- (Exam Topic 1)

A security architect is implementing a new email architecture for a company. Due to security concerns, the Chief Information Security Officer would like the new architecture to support email encryption, as well as provide for digital signatures. Which of the following should the architect implement?

- A. TOP
- B. IMAP
- C. HTTPS
- D. S/MIME

Answer: D

Explanation:

S/MIME (Secure/Multipurpose Internet Mail Extensions) is a protocol that enables secure email messages to be sent and received. It provides email encryption, as well as digital signatures, which can be used to verify the authenticity of the sender. S/MIME can be used with a variety of email protocols, including POP and IMAP.

References:

- <https://www.comptia.org/content/guides/what-is-smime>
- CompTIA Security+ Study Guide, Sixth Edition (SY0-601), page 139

NEW QUESTION 102

- (Exam Topic 1)

An organization is concerned about hackers potentially entering a facility and plugging in a remotely accessible Kali Linux box. Which of the following should be the first lines of defense against such an attack? (Select TWO)

- A. MAC filtering
- B. Zero trust segmentation
- C. Network access control
- D. Access control vestibules
- E. Guards
- F. Bollards

Answer: CE

Explanation:

Network access control (NAC) is a technique that restricts access to a network based on the identity, role, device, location, or other criteria of the users or devices. NAC can prevent unauthorized or malicious devices from connecting to a network and accessing sensitive data or resources.

Guards are physical security personnel who monitor and control access to a facility. Guards can prevent unauthorized or malicious individuals from entering a facility and plugging in a remotely accessible device.

NEW QUESTION 103

- (Exam Topic 1)

A third party asked a user to share a public key for secure communication. Which of the following file formats should the user choose to share the key?

- A. .pfx
- B. .csr
- C. .pvk
- D. .cer

Answer: D

Explanation:

A user should choose the .cer file format to share a public key for secure communication. A .cer file is a public key certificate that can be shared with third parties to enable secure communication.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 6: Cryptography, pp. 301-302.

A public key is a cryptographic key that can be used to encrypt or verify data. A public key file is a file that contains one or more public keys in a specific format. There are different formats for public key files, depending on the application and the algorithm used. Some of the common formats are:

- > .pfx: This is a file format that stores a certificate and its private and public keys. It is also known as PKCS#12 or Personal Information Exchange. It is used by some applications such as Microsoft Internet Explorer and Outlook to import and export certificates and keys.¹
- > .csr: This is a file format that stores a Certificate Signing Request, which is a message sent to a Certificate Authority (CA) to request a digital certificate. It contains the public key and some information about the identity of the requester. It is also known as PKCS#10 or Certification Request Syntax.²
- > .pvk: This is a file format that stores a private key for Microsoft Authenticode code signing. It is used with a .spc file that contains the certificate and public key.³
- > .cer: This is a file format that stores a certificate, which is a document that binds a public key to an identity. It is also known as DER or Distinguished Encoding Rules. It is used by some applications such as OpenSSL and Java to read and write certificates.⁴

NEW QUESTION 104

- (Exam Topic 1)

Which of the following is required in order for an IDS and a WAF to be effective on HTTPS traffic?

- A. Hashing
- B. DNS sinkhole
- C. TLS inspection
- D. Data masking

Answer: C

Explanation:

an IDS (Intrusion Detection System) and a WAF (Web Application Firewall) are both used to monitor and protect web applications from common attacks such as cross-site scripting and SQL injection¹². However, these attacks can also be hidden in encrypted HTTPS traffic, which uses the TLS (Transport Layer Security) protocol to provide cryptography and authentication between two communicating applications³⁴. Therefore, in order for an IDS and a WAF to be effective on HTTPS traffic, they need to be able to decrypt and inspect the data that flows in the TLS tunnel. This is achieved by using a feature called TLS inspectio³ⁿ⁴⁵, which creates two dedicated TLS connections: one with the web server and another with the client. The firewall then uses a customer-provided CA (Certificate Authority) certificate to generate an on-the-fly certificate that replaces the web server certificate and shares it with the client. This way, the firewall can see the content of the HTTPS traffic and apply the IDS and WAF rules accordingly³⁴.

NEW QUESTION 109

- (Exam Topic 1)

The security team received a report of copyright infringement from the IP space of the corporate network. The report provided a precise time stamp for the incident as well as the name of the copyrighted files. The analyst has been tasked with determining the infringing source machine and instructed to implement measures to prevent such incidents from occurring again. Which of the following is MOST capable of accomplishing both tasks?

- A. HIDS
- B. Allow list
- C. TPM
- D. NGFW

Answer: D

Explanation:

Next-Generation Firewalls (NGFWs) are designed to provide advanced threat protection by combining traditional firewall capabilities with intrusion prevention, application control, and other security features. NGFWs can detect and block unauthorized access attempts, malware infections, and other suspicious activity. They can also be used to monitor file access and detect unauthorized copying or distribution of copyrighted material.

A next-generation firewall (NGFW) can be used to detect and prevent copyright infringement by analyzing network traffic and blocking unauthorized transfers of copyrighted material. Additionally, NGFWs can be configured to enforce access control policies that prevent unauthorized access to sensitive resources.

References:

- > CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 6

NEW QUESTION 111

- (Exam Topic 1)

As part of the lessons-learned phase, the SOC is tasked with building methods to detect if a previous incident is happening again. Which of the following would allow the security analyst to alert the SOC if an event is reoccurring?

- A. Creating a playbook within the SOAR
- B. Implementing rules in the NGFW
- C. Updating the DLP hash database
- D. Publishing a new CRL with revoked certificates

Answer: A

Explanation:

Creating a playbook within the Security Orchestration, Automation and Response (SOAR) tool would allow the security analyst to detect if an event is reoccurring by triggering automated actions based on the previous incident's characteristics. This can help the SOC to respond quickly and effectively to the incident.

References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 7: Incident Response, pp. 352-354

NEW QUESTION 115

- (Exam Topic 1)

Which of the following would MOST likely be identified by a credentialed scan but would be missed by an uncredentialed scan?

- A. Vulnerabilities with a CVSS score greater than 6.9.
- B. Critical infrastructure vulnerabilities on non-IP protocols.
- C. CVEs related to non-Microsoft systems such as printers and switches.
- D. Missing patches for third-party software on Windows workstations and servers.

Answer: D

Explanation:

An uncredentialed scan would miss missing patches for third-party software on Windows workstations and servers. A credentialed scan, however, can scan the registry and file system to determine the patch level of third-party applications. References: CompTIA Security+ Study Guide by Emmett Dulaney, Chapter 4: Identity and Access Management, The Importance of Credentialing Scans

NEW QUESTION 116

- (Exam Topic 1)

The spread of misinformation surrounding the outbreak of a novel virus on election day led to eligible voters choosing not to take the risk of going the polls. This is an example of:

- A. prepending.
- B. an influence campaign.
- C. a watering-hole attack.
- D. intimidation.
- E. information elicitation.

Answer: B

Explanation:

This scenario describes an influence campaign, where false information is spread to influence or manipulate people's beliefs or actions. In this case, the misinformation led eligible voters to avoid polling places, which influenced the outcome of the election.

NEW QUESTION 121

- (Exam Topic 1)

A global company is experiencing unauthorized logging due to credential theft and account lockouts caused by brute-force attacks. The company is considering implementing a third-party identity provider to help mitigate these attacks. Which of the following would be the BEST control for the company to require from prospective vendors?

- A. IP restrictions
- B. Multifactor authentication
- C. A banned password list
- D. A complex password policy

Answer: B

Explanation:

Multifactor authentication (MFA) would be the best control to require from a third-party identity provider to help mitigate attacks such as credential theft and brute-force attacks. References: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 2

NEW QUESTION 126

- (Exam Topic 1)

A company is required to continue using legacy software to support a critical service. Which of the following BEST explains a risk of this practice?

- A. Default system configuration
- B. Unsecure protocols
- C. Lack of vendor support
- D. Weak encryption

Answer: C

Explanation:

Using legacy software to support a critical service poses a risk due to lack of vendor support. Legacy software is often outdated and unsupported, which means that security patches and upgrades are no longer available. This can leave the system vulnerable to exploitation by attackers who may exploit known vulnerabilities in the software to gain unauthorized access to the system.

Reference: CompTIA Security+ Study Guide, Exam SY0-601, Chapter 1: Attacks, Threats, and Vulnerabilities

NEW QUESTION 127

- (Exam Topic 1)

A security team suspects that the cause of recent power consumption overloads is the unauthorized use of empty power outlets in the network rack Which of the following options will mitigate this issue without compromising the number of outlets available?

- A. Adding a new UPS dedicated to the rack
- B. Installing a managed PDU
- C. Using only a dual power supplies unit
- D. Increasing power generator capacity

Answer:

B

Explanation:

A managed Power Distribution Unit (PDU) allows you to monitor and control power outlets on the rack. This will allow the security team to identify which devices are drawing power and from which outlets, which can help to identify any unauthorized devices. Moreover, with a managed PDU, you can also control the power to outlets, turn off outlets that are not in use, and set up alerts if an outlet is overloaded. This will help to mitigate the issue of power consumption overloads without compromising the number of outlets available.

Reference: CompTIA Security+ Study Guide (SY0-601) 7th Edition by Emmett Dulaney, Chuck Easttom

NEW QUESTION 130

- (Exam Topic 1)

A company would like to set up a secure way to transfer data between users via their mobile phones. The company's top priority is utilizing technology that requires users to be in as close proximity as possible to each other. Which of the following connection methods would BEST fulfill this need?

- A. Cellular
- B. NFC
- C. Wi-Fi
- D. Bluetooth

Answer: B

Explanation:

NFC allows two devices to communicate with each other when they are in close proximity to each other, typically within 5 centimetres. This makes it the most secure connection method for the company's data transfer requirements.

NEW QUESTION 133

- (Exam Topic 1)

Which of the following BEST describes a social-engineering attack that relies on an executive at a small business visiting a fake banking website where credit card and account details are harvested?

- A. Whaling
- B. Spam
- C. Invoice scam
- D. Pharming

Answer: A

Explanation:

A social engineering attack that relies on an executive at a small business visiting a fake banking website where credit card and account details are harvested is known as whaling. Whaling is a type of phishing attack that targets high-profile individuals, such as executives, to steal sensitive information or gain access to their accounts.

NEW QUESTION 134

- (Exam Topic 1)

After a WiFi scan of a local office was conducted, an unknown wireless signal was identified. Upon investigation, an unknown Raspberry Pi device was found connected to an Ethernet port using a single connection. Which of the following BEST describes the purpose of this device?

- A. IoT sensor
- B. Evil twin
- C. Rogue access point
- D. On-path attack

Answer: C

Explanation:

A Raspberry Pi device connected to an Ethernet port could be configured as a rogue access point, allowing an attacker to intercept and analyze network traffic or perform other malicious activities. References: CompTIA Security+ SY0-601 Exam Objectives: 3.2 Given a scenario, implement secure network architecture concepts.

NEW QUESTION 138

- (Exam Topic 1)

A security engineer is reviewing the logs from a SAML application that is configured to use MFA, during this review the engineer notices a high volume of successful logins that did not require MFA from users who were traveling internationally. The application, which can be accessed without a VPN, has a policy that allows time-based tokens to be generated. Users who changed locations should be required to reauthenticate but have been. Which of the following statements BEST explains the issue?

- A. OpenID is mandatory to make the MFA requirements work
- B. An incorrect browser has been detected by the SAML application
- C. The access device has a trusted certificate installed that is overwriting the session token
- D. The user's IP address is changing between logins, but the application is not invalidating the token

Answer: D

NEW QUESTION 142

- (Exam Topic 1)

A new vulnerability in the SMB protocol on the Windows systems was recently discovered, but no patches are currently available to resolve the issue. The security administrator is concerned if servers in the company's DMZ will be vulnerable to external attack; however, the administrator cannot disable the service on the servers, as SMB is used by a number of internal systems and applications on the LAN. Which of the following TCP ports should be blocked for all external inbound

connections to the DMZ as a workaround to protect the servers? (Select TWO).

- A. 135
- B. 139
- C. 143
- D. 161
- E. 443
- F. 445

Answer: BF

Explanation:

To protect the servers in the company's DMZ from external attack due to the new vulnerability in the SMB protocol on the Windows systems, the security administrator should block TCP ports 139 and 445 for all external inbound connections to the DMZ. SMB uses TCP port 139 and 445. Blocking these ports will prevent external attackers from exploiting the vulnerability in SMB protocol on Windows systems. Blocking TCP ports 139 and 445 for all external inbound connections to the DMZ can help protect the servers, as these ports are used by SMB protocol. Port 135 is also associated with SMB, but it is not commonly used. Ports 143 and 161 are associated with other protocols and services. Reference: CompTIA Security+ Certification Exam Objectives, Exam SY0-601, 1.4 Compare and contrast network architecture and technologies.

NEW QUESTION 147

- (Exam Topic 1)

A large enterprise has moved all its data to the cloud behind strong authentication and encryption. A sales director recently had a laptop stolen, and later, enterprise data was found to have been compromised from a local database. Which of the following was the MOST likely cause?

- A. Shadow IT
- B. Credential stuffing
- C. SQL injection
- D. Man in the browser
- E. Bluejacking

Answer: A

Explanation:

The most likely cause of the enterprise data being compromised from a local database is Shadow IT. Shadow IT is the use of unauthorized applications or devices by employees to access company resources. In this case, the sales director's laptop was stolen, and the attacker was able to use it to access the local database, which was not secured properly, allowing unauthorized access to sensitive data. References:

➤ [CompTIA Security+ Certification Exam Objectives - Exam SY0-601](#)

NEW QUESTION 148

- (Exam Topic 1)

Which of the following would be BEST for a technician to review to determine the total risk an organization can bear when assessing a "cloud-first" adoption strategy?

- A. Risk matrix
- B. Risk tolerance
- C. Risk register
- D. Risk appetite

Answer: B

Explanation:

To determine the total risk an organization can bear, a technician should review the organization's risk tolerance, which is the amount of risk the organization is willing to accept. This information will help determine the organization's "cloud-first" adoption strategy. References: CompTIA Security+ Certification Exam Objectives (SY0-601)

NEW QUESTION 152

- (Exam Topic 1)

A security researcher has alerted an organization that its sensitive user data was found for sale on a website. Which of the following should the organization use to inform the affected parties?

- A. An incident response plan
- B. A communications plan
- C. A business continuity plan
- D. A disaster recovery plan

Answer: B

Explanation:

A communications plan should be used to inform the affected parties about the sale of sensitive user data on a website. The communications plan should detail how the organization will handle media inquiries, how to communicate with customers, and how to respond to other interested parties.

NEW QUESTION 157

- (Exam Topic 1)

A security incident has been resolved Which of the following BEST describes the importance of the final phase of the incident response plan?

- A. It examines and documents how well the team responded discovers what caused the incident, and determines how the incident can be avoided in the future
- B. It returns the affected systems back into production once systems have been fully patched, data restored and vulnerabilities addressed
- C. It identifies the incident and the scope of the breach how it affects the production environment, and the ingress point

D. It contains the affected systems and disconnects them from the network, preventing further spread of the attack or breach

Answer: A

Explanation:

The final phase of an incident response plan is the post-incident activity, which involves examining and documenting how well the team responded, discovering what caused the incident, and determining how the incident can be avoided in the future. References: CompTIA Security+ Certification Exam Objectives - 2.5
Given a scenario, analyze potential indicators to determine the type of attack. Study Guide: Chapter 5, page 225.

NEW QUESTION 158

- (Exam Topic 1)

A security analyst is responding to an alert from the SIEM. The alert states that malware was discovered on a host and was not automatically deleted. Which of the following would be BEST for the analyst to perform?

- A. Add a deny-all rule to that host in the network ACL
- B. Implement a network-wide scan for other instances of the malware.
- C. Quarantine the host from other parts of the network
- D. Revoke the client's network access certificates

Answer: C

Explanation:

When malware is discovered on a host, the best course of action is to quarantine the host from other parts of the network. This prevents the malware from spreading and potentially infecting other hosts. Adding a deny-all rule to the host in the network ACL may prevent legitimate traffic from being processed, implementing a network-wide scan is time-consuming and may not be necessary, and revoking the client's network access certificates is an extreme measure that may not be warranted. References: CompTIA Security+ Study Guide, pages 113-114

NEW QUESTION 161

- (Exam Topic 1)

During an investigation, the incident response team discovers that multiple administrator accounts were suspected of being compromised. The host audit logs indicate a repeated brute-force attack on a single administrator account followed by suspicious logins from unfamiliar geographic locations. Which of the following data sources would be BEST to use to assess the accounts impacted by this attack?

- A. User behavior analytics
- B. Dump files
- C. Bandwidth monitors
- D. Protocol analyzer output

Answer: A

Explanation:

User behavior analytics (UBA) would be the best data source to assess the accounts impacted by the attack, as it can identify abnormal activity, such as repeated brute-force attacks and logins from unfamiliar geographic locations, and provide insights into the behavior of the impacted accounts. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 7: Incident Response, pp. 338-341


NEW QUESTION 163

- (Exam Topic 1)

You received the output of a recent vulnerability assessment.

Review the assessment and scan output and determine the appropriate remediation(s) or «ach dewce. Remediation options may be selected multiple times, and some devices may require more than one remediation.

If at any time you would like to biing bade the initial state ot the simulation, please dick me Reset All button.




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Graphical user interface, application, website, Teams Description automatically generated



Graphical user interface, text, application Description automatically generated



NEW QUESTION 167

- (Exam Topic 1)

Which of the following controls would provide the BEST protection against tailgating?

- A. Access control vestibule
- B. Closed-circuit television
- C. Proximity card reader
- D. Faraday cage

Answer: A

Explanation:

Access control vestibules, also known as mantraps or airlocks, are physical security features that require individuals to pass through two or more doors to enter a secure area. They are effective at preventing tailgating, as only one person can pass through each door at a time.

References:

- > <https://www.comptia.org/content/guides/what-is-a-mantrap>
- > CompTIA Security+ Study Guide, Sixth Edition (SY0-601), page 222

NEW QUESTION 171

- (Exam Topic 1)

The compliance team requires an annual recertification of privileged and non-privileged user access. However, multiple users who left the company six months ago still have access. Which of the following would have prevented this compliance violation?

- A. Account audits
- B. AUP
- C. Password reuse
- D. SSO

Answer: A

Explanation:

Account audits are periodic reviews of user accounts to ensure that they are being used appropriately and that access is being granted and revoked in accordance with the organization's policies and procedures. If the compliance team had been conducting regular account audits, they would have identified the users who left the company six months ago and ensured that their access was revoked in a timely manner. This would have prevented the compliance violation caused by these users still having access to the company's systems.

To prevent this compliance violation, the company should implement account audits. An account audit is a regular review of all user accounts to ensure that they are being used properly and that they are in compliance with the company's security policies. By conducting regular account audits, the company can identify inactive or unused accounts and remove access for those users. This will help to prevent compliance violations and ensure that only authorized users have access to the company's systems and data.

NEW QUESTION 173

- (Exam Topic 1)

During an incident a company CIRT determine it is necessary to observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC. Which of the following techniques would be BEST to enable this activity while reducing the risk of lateral spread and the risk that the adversary would notice any changes?

- A. Physical move the PC to a separate internet pint of presence
- B. Create and apply micro segmentation rules.
- C. Emulate the malware in a heavily monitored DM Z segment.
- D. Apply network blacklisting rules for the adversary domain

Answer: C

Explanation:

To observe the continued network-based transaction between a callback domain and the malware running on an enterprise PC while reducing the risk of lateral spread and the risk that the adversary would notice any changes, the best technique to use is to emulate the malware in a heavily monitored DMZ segment. This is a secure environment that is isolated from the rest of the network and can be heavily monitored to detect any suspicious activity. By emulating the malware in this environment, the activity can be observed without the risk of lateral spread or detection by the adversary. References:

<https://www.sans.org/blog/incident-response-fundamentals-why-is-the-dmz-so-important/>

NEW QUESTION 177

- (Exam Topic 1)

An application owner reports suspicious activity on an internal financial application from various internal users within the past 14 days. A security analyst notices the following:

- Financial transactions were occurring during irregular time frames and outside of business hours by unauthorized users.

- Internal users in question were changing their passwords frequently during that time period.
- A jump box that several domain administrator users use to connect to remote devices was recently compromised.
- The authentication method used in the environment is NTLM.

Which of the following types of attacks is MOST likely being used to gain unauthorized access?

- A. Pass-the-hash
- B. Brute-force
- C. Directory traversal
- D. Replay

Answer: A

Explanation:

The suspicious activity reported by the application owner, combined with the recent compromise of the jump box and the use of NTLM authentication, suggests that an attacker is likely using a pass-the-hash attack to gain unauthorized access to the financial application. This type of attack involves stealing hashed passwords from memory and then using them to authenticate as the compromised user without needing to know the user's plaintext password. References: CompTIA Security+ Study Guide, Exam SY0-601, 4th Edition, Chapter 5

NEW QUESTION 180

- (Exam Topic 1)

An enterprise has hired an outside security firm to facilitate penetration testing on its network and applications. The firm has agreed to pay for each vulnerability that is discovered. Which of the following BEST represents the type of testing that is being used?

- A. White-box
- B. Red-team
- C. Bug bounty
- D. Gray-box
- E. Black-box

Answer: C

Explanation:

Bug bounty is a type of testing in which an organization offers a reward or compensation to anyone who can identify vulnerabilities or security flaws in their network or applications. The outside security firm has agreed to pay for each vulnerability found, which is an example of a bug bounty program.

NEW QUESTION 185

- (Exam Topic 2)

A Chief Information Security Officer (CISO) wants to explicitly raise awareness about the increase of ransomware-as-a-service in a report to the management team. Which of the following best describes the threat actor in the CISO's report?

- A. Insider threat
- B. Hactivist
- C. Nation-state
- D. Organized crime

Answer: D

Explanation:

Organized crime is a term that describes groups of criminals who operate in a coordinated and systematic manner to pursue illicit activities for profit. Organized crime groups often use sophisticated tools and techniques to evade law enforcement and exploit vulnerabilities in various sectors, such as finance, transportation, or healthcare. Organized crime groups may also collaborate with other criminal groups or actors to share resources, information, or expertise. Ransomware as a service (RaaS) is an example of a business model used by organized crime groups to conduct ransomware and extortion attacks. RaaS is an arrangement between an operator, who develops and maintains the tools to power extortion operations, and an affiliate, who deploys the ransomware payload. When the affiliate conducts a successful ransomware and extortion attack, both parties profit. The RaaS model lowers the barrier to entry for attackers who may not have the skill or technical wherewithal to develop their own tools but can manage ready-made penetration testing and sysadmin tools to perform attacks¹². Insider threat is a term that describes individuals who have legitimate access to an organization's systems or data and use it for malicious purposes, such as theft, sabotage, or espionage. Insider threats may be motivated by various factors, such as greed, revenge, ideology, or coercion. Insider threats may also be unintentional, such as when an employee falls victim to phishing or social engineering. Hactivist is a term that describes individuals or groups who use hacking or cyberattacks to promote a political or social cause. Hactivists may target governments, corporations, or other entities that they perceive as oppressive, corrupt, or unethical. Hactivists may also use cyberattacks to expose information, disrupt services, or deface websites. Nation-state is a term that describes a sovereign state that has a centralized government and a defined territory. Nation-state actors are individuals or groups who conduct cyberattacks on behalf of or with the support of a nation-state. Nation-state actors may target other states, organizations, or individuals for various reasons, such as espionage, sabotage, influence, or retaliation.

NEW QUESTION 186

- (Exam Topic 2)

Multiple beaconing activities to a malicious domain have been observed. The malicious domain is hosting malware from various endpoints on the network. Which of the following technologies would be best to correlate the activities between the different endpoints?

- A. Firewall
- B. SIEM
- C. IPS
- D. Protocol analyzer

Answer: B

Explanation:

SIEM stands for Security Information and Event Management, which is a technology that collects, analyzes, and correlates data from multiple sources, such as firewall logs, IDS/IPS alerts, network devices, applications, and endpoints. SIEM provides real-time monitoring and alerting of security events, as well as historical

analysis and reporting for compliance and forensic purposes.

A SIEM technology would be best to correlate the activities between the different endpoints that are beaconing to a malicious domain. A SIEM can detect the malicious domain by comparing it with threat intelligence feeds or known indicators of compromise (IOCs). A SIEM can also identify the endpoints that are communicating with the malicious domain by analyzing the firewall logs and other network traffic data. A SIEM can alert the security team of the potential compromise and provide them with relevant information for investigation and remediation.

NEW QUESTION 189

- (Exam Topic 2)

The application development teams have been asked to answer the following questions:

- > Does this application receive patches from an external source?
- > Does this application contain open-source code?
- > Is this application accessible by external users?
- > Does this application meet the corporate password standard? Which of the following are these questions part of?

- A. Risk control self-assessment
- B. Risk management strategy
- C. Risk acceptance
- D. Risk matrix

Answer: A

Explanation:

A risk control self-assessment (RCSA) is a process that allows an organization to identify, evaluate, and mitigate the risks associated with its activities, processes, systems, and products. A RCSA involves asking relevant questions to assess the effectiveness of existing controls and identify any gaps or weaknesses that need improvement. A RCSA also helps to align the risk appetite and tolerance of the organization with its strategic objectives and performance.

The application development teams have been asked to answer questions related to their applications' security posture, such as whether they receive patches from an external source, contain open-source code, are accessible by external users, or meet the corporate password standard. These questions are part of a RCSA process that aims to evaluate the potential risks and vulnerabilities associated with each application and determine how well they are managed and mitigated.

NEW QUESTION 191

- (Exam Topic 2)

Which of the following procedures would be performed after the root cause of a security incident has been identified to help avoid future incidents from occurring?

- A. Walk-throughs
- B. Lessons learned
- C. Attack framework alignment
- D. Containment

Answer: B

Explanation:

After the root cause of a security incident has been identified, it is important to take the time to analyze what went wrong and how it could have been prevented.

This process is known as "lessons learned" and allows organizations to identify potential improvements to their security processes and protocols. Lessons learned typically involve a review of the incident and the steps taken to address it, a review of the security systems and procedures in place, and an analysis of any potential changes that can be made to prevent similar incidents from occurring in the future.

NEW QUESTION 192

- (Exam Topic 2)

An attacker was eavesdropping on a user who was shopping online. The attacker was able to spoof the IP address associated with the shopping site. Later, the user received an email regarding credit card statement with unusual purchases. Which of the following attacks took place?

- A. On-path attack
- B. Protocol poisoning
- C. Domain hijacking
- D. Bluejacking

Answer: A

Explanation:

An on-path attack is an attack that took place when an attacker was eavesdropping on a user who was shopping online and was able to spoof the IP address associated with the shopping site. An on-path attack is a type of network attack that involves intercepting or modifying traffic between two parties by placing oneself in the communication path. An on-path attack can also be called a man-in-the-middle attack or a session hijacking attack. An on-path attacker can steal sensitive information, such as credit card details, or redirect the user to a malicious website. References: <https://www.comptia.org/blog/what-is-a-man-in-the-middle-attack>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 193

- (Exam Topic 2)

An attack has occurred against a company.

INSTRUCTIONS


You have been tasked to do the following:

Identify the type of attack that is occurring on the network by clicking on the attacker's tablet and reviewing the output. (Answer Area 1).

Identify which compensating controls should be implemented on the assets, in order to reduce the effectiveness of future attacks by dragging them to the correct server.

(Answer area 2) All objects will be used, but not all placeholders may be filled. Objects may only be used once.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.



Select and Place:

Answer Area 1

SQL Injection

Cross Site Scripting

XML Injection

Session Hijacking

Type of attack

?

Answer Area 2

Input Validation

Code Review

WAF

URL Filtering

Record level access control

Attacker Tablet

Anonymizer

Internet

Firewall

Switch A

Router

Web Server

Database

Application Source Code within repository

Switch B

CRM Server

?

?

?

?

?

?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A computer screen shot of a computer Description automatically generated with low confidence

NEW QUESTION 196

- (Exam Topic 2)

A network manager is concerned that business may be negatively impacted if the firewall in its data center goes offline. The manager would like to implement a high availability pair to:

- A. decrease the mean time between failures.
- B. remove the single point of failure.
- C. cut down the mean time to repair
- D. reduce the recovery time objective

Answer: B

Explanation:

A single point of failure is a component or element of a system that, if it fails, will cause the entire system to fail or stop functioning. It can pose a high risk and impact for business continuity and availability. A high availability pair is a configuration that involves two identical devices or systems that operate in parallel and provide redundancy and failover capabilities. It can remove the single point of failure by ensuring that if one device or system fails, the other one can take over its functions without interruption or downtime.

NEW QUESTION 198

- (Exam Topic 2)

Which of the following describes software on network hardware that needs to be updated on a routine basis to help address possible vulnerabilities?

- A. Vendor management
- B. Application programming interface
- C. Vanishing
- D. Encryption strength
- E. Firmware

Answer: E

Explanation:

Firmware is software that allows your computer to communicate with hardware devices, such as network routers, switches, or firewalls. Firmware updates can fix bugs, improve performance, and enhance security features. Without firmware updates, the devices you connect to your network might not work properly or might be vulnerable to attacks¹. You can have Windows automatically download recommended drivers and firmware updates for your hardware devices¹, or you can use a network monitoring software to keep track of the firmware status of your devices². You should also follow the best practices for keeping devices and software up to date, such as enforcing automatic updates, monitoring update status, and testing updates before deploying them

NEW QUESTION 201

- (Exam Topic 2)

A cybersecurity analyst at Company A is working to establish a secure communication channel with a counterpart at Company B, which is 3,000 miles (4,828 kilometers) away. Which of the following concepts would help the analyst meet this goal in a secure manner?

- A. Digital signatures
- B. Key exchange
- C. Salting
- D. PPTP

Answer: B

Explanation:

Key exchange Short

Key exchange is the process of securely sharing cryptographic keys between two parties over a public network. This allows them to establish a secure communication channel and encrypt their messages. There are different methods of key exchange, such as Diffie-Hellman or RSA. References:
<https://www.comptia.org/content/guides/what-is-encryption>

NEW QUESTION 203

- (Exam Topic 2)

Which of the following would be used to find the most common web-application vulnerabilities?

- A. OWASP
- B. MITRE ATT&CK
- C. Cyber Kill Chain
- D. SDLC

Answer: A

Explanation:

OWASP (Open Web Application Security Project) is a non-profit organization that provides resources and guidance for improving the security of web applications. It publishes a list of the most common web application vulnerabilities, such as injection, broken authentication, cross-site scripting, etc., and provides recommendations and best practices for preventing and mitigating them

NEW QUESTION 206

- (Exam Topic 2)

An organization recently released a software assurance policy that requires developers to run code scans each night on the repository. After the first night, the security team alerted the developers that more than 2,000 findings were reported and need to be addressed. Which of the following is the MOST likely cause for the high number of findings?

- A. The vulnerability scanner was not properly configured and generated a high number of false positives
- B. Third-party libraries have been loaded into the repository and should be removed from the codebase.
- C. The vulnerability scanner found several memory leaks during runtime, causing duplicate reports for the same issue.
- D. The vulnerability scanner was not loaded with the correct benchmarks and needs to be updated.

Answer: A

Explanation:

The most likely cause for the high number of findings is that the vulnerability scanner was not properly configured and generated a high number of false positives. False positive results occur when a vulnerability scanner incorrectly identifies a non-vulnerable system or application as being vulnerable. This can happen due to incorrect configuration, over-sensitive rule sets, or outdated scan databases.

<https://www.professormesser.com/security-plus/sy0-601/sy0-601-video/sy0-601-comptia-security-plus-course/>

NEW QUESTION 207

- (Exam Topic 2)

A systems administrator needs to install a new wireless network for authenticated guest access. The wireless network should support 802.1X using the most secure encryption and protocol available.

Perform the following steps:

- * 1. Configure the RADIUS server.
- * 2. Configure the WiFi controller.
- * 3. Preconfigure the client for an incoming guest. The guest AD credentials are:

User: guest01 Password: guestpass



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Wifi Controller SSID: CORPGUEST

SHARED KEY: Secret

AAA server IP: 192.168.1.20

PSK: Blank

Authentication type: WPA2-EAP-PEAP-MSCHAPv2 Controller IP: 192.168.1.10

Radius Server Shared Key: Secret

Client IP: 192.168.1.10

Authentication Type: Active Directory Server IP: 192.168.1.20

Wireless Client SSID: CORPGUEST

Username: guest01 Userpassword: guestpass PSK: Blank

Authentication type: WPA2-Enterprise

NEW QUESTION 211

- (Exam Topic 2)

A technician is setting up a new firewall on a network segment to allow web traffic to the internet while hardening the network. After the firewall is configured, users receive errors stating the website could not be located. Which of the following would best correct the issue?

- A. Setting an explicit deny to all traffic using port 80 instead of 443
- B. Moving the implicit deny from the bottom of the rule set to the top
- C. Configuring the first line in the rule set to allow all traffic
- D. Ensuring that port 53 has been explicitly allowed in the rule set

Answer: D

Explanation:

Port 53 is the default port for DNS traffic. If the firewall is blocking port 53, then users will not be able to resolve domain names and will receive errors stating that the website could not be located.

The other options would not correct the issue. Setting an explicit deny to all traffic using port 80 instead of 443 would block all HTTP traffic, not just web traffic.

Moving the implicit deny from the bottom of the rule set to the top would make the deny rule more restrictive, which would not solve the issue. Configuring the first line in the rule set to allow all traffic would allow all traffic, including malicious traffic, which is not a good security practice.

Therefore, the best way to correct the issue is to ensure that port 53 has been explicitly allowed in the rule set. Here are some additional information about DNS traffic:

- > DNS traffic is used to resolve domain names to IP addresses.
- > DNS traffic is typically unencrypted, which makes it vulnerable to eavesdropping.
- > There are a number of ways to secure DNS traffic, such as using DNS over HTTPS (DoH) or DNS over TLS (DoT).

NEW QUESTION 214

- (Exam Topic 2)

A security analyst is hardening a network infrastructure The analyst is given the following requirements

- Preserve the use of public IP addresses assigned to equipment on the core router
- Enable "in transport" encryption protection to the web server with the strongest ciphers. Which of the following should the analyst implement to meet these requirements? (Select two).

- A. Configure VLANs on the core router
- B. Configure NAT on the core router.
- C. Configure BGP on the core router

- D. Enable AES encryption on the web server
- E. Enable 3DES encryption on the web server
- F. Enable TLSv2 encryption on the web server

Answer: BF

Explanation:

NAT (Network Address Translation) is a technique that allows a router to translate private IP addresses into public IP addresses and vice versa. It can preserve the use of public IP addresses assigned to equipment on the core router by allowing multiple devices to share a single public IP address. TLSv2 (Transport Layer Security version 2) is a cryptographic protocol that provides secure communication over the internet. It can enable "in transport" encryption protection to the web server with the strongest ciphers by encrypting the data transmitted between the web server and the clients using advanced algorithms and key exchange methods.

NEW QUESTION 219

- (Exam Topic 2)

A digital forensics team at a large company is investigating a case in which malicious code was downloaded over an HTTPS connection and was running in memory, but was never committed to disk. Which of the following techniques should the team use to obtain a sample of the malware binary?

- A. pcap reassembly
- B. SSD snapshot
- C. Image volatile memory
- D. Extract from checksums

Answer: C

Explanation:

The best technique for the digital forensics team to use to obtain a sample of the malware binary is to image volatile memory. Volatile memory imaging is a process of collecting a snapshot of the contents of a computer's RAM, which can include active malware programs. According to the CompTIA Security+ SY0-601 Official Text Book, volatile memory imaging can be used to capture active malware programs that are running in memory, but have not yet been committed to disk. This technique is especially useful in cases where the malware is designed to self-destruct or erase itself from the disk after execution.

NEW QUESTION 222

- (Exam Topic 2)

A security team discovered a large number of company-issued devices with non-work-related software installed. Which of the following policies would most likely contain language that would prohibit this activity?

- A. NDA
- B. BPA
- C. AUP
- D. SLA

Answer: C

Explanation:

AUP stands for acceptable use policy, which is a document that defines the rules and guidelines for using an organization's network, systems, devices, and resources. An AUP typically covers topics such as authorized and unauthorized activities, security requirements, data protection, user responsibilities, and consequences for violations. An AUP can help prevent non-work-related software installation on company-issued devices by clearly stating what types of software are allowed or prohibited, and what actions will be taken if users do not comply with the policy.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
<https://www.techopedia.com/definition/2471/acceptable-use-policy-aup>

NEW QUESTION 226

- (Exam Topic 2)

A web server has been compromised due to a ransomware attack. Further Investigation reveals the ransomware has been in the server for the past 72 hours. The systems administrator needs to get the services back up as soon as possible. Which of the following should the administrator use to restore services to a secure state?

- A. The last incremental backup that was conducted 72 hours ago
- B. The last known-good configuration stored by the operating system
- C. The last full backup that was conducted seven days ago
- D. The baseline OS configuration

Answer: A

Explanation:

The last incremental backup that was conducted 72 hours ago would be the best option to restore the services to a secure state, as it would contain the most recent data before the ransomware infection. Incremental backups only store the changes made since the last backup, so they are faster and use less storage space than full backups. Restoring from an incremental backup would also minimize the data loss and downtime caused by the ransomware attack. References:

- > <https://www.comptia.org/blog/mature-cybersecurity-response-to-ransomware>
- > <https://www.youtube.com/watch?v=HszU4nEAlFc>

NEW QUESTION 231

- (Exam Topic 2)

A security engineer is investigating a penetration test report that states the company website is vulnerable to a web application attack. While checking the web logs from the time of the test, the engineer notices several invalid web form submissions using an unusual address: "SELECT * FROM customername". Which of the following is most likely being attempted?

- A. Directory traversal

- B. SQL injection
- C. Privilege escalation
- D. Cross-site scripting

Answer: B

Explanation:

SQL injection is a web application attack that involves inserting malicious SQL statements into an input field, such as a web form, to manipulate or access the database behind the application. SQL injection can be used to perform various actions, such as reading, modifying, or deleting data, executing commands on the database server, or bypassing authentication. In this scenario, the attacker is trying to use a SQL statement "SELECT * FROM customername" to retrieve all data from the customername table in the database.

NEW QUESTION 236

- (Exam Topic 2)

During the onboarding process, an employee needs to create a password for an intranet account. The password must include ten characters, numbers, and letters, and two special characters. Once the password is created, the 'company will grant the employee access to other company-owned websites based on the intranet profile. Which of the following access management concepts is the company most likely using to safeguard intranet accounts and grant access to multiple sites based on a user's intranet account? (Select two).

- A. Federation
- B. Identity proofing
- C. Password complexity
- D. Default password changes
- E. Password manager
- F. Open authentication

Answer: AF

Explanation:

Federation is an access management concept that allows users to authenticate once and access multiple applications or services that trust the same identity provider. Open authentication is a standard protocol that enables federation by allowing users to use their existing credentials from one service to access another service. The company is most likely using federation and open authentication to safeguard intranet accounts and grant access to multiple sites based on a user's intranet account. For example, the company could use an identity provider such as Azure AD or Keycloak to manage the user identities and credentials for the intranet account, and then use open authentication to allow the users to access other company-owned websites without having to log in again. References:

- > <https://www.keycloak.org/>
- > <https://learn.microsoft.com/en-us/azure/active-directory/hybrid/connect/whatis-fed>

NEW QUESTION 239

- (Exam Topic 2)

A security team is conducting a security review of a hosted data provider. The management team has asked the hosted data provider to share proof that customer data is being appropriately protected.

Which of the following would provide the best proof that customer data is being protected?

- A. SOC2
- B. CSA
- C. CSF
- D. ISO 31000

Answer: A

Explanation:

SOC2 is a type of audit report that provides assurance on the security, availability, processing integrity, confidentiality, and privacy of a service organization's systems. It is based on the Trust Services Criteria developed by the American Institute of Certified Public Accountants (AICPA). A SOC2 report can provide proof that customer data is being appropriately protected by the hosted data provider¹

<https://www.csagroup.org/store/product/50072454/> 3: <https://www.csagroup.org/store/product/50072454os/> 1: <https://cloudsecurityalliance.org/blog/2021/08/20/star-testimonial-csa-star-soc2-from-readiness-to-attestation/>

NEW QUESTION 241

- (Exam Topic 2)

The alert indicates an attacker entered thousands of characters into the text box of a web form. The web form was intended for legitimate customers to enter their phone numbers. Which of the attacks has most likely occurred?

- A. Privilege escalation
- B. Buffer overflow
- C. Resource exhaustion
- D. Cross-site scripting

Answer: B

Explanation:

A buffer overflow attack occurs when an attacker inputs more data than the buffer can store, causing the excess data to overwrite adjacent memory locations and corrupt or execute code¹. In this case, the attacker entered thousands of characters into a text box that was intended for phone numbers, which are much shorter. This could result in a buffer overflow attack that compromises the web application or server. The other options are not related to this scenario. Privilege escalation is when an attacker gains unauthorized access to higher-level privileges or resources². Resource exhaustion is when an attacker consumes all the available resources of a system, such as CPU, memory, disk space, etc., to cause a denial of service³. Cross-site scripting is when an attacker injects malicious code into a web page that is executed by the browser of a victim who visits the page.

References: 1: <https://www.fortinet.com/resources/cyberglossary/buffer-overflow> 2:

<https://www.imperva.com/learn/application-security/privilege-escalation/> 3: <https://www.imperva.com/learn/application-security/resource-exhaustion/> :

<https://owasp.org/www-community/attacks/xss/>

NEW QUESTION 244

- (Exam Topic 2)

A data center has experienced an increase in under-voltage events following electrical grid maintenance outside the facility. These events are leading to occasional losses of system availability. Which of the following would be the most cost-effective solution for the data center to implement?

- A. Uninterruptible power supplies with battery backup
- B. Managed power distribution units to track these events
- C. A generator to ensure consistent, normalized power delivery
- D. Dual power supplies to distribute the load more evenly

Answer: A

Explanation:

Uninterruptible power supplies with battery backup would be the most cost-effective solution for the data center to implement to prevent under-voltage events following electrical grid maintenance outside the facility. An uninterruptible power supply (UPS) is a device that provides emergency power to a load when the main power source fails or drops below an acceptable level. A UPS with battery backup can help prevent under-voltage events by switching to battery power when it detects a voltage drop or outage in the main power source. A UPS with battery backup can also protect the data center equipment from power surges or spikes. References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives> <https://www.apc.com/us/en/faqs/FA158852/>

NEW QUESTION 249

- (Exam Topic 2)

A report delivered to the Chief Information Security Officer (CISO) shows that some user credentials could be exfiltrated. The report also indicates that users tend to choose the same credentials on different systems and applications. Which of the following policies should the CISO use to prevent someone from using the exfiltrated credentials?

- A. MFA
- B. Lockout
- C. Time-based logins
- D. Password history

Answer: A

Explanation:

MFA stands for multi-factor authentication, which is a method of verifying a user's identity using two or more factors, such as something you know (e.g., password), something you have (e.g., token), or something you are (e.g., biometrics). MFA can prevent someone from using the exfiltrated credentials, as they would need to provide another factor besides the username and password to access the system or application. MFA can also alert the legitimate user of an unauthorized login attempt, allowing them to change their credentials or report the incident. References:

- > <https://www.comptia.org/certifications/security>
- > <https://www.youtube.com/watch?v=yCJyPPvM-xg>
- > <https://www.professormesser.com/security-plus/sy0-601/sy0-601-video/multi-factor-authentication-5/>

NEW QUESTION 252

- (Exam Topic 2)

Which of the following is required in order for an IDS and a WAF to be effective on HTTPS traffic?

- A. Hashing
- B. DNS sinkhole
- C. TLS inspection
- D. Data masking

Answer: C

Explanation:

TLS (Transport Layer Security) is a protocol that is used to encrypt data sent over HTTPS (Hypertext Transfer Protocol Secure). In order for an intrusion detection system (IDS) and a web application firewall (WAF) to be effective on HTTPS traffic, they must be able to inspect the encrypted traffic. TLS inspection allows the IDS and WAF to decrypt and inspect the traffic, allowing them to detect any malicious activity. References: [1] CompTIA Security+ Study Guide Exam SY0-601 [1], Sixth Edition, Chapter 11, "Network Security Monitoring" [2] CompTIA Security+ Get Certified Get Ahead: SY0-501 Study Guide, Chapter 7, "Intrusion Detection and Prevention"

NEW QUESTION 255

- (Exam Topic 2)

A security team is providing input on the design of a secondary data center that has Which of the following should the security team recommend? (Select two).

- A. Configuring replication of the web servers at the primary site to offline storage
- B. Constructing the secondary site in a geographically dispersed location
- C. Deploying load balancers at the primary site
- D. Installing generators
- E. Using differential backups at the secondary site
- F. Implementing hot and cold aisles at the secondary site

Answer: BD

Explanation:

* B. Constructing the secondary site in a geographically dispersed location would ensure that a natural disaster at the primary site would not affect the secondary site. It would also allow for failover during traffic surge situations by distributing the load across different regions. D. Installing generators would provide protection against power surges and outages by providing backup power sources in case of a failure. Generators are part of the physical security requirements for data centers as they ensure availability and resilience. References: 1

CompTIA Security+ Certification Exam Objectives, page 8, Domain 2.0: Architecture and Design, Objective 2.1 : Explain the importance of secure staging deployment concepts 2

CompTIA Security+ Certification Exam

Objectives, page 9, Domain 2.0: Architecture and Design, Objective 2.3: Summarize secure application development, deployment, and automation concepts 3

CompTIA Security+ Certification Exam Objectives, page 11, Domain 2.0: Architecture and Design, Objective 2.5: Explain the importance of physical security controls

NEW QUESTION 257

- (Exam Topic 2)

Which Of the following best ensures minimal downtime for organizations vÃh crit-ical computing equipment located in earthquake-prone areas?

- A. Generators and UPS
- B. Off-site replication
- C. Additional warm site
- D. Local

Answer: B

Explanation:

Off-site replication is a process of copying and storing data in a remote location that is geographically separate from the primary site. It can ensure minimal downtime for organizations with critical computing equipment located in earthquake-prone areas by providing a backup copy of data that can be accessed and restored in case of a disaster or disruption at the primary site.

NEW QUESTION 261

- (Exam Topic 2)

A security team will be outsourcing several key functions to a third party and will require that:

- Several of the functions will carry an audit burden.
- Attestations will be performed several times a year.
- Reports will be generated on a monthly basis.

Which of the following BEST describes the document that is used to define these requirements and stipulate how and when they are performed by the third party?

- A. MOU
- B. AUP
- C. SLA
- D. MSA

Answer: C

Explanation:

A service level agreement (SLA) is a contract between a service provider and a customer that outlines the services that are to be provided and the expected levels of performance. It is used to define the requirements for the service, including any attestations and reports that must be generated, and the timescales in which these must be completed. It also outlines any penalties for failing to meet these requirements. SLAs are essential for ensuring that third-party services are meeting the agreed upon performance levels.

Reference: CompTIA Security+ Study Guide: SY0-601 by Emmett Dulaney, Chuck Easttom <https://www.wiley.com/en-us/CompTIA+Security%2B+Study+Guide%3A+SY0-601-p-9781119515968>

CompTIA Security+ Get Certified Get Ahead: SY0-601 Study Guide by Darril Gibson <https://www.amazon.com/CompTIA-Security-Certified-Ahead-SY0-601/dp/1260117558>

Note: SLA is the best document that is used to define these requirements and stipulate how and when they are performed by the third party.

NEW QUESTION 266

- (Exam Topic 2)

A security administrator is using UDP port 514 to send a syslog through an unsecure network to the SIEM server. Which of the following is the best way for the administrator to improve the process?

- A. Change the protocol to TCP.
- B. Add LDAP authentication to the SIEM server.
- C. Use a VPN from the internal server to the SIEM and enable DLP.
- D. Add SSL/TLS encryption and use a TCP 6514 port to send logs.

Answer: D

Explanation:

SSL/TLS encryption is a method of securing the syslog traffic by using cryptographic protocols to encrypt and authenticate the data. SSL/TLS encryption can prevent eavesdropping, tampering, or spoofing of the syslog messages. TCP 6514 is the standard port for syslog over TLS, as defined by RFC 5425. Using this port can ensure compatibility and interoperability with other syslog implementations that support TLS.

NEW QUESTION 271

- (Exam Topic 2)

Which of the following teams combines both offensive and defensive testing techniques to protect an organization's critical systems?

- A. Red
- B. Blue
- C. Purple
- D. Yellow

Answer: C

Explanation:

A purple team combines both offensive and defensive testing techniques to protect an organization's critical systems. A purple team is a type of cybersecurity team that consists of members from both the red team and the blue team. The red team performs simulated attacks on the organization's systems, while the blue team defends against them. The purple team facilitates the collaboration and communication between the red team and the blue team, and provides feedback and recommendations for improvement. A purple team can help the organization identify and remediate vulnerabilities, enhance security controls, and increase resilience.

References: <https://www.comptia.org/blog/red-team-blue-team-purple-team>

<https://www.certblaster.com/wp-content/uploads/2020/11/CompTIA-Security-SY0-601-Exam-Objectives-1.0.pdf>

NEW QUESTION 275

- (Exam Topic 2)

An air traffic controller receives a change in flight plan for an morning aircraft over the phone. The air traffic controller compares the change to what appears on radar and determines the information to be false. As a result, the air traffic controller is able to prevent an incident from occurring. Which of the following is this scenario an example of?

- A. Mobile hijacking
- B. Vishing
- C. Unsecure VoIP protocols
- D. SPIM attack

Answer: B

Explanation:

Vishing is a form of phishing that uses voice calls or voice messages to trick victims into revealing personal information, such as credit card numbers, bank details, or passwords. Vishing often uses spoofed phone numbers, voice-altering software, or social engineering techniques to impersonate legitimate organizations or authorities. In this scenario, the caller pretended to be someone who could change the flight plan of an aircraft, which could have caused a serious incident.

NEW QUESTION 276


- (Exam Topic 2)


A newly purchased corporate WAP needs to be configured in the MOST secure manner possible. INSTRUCTIONS

Please click on the below items on the network diagram and configure them accordingly:

- > WAP
- > DHCP Server
- > AAA Server
- > Wireless Controller
- > LDAP Server

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.





- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Wireless Access Point Network Mode – G only
 Wireless Channel – 11
 Wireless SSID Broadcast – disable
 Security settings – WPA2 Professional

NEW QUESTION 277

- (Exam Topic 2)

A security operations technician is searching the log named /var/messages for any events that were associated with a workstation with the IP address 10.1.1.1. Which of the following would provide this information?

- A. cat /var/messages | grep 10.1.1.1
- B. grep 10.1.1.1 | cat /var/messages
- C. grep /var/messages | cat 10.1.1.1
- D. cat 10.1.1.1 | grep /var/messages

Answer: A

Explanation:

the cat command reads the file and streams its content to standard output. The | symbol connects the output of the left command with the input of the right command. The grep command returns all lines that match the regex. The cut command splits each line into fields based on a delimiter and extracts a specific field.

NEW QUESTION 279

- (Exam Topic 2)

Users report access to an application from an internal workstation is still unavailable to a specific server, even after a recent firewall rule implementation that was requested for this access. ICMP traffic is successful between the two devices. Which of the following tools should the security analyst use to help identify if the traffic is being blocked?

- A. nmap
- B. tracer
- C. ping
- D. ssh

Answer: A

Explanation:

Tracer is a command-line tool that shows the route that packets take to reach a destination on a network. It also displays the time it takes for each hop along the way. By using tracer, you can see if there is a router or firewall that is blocking or slowing down the traffic between the internal workstation and the specific server.

NEW QUESTION 281

- (Exam Topic 2)

Which of the following control types is patch management classified under?

- A. Deterrent
- B. Physical
- C. Corrective
- D. Detective

Answer: C

Explanation:

Patch management is classified as a corrective control because it is used to correct vulnerabilities or weaknesses in systems and applications after they have been identified. It is a reactive approach that aims to fix problems that have already occurred rather than prevent them from happening in the first place.

Reference: CompTIA Security+ SY0-601 Official Textbook, page 109.

NEW QUESTION 284

- (Exam Topic 2)

An audit identified PII being utilized in the development environment of a critical application. The Chief Privacy Officer (CPO) is adamant that this data must be removed; however, the developers are concerned that without real data they cannot perform functionality tests and search for specific data. Which of the following should a security professional implement to best satisfy both the CPOs and the development team's requirements?

- A. Data purge
- B. Data encryption
- C. Data masking
- D. Data tokenization

Answer: D

Explanation:

Data tokenization is a technique of replacing sensitive data with non-sensitive substitutes called tokens that have no intrinsic value or meaning. It can satisfy both the CPO's and the development team's requirements by removing personally identifiable information (PII) from the development environment of a critical application while preserving the functionality and format of the data for testing purposes.

NEW QUESTION 286

- (Exam Topic 2)

A network engineer receives a call regarding multiple LAN-connected devices that are on the same switch. The devices have suddenly been experiencing speed and latency issues while connecting to network resources. The engineer enters the command show mac address-table and reviews the following output

VLAN	MAC	PORT
1	00-04-18-EB-14-30	Fa0/1
1	88-CD-34-19-E8-98	Fa0/2
1	40-11-08-87-10-13	Fa0/3
1	00-04-18-EB-14-30	Fa0/4
1	88-CD-34-00-15-F3	Fa0/5
1	FA-13-02-04-27-64	Fa0/6

Which of the following best describes the attack that is currently in progress?

- A. MAC flooding
- B. Evil twin
- C. ARP poisoning
- D. DHCP spoofing

Answer: C

Explanation:

This is an attempt to redirect traffic to an attacking host by sending an ARP packet that contains the forged address of the next hop router. The attacker tricks the victim into believing that it is the legitimate router by sending a spoofed ARP reply with its own MAC address. This causes the victim to send all its traffic to the attacker instead of the router. The attacker can then intercept, modify, or drop the packets as they please.

NEW QUESTION 289

- (Exam Topic 2)

An organization recently released a zero-trust policy that will enforce who is able to remotely access certain data. Authenticated users who access the data must have a need to know, depending on their level of permissions.

Which of the following is the first step the organization should take when implementing the policy?

- A. Determine a quality CASB solution.
- B. Configure the DLP policies by user groups.
- C. Implement agentless NAC on boundary devices.
- D. Classify all data on the file servers.

Answer: D

Explanation:

zero trust is a security strategy that assumes breach and verifies each request as though it originates from an untrusted network¹². A zero trust policy is a set of "allow rules" that specify conditions for accessing certain resources³.

According to one source⁴, the first step in implementing a zero trust policy is to identify and classify all data and assets in the organization. This helps to determine the level of sensitivity and risk associated with each resource and apply appropriate access controls.

Classifying all data on the file servers is the first step in implementing a zero trust policy because it helps to determine the level of sensitivity and risk associated with each resource and apply appropriate access controls.

Reference: Zero Trust implementation guidance | Microsoft Learn

NEW QUESTION 291

- (Exam Topic 2)

Which of the following secure application development concepts aims to block verbose error messages from being shown in a user's interface?

- A. OWASP
- B. Obfuscation/camouflage

- C. Test environment
- D. Prevent of information exposure

Answer: D

Explanation:

Preventing information exposure is a secure application development concept that aims to block verbose error messages from being shown in a user's interface. Verbose error messages are detailed messages that provide information about errors or exceptions that occur in an application. Verbose error messages may reveal sensitive information about the application's structure, configuration, logic, or data that could be exploited by attackers. Therefore, preventing information exposure involves implementing proper error handling mechanisms that display generic or user-friendly messages instead of verbose error messages.

References: <https://www.comptia.org/certifications/security#examdetails> <https://www.comptia.org/content/guides/comptia-security-sy0-601-exam-objectives>
https://owasp.org/www-project-top-ten/2017/A6_2017-Security_Misconfiguration

NEW QUESTION 296

- (Exam Topic 2)

Which of the following terms should be included in a contract to help a company monitor the ongoing security maturity of a new vendor?

- A. A right-to-audit clause allowing for annual security audits
- B. Requirements for event logs to be kept for a minimum of 30 days
- C. Integration of threat intelligence in the company's AV
- D. A data-breach clause requiring disclosure of significant data loss

Answer: A

Explanation:

A right-to-audit clause is a contractual provision that allows one party to audit the records and activities of another party to ensure compliance with security policies and standards. It can help a company monitor the ongoing security maturity of a new vendor by conducting annual security audits and identifying any gaps or issues that need to be addressed.

NEW QUESTION 301

- (Exam Topic 2)

A security engineer learns that a non-critical application was compromised. The most recent version of the application includes a malicious reverse proxy while the application is running. Which of the following should the engineer do to quickly contain the incident with the least amount of impact?

- A. Configure firewall rules to block malicious inbound access.
- B. Manually uninstall the update that contains the backdoor.
- C. Add the application hash to the organization's blocklist.
- D. Turn off all computers that have the application installed.

Answer: C

Explanation:

A reverse proxy backdoor is a malicious reverse proxy that can intercept and manipulate the traffic between the client and the web server. This can allow an attacker to access sensitive data or execute commands on the web server.

One possible way to quickly contain the incident with the least amount of impact is to add the application hash to the organization's blocklist. A blocklist is a list of applications or files that are not allowed to run on a system or network. By adding the application hash to the blocklist, the security engineer can prevent the malicious application from running and communicating with the reverse proxy backdoor.

NEW QUESTION 305

- (Exam Topic 2)

The findings in a consultant's report indicate the most critical risk to the security posture from an incident response perspective is a lack of workstation and server investigation capabilities. Which of the following should be implemented to remediate this risk?

- A. HIDS
- B. FDE
- C. NGFW
- D. EDR

Answer: D

Explanation:

EDR solutions are designed to detect and respond to malicious activity on workstations and servers, and they provide a detailed analysis of the incident, allowing organizations to quickly remediate the threat. According to the CompTIA Security+ SY0-601 Official Text Book, EDR solutions can be used to detect malicious activity on endpoints, investigate the incident, and contain the threat. EDR solutions can also provide real-time monitoring and alerting for potential security events, as well as detailed forensic analysis for security incidents. Additionally, the text book recommends that organizations also implement a host-based intrusion detection system (HIDS) to alert them to malicious activity on their workstations and servers.

NEW QUESTION 307

- (Exam Topic 2)

Several users have been violating corporate security policy by accessing inappropriate sites on corporate-issued mobile devices while off campus. The senior leadership team wants all mobile devices to be hardened with controls that:

- > Limit the sites that can be accessed
 - > Only allow access to internal resources while physically on campus.
 - > Restrict employees from downloading images from company email
- Which of the following controls would best address this situation? (Select two).

- A. MFA
- B. GPS tagging

- C. Biometric authentication
- D. Content management
- E. Geofencing
- F. Screen lock and PIN requirements

Answer: DE

Explanation:

Content management is a security control that can limit the sites that can be accessed by corporate-issued mobile devices. It can also restrict employees from downloading images from company email by filtering or blocking certain types of content¹. Geofencing is a security control that can only allow access to internal resources while physically on campus. It can use GPS or other location services to define a virtual boundary around a physical area and enforce policies based on the device's location².

References:

- 1: <https://www.cyber.gov.au/resources-business-and-government/maintaining-devices-and-systems/system-hardening>
2: <https://www.makeuseof.com/how-to-secure-your-content-management-system/>

NEW QUESTION 312

- (Exam Topic 2)

Which of the following can be used by an authentication application to validate a user's credentials without the need to store the actual sensitive data?

- A. Salt string
- B. Private Key
- C. Password hash
- D. Cipher stream

Answer: C

Explanation:

Password hash is a method of storing a user's credentials without the need to store the actual sensitive data. A password hash is a one-way function that transforms the user's password into a fixed-length string of characters that cannot be reversed. The authentication application can then compare the password hash with the stored hash to validate the user's credentials without revealing the original password. References: 1

CompTIA Security+ Certification Exam Objectives, page 15, Domain 3.0: Implementation, Objective 3.5:

Implement secure authentication mechanisms 2

CompTIA Security+ Certification Exam Objectives, page 16,

Domain 3.0: Implementation, Objective 3.6: Implement identity and account management best practices 3

<https://www.comptia.org/blog/what-is-password-hashing>

NEW QUESTION 317

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

SY0-701 Practice Exam Features:

- * SY0-701 Questions and Answers Updated Frequently
- * SY0-701 Practice Questions Verified by Expert Senior Certified Staff
- * SY0-701 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SY0-701 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The SY0-701 Practice Test Here](#)