

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

<https://www.2passeasy.com/dumps/AI-102/>



NEW QUESTION 1

- (Exam Topic 1)

HOTSPOT

You are developing the shopping on-the-go project.

You are configuring access to the QnA Maker resources.

Which role should you assign to AllUsers and LeadershipTeam? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

AllUsers:

- Cognitive Service User
- Contributor
- Owner
- QnA Maker Editor
- QnA Maker Read

LeadershipTeam:

- Cognitive Service User
- Contributor
- Owner
- QnA Maker Editor
- QnA Maker Read

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: QnA Maker Editor

Scenario: Provide all employees with the ability to edit Q&As. The QnA Maker Editor (read/write) has the following permissions: Create KB API Update KB API Replace KB API Replace Alterations "Train API" [in new service model v5]

Box 2: Contributor

Scenario: Only senior managers must be able to publish updates. Contributor permission: All except ability to add new members to roles

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/reference-role-based-access-control>

NEW QUESTION 2


- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to design the skillset to include the contents of PDFs in searches.

How should you complete the skillset design diagram? To answer, drag the appropriate services to the correct stages. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure Blob storage

At the start of the pipeline, you have unstructured text or non-text content (such as images, scanned documents, or JPEG files). Data must exist in an Azure data storage service that can be accessed by an indexer.

Box 2: Computer Vision API

Scenario: Provide users with the ability to search insight gained from the images, manuals, and videos associated with the products.

The Computer Vision Read API is Azure's latest OCR technology (learn what's new) that extracts printed text (in several languages), handwritten text (English only), digits, and currency symbols from images and multi-page PDF documents.

Box 3: Translator API

Scenario: Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese. Box 4: Azure Files

Scenario: Store all raw insight data that was generated, so the data can be processed later. Reference:

<https://docs.microsoft.com/en-us/azure/search/cognitive-search-concept-intro> <https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/overview-ocr>

NEW QUESTION 3

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London. Who do I know in Seattle?

Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new intent for location.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 4

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 5

- (Exam Topic 2)

You are building a chatbot by using the Microsoft Bot Framework Composer. You have the dialog design shown in the following exhibit.

AskForName > BeginDialog > Text
Show code

Prompt for text
Text input
Collection information - Ask for a word or sentence.
[Learn more](#)

Bot Asks User Input Other

Property ⓘ string ▼
username

Output Format ⓘ string ▼
ex. =toUpper(this.value), \$(toUpper(this.value))

Value ⓘ expression ▼
fx =coalesce(@user.Name.@personName)

Expected responses (intent:
#TextInput_Response_GH5FTe)

>

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes No

user.name is an entity.

The dialog asks for a user name and a user age and assigns appropriate values to the user.name and user.age properties.

The chatbot attempts to take the first non-null entity value for userName or personName and assigns the value to user.name.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 User.name is a property.
 Box 2: Yes
 Box 3: Yes

The coalesce() function evaluates a list of expressions and returns the first non-null (or non-empty for string) expression.

Reference:

<https://docs.microsoft.com/en-us/composer/concept-language-generation> <https://docs.microsoft.com/en-us/azure/data-explorer/kusto/query/coalescefuction>

NEW QUESTION 6

- (Exam Topic 2)

You have the following C# method for creating Azure Cognitive Services resources programmatically.

```
static void create_resource(CognitiveServicesManagementClient client, string
resource_name, string kind, string account_tier, string location)
{
    CognitiveServicesAccount parameters =
        new CognitiveServicesAccount(null, null, kind, location, resource_name,
new CognitiveServicesAccountProperties(), new Sku(account_tier));
    var result = client.Accounts.Create(resource_group_name, account_tier,
parameters);
}
```

You need to call the method to create a free Azure resource in the West US Azure region. The resource will be used to generate captions of images automatically. Which code should you use?

- A. create_resource(client, "res1", "ComputerVision", "F0", "westus")
- B. create_resource(client, "res1", "CustomVision.Prediction", "F0", "westus")
- C. create_resource(client, "res1", "ComputerVision", "S0", "westus")
- D. create_resource(client, "res1", "CustomVision.Prediction", "S0", "westus")

Answer: B

Explanation:

Many of the Cognitive Services have a free tier you can use to try the service. To use the free tier, use F0 as the SKU for your resource. There are two tiers of keys for the Custom Vision service. You can sign up for a F0 (free) or S0 (standard) subscription through the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/cognitive-services-apis-create-account-client-library?> <https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/limits-and-quotas>

NEW QUESTION 7

- (Exam Topic 2)

You train a Custom Vision model to identify a company's products by using the Retail domain. You plan to deploy the model as part of an app for Android phones. You need to prepare the model for deployment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Change the model domain.	
Retrain the model.	⬅️ ⬆️
Test the model.	➡️ ⬇️
Export the model.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/export-your-model>

NEW QUESTION 8

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint to a new virtual network, and you configure Azure Private Link.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 9

- (Exam Topic 2)

You are developing an application to recognize employees' faces by using the Face Recognition API. Images of the faces will be accessible from a URI endpoint. The application has the following code.

```
static async void AddFace(string subscription_key, string personGroupId, string personId, string imageURI)
{
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscription_key);
    var endpointURI = $"https://westus.api.cognitive.microsoft.com/face/v1.0/persongroups/{personGroupId}/persons/{personId}/persistedFaces";
    HttpResponseMessage response;
    var body = "{ \"url\": \"\" + imageURI + \"\"}";
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(endpointURI, content);
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will add a face image to a person object in a person group.	<input type="radio"/>	<input type="radio"/>
The code will work for a group of 10,000 people.	<input type="radio"/>	<input type="radio"/>
AddFace can be called multiple times to add multiple face images to a person object.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/use-persondirectory>

NEW QUESTION 10

- (Exam Topic 2)

You are developing a call to the Face API. The call must find similar faces from an existing list named employeefaces. The employeefaces list contains 60,000 images.

How should you complete the body of the HTTP request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<input facelistid\""="" type="text" value="\"/>	<pre>{ "faceId": "18c51a87-3a69-47a8-aedc-a54745f708a1", <input employeefaces\""="" type="text" value="\"/>, "maxNumOfCandidatesReturned": 1, "mode": <input type="text"/> }</pre>
<input largefacelistid\""="" type="text" value="\"/>	
<input matchface\""="" type="text" value="\"/>	
<input matchperson\""="" type="text" value="\"/>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: LargeFaceListID

LargeFaceList: Add a face to a specified large face list, up to 1,000,000 faces.

Note: Given query face's faceld, to search the similar-looking faces from a faceld array, a face list or a large face list. A "faceListId" is created by FaceList - Create containing persistedFacelds that will not expire. And a "largeFaceListId" is created by LargeFaceList - Create containing persistedFacelds that will also not expire.

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION 10

- (Exam Topic 2)

You are building a Language Understanding model for an e-commerce platform. You need to construct an entity to capture billing addresses.

Which entity type should you use for the billing address?

- A. machine learned
- B. Regex
- C. geographyV2
- D. Pattern.any
- E. list

Answer: B

Explanation:

A regular expression entity extracts an entity based on a regular expression pattern you provide. It ignores case and ignores cultural variant. Regular expression is best for structured text or a predefined sequence of alphanumeric values that are expected in a certain format. For example:

Entity	Regular expression	Example
Flight Number	flight [A-Z]{2} [0-9]{4}	flight AS 1234
Credit Card Number	[0-9]{16}	5478789865437632

Incorrect answers

C: The prebuilt geographyV2 entity detects places. Because this entity is already trained, you do not need to add example utterances containing GeographyV2 to the application intents. GeographyV2 entity is supported in English culture.

The geographical locations have subtypes:

Subtype	Purpose
poi	point of interest
city	name of city
countryRegion	name of country or region
continent	name of continent
state	name of state or province

D: Pattern.any is a variable-length placeholder used only in a pattern's template utterance to mark where the entity begins and ends.

E: A list entity represents a fixed, closed set of related words along with their synonyms. You can use list entities to recognize multiple synonyms or variations and extract a normalized output for them. Use the recommend option to see suggestions for new words based on the current list.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-entity-types>

NEW QUESTION 13

- (Exam Topic 2)

You have a chatbot that was built by using the Microsoft Bot Framework. You need to debug the chatbot endpoint remotely.

Which two tools should you install on a local computer? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Fiddler
- B. Bot Framework Composer
- C. Bot Framework Emulator
- D. Bot Framework CLI
- E. ngrok
- F. nginx

Answer: CE

Explanation:

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely.

ngrok is a cross-platform application that "allows you to expose a web server running on your local machine to the internet." Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

NEW QUESTION 16

- (Exam Topic 2)

You are developing an application that will use the Computer Vision client library. The application has the following code.

```
public async TaskAnalyzeImage(ComputerVisionClient client, string localImage)
{
    List<VisualFeatureTypes> features = new List<VisualFeatureTypes>()
    {
        VisualFeatureTypes.Description,
        VisualFeatureTypes.Tags,
    };
    using (Stream imageStream = File.OpenRead(localImage))
    {
        try
        {
            ImageAnalysis results = await client.AnalyzeImageInStreamAsync(imageStream, features);

            foreach (var caption in results.Description.Captions)
            {
                Console.WriteLine($"{caption.Text} with confidence {caption.Confidence}");
            }

            foreach (var tag in results.Tags)
            {
                Console.WriteLine($"{tag.Name} {tag.Confidence}");
            }
        }
        catch (Exception ex)
        {
            Console.WriteLine(ex.Message);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will perform face recognition.	<input type="radio"/>	<input type="radio"/>
The code will list tags and their associated confidence.	<input type="radio"/>	<input type="radio"/>
The code will read a file from the local file system.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

The ComputerVision.analyzeImageInStreamAsync operation extracts a rich set of visual features based on the image content.

Box 3: No

Images will be read from a stream. Reference:

<https://docs.microsoft.com/en-us/java/api/com.microsoft.azure.cognitiveservices.vision.computervision.compute>

NEW QUESTION 17

- (Exam Topic 2)

You use the Custom Vision service to build a classifier. After training is complete, you need to evaluate the classifier.

Which two metrics are available for review? Each correct answer presents a complete solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. recall
- B. F-score
- C. weighted accuracy
- D. precision
- E. area under the curve (AUC)

Answer: AD

Explanation:

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP. Reference:

<https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION 20

- (Exam Topic 2)

You plan to build a chatbot to support task tracking.

You create a Language Understanding service named lu1.

You need to build a Language Understanding model to integrate into the chatbot. The solution must minimize development time to build the model. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

Actions

Answer Area

- Train the application.
- Publish the application.
- Add a new application.
- Add example utterances.
- Add the prebuilt domain ToDo.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add a new application Create a new app

- > Sign in to the LUIS portal with the URL of <https://www.luis.ai>.
- > Select Create new app.
- > Etc.

Step 2: Add example utterances.

In order to classify an utterance, the intent needs examples of user utterances that should be classified with this intent.

Step 3: Train the application Step 4: Publish the application

In order to receive a LUIS prediction in a chat bot or other client application, you need to publish the app to the prediction endpoint.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/tutorial-intents-only>

NEW QUESTION 23

- (Exam Topic 2)

You plan to perform predictive maintenance.

You collect IoT sensor data from 100 industrial machines for a year. Each machine has 50 different sensors that generate data at one-minute intervals. In total, you have 5,000 time series datasets.

You need to identify unusual values in each time series to help predict machinery failures.

Which Azure Cognitive Services service should you use?

- A. Anomaly Detector
- B. Cognitive Search
- C. Form Recognizer
- D. Custom Vision

Answer: A

NEW QUESTION 28

- (Exam Topic 2)

You need to upload speech samples to a Speech Studio project. How should you upload the samples?

- A. Combine the speech samples into a single audio file in the .wma format and upload the file.
- B. Upload a .zip file that contains a collection of audio files in the .wav format and a corresponding text transcript file.
- C. Upload individual audio files in the FLAC format and manually upload a corresponding transcript in Microsoft Word format.
- D. Upload individual audio files in the .wma format.

Answer: B

Explanation:

To upload your data, navigate to the Speech Studio . From the portal, click Upload data to launch the wizard and create your first dataset. You'll be asked to select a speech data type for your dataset, before allowing you to upload your data.

The default audio streaming format is WAV

Use this table to ensure that your audio files are formatted correctly for use with Custom Speech:

Property	Value
File format	RIFF (WAV)
Sample rate	8,000 Hz or 16,000 Hz
Channels	1 (mono)
Maximum length per audio	2 hours
Sample format	PCM, 16-bit
Archive format	.zip
Maximum archive size	2 GB

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-custom-speech-test-and-train>

NEW QUESTION 29

- (Exam Topic 2)

You are building a bot on a local computer by using the Microsoft Bot Framework. The bot will use an existing Language Understanding model. You need to translate the Language Understanding model locally by using the Bot Framework CLI. What should you do first?

- A. From the Language Understanding portal, clone the model.
- B. Export the model as an .lu file.
- C. Create a new Speech service.
- D. Create a new Language Understanding service.

Answer: B

Explanation:

You might want to manage the translation and localization for the language understanding content for your bot independently.

Translate command in the @microsoft/bf-lu library takes advantage of the Microsoft text translation API to automatically machine translate .lu files to one or more than 60+ languages supported by the Microsoft text translation cognitive service.

What is translated?

An .lu file and optionally translate Comments in the lu file LU reference link texts

List of .lu files under a specific path. Reference:

<https://github.com/microsoft/botframework-cli/blob/main/packages/luis/docs/translate-command.md>

NEW QUESTION 32

- (Exam Topic 2)

You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.

The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."

You need to improve the ability of the agent to respond to requests.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Add prebuilt domain models as required.
- Validate the utterances logged for review and modify the model.
- Migrate authoring to an Azure resource authoring key.
- Enable active learning.
- Enable log collection by using Log Analytics.
- Train and republish the Language Understanding model.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add prebuilt domain models as required.

Prebuilt models provide domains, intents, utterances, and entities. You can start your app with a prebuilt model or add a relevant model to your app later.

Note: Language Understanding (LUIS) provides prebuilt domains, which are pre-trained models of intents and entities that work together for domains or common categories of client applications.

The prebuilt domains are trained and ready to add to your LUIS app. The intents and entities of a prebuilt domain are fully customizable once you've added them to your app.

Step 2: Enable active learning

To enable active learning, you must log user queries. This is accomplished by calling the endpoint query with the log=true querystring parameter and value.

Step 3: Train and republish the Language Understanding model

The process of reviewing endpoint utterances for correct predictions is called Active learning. Active learning captures endpoint queries and selects user's endpoint utterances that it is unsure of. You review these utterances to select the intent and mark entities for these real-world utterances. Accept these changes into your example utterances then train and publish. LUIS then identifies utterances more accurately.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 35

- (Exam Topic 2)

You are developing a new sales system that will process the video and text from a public-facing website. You plan to monitor the sales system to ensure that it provides equitable results regardless of the user's location or background.

Which two responsible AI principles provide guidance to meet the monitoring requirements? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety
- E. privacy and security

Answer: BD

Explanation:

AI systems should treat all people fairly.

AI systems should perform reliably and safely. Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/strategy/responsible-ai>

NEW QUESTION 38

- (Exam Topic 2)

You are designing a conversation flow to be used in a chatbot.

You need to test the conversation flow by using the Microsoft Bot Framework Emulator.

How should you complete the .chat file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```

user=User1
bot=watchbot
user: I want a new watch.
bot: [
    Attachment
    ConversationUpdate
    Typing
][Delay=3000]

bot: I can help you with that! Let me see what I can find.
bot: Here's what I found.
bot:
[AttachmentLayout=
    adaptivecard
    carousel
    thumbnail
]

[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
user: I like the first one.
bot: Sure, pulling up more information.
bot: [Attachment=cards\watchProfileCard.json
user: That's nice! Thank you.
bot: Sure, you are most welcome!
    adaptivecard
    carousel
    list
]
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-add-media-attachments?view=azure-bot-s>

NEW QUESTION 41

- (Exam Topic 2)

You plan to provision a QnA Maker service in a new resource group named RG1. In RG1, you create an App Service plan named AP1.

Which two Azure resources are automatically created in RG1 when you provision the QnA Maker service? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Language Understanding
- B. Azure SQL Database
- C. Azure Storage
- D. Azure Cognitive Search
- E. Azure App Service

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/set-up-qnamaker-service-azure?tabs>

NEW QUESTION 42

- (Exam Topic 2)

You are building a chatbot by using the Microsoft Bot Framework SDK.

You use an object named UserProfile to store user profile information and an object named ConversationData to store information related to a conversation.

You create the following state accessors to store both objects in state.

```
var userStateAccessors = _userState.CreateProperty<UserProfile>(nameof(UserProfile)); var conversationStateAccessors =
_conversationState.CreateProperty<ConversationData>(nameof(ConversationData));
```

The state storage mechanism is set to Memory Storage.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will create and maintain the UserProfile object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The code will create and maintain the ConversationData object in the underlying storage layer.	<input type="radio"/>	<input type="radio"/>
The UserProfile and ConversationData objects will persist when the Bot Framework runtime terminates.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

You create property accessors using the CreateProperty method that provides a handle to the BotState object. Each state property accessor allows you to get or set the value of the associated state property.

Box 2: Yes

Box 3: No

Before you exit the turn handler, you use the state management objects' SaveChangesAsync() method to write all state changes back to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-v4-state>

NEW QUESTION 44

- (Exam Topic 2)

You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key.

During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised.

You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime.

What should you do next?

- A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.
- B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.
- C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.
- D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

Answer: A

Explanation:

Regenerate admin keys.

Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.

- * 1. In the Settings >Keys page, copy the secondary key.
- * 2. For all applications, update the API key settings to use the secondary key.
- * 3. Regenerate the primary key.
- * 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

NEW QUESTION 46

- (Exam Topic 2)

You have 100 chatbots that each has its own Language Understanding model. Frequently, you must add the same phrases to each model.

You need to programmatically update the Language Understanding models to include the new phrases.

How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
AddPhraseListAsync	var phraselistId = await client.Features. <input type="text"/>
Phraselist	(appId, versionId, new <input type="text"/>
PhraselistCreateObject	{
Phrases	EnabledForAllModels = false,
SavePhraselistAsync	IsExchangeable = true,
UploadPhraselistAsync	Name = "PL1",
	Phrases = "item1,item2,item3,item4,item5"
	});

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: AddPhraseListAsync

Example: Add phraselist feature

```
var phraselistId = await client.Features.AddPhraseListAsync(appId, versionId, new PhraselistCreateObject
```

```
{
EnabledForAllModels = false, IsExchangeable = true,
Name = "QuantityPhraselist", Phrases = "few,more,extra"
});
```

Box 2: PhraselistCreateObject Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/client-libraries-rest-api>

NEW QUESTION 50

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a language model by using a Language Understanding service. The language model is used to search for information on a contact list by using an intent named FindContact.

A conversational expert provides you with the following list of phrases to use for training. Find contacts in London.

Who do I know in Seattle? Search for contacts in Ukraine.

You need to implement the phrase list in Language Understanding. Solution: You create a new entity for the domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a new intent for location.

Note: An intent represents a task or action the user wants to perform. It is a purpose or goal expressed in a user's utterance.

Define a set of intents that corresponds to actions users want to take in your application. Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-intent>

NEW QUESTION 52

- (Exam Topic 2)

You are developing an application that includes language translation.

The application will translate text retrieved by using a function named getTextToBeTranslated. The text can be in one of many languages. The content of the text

must remain within the Americas Azure geography.
 You need to develop code to translate the text to a single language.
 How should you complete the code? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

```

    * * *
    var endpoint =  ;
    "https://api.cognitive.microsofttranslator.com/translate";
    "https://api.cognitive.microsofttranslator.com/transliterate";
    "https://api-apc.cognitive.microsofttranslator.com/detect";
    "https://api-nam.cognitive.microsofttranslator.com/detect";
    "https://api-nam.cognitive.microsofttranslator.com/translate";

    var apiKey = "FF956C68B83B21B38691ABD200A4C606";
    var text = getTextToBeTranslated();
    var body = '[{"Text":"' + text + '"}]';
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", apiKey);

    
    var uri = endpoint + "?from=en";
    var uri = endpoint + "?suggestedFrom=en";
    var uri = endpoint + "?to=en";

    HttpResponseMessage response;
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(uri, content);
    * * *
    
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 53

- (Exam Topic 2)

You plan to use containerized versions of the Anomaly Detector API on local devices for testing and in on-premises datacenters. You need to ensure that the containerized deployments meet the following requirements:

- > Prevent billing and API information from being stored in the command-line histories of the devices that run the container.
- > Control access to the container images by using Azure role-based access control (Azure RBAC). Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions **Answer Area**

- Create a custom Dockerfile.
- Pull the Anomaly Detector container image.
- Distribute a docker run script.
- Push the image to an Azure container registry.
- Build the image.
- Push the image to Docker Hub.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Pull the Anomaly Detector container image.
 Step 2: Create a custom Dockerfile
 Step 3: Push the image to an Azure container registry.
 To push an image to an Azure Container registry, you must first have an image.
 Step 4: Distribute the docker run script
 Use the docker run command to run the containers. Reference:

<https://docs.microsoft.com/en-us/azure/container-registry/container-registry-intro>

NEW QUESTION 56

- (Exam Topic 2)

You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
 Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.
 Box 2: Yes
 The definition is a custom skill that calls a web API as part of the enrichment process. Box 3: No
 For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.
 Reference:
<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

NEW QUESTION 61

- (Exam Topic 2)

You are developing a text processing solution. You develop the following method.

```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

You call the method by using the following code. GetKeyPhrases(textAnalyticsClient, "the cat sat on the mat");
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The call will output key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>
The output will contain the following words: the, cat, sat, on, and mat.	<input type="radio"/>	<input type="radio"/>
The output will contain the confidence level for key phrases.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The Key Phrase Extraction API evaluates unstructured text, and for each JSON document, returns a list of key phrases.

Box 2: No

'the' is not a key phrase.

This capability is useful if you need to quickly identify the main points in a collection of documents. For example, given input text "The food was delicious and there were wonderful staff", the service returns the main talking points: "food" and "wonderful staff".

Box 3: No

Key phrase extraction does not have confidence levels. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-keyword>

NEW QUESTION 66

- (Exam Topic 2)

You develop an application that uses the Face API. You need to add multiple images to a person group.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
Parallel.For(0, PersonCount, async i =>
{
    Guid personId = persons[i].PersonId;
    string personImageDir = $"/path/to/person/{i}/images";
    foreach (string imagePath in Directory.GetFiles(personImageDir, "*.jpg"))
    {
        using (
            

|        |
|--------|
| ▼      |
| File   |
| Stream |
| Uri    |
| Url    |


            t = File.OpenRead(imagePath))
        {
            await faceClient.PersonGroupPerson.
            

|                        |
|------------------------|
| ▼                      |
| AddFaceFromStreamAsync |
| AddFaceFromUrlAsync    |
| CreateAsync            |
| GetAsync               |


            (personGroupId, personId, t);
        }
    }
});
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Stream

The File.OpenRead(String) method opens an existing file for reading. Example: Open the stream and read it back.

using (FileStream fs = File.OpenRead(path)) Box 2: CreateAsync

Create the persons for the PersonGroup. Persons are created concurrently. Example:

await faceClient.PersonGroupPerson.CreateAsync(personGroupId, personName);

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-add-faces>


NEW QUESTION 69

- (Exam Topic 2)

You are developing a streaming Speech to Text solution that will use the Speech SDK and MP3 encoding. You need to develop a method to convert speech to text for streaming MP3 data.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
var audioFormat =  (AudioStreamContainerFormat.MP3);
var speechConfig = SpeechConfig.FromSubscription("18c51a87-3a69-47a8-aedc-a54745f708a1", "westus");
var audioConfig = AudioConfig.FromStreamInput(pushStream, audioFormat);
using (var recognizer = new  (speechConfig, audioConfig))
{
    var result = await recognizer.RecognizeOnceAsync();
    var text = result.Text;
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-use-codec-compressed-audio-i>

NEW QUESTION 74

- (Exam Topic 2)

You are developing a new sales system that will process the video and text from a public-facing website. You plan to notify users that their data has been processed by the sales system.

Which responsible AI principle does this help meet?

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/strategy/responsible-ai>

NEW QUESTION 78

- (Exam Topic 2)

You have the following data sources:

- > Finance: On-premises Microsoft SQL Server database
- > Sales: Azure Cosmos DB using the Core (SQL) API
- > Logs: Azure Table storage
- > HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API. What should you do?

- A. Configure multiple read replicas for the data in Sales.
- B. Mirror Finance to an Azure SQL database.
- C. Migrate the data in Sales to the MongoDB API.
- D. Ingest the data in Logs into Azure Sentinel.

Answer: B

Explanation:

On-premises Microsoft SQL Server database cannot be used as an index data source.

Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure.

Indexers crawl data stores on Azure.

- > Azure Blob Storage
- > Azure Data Lake Storage Gen2 (in preview)
- > Azure Table Storage
- > Azure Cosmos DB
- > Azure SQL Database
- > SQL Managed Instance
- > SQL Server on Azure Virtual Machines Reference:

<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

NEW QUESTION 79

- (Exam Topic 2)

You are developing a photo application that will find photos of a person based on a sample image by using the Face API.

You need to create a POST request to find the photos.

How should you complete the request? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

- detect
- findsimilars
- group
- identify
- matchFace
- matchPerson
- verify

Answer Area

```
POST {Endpoint}/face/v1.0/ 
Request Body
{
  "faceId": "c5c24a82-6845-4031-9d5d-978df9175426",
  "largeFaceListId": "sample_list",
  "largeFaceListId": "sample_list",
  "maxNumOfCandidatesReturned": 10,
  "mode": "
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: detect

Face - Detect With Url: Detect human faces in an image, return face rectangles, and optionally with faceIds, landmarks, and attributes.

POST {Endpoint}/face/v1.0/detect Box 2: matchPerson

Find similar has two working modes, "matchPerson" and "matchFace". "matchPerson" is the default mode that it tries to find faces of the same person as possible by using internal same-person thresholds. It is useful to find a known person's other photos. Note that an empty list will be returned if no faces pass the internal thresholds.

"matchFace" mode ignores same-person thresholds and returns ranked similar faces anyway, even the similarity is low. It can be used in the cases like searching celebrity-looking faces.

Reference:

<https://docs.microsoft.com/en-us/rest/api/faceapi/face/detectwithurl> <https://docs.microsoft.com/en-us/rest/api/faceapi/face/findsimilar>

NEW QUESTION 82

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images and labels to the existing model. You retrain the model, and then publish the model.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The model needs to be extended and retrained.

NEW QUESTION 83

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AI-102 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AI-102 Product From:

<https://www.2passeasy.com/dumps/AI-102/>

Money Back Guarantee

AI-102 Practice Exam Features:

- * AI-102 Questions and Answers Updated Frequently
- * AI-102 Practice Questions Verified by Expert Senior Certified Staff
- * AI-102 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AI-102 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year