



Microsoft

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You need to restrict traffic from VMScaleSet1 to VMScaleSet2. The solution must meet the virtual networking requirements.

What is the minimum number of custom NSG rules and NSG assignments required? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of custom NSG rules:

1
2
3
4
5

Minimum number of NSG assignments:

1
2
3
4
5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 2: One NSG

The minimum requirement is one NSG. You could attach the NSG to VMScaleSet1 and restrict outbound traffic, or you could attach the NSG to VMScaleSet2 and restrict inbound traffic. Either way you would need two custom NSG rules.

Box 1: Two custom rules

With the NSG attached to VMScaleSet2, you would need to create a custom rule blocking all traffic from VMScaleSet1. Then you would need to create another custom rule with a higher priority than the first rule that allows traffic on port 443.

The default rules in the NSG will allow all other traffic to VMScaleSet2.

NEW QUESTION 2

- (Exam Topic 1)

You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements.

What should you use to configure the default route?

- A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
- B. a user-defined route assigned to GatewaySubnet in Vnet1
- C. BGP route exchange
- D. route filters

Answer: A

Explanation:

VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

NEW QUESTION 3

- (Exam Topic 2)

You need to configure GW1 to meet the network security requirements for the P2S VPN users. Which Tunnel type should you select in the Point-to-site configuration settings of GW1?

- A. IKEv2 and OpenVPN (SSL)
- B. IKEv2
- C. IKEv2 and SSTP (SSL)
- D. OpenVPN (SSL)
- E. SSTP (SSL)

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/openvpn-azure-ad-tenant>

NEW QUESTION 4

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 5

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address. You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal. You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
B. Create two additional associations.
C. Modify the rule type of Rule1.
D. Modify the rate limit threshold of Rule1.

Answer: B

NEW QUESTION 6

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have two Azure virtual networks named Vnet1 and Vnet2. You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN. You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway. You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You reset the gateway of Vnet1. Does this meet the goal?

- A. Yes
B. No

Answer: B


Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 7

- (Exam Topic 3)

You have an Azure environment shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

VM1 can communicate with (answer choice):

▼

VM2 only

VM2 and VM3 only

the on-premises datacenter and VM2 only

the on-premises datacenter, VM2, and VM3 only

VM2 can communicate with (answer choice):

▼

VM1 only

VM1 and VM3 only

the on-premises datacenter and VM3 only

the on-premises datacenter, VM1, and VM3 only

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-network/ip-services/ipv6-overview#capabilities> <https://docs.microsoft.com/en-ca/azure/virtual-network/ip-services/ipv6-overview#capabilities>

NEW QUESTION 8

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that has one subnet. Vnet1 is in the West Europe Azure region.

You deploy an Azure App Service app named App1 to the West Europe region.

You need to provide App1 with access to the resources in Vnet1. The solution must minimize costs. What should you do first?

- A. Create a private link.
 B. Create a new subnet.
 C. Create a NAT gateway.
 D. Create a gateway subnet and deploy a virtual network gateway.

Answer: B

Explanation:

Virtual network integration depends on a dedicated subnet.

<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integration> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.

The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App.

Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.

<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>

NEW QUESTION 9

- (Exam Topic 3)

You have an Azure Traffic Manager parent profile named TM1. TM1 has two child profiles named TM2 and TM3. TM1 uses the performance traffic-routing method and has the endpoints shown in the following table.

Name	Location
App1	North Europe
App2	East US
App3	Central US
TM2	West Europe
TM3	West US

TM2 uses the weighted traffic-routing method with MinChildEndpoint = 2 and has the endpoints shown in the following table.

Name	Location	Weight
App4	West Europe	99
App5	West Europe	1

TM3 uses priority traffic-routing method and has the endpoints shown in the following table.

Name	Location
App6	West US
App2	East US

The App2, App4, and App6 endpoints have a degraded monitoring status.

To which endpoint is traffic directed? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Answer Area

Traffic from West Europe:

▼

App1

App2

App4

App5

Traffic from West US:

▼

App1

App2

App3

App6

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Diagram Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-nested-profiles>

Traffic from West Europe:

Based on TM1 table, West Europe will trigger TM2. However, as the MinChildEndpoint is set to 2, and App4 is degraded (down), the entire TM2 will not be considered available.

This goes back to the origin TM1 that uses performance traffic-routing method, which means the closest location is App1 and naturally be the next best performance instance.

Hence, Answer = App1

Traffic from West US:

Based on TM1 table, West US will trigger TM3. However, both App2 and App6 were degraded (down), so none of them can be considered.

This goes back to the original TM1 that uses performance traffic-routing method, from TM1, the other 2 US locations would be App2 and App3. But App2 we know it's already degraded (unavailable), hence the only option would be App3.

Answer = App3

NEW QUESTION 10

- (Exam Topic 3)

You have two Azure subscriptions named Subscnption1 and Subscription2. Subscription1 contains a virtual network named Vnet1. Vnet1 contains an application server. Subscription2 contains a virtual network named Vnet2.
You need to provide the virtual machines in Vnet2 with access to the application server in Vnet1 by using a private endpoint.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Deploy an Azure Standard Load Balancer in front of the application server.	
In Subscription1, accept the private endpoint connection request.	
In Subscription1, create a private link service and attach the service to the frontend IP configuration of the load balancer.	
In Subscription2, create a private endpoint by using the private link service ID.	
Enable virtual network peering between Vnet1 and Vnet2.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area
In Subscription1, accept the private endpoint connection request.
Enable virtual network peering between Vnet1 and Vnet2.
Deploy an Azure Standard Load Balancer in front of the application server.
In Subscription1, create a private link service and attach the service to the frontend IP configuration of the load balancer.

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure virtual network and an on-premises datacenter.

You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Firewall
- C. a local network gateway
- D. Azure Web Application Firewall (WAF)
- E. an on-premises data gateway
- F. an Azure application gateway
- G. a user-defined route

Answer: CG

NEW QUESTION 14

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that provides access to the following hosts:

- * www.adatum.com
- * www.contoso.com
- * www.fabrikam.com

AppGW1 has the listeners shown in the following table.

Name	Frontend IP address	Type	Host name
Listen1	Public	Multi site	www.contoso.com
Listen2	Public	Multi site	www.fabrikam.com
Listen3	Public	Multi site	www.adatum.com

You create Azure Web Application Firewall (WAF) policies for AppGW1 as shown in the following table.

Name	Policy mode	Custom rule		
		Priority	Condition	Association
Policy1	Prevention	50	If IP address does contain 131.107.10.15 then deny traffic.	Application gateway: AppGW1
Policy2	Detection	10	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen1
Policy3	Prevention	70	If IP address does contain 131.107.10.15 then allow traffic.	HTTP listener: Listen2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From 131.107.10.15, you can access www.contoso.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.fabrikam.com	<input type="radio"/>	<input type="radio"/>
From 131.107.10.15, you can access www.adatum.com	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/per-site-policies>

NEW QUESTION 16

- (Exam Topic 3)

You plan to publish a website that will use an FQDN of www.contoso.com. The website will be hosted by using the Azure App Service apps shown in the following table.

Name	FQDN	Location	Public IP address
AS1	As1.contoso.com	East US	131.107.100.1
AS2	As2.contoso.com	West US	131.107.200.1

You plan to use Azure Traffic Manager to manage the routing of traffic for www.contoso.com between AS1 and AS2.

You need to ensure that Traffic Manager routes traffic for www.contoso.com. Which DNS record should you create?

- A. two A records that map www.contoso.com to 131 107 100 1 and 131 107 200 1
- B. a CNAME record that maps www.contoso.com to TMprofile1.azurefd.net
- C. a CNAME record that maps www.contoso.com to TMprofile1.trafficmanager.net
- D. a TXT record that contains a string of as1.contoso.com and as2.contoso.com in the details

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/quickstart-create-traffic-manager-profile> <https://docs.microsoft.com/en-us/azure/app-service/configure-domain-traffic-manager>

NEW QUESTION 18

- (Exam Topic 3)

You have the Azure Traffic Manager profiles shown in the following table.

Name	Routing method
Profile1	Performance
Profile2	Multivalue

You plan to add the endpoints shown in the following table.

Name	Type	Additional settings
Endpoint1	Azure endpoint	Target resource type: App Service
Endpoint2	External endpoint	FQDN or IP: www.contoso.com
Endpoint3	External endpoint	FQDN or IP: 131.107.10.15
Endpoint4	Nested endpoint	Target resource: Profile1

Which endpoints can you add to Profile2?

- A. Endpoint1 and Endpoint4 only
- B. Endpoint1, Endpoint2, Endpoint3, and Endpoint4
- C. Endpoint1 only
- D. Endpoint2 and Endpoint3 only
- E. Endpoint3 only

Answer: A

NEW QUESTION 19

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that connects to an on-premises network. You have an Azure Storage account named storageaccount1 that contains blob storage.

You need to configure a private endpoint for the blob storage. The solution must meet the following requirements:

- > Ensure that all on-premises users can access storageaccount1 through the private endpoint.
- > Prevent access to storageaccount1 from being interrupted.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Install the DNS server role and configure the forwarding of blob.core.windows.net to 168.63.129.16

Configure on-premises DNS servers to forward blob.core.windows.net to the virtual machine

Configure a private endpoint on storageaccount1 and disable public access to the account

Configure on-premises DNS server to forward blob.core.windows.net to 168.63.129.16

Deploy a virtual machine to a subnet in Vnet1

Answer Area

>

<

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 168.63.129.16 is the IP address of Azure DNS which hosts Azure Private DNS zones. It is only accessible from within a VNet which is why we need to forward on-prem DNS requests to the VM running DNS in the VNet. The VM will then forward the request to Azure DNS for the IP of the storage account private endpoint.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints>

NEW QUESTION 23

- (Exam Topic 3)


You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.

You build the website on Web1.

You plan to configure ContosoFD1 to publish the website for testing.

When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.



You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net
- B. a CNAME record that maps www.contoso.com to Web1.contoso.com
- C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
- D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: A

NEW QUESTION 26

- (Exam Topic 3)

You have three on-premises sites. Each site has a third-party VPN device. You have an Azure virtual WAN named VWAN1 that has a hub named Hub1. Hub1 connects two of the three on-premises sites by using a Site-to-Site VPN connection. You need to connect the third site to the other two sites by using Hub1. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Download the VPN configuration file from VWAN1

In a Hub1, create a VPN gateway

In a Hub1, create a VPN site

In a Hub1, create a connection to the VPN site

Configure the VPN device

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-site-to-site-portal>

NEW QUESTION 30

- (Exam Topic 3)

You are configuring two network virtual appliances (NVAs) in an Azure virtual network. The NVAs will be used to inspect all the traffic within the virtual network. You need to provide high availability for the NVAs. The solution must minimize administrative effort. What should you include in the solution?

- A. Azure Standard Load Balancer
- B. Azure Traffic Manager
- C. Azure Application Gateway
- D. Azure Front Door

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/dmz/nva-ha?tabs=cli>

NEW QUESTION 35

- (Exam Topic 3)

You have an Azure application gateway named AGW1 that

has a routing rule named Rule1. Rule 1 directs traffic for <http://www.contoso.com> to a backend pool named Pool1. Pool1 targets an Azure virtual machine scale set named VMSS1.

You deploy another virtual machine scale set named VMSS2. You need to configure

AGW1 to direct all traffic for <http://www.adatum.com> to VMSS2.

The solution must ensure that requests to <http://www.contoso.com> continue to be directed to Pool1. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add a backend pool.
- B. Modify an HTTP setting.
- C. Add an HTTP setting.
- D. Add a listener.
- E. Add a rule.

Answer: ADE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/configuration-overview>

NEW QUESTION 39

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5bdd6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "apgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\pm AppleWebKit Android\\\\' against '\\\\REQUEST_HEADERS:User-Agent\\\\' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "d6548110b9q1wa198165hq/420d7466",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway.

Solution: You create a WAF policy exclusion request headers that contain 137.135.10.24. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 42

- (Exam Topic 3)

You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports.

You install App1 on 10 Azure virtual machines.

You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules.

What should you include in the solution?

- A. Azure Standard Load Balancer that has Floating IP enabled
- B. Azure Application Gateway V2 that has multiple listeners
- C. Azure Application Gateway v2 that has multiple site hosting enabled
- D. Azure Standard Load Balancer that has high availability (HA) ports enabled

Answer: A

NEW QUESTION 47

- (Exam Topic 3)

You need to connect an on-premises network and art Azure environment. The solution must use ExpressRoute and support failing over to a Site-to Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

NEW QUESTION 52

- (Exam Topic 3)

You have an Azure subscription that contains multiple virtual machines in the West US Azure region. You need to use Traffic Analytics.

Which two resources should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct answer selection is worth one point.

- A. an Azure Monitor workbook
B. a Log Analytics workspace
C. a storage account
D. an Azure Sentinel workspace
E. an Azure Monitor data collection rule

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics> A storage account is used to store network security group flow logs.

A Log Analytics workspace is used by Traffic Analytics to store the aggregated and indexed data that is then used to generate the analytics.

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics#enable-flow-log-settings>

NEW QUESTION 53

- (Exam Topic 3)

You have two Azure virtual networks named Hub1 and Spoke1. Hub1 connects to an on-premises network by using a Site-to-Site VPN connection.

You are implementing peering between Hub1 and Spoke1.

You need to ensure that a virtual machine connected to Spoke1 can connect to the on-premises network through Hub1.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<div>-AllowForwardedTraffic</div>	\$hub = Get-AZVirtualNetwork -ResourceGroup "RG1" -Name "Hub1"
<div>-AllowGatewayTransit</div>	\$spoke = Get-AZVirtualNetwork -ResourceGroup "RG2" -Name "Spoke1"
<div>-UseRemoteGateways</div>	Add-AZVirtualNetworkPeering -Name "Hub1-Spoke1" -VirtualNetwork \$hub
	-RemoteVirtualNetworkId \$spoke.id <div>Value</div>
	Add-AZVirtualNetworkPeering -Name "Spoke1-Hub1" -VirtualNetwork \$spoke
	-RemoteVirtualNetworkId \$hub.id <div>Value</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/hub-spoke?tabs=>

NEW QUESTION 58

- (Exam Topic 3)

You have an Azure subscription that contains the route tables and routes shown in the following table.

Route table name	Route name	Prefix	Destination
RT1	Default Route	0.0.0.0/0	VirtualNetworkGateway
RT2	Default Route	0.0.0.0/0	Internet

The subscription contains the subnets shown in the following table.

Name	Prefix	Route table	Virtual network
Subnet1	10.10.1.0/24	RT1	Vnet1
Subnet2	10.10.2.0/24	RT2	Vnet1
GatewaySubnet	10.10.3.0/24	None	Vnet1

The subscription contains the virtual machines shown in the following table.

Name	IP address
VM1	10.10.1.5
VM2	10.10.2.5

There is a Site-to-Site VPN connection to each local network gateway.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	Traffic from VM2 to the internet is routed through the New-York Site-to-Site VPN connection	<div></div>	<div></div>
	Traffic from VM1 to VM2 is routed through the New-York Site-to-Site VPN connection	<div></div>	<div></div>
	Traffic from VM1 to the internet is routed through the New-York Site-to-Site VPN connection	<div></div>	<div></div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 62

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-04-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/489f2bht-aety-957y-q57l-463hw3e79512/RESOURCES/092/F61/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/A.W1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUrl": "/login",
    "ruleSetType": "OWASP CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920100",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "scope": "Global",
    "details": {
      "message": "Warning: Match of '\\\\?m AppleWebKit Android\\\\?' against '\\\\?REQUEST_HEADERS:User-Agent\\\\?' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1241"
    }
  },
  "hostname": "application0000.com",
  "transactionId": "f7546159y2hxt1wall456if5131t6sh?",
  "policyId": "default",
  "policyScope": "Global",
  "policyResponseName": "Global"
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You add a rewrite rule for the host header. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url#limitations>

NEW QUESTION 66

.....

Relate Links

100% Pass Your AZ-700 Exam with ExamBible Prep Materials

<https://www.exambible.com/AZ-700-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>