

## 350-701 Dumps

# Implementing and Operating Cisco Security Core Technologies

<https://www.certleader.com/350-701-dumps.html>



#### NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

**Answer:** A

#### NEW QUESTION 2

Which two preventive measures are used to control cross-site scripting? (Choose two.)

- A. Enable client-side scripts on a per-domain basis.
- B. Incorporate contextual output encoding/escaping.
- C. Disable cookie inspection in the HTML inspection engine.
- D. Run untrusted HTML input through an HTML sanitization engine.
- E. SameSite cookie attribute should not be used.

**Answer:** AB

#### NEW QUESTION 3

Which policy is used to capture host information on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. correlation
- B. intrusion
- C. access control
- D. network discovery

**Answer:** D

#### NEW QUESTION 4

An engineer is configuring a Cisco ESA and wants to control whether to accept or reject email messages to a recipient address. Which list contains the allowed recipient addresses?

- A. SAT
- B. BAT
- C. HAT
- D. RAT

**Answer:** D

#### NEW QUESTION 5

Which policy represents a shared set of features or parameters that define the aspects of a managed device that are likely to be similar to other managed devices in a deployment?

- A. group policy
- B. access control policy
- C. device management policy
- D. platform service policy

**Answer:** D

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/firepower/622/configuration/guide/fpmc-config-guide-v622/platform\\_settings\\_policies\\_for\\_managed\\_devices.pdf](https://www.cisco.com/c/en/us/td/docs/security/firepower/622/configuration/guide/fpmc-config-guide-v622/platform_settings_policies_for_managed_devices.pdf)

#### NEW QUESTION 6

An administrator wants to ensure that all endpoints are compliant before users are allowed access on the corporate network. The endpoints must have the corporate antivirus application installed and be running the latest build of Windows 10. What must the administrator implement to ensure that all devices are compliant before they are allowed on the network?

- A. Cisco Identity Services Engine and AnyConnect Posture module
- B. Cisco Stealthwatch and Cisco Identity Services Engine integration
- C. Cisco ASA firewall with Dynamic Access Policies configured
- D. Cisco Identity Services Engine with PxGrid services enabled

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/vpn\\_client/anyconnect/anyconnect46/administration/guide/b\\_AnyConnect\\_Administrator\\_Guide\\_4-6/configure-posture.html](https://www.cisco.com/c/en/us/td/docs/security/vpn_client/anyconnect/anyconnect46/administration/guide/b_AnyConnect_Administrator_Guide_4-6/configure-posture.html)

#### NEW QUESTION 7

In which form of attack is alternate encoding, such as hexadecimal representation, most often observed?

- A. smurf
- B. distributed denial of service
- C. cross-site scripting
- D. rootkit exploit

**Answer:** C

#### NEW QUESTION 8

Which two conditions are prerequisites for stateful failover for IPsec? (Choose two.)

- A. Only the IKE configuration that is set up on the active device must be duplicated on the standby device; the IPsec configuration is copied automatically.
- B. The active and standby devices can run different versions of the Cisco IOS software but must be the same type of device.
- C. The IPsec configuration that is set up on the active device must be duplicated on the standby device.
- D. Only the IPsec configuration that is set up on the active device must be duplicated on the standby device; the IKE configuration is copied automatically.
- E. The active and standby devices must run the same version of the Cisco IOS software and must be the same type of device.

**Answer:** BC

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_conn\\_vpnnav/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnnav/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html)

#### NEW QUESTION 9

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application
- B. Linux and Windows operating systems
- C. database
- D. web page images

**Answer:** C

#### Explanation:

Reference: [https://tools.cisco.com/security/center/resources/sql\\_injection](https://tools.cisco.com/security/center/resources/sql_injection)

#### NEW QUESTION 10

Which technology reduces data loss by identifying sensitive information stored in public computing environments?

- A. Cisco SDA
- B. Cisco Firepower
- C. Cisco HyperFlex
- D. Cisco Cloudlock

**Answer:** D

#### Explanation:

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cloudlock/cisco-cloudlock-cloud-data-security-datasheet.pdf>

#### NEW QUESTION 10

DRAG DROP

Drag and drop the Firepower Next Generation Intrusion Prevention System detectors from the left onto the correct definitions on the right.

PortScan Detection	many-to-one PortScan in which multiple hosts query a single host for open ports
Port Sweep	one-to-one PortScan, attacker mixes spoofed source IP addresses with the actual scanning IP address
Decoy PortScan	one-to-many port sweep, an attacker against one or a few hosts to scan a single port on multiple target hosts
Distributed PortScan	one-to-one PortScan, an attacker against one or a few hosts to scan one or multiple ports

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/detecting\\_specific\\_threats.html](https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/detecting_specific_threats.html)

#### NEW QUESTION 11

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

**Answer:** D

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

#### NEW QUESTION 14

What are the two most commonly used authentication factors in multifactor authentication? (Choose two.)

- A. biometric factor
- B. time factor
- C. confidentiality factor
- D. knowledge factor
- E. encryption factor

**Answer:** AD

#### NEW QUESTION 16

How does Cisco Umbrella archive logs to an enterprise- owned storage?

- A. by using the Application Programming Interface to fetch the logs
- B. by sending logs via syslog to an on-premises or cloud-based syslog server
- C. by the system administrator downloading the logs from the Cisco Umbrella web portal
- D. by being configured to send logs to a self-managed AWS S3 bucket

**Answer:** D

**Explanation:**

Reference: <https://docs.umbrella.com/deployment-umbrella/docs/log-management>

#### NEW QUESTION 18

In which cloud services model is the tenant responsible for virtual machine OS patching?

- A. IaaS
- B. UCaaS
- C. PaaS
- D. SaaS

**Answer:** A

**Explanation:**

Reference: <https://www.cmswire.com/cms/information-management/cloud-service-models-iaas-saas-paas-how-microsoft-office-365-azure-fit-in-021672.php>

#### NEW QUESTION 20

Which two descriptions of AES encryption are true? (Choose two.)

- A. AES is less secure than 3DES.
- B. AES is more secure than 3DES.
- C. AES can use a 168-bit key for encryption.
- D. AES can use a 256-bit key for encryption.
- E. AES encrypts and decrypts a key three times in sequence.

**Answer:** BD

**Explanation:**

Reference: [https://gpdb.docs.pivotal.io/43190/admin\\_guide/topics/ipsec.html](https://gpdb.docs.pivotal.io/43190/admin_guide/topics/ipsec.html)

#### NEW QUESTION 23

Which benefit does endpoint security provide the overall security posture of an organization?

- A. It streamlines the incident response process to automatically perform digital forensics on the endpoint.
- B. It allows the organization to mitigate web-based attacks as long as the user is active in the domain.
- C. It allows the organization to detect and respond to threats at the edge of the network.
- D. It allows the organization to detect and mitigate threats that the perimeter security devices do not detect.

**Answer:** D

#### NEW QUESTION 27

What is a language format designed to exchange threat intelligence that can be transported over the TAXII protocol?

- A. STIX
- B. XMPP
- C. pxGrid
- D. SMTP

**Answer:** A

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/web\\_security/scancenter/administrator/guide/b\\_ScanCenter\\_Administrator\\_Guide/b\\_ScanCenter\\_Administrator\\_Guide\\_chapter\\_0100011.pdf](https://www.cisco.com/c/en/us/td/docs/security/web_security/scancenter/administrator/guide/b_ScanCenter_Administrator_Guide/b_ScanCenter_Administrator_Guide_chapter_0100011.pdf)

**NEW QUESTION 30**

What is a characteristic of Dynamic ARP Inspection?

- A. DAI determines the validity of an ARP packet based on valid IP to MAC address bindings from the DHCP snooping binding database.
- B. In a typical network, make all ports as trusted except for the ports connecting to switches, which are untrusted.
- C. DAI associates a trust state with each switch.
- D. DAI intercepts all ARP requests and responses on trusted ports only.

**Answer:** A

**NEW QUESTION 34**

Which Cisco product provides proactive endpoint protection and allows administrators to centrally manage the deployment?

- A. NGFW
- B. AMP
- C. WSA
- D. ESA

**Answer:** B

**NEW QUESTION 36**

Which ID store requires that a shadow user be created on Cisco ISE for the admin login to work?

- A. RSA SecureID
- B. Internal Database
- C. Active Directory
- D. LDAP

**Answer:** C

**NEW QUESTION 39**

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth. Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

**Answer:** B

**NEW QUESTION 41**

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unified-comm/unified-comm-tlsproxy.html>

**NEW QUESTION 43**

Which SNMPv3 configuration must be used to support the strongest security possible?

- A. asa-host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv des ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- B. asa-host(config)#snmp-server group myv3 v3 noauth asa-host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- C. asa-host(config)#snmp-server group myv3 v3 noauth asa-host(config)#snmp-server user andy myv3 auth sha cisco priv 3des ciscXXXXXXXXXasa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy
- D. asa-host(config)#snmp-server group myv3 v3 priv asa-host(config)#snmp-server user andy myv3 auth sha cisco priv aes 256 ciscXXXXXXXXX asa-host(config)#snmp-server host inside 10.255.254.1 version 3 andy

**Answer:** D

**NEW QUESTION 45**

Which proxy mode must be used on Cisco WSA to redirect TCP traffic with WCCP?

- A. transparent
- B. redirection
- C. forward
- D. proxy gateway

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/support/docs/security/web-security-appliance/117940-qa-wsa-00.html>

**NEW QUESTION 49**

Under which two circumstances is a CoA issued? (Choose two.)

- A. A new authentication rule was added to the policy on the Policy Service node.
- B. An endpoint is deleted on the Identity Service Engine server.
- C. A new Identity Source Sequence is created and referenced in the authentication policy.
- D. An endpoint is profiled for the first time.
- E. A new Identity Service Engine server is added to the deployment with the Administration persona.

**Answer:** BD

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_prof\\_pol.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html)

**NEW QUESTION 51**

Which solution combines Cisco IOS and IOS XE components to enable administrators to recognize applications, collect and send network metrics to Cisco Prime and other third-party management tools, and prioritize application traffic?

- A. Cisco Security Intelligence
- B. Cisco Application Visibility and Control
- C. Cisco Model Driven Telemetry
- D. Cisco DNA Center

**Answer:** B

**NEW QUESTION 55**

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

**Answer:** DE

**NEW QUESTION 59**

An engineer used a posture check on a Microsoft Windows endpoint and discovered that the MS17-010 patch was not installed, which left the endpoint vulnerable to WannaCry ransomware. Which two solutions mitigate the risk of this ransomware infection? (Choose two.)

- A. Configure a posture policy in Cisco Identity Services Engine to install the MS17-010 patch before allowing access on the network.
- B. Set up a profiling policy in Cisco Identity Service Engine to check and endpoint patch level before allowing access on the network.
- C. Configure a posture policy in Cisco Identity Services Engine to check that an endpoint patch level is met before allowing access on the network.
- D. Configure endpoint firewall policies to stop the exploit traffic from being allowed to run and replicate throughout the network.
- E. Set up a well-defined endpoint patching strategy to ensure that endpoints have critical vulnerabilities patched in a timely fashion.

**Answer:** AC

**NEW QUESTION 60**

DRAG DROP


Drag and drop the steps from the left into the correct order on the right to enable AppDynamics to monitor an EC2 instance in Amazon Web Services.

Install monitoring extension for AWS EC2	step 1
Restart the Machine Agent	step 2
Update config.yaml	step 3
Configure a Machine Agent or SIM Agent	step 4

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



#### NEW QUESTION 64

Why would a user choose an on-premises ESA versus the CES solution?

- A. Sensitive data must remain onsite.
- B. Demand is unpredictable.
- C. The server team wants to outsource this service.
- D. ESA is deployed inline.

**Answer:** A

#### NEW QUESTION 67

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
- B. AnyConnect
- C. DynDNS
- D. Talos

**Answer:** D

#### NEW QUESTION 69

What is the primary role of the Cisco Email Security Appliance?

- A. Mail Submission Agent
- B. Mail Transfer Agent
- C. Mail Delivery Agent
- D. Mail User Agent

**Answer:** B

#### NEW QUESTION 70

Which cloud service model offers an environment for cloud consumers to develop and deploy applications without needing to manage or maintain the underlying cloud infrastructure?

- A. PaaS
- B. XaaS
- C. IaaS
- D. SaaS

**Answer:** A

#### NEW QUESTION 75

Which functions of an SDN architecture require southbound APIs to enable communication?

- A. SDN controller and the network elements
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the cloud

**Answer:** A

#### NEW QUESTION 76

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
- B. virtual machine
- C. network
- D. application

**Answer:** D

**Explanation:**

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

**NEW QUESTION 79**

Which ASA deployment mode can provide separation of management on a shared appliance?

- A. DMZ multiple zone mode
- B. transparent firewall mode
- C. multiple context mode
- D. routed mode

**Answer: C**

**NEW QUESTION 82**

Refer to the exhibit.

```
Sysauthcontrol           Enabled
Dot1x Protocol Version   3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                      = AUTHENTICATOR
PortControl              = FORCE_AUTHORIZED
ControlDirection         = Both
HostMode                 = SINGLE_HOST
QuietPeriod              = 60
ServerTimeout            = 0
SuppTimeout              = 30
ReAuthMax                = 2
MaxReq                   = 2
TxPeriod                 = 30
```

Which command was used to display this output?

- A. show dot1x all
- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

**Answer: A**

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec\\_usr\\_8021x/configuration/x3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/x3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html)

**NEW QUESTION 84**

The main function of northbound APIs in the SDN architecture is to enable communication between which two areas of a network?

- A. SDN controller and the cloud
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the management solution

**Answer: D**

**NEW QUESTION 85**

Which information is required when adding a device to Firepower Management Center?

- A. username and password
- B. encryption method
- C. device serial number
- D. registration key

**Answer: D**

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/Device\\_Management\\_Basics.html#ID-2242-0000069d](https://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/Device_Management_Basics.html#ID-2242-0000069d)

**NEW QUESTION 90**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 350-701 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/350-701-dumps.html>