



Fortinet

Exam Questions NSE4_FGT-7.2

Fortinet NSE 4 - FortiOS 7.2

NEW QUESTION 1

Refer to the exhibits.
Exhibit A shows a network diagram. Exhibit B shows the firewall policy configuration and a VIP object configuration.
The WAN (port1) interface has the IP address 10.200.1.1/24.
The LAN (port3) interface has the IP address 10.0.1.254/24.




Exhibit A

Exhibit B

Name	From	To	Source	Destination	Schedule	Service	Action	NAT
WebServer	WAN (port1)	LAN (port3)	all	VIP	always	ALL	ACCEPT	Enabled

Edit Virtual IP

VIP type: IPv4

Name: VIP

Comments: Write a comment... 0/255

Color: Change

Network

Interface: WAN (port1)

Type: Static NAT

External IP address/range: 10.200.1.10

Map to

IPv4 address/range: 10.0.1.10

Optional Filters: ☐

Port Forwarding: ☒

Protocol: TCP UDP SCTP ICMP

Port Mapping Type: One to one Many to many

External service port: 10443

Map to IPv4 port: 443

If the host 10.200.3.1 sends a TCP SYN packet on port 10443 to 10.200.1.10, what will the source address, destination address, and destination port of the packet be, after FortiGate forwards the packet to the destination?

A. 10.0.1.254, 10.0.1.10, and 443, respectively
B. 10.0.1.254, 10.0.1.10, and 10443, respectively
C. 10.200.3.1, 10.0.1.10, and 443, respectively

Answer: C

NEW QUESTION 2

Which three methods are used by the collector agent for AD polling? (Choose three.)

- A. FortiGate polling
B. NetAPI
C. Novell API
D. WMI

E. WinSecLog

Answer: BDE

NEW QUESTION 3

A network administrator enabled antivirus and selected an SSL inspection profile on a firewall policy. When downloading an EICAR test file through HTTP, FortiGate detects the virus and blocks the file. When downloading the same file through HTTPS, FortiGate does not detect the virus and does not block the file, allowing it to be downloaded.

The administrator confirms that the traffic matches the configured firewall policy.

What are two reasons for the failed virus detection by FortiGate? (Choose two.)

- A. The website is exempted from SSL inspection.
- B. The EICAR test file exceeds the protocol options oversize limit.
- C. The selected SSL inspection profile has certificate inspection enabled.
- D. The browser does not trust the FortiGate self-signed CA certificate.

Answer: AD

NEW QUESTION 4

A network administrator is configuring a new IPsec VPN tunnel on FortiGate. The remote peer IP address is dynamic. In addition, the remote peer does not support a dynamic DNS update service.

Which type of remote gateway should the administrator configure on FortiGate for the new IPsec VPN tunnel to work?

- A. Pre-shared key
- B. Dialup user
- C. Dynamic DNS
- D. Static IP address

Answer: D

NEW QUESTION 5

Which timeout setting can be responsible for deleting SSL VPN associated sessions?

- A. SSL VPN idle-timeout
- B. SSL VPN http-request-body-timeout
- C. SSL VPN login-timeout
- D. SSL VPN dtls-hello-timeout

Answer: A

NEW QUESTION 6

A network administrator wants to set up redundant IPsec VPN tunnels on FortiGate by using two IPsec VPN tunnels and static routes.

All traffic must be routed through the primary tunnel when both tunnels are up. The secondary tunnel must be used only if the primary tunnel goes down. In addition, FortiGate should be able to detect a dead tunnel to speed up tunnel failover.

Which two key configuration changes must the administrator make on FortiGate to meet the requirements? (Choose two.)

- A. Configure a higher distance on the static route for the primary tunnel, and a lower distance on the static route for the secondary tunnel.
- B. Configure a lower distance on the static route for the primary tunnel, and a higher distance on the static route for the secondary tunnel.
- C. Enable Auto-negotiate and Autokey Keep Alive on the phase 2 configuration of both tunnels.
- D. Enable Dead Peer Detection.

Answer: AD

NEW QUESTION 7

Which two settings are required for SSL VPN to function between two FortiGate devices? (Choose two.)

- A. The client FortiGate requires a manually added route to remote subnets.
- B. The client FortiGate requires a client certificate signed by the CA on the server FortiGate.
- C. The server FortiGate requires a CA certificate to verify the client FortiGate certificate.
- D. The client FortiGate requires the SSL VPN tunnel interface type to connect SSL VPN.

Answer: BC

NEW QUESTION 8

Refer to the exhibits.

The exhibits show the SSL and authentication policy (Exhibit A) and the security policy (Exhibit B) for Facebook.

Users are given access to the Facebook web application. They can play video content hosted on Facebook, but they are unable to leave reactions on videos or other types of posts.

Exhibit A Exhibit B

Edit Policy

Name	Facebook SSL Inspection
Incoming Interface	port2
Outgoing Interface	port1
Source	all
Destination	all
Service	ALL

Firewall / Network Options

Central NAT is enabled so NAT settings from matching [Central SNAT policies](#) will be applied.

Security Profiles

SSL Inspection SSL certificate-inspection

Exhibit A Exhibit B

Edit Policy

Name	Facebook Access
Policy Mode	Standard Learn Mode
Incoming Interface	port2
Outgoing Interface	port1
Source	all
Destination	all
Schedule	always
Service	App Default Specify
Application	Facebook Facebook_Like.Button Facebook_Video.Play
URL Category	
Action	ACCEPT DENY

Firewall/Network Options

Protocol Options PROT default

Which part of the policy configuration must you change to resolve the issue?

- A. Force access to Facebook using the HTTP service.
- B. Make the SSL inspection a deep content inspection.
- C. Add Facebook in the URL category in the security policy.
- D. Get the additional application signatures required to add to the security policy.

Answer: B

NEW QUESTION 9

Which two configuration settings are synchronized when FortiGate devices are in an active-active HA cluster? (Choose two.)

- A. FortiGuard web filter cache
- B. FortiGate hostname
- C. NTP
- D. DNS

Answer: CD

NEW QUESTION 10

Refer to the exhibits.

The exhibits show the firewall policies and the objects used in the firewall policies.

The administrator is using the Policy Lookup feature and has entered the search criteria shown in the exhibit.

Exhibit A

Exhibit B

Address Object

Name	Details
IP Range/Subnet	
LOCAL_CLIENT	10.0.1.10/32
all	0.0.0.0
FQDN	
facebook.com	facebook.com

Internet Service Object

Name	Direction	Number of Entries
Predefined Internet Services		
Facebook-Web	Destination	26.578
IP	Port	Protocol
1.9.91.17 - 1.9.91.18	80	TCP
	443	
	8443	
1.9.91.17 - 1.9.91.18	443	UDP
1.9.91.30	443	UDP

Firewall Policies

ID	From	To	Source	Destination	Schedule	Service	Action	NAT
3	port3	port1	LOCAL_CLIENT	facebook.com	always	ULL_UDP	✓ ACCEPT	Enabled
1	port1	port3	facebook.com	LOCAL_CLIENT	always	ULL_UDP	✓ ACCEPT	Enabled
4	port4	port1	LOCAL_CLIENT	all	always	HTTP DNS HTTPS	✓ ACCEPT	Enabled
5	port3	port1	LOCAL_CLIENT	Facebook-Web	always	Internet Service	✓ ACCEPT	Enabled
2	port3	port1	all	all	always	ALL	✓ ACCEPT	Enabled

Exhibit A

Exhibit B

Policy Lookup

Incoming Interface: port3

IP Version: IPv4

Protocol: TCP

Source: 10.0.1.10

Source Port: Optional (1-65535)

Destination: facebook.com

Destination Port: 443

Search Close

Which policy will be highlighted, based on the input criteria?


- A. Policy with ID 4.
- B. Policy with ID 5.
- C. Policies with ID 2 and 3.
- D. Policy with ID 4.

Answer: A

NEW QUESTION 10

Refer to the exhibit.

Network Diagram



Central SNAT Policies Local-FortiGate

<div><div>+ Create New</div><div>Edit</div><div>Delete</div><div>Search</div><div>Q</div></div>						
ID	From	To	Source Address	Protocol Number	Destination Address	Translated Address
2	LAN(port3)	WAN(port1)	all	6	REMOTE_FORTIGATE	SNAT-Pool
1	LAN(port3)	WAN(port1)	all	1	all	SNAT-Remote1
3	LAN(port3)	WAN(port1)	all	2	all	SNAT-Remote

IP Pool Local-FortiGate

<div><div>+ Create New</div><div>Edit</div><div>Clone</div><div>Delete</div><div>Search</div><div>Q</div></div>			
Name	External IP Range	Type	ARP Reply
SNAT-Pool	10.200.1.49-10.200.1.49	Overload	Enabled
SNAT-Remote	10.200.1.149-10.200.1.149	Overload	Enabled
SNAT-Remote1	10.200.1.99-10.200.1.99	Overload	Enabled

Protocol Number Table

Protocol Number Table	
Protocol	Protocol Number
TCP	6
ICMP	1
IGMP	2

The exhibit contains a network diagram, central SNAT policy, and IP pool configuration. The WAN (port1) interface has the IP address 10.200. 1. 1/24. The LAN (port3) interface has the IP address 10.0. 1.254/24. A firewall policy is configured to allow to destinations from LAN (port3) to WAN (port1). Central NAT is enabled, so NAT settings from matching Central SNAT policies will be applied. Which IP address will be used to source NAT the traffic, if the user on Local-Client (10.0. 1. 10) pings the IP address of Remote-FortiGate (10.200.3. 1)?

- A. 10.200. 1. 149
- B. 10.200. 1. 1
- C. 10.200. 1.49
- D. 10.200. 1.99

Answer: D

NEW QUESTION 12

Refer to the web filter raw logs.

```
date=2020-07-09 time=12:51:51 logid="0316013057" type="utm"
subtype="webfilter" eventtype="ftgd_blk" level="warning"
vd="root" eventtime=1594313511250173744 tz="-0400" policyid=1
sessionid=5526 srcip=10.0.1.10 srcport=48660 srcintf="port2"
srcintfrole="undefined" dstip=104.244.42.193 dstport=443
dstintf="port1" dstintfrole="undefined" proto=6 service="HTTPS"
hostname="twitter.com" profile="all_users_web" action="blocked"
reqtype="direct" url="https://twitter.com/" sentbyte=517
rcvdbyte=0 direction="outgoing" msg="URL belongs to a category
with warnings enabled" method="domain" cat=37 catdesc="Social
Networking"

date=2020-07-09 time=12:52:16 logid="0316013057" type="utm"
subtype="webfilter" eventtype="ftgd_blk" level="warning"
vd="root" eventtime=1594313537024536428 tz="-0400" policyid=1
sessionid=5552 srcip=10.0.1.10 srcport=48698 srcintf="port2"
srcintfrole="undefined" dstip=104.244.42.193 dstport=443
dstintf="port1" dstintfrole="undefined" proto=6 service="HTTPS"
hostname="twitter.com" profile="all_users_web"
action="passthrough" reqtype="direct" url="https://twitter.com/"
sentbyte=369 rcvdbyte=0 direction="outgoing" msg="URL belongs to
a category with warnings enabled" method="domain" cat=37
catdesc="Social Networking"
```

Based on the raw logs shown in the exhibit, which statement is correct?

- A. Social networking web filter category is configured with the action set to authenticate.
- B. The action on firewall policy ID 1 is set to warning.
- C. Access to the social networking web filter category was explicitly blocked to all users.
- D. The name of the firewall policy is all_users_web.

Answer: A

NEW QUESTION 14

In consolidated firewall policies, IPv4 and IPv6 policies are combined in a single consolidated policy. Instead of separate policies. Which three statements are true about consolidated IPv4 and IPv6 policy configuration? (Choose three.)

- A. The IP version of the sources and destinations in a firewall policy must be different.
- B. The Incoming Interface
- C. Outgoing Interface
- D. Schedule, and Service fields can be shared with both IPv4 and IPv6.
- E. The policy table in the GUI can be filtered to display policies with IPv4, IPv6 or IPv4 and IPv6 sources and destinations.
- F. The IP version of the sources and destinations in a policy must match.
- G. The policy table in the GUI will be consolidated to display policies with IPv4 and IPv6 sources and destinations.

Answer: BDE

NEW QUESTION 19

Which three security features require the intrusion prevention system (IPS) engine to function? (Choose three.)

- A. Web filter in flow-based inspection
- B. Antivirus in flow-based inspection
- C. DNS filter
- D. Web application firewall
- E. Application control

Answer: ABE

Explanation:

<https://docs.fortinet.com/document/fortigate/7.0.0/new-features/739623/dns-filter-handled-by-ips-engine-in-flow>

NEW QUESTION 22

Refer to the exhibit.

A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up, but phase 2 fails to come up.



Based on the phase 2 configuration shown in the exhibit, which configuration change will bring phase 2 up?

- A. On Remote-FortiGate, set Seconds to 43200.
- B. On HQ-FortiGate, set Encryption to AES256.
- C. On HQ-FortiGate, enable Diffie-Hellman Group 2.
- D. On HQ-FortiGate, enable Auto-negotiate.

Answer: B

NEW QUESTION 23

An administrator configures FortiGuard servers as DNS servers on FortiGate using default settings. What is true about the DNS connection to a FortiGuard server?

- A. It uses UDP 8888.
- B. It uses UDP 53.
- C. It uses DNS over HTTPS.
- D. It uses DNS over TLS.

Answer: B

NEW QUESTION 27

Refer to exhibit.

An administrator configured the web filtering profile shown in the exhibit to block access to all social networking sites except Twitter. However, when users try to access twitter.com, they are redirected to a FortiGuard web filtering block page.

The screenshot shows the FortiGate web filtering configuration. On the left, the 'FortiGuard Category Based Filter' is configured with the following settings:

Name	Action
Medicine	Allow
News and Media	Allow
Social Networking	Block
Political Organizations	Allow
Reference	Allow
Global Religion	Allow
Shopping	Allow
Society and Lifestyles	Allow
Sports	Allow

On the right, the 'Static URL Filter' is configured with the following settings:

URL	Type	Action	Status
twitter.com	Wildcard	Allow	Enable

Based on the exhibit, which configuration change can the administrator make to allow Twitter while blocking all other social networking sites?

- A. On the FortiGuard Category Based Filter configuration, set Action to Warning for Social Networking
- B. On the Static URL Filter configuration, set Type to Simple

- C. On the Static URL Filter configuration, set Action to Exempt.
- D. On the Static URL Filter configuration, set Action to Monitor.

Answer: C

NEW QUESTION 28

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NSE4_FGT-7.2 Practice Exam Features:

- * NSE4_FGT-7.2 Questions and Answers Updated Frequently
- * NSE4_FGT-7.2 Practice Questions Verified by Expert Senior Certified Staff
- * NSE4_FGT-7.2 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NSE4_FGT-7.2 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The NSE4_FGT-7.2 Practice Test Here](#)