

MuleSoft

Exam Questions MCD-Level-1

MuleSoft Certified Developer - Level 1 (Mule 4)



NEW QUESTION 1

The new RAML spec has been published to Anypoint Exchange with client credentials.
What is the next step to gain access to the API?

- A. Email the owners of the API.
- B. Create a new client application.
- C. No additional steps needed.
- D. Request access to the API in Anypoint Exchange.

Answer: D

NEW QUESTION 2

An API has been created in Design Center.
What is the next step to make the API discoverable?

- A. Deploy the API to a Maven repository.
- B. Publish the API from inside flow designer.
- C. Publish the API to Anypoint Exchange.
- D. Enable autodiscovery in API Manager.

Answer: C

NEW QUESTION 3

What is the correct way to format the decimal 200.1234 as a string to two decimal places?

- A. 200.1234 as string {format: ".0#"}
- B. 200.1234 as string as format: ".0#"}
- C. 200.1234 as String {format: ".0#"}
- D. 200.1234 as String as format: ".0#"}

Answer: C

NEW QUESTION 4

A Scatter-Gather processes a number of separate HTTP requests. Each request returns a Mule event with a JSON payload.
What is the final output of the Scatter-Gather?

- A. An Object containing all Mule event Objects.
- B. An Array containing all Mule event Objects.
- C. None of these.
- D. The last Mule event object.

Answer: A

NEW QUESTION 5

What is the use of API Notebooks?

- A. None of these
- B. Test Policies
- C. Test API functions
- D. Test RAML

Answer: C

NEW QUESTION 6

What is NOT part of a Mule 4 event?

- A. attributes
- B. payload
- C. inboundProperties
- D. message

Answer: C

NEW QUESTION 7

What DataWeave 2.0 type can be used as input to a mapObject operation?

- A. Array
- B. Object
- C. String
- D. Map

Answer: B

NEW QUESTION 8

What does the Mule runtime use to enforce policies and limit access to APIs?

- A. API Manager
- B. The proxy created by API Manager
- C. The Mule runtime's embedded API Gateway
- D. Anypoint Access Control

Answer: C

NEW QUESTION 9

What is the correct syntax to reference a fragment in RAML?

- A. examples: #include examples/BankAccountsExample.raml
- B. examples: \$include examples/BankAccountsExample.raml
- C. examples: ?include examples/BankAccountsExample.raml
- D. examples: !include examples/BankAccountsExample.raml

Answer: D

NEW QUESTION 10

A Set Variable component saves the current payload to a variable.
What is the DataWeave parent expression to access the variable?

- A. #[value]
- B. #[vars]
- C. #[var]
- D. #[values]

Answer: B

NEW QUESTION 10

What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Answer: B

NEW QUESTION 11

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MCD-Level-1 Practice Exam Features:

- * MCD-Level-1 Questions and Answers Updated Frequently
- * MCD-Level-1 Practice Questions Verified by Expert Senior Certified Staff
- * MCD-Level-1 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MCD-Level-1 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MCD-Level-1 Practice Test Here](#)