



Google

Exam Questions Professional-Cloud-Architect

Google Certified Professional - Cloud Architect (GCP)

NEW QUESTION 1

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study

Mountkirk Games needs to create a repeatable and configurable mechanism for deploying isolated application environments. Developers and testers can access each other's environments and resources, but they cannot access staging or production resources. The staging environment needs access to some services from production.

What should you do to isolate development environments from staging and production?

- A. Create a project for development and test and another for staging and production.
- B. Create a network for development and test and another for staging and production.
- C. Create one subnetwork for development and another for staging and production.
- D. Create one project for development, a second for staging and a third for production.

Answer: D

NEW QUESTION 2

- (Exam Topic 1)

For this question, refer to the Mountkirk Games case study.

Mountkirk Games wants to set up a real-time analytics platform for their new game. The new platform must meet their technical requirements. Which combination of Google technologies will meet all of their requirements?

- A. Container Engine, Cloud Pub/Sub, and Cloud SQL
- B. Cloud Dataflow, Cloud Storage, Cloud Pub/Sub, and BigQuery
- C. Cloud SQL, Cloud Storage, Cloud Pub/Sub, and Cloud Dataflow
- D. Cloud Dataproc, Cloud Pub/Sub, Cloud SQL, and Cloud Dataflow
- E. Cloud Pub/Sub, Compute Engine, Cloud Storage, and Cloud Dataproc

Answer: B

Explanation:

A real time requires Stream / Messaging so Pub/Sub, Analytics by Big Query.

Ingest millions of streaming events per second from anywhere in the world with Cloud Pub/Sub, powered by Google's unique, high-speed private network. Process the streams with Cloud Dataflow to ensure reliable, exactly-once, low-latency data transformation. Stream the transformed data into BigQuery, the cloud-native data warehousing service, for immediate analysis via SQL or popular visualization tools.

From scenario: They plan to deploy the game's backend on Google Compute Engine so they can capture streaming metrics, run intensive analytics.

Requirements for Game Analytics Platform

- Dynamically scale up or down based on game activity
- Process incoming data on the fly directly from the game servers
- Process data that arrives late because of slow mobile networks
- Allow SQL queries to access at least 10 TB of historical data
- Process files that are regularly uploaded by users' mobile devices
- Use only fully managed services

References: <https://cloud.google.com/solutions/big-data/stream-analytics/>

NEW QUESTION 3

- (Exam Topic 2)

For this question, refer to the TerramEarth case study.

TerramEarth has equipped unconnected trucks with servers and sensors to collect telemetry data. Next year they want to use the data to train machine learning models. They want to store this data in the cloud while reducing costs. What should they do?

- A. Have the vehicle's computer compress the data in hourly snapshots, and store it in a Google Cloud storage (GCS) Nearline bucket.
- B. Push the telemetry data in Real-time to a streaming dataflow job that compresses the data, and store it in Google BigQuery.
- C. Push the telemetry data in real-time to a streaming dataflow job that compresses the data, and store it in Cloud Bigtable.
- D. Have the vehicle's computer compress the data in hourly snapshots, and store it in a GCS Coldline bucket.

Answer: D

Explanation:

Coldline Storage is the best choice for data that you plan to access at most once a year, due to its slightly lower availability, 90-day minimum storage duration, costs for data access, and higher per-operation costs. For example:

Cold Data Storage - Infrequently accessed data, such as data stored for legal or regulatory reasons, can be stored at low cost as Coldline Storage, and be available when you need it.

Disaster recovery - In the event of a disaster recovery event, recovery time is key. Cloud Storage provides low latency access to data stored as Coldline Storage.

References: <https://cloud.google.com/storage/docs/storage-classes>

NEW QUESTION 4

- (Exam Topic 2)

Your agricultural division is experimenting with fully autonomous vehicles. You want your architecture to promote strong security during vehicle operation. Which two architecture should you consider?

Choose 2 answers:

- A. Treat every micro service call between modules on the vehicle as untrusted.
- B. Require IPv6 for connectivity to ensure a secure address space.
- C. Use a trusted platform module (TPM) and verify firmware and binaries on boot.
- D. Use a functional programming language to isolate code execution cycles.
- E. Use multiple connectivity subsystems for redundancy.

F. Enclose the vehicle's drive electronics in a Faraday cage to isolate chips.

Answer: AC

NEW QUESTION 5

- (Exam Topic 2)

For this question, refer to the TerramEarth case study

Your development team has created a structured API to retrieve vehicle data. They want to allow third parties to develop tools for dealerships that use this vehicle event data. You want to support delegated authorization against this data. What should you do?

- A. Build or leverage an OAuth-compatible access control system.
- B. Build SAML 2.0 SSO compatibility into your authentication system.
- C. Restrict data access based on the source IP address of the partner systems.
- D. Create secondary credentials for each dealer that can be given to the trusted third party.

Answer: A

Explanation:

<https://cloud.google.com/appengine/docs/flexible/go/authorizing-apps> https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations#delegate_application_auth Delegate application authorization with OAuth2

Cloud Platform APIs support OAuth 2.0, and scopes provide granular authorization over the methods that are supported. Cloud Platform supports both service-account and user-account OAuth, also called three-legged OAuth.

References:

https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations#delegate_application_auth

<https://cloud.google.com/appengine/docs/flexible/go/authorizing-apps>

NEW QUESTION 6

- (Exam Topic 2)

For this question, refer to the TerramEarth case study.

TerramEarth's 20 million vehicles are scattered around the world. Based on the vehicle's location its telemetry data is stored in a Google Cloud Storage (GCS) regional bucket (US, Europe, or Asia). The CTO has asked you to run a report on the raw telemetry data to determine why vehicles are breaking down after 100 K miles. You want to run this job on all the data. What is the most cost-effective way to run this job?

- A. Move all the data into 1 zone, then launch a Cloud Dataproc cluster to run the job.
- B. Move all the data into 1 region, then launch a Google Cloud Dataproc cluster to run the job.
- C. Launch a cluster in each region to preprocess and compress the raw data, then move the data into a multi region bucket and use a Dataproc cluster to finish the job.
- D. Launch a cluster in each region to preprocess and compress the raw data, then move the data into a region bucket and use a Cloud Dataproc cluster to finish the job.

Answer: D

Explanation:

Storage guarantees 2 replicates which are geo diverse (100 miles apart) which can get better remote latency and availability.

More importantly, is that multiregional heavily leverages Edge caching and CDNs to provide the content to the end users.

All this redundancy and caching means that Multiregional comes with overhead to sync and ensure consistency between geo-diverse areas. As such, it's much better for write-once-read-many scenarios. This means frequently accessed (e.g. "hot" objects) around the world, such as website content, streaming videos, gaming or mobile applications.

References:

<https://medium.com/google-cloud/google-cloud-storage-what-bucket-class-for-the-best-performance-5c847ac8f>

NEW QUESTION 7

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

JencoMart wants to move their User Profiles database to Google Cloud Platform. Which Google Database should they use?

- A. Cloud Spanner
- B. Google BigQuery
- C. Google Cloud SQL
- D. Google Cloud Datastore

Answer: D

Explanation:

<https://cloud.google.com/datastore/docs/concepts/overview> Common workloads for Google Cloud Datastore:

- User profiles
- Product catalogs
- Game state

References: <https://cloud.google.com/storage-options/> <https://cloud.google.com/datastore/docs/concepts/overview>

NEW QUESTION 8

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

The JencoMart security team requires that all Google Cloud Platform infrastructure is deployed using a least privilege model with separation of duties for administration between production and development resources. What Google domain and project structure should you recommend?

- A. Create two G Suite accounts to manage users: one for development/test/staging and one for production. Each account should contain one project for every application.

- B. Create two G Suite accounts to manage users: one with a single project for all development applications and one with a single project for all production applications.
- C. Create a single G Suite account to manage users with each stage of each application in its own project.
- D. Create a single G Suite account to manage users with one project for the development/test/staging environment and one project for the production environment.

Answer: D

Explanation:

Note: The principle of least privilege and separation of duties are concepts that, although semantically different, are intrinsically related from the standpoint of security. The intent behind both is to prevent people from having higher privilege levels than they actually need

➤ Principle of Least Privilege: Users should only have the least amount of privileges required to perform their job and no more. This reduces authorization exploitation by limiting access to resources such as targets, jobs, or monitoring templates for which they are not authorized.

➤ Separation of Duties: Beyond limiting user privilege level, you also limit user duties, or the specific jobs they can perform. No user should be given responsibility for more than one related function. This limits the ability of a user to perform a malicious action and then cover up that action.

References: <https://cloud.google.com/kms/docs/separation-of-duties>

NEW QUESTION 9

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

JencoMart has built a version of their application on Google Cloud Platform that serves traffic to Asia. You want to measure success against their business and technical goals. Which metrics should you track?

- A. Error rates for requests from Asia
- B. Latency difference between US and Asia
- C. Total visits, error rates, and latency from Asia
- D. Total visits and average latency for users in Asia
- E. The number of character sets present in the database

Answer: D

NEW QUESTION 10

- (Exam Topic 3)

For this question, refer to the JencoMart case study.

JencoMart has decided to migrate user profile storage to Google Cloud Datastore and the application servers to Google Compute Engine (GCE). During the migration, the existing infrastructure will need access to Datastore to upload the data. What service account key-management strategy should you recommend?

- A. Provision service account keys for the on-premises infrastructure and for the GCE virtual machines (VMs).
- B. Authenticate the on-premises infrastructure with a user account and provision service account keys for the VMs.
- C. Provision service account keys for the on-premises infrastructure and use Google Cloud Platform (GCP) managed keys for the VMs
- D. Deploy a custom authentication service on GCE/Google Container Engine (GKE) for the on-premises infrastructure and use GCP managed keys for the VMs.

Answer: A

Explanation:

<https://cloud.google.com/iam/docs/understanding-service-accounts>

Migrating data to Google Cloud Platform

Let's say that you have some data processing that happens on another cloud provider and you want to transfer the processed data to Google Cloud Platform. You can use a service account from the virtual machines on the external cloud to push the data to Google Cloud Platform. To do this, you must create and download a service account key when you create the service account and then use that key from the external process to call the Cloud Platform APIs.

References:

https://cloud.google.com/iam/docs/understanding-service-accounts#migrating_data_to_google_cloud_platform

NEW QUESTION 10

- (Exam Topic 4)

The current Dress4win system architecture has high latency to some customers because it is located in one data center.

As of a future evaluation and optimizing for performance in the cloud, Dress4win wants to distribute its system architecture to multiple locations when Google cloud platform. Which approach should they use?

- A. Use regional managed instance groups and a global load balancer to increase performance because the regional managed instance group can grow instances in each region separately based on traffic.
- B. Use a global load balancer with a set of virtual machines that forward the requests to a closer group of virtual machines managed by your operations team.
- C. Use regional managed instance groups and a global load balancer to increase reliability by providing automatic failover between zones in different regions.
- D. Use a global load balancer with a set of virtual machines that forward the requests to a closer group of virtual machines as part of a separate managed instance groups.

Answer: A

NEW QUESTION 15

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

Dress4Win has configured a new uptime check with Google Stackdriver for several of their legacy services. The Stackdriver dashboard is not reporting the services as healthy. What should they do?

- A. Install the Stackdriver agent on all of the legacy web servers.
- B. In the Cloud Platform Console download the list of the uptime servers' IP addresses and create an inbound firewall rule
- C. Configure their load balancer to pass through the User-Agent HTTP header when the value matches GoogleStackdriverMonitoring-UptimeChecks (<https://cloud.google.com/monitoring>)
- D. Configure their legacy web servers to allow requests that contain user-Agent HTTP header when the value matches GoogleStackdriverMonitoring—

UptimeChecks (<https://cloud.google.com/monitoring>)

Answer: B

NEW QUESTION 19

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

You want to ensure Dress4Win's sales and tax records remain available for infrequent viewing by auditors for at least 10 years. Cost optimization is your top priority. Which cloud services should you choose?

- A. Google Cloud Storage Coldline to store the data, and gsutil to access the data.
- B. Google Cloud Storage Nearline to store the data, and gsutil to access the data.
- C. Google Bigtable with US or EU as location to store the data, and gcloud to access the data.
- D. BigQuery to store the data, and a web server cluster in a managed instance group to access the data. Google Cloud SQL mirrored across two distinct regions to store the data, and a Redis cluster in a managed instance group to access the data.

Answer: A

Explanation:

References: <https://cloud.google.com/storage/docs/storage-classes>

NEW QUESTION 24

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

As part of their new application experience, Dress4Win allows customers to upload images of themselves. The customer has exclusive control over who may view these images. Customers should be able to upload images with minimal latency and also be shown their images quickly on the main application page when they log in. Which configuration should Dress4Win use?

- A. Store image files in a Google Cloud Storage bucket
- B. Use Google Cloud Datastore to maintain metadata that maps each customer's ID and their image files.
- C. Store image files in a Google Cloud Storage bucket
- D. Add custom metadata to the uploaded images in Cloud Storage that contains the customer's unique ID.
- E. Use a distributed file system to store customers' image
- F. As storage needs increase, add more persistent disks and/or node
- G. Assign each customer a unique ID, which sets each file's owner attribute, ensuring privacy of images.
- H. Use a distributed file system to store customers' image
- I. As storage needs increase, add more persistent disks and/or node
- J. Use a Google Cloud SQL database to maintain metadata that maps each customer's ID to their image files.

Answer: A

NEW QUESTION 26

- (Exam Topic 4)

For this question, refer to the Dress4Win case study.

At Dress4Win, an operations engineer wants to create a low-cost solution to remotely archive copies of database backup files. The database files are compressed tar files stored in their current data center. How should he proceed?

- A. Create a cron script using gsutil to copy the files to a Coldline Storage bucket.
- B. Create a cron script using gsutil to copy the files to a Regional Storage bucket.
- C. Create a Cloud Storage Transfer Service Job to copy the files to a Coldline Storage bucket.
- D. Create a Cloud Storage Transfer Service job to copy the files to a Regional Storage bucket.

Answer: A

Explanation:

Follow these rules of thumb when deciding whether to use gsutil or Storage Transfer Service:

- When transferring data from an on-premises location, use gsutil.
- When transferring data from another cloud storage provider, use Storage Transfer Service.
- Otherwise, evaluate both tools with respect to your specific scenario.

Use this guidance as a starting point. The specific details of your transfer scenario will also help you determine which tool is more appropriate

<https://cloud.google.com/storage-transfer/docs/overview>

NEW QUESTION 27

- (Exam Topic 5)

Your applications will be writing their logs to BigQuery for analysis. Each application should have its own table.

Any logs older than 45 days should be removed. You want to optimize storage and follow Google recommended practices. What should you do?

- A. Configure the expiration time for your tables at 45 days
- B. Make the tables time-partitioned, and configure the partition expiration at 45 days
- C. Rely on BigQuery's default behavior to prune application logs older than 45 days
- D. Create a script that uses the BigQuery command line tool (bq) to remove records older than 45 days

Answer: B

Explanation:

<https://cloud.google.com/bigquery/docs/managing-partitioned-tables>

NEW QUESTION 32

- (Exam Topic 5)

You have an application deployed on Kubernetes Engine using a Deployment named echo-deployment. The deployment is exposed using a Service called echo-service. You need to perform an update to the application with minimal downtime to the application. What should you do?

- A. Use kubectl set image deployment/echo-deployment <new-image>
- B. Use the rolling update functionality of the Instance Group behind the Kubernetes cluster
- C. Update the deployment yaml file with the new container image
- D. Use kubectl delete deployment/ echo-deployment and kubectl create -f <yaml-file>
- E. Update the service yaml file with the new container image
- F. Use kubectl delete service/echoservice and kubectl create -f <yaml-file>

Answer: A

Explanation:

https://cloud.google.com/kubernetes-engine/docs/how-to/updating-apps#updating_an_application

NEW QUESTION 37

- (Exam Topic 5)

Google Cloud Platform resources are managed hierarchically using organization, folders, and projects. When Cloud Identity and Access Management (IAM) policies exist at these different levels, what is the effective policy at a particular node of the hierarchy?

- A. The effective policy is determined only by the policy set at the node
- B. The effective policy is the policy set at the node and restricted by the policies of its ancestors
- C. The effective policy is the union of the policy set at the node and policies inherited from its ancestors
- D. The effective policy is the intersection of the policy set at the node and policies inherited from its ancestors

Answer: B

Explanation:

Reference: <https://cloud.google.com/resource-manager/docs/cloud-platform-resource-hierarchy>

NEW QUESTION 41

- (Exam Topic 5)

Your company has decided to build a backup replica of their on-premises user authentication PostgreSQL database on Google Cloud Platform. The database is 4 TB, and large updates are frequent. Replication requires private address space communication. Which networking approach should you use?

- A. Google Cloud Dedicated Interconnect
- B. Google Cloud VPN connected to the data center network
- C. A NAT and TLS translation gateway installed on-premises
- D. A Google Compute Engine instance with a VPN server installed connected to the data center network

Answer: A

Explanation:

<https://cloud.google.com/docs/enterprise/best-practices-for-enterprise-organizations>

Google Cloud Dedicated Interconnect provides direct physical connections and RFC 1918 communication between your on-premises network and Google's network. Dedicated Interconnect enables you to transfer large amounts of data between networks, which can be more cost effective than purchasing additional bandwidth over the public Internet or using VPN tunnels.

Benefits:

- Traffic between your on-premises network and your VPC network doesn't traverse the public Internet. Traffic traverses a dedicated connection with fewer hops, meaning there are less points of failure where traffic might get dropped or disrupted.
- Your VPC network's internal (RFC 1918) IP addresses are directly accessible from your on-premises network. You don't need to use a NAT device or VPN tunnel to reach internal IP addresses. Currently, you can only reach internal IP addresses over a dedicated connection. To reach Google external IP addresses, you must use a separate connection.
- You can scale your connection to Google based on your needs. Connection capacity is delivered over one or more 10 Gbps Ethernet connections, with a maximum of eight connections (80 Gbps total per interconnect).
- The cost of egress traffic from your VPC network to your on-premises network is reduced. A dedicated connection is generally the least expensive method if you have a high-volume of traffic to and from Google's network.

References: <https://cloud.google.com/interconnect/docs/details/dedicated>

NEW QUESTION 46

- (Exam Topic 5)

You deploy your custom Java application to Google App Engine. It fails to deploy and gives you the following stack trace.

```
java.lang.SecurityException: SHA1 digest error for
com/Altostrat/CloakedServlet.class
    at com.google.appengine.runtime.Request.process
-d36f818a24b8cf1d (Request.java)
    at
sun.security.util.ManifestEntryVerifier.verify
(ManifestEntryVerifier.java:210)
    at java.util.jar.JarVerifier.processEntry
(JarVerifier.java:218)
    at java.util.jar.JarVerifier.update
(JarVerifier.java:205)
    at
java.util.jar.JarVerifiersVerifierStream.read
(JarVerifier.java:428)
    at sun.misc.Resource.getBytes
(Resource.java:124)
    at java.net.URL.ClassLoader.defineClass
(URLClassLoader.java:273)
    at sun.reflect.GeneratedMethodAccessor5.invoke
(Unknown Source)
    at
sun.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke
(Method.java:616)
    at java.lang.ClassLoader.loadClass
(ClassLoader.java:266)
```

What should you do?

- A. Upload missing JAR files and redeploy your application.
- B. Digitally sign all of your JAR files and redeploy your application
- C. Recompile the CLoakedServlet class using and MD5 hash instead of SHA1

Answer: B

NEW QUESTION 51

- (Exam Topic 5)

Your company has an enterprise application running on Compute Engine that requires high availability and high performance. The application has been deployed on two instances in two zones in the same region in active passive mode. The application writes data to a persistent disk in the case of a single zone outage that data should be immediately made available to the other instance in the other zone. You want to maximize performance while minimizing downtime and data loss. What should you do?

- A. * 1. Attach a persistent SSD disk to the first instance* 2. Create a snapshot every hour* 3. In case of a zone outage, recreate a persistent SSD disk in the second instance where data is coming from the created snapshot
- B. * 1 Create a Cloud Storage bucket* 2. Mount the bucket into the first instance with gcs-fuse* 3. In case of a zone outage, mount the Cloud Storage bucket to the second instance with gcs-fuse
- C. * 1 Attach a local SSD to the first instance disk* 2. Execute an rsync command every hour where the target is a persistent SSD disk attached to the second instance* 3. In case of a zone outage, use the second instance
- D. * 1. Attach a regional SSD persistent disk to the first instance* 2. In case of a zone outage, force-attach the disk to the other instance

Answer: D

NEW QUESTION 54

- (Exam Topic 5)

You want to enable your running Google Kubernetes Engine cluster to scale as demand for your application changes. What should you do?

- A. Add additional nodes to your Kubernetes Engine cluster using the following command: `gcloud container clusters resizeCLUSTER_Name --size 10`
- B. Add a tag to the instances in the cluster with the following command: `gcloud compute instances add-tagsINSTANCE -tags enable-autoscaling max-nodes=10`
- C. Update the existing Kubernetes Engine cluster with the following command: `gcloud alpha container clustersupdate mycluster -enable-autoscaling -min-nodes=1 -max-nodes=10`
- D. Create a new Kubernetes Engine cluster with the following command: `gcloud alpha container clusterscreate mycluster -enable-autoscaling -min-nodes=1 -max-nodes=10` and redeploy your application

Answer: C

Explanation:

<https://cloud.google.com/kubernetes-engine/docs/concepts/cluster-autoscaler> To enable autoscaling for an existing node pool, run the following command:
gcloud container clusters update [CLUSTER_NAME] --enable-autoscaling --min-nodes 1 --max-nodes 10
--zone [COMPUTE_ZONE] --node-pool default-pool

NEW QUESTION 59

- (Exam Topic 5)

You have found an error in your App Engine application caused by missing Cloud Datastore indexes. You have created a YAML file with the required indexes and want to deploy these new indexes to Cloud Datastore.

What should you do?

- A. Point gcloud datastore create-indexes to your configuration file
- B. Upload the configuration file the App Engine's default Cloud Storage bucket, and have App Engine detect the new indexes
- C. In the GCP Console, use Datastore Admin to delete the current indexes and upload the new configuration file
- D. Create an HTTP request to the built-in python module to send the index configuration file to your application

Answer: A

NEW QUESTION 60

- (Exam Topic 5)

Your company has decided to make a major revision of their API in order to create better experiences for their developers. They need to keep the old version of the API available and deployable, while allowing new customers and testers to try out the new API. They want to keep the same SSL and DNS records in place to serve both APIs. What should they do?

- A. Configure a new load balancer for the new version of the API.
- B. Reconfigure old clients to use a new endpoint for the new API.
- C. Have the old API forward traffic to the new API based on the path.
- D. Use separate backend pools for each API path behind the load balancer.

Answer: D

Explanation:

<https://cloud.google.com/endpoints/docs/openapi/lifecycle-management>

NEW QUESTION 64

- (Exam Topic 5)

You have developed an application using Cloud ML Engine that recognizes famous paintings from uploaded images. You want to test the application and allow specific people to upload images for the next 24 hours. Not all users have a Google Account. How should you have users upload images?

- A. Have users upload the images to Cloud Storage
- B. Protect the bucket with a password that expires after 24 hours.
- C. Have users upload the images to Cloud Storage using a signed URL that expires after 24 hours.
- D. Create an App Engine web application where users can upload image
- E. Configure App Engine to disable the application after 24 hour
- F. Authenticate users via Cloud Identity.
- G. Create an App Engine web application where users can upload images for the next 24 hours. Authenticate users via Cloud Identity.

Answer: A

Explanation:

<https://cloud.google.com/blog/products/storage-data-transfer/uploading-images-directly-to-cloud-storage-by-usi>

NEW QUESTION 67

- (Exam Topic 5)

Your customer wants to capture multiple GBs of aggregate real-time key performance indicators (KPIs) from their game servers running on Google Cloud Platform and monitor the KPIs with low latency. How should they capture the KPIs?

- A. Store time-series data from the game servers in Google Bigtable, and view it using Google Data Studio.
- B. Output custom metrics to Stackdriver from the game servers, and create a Dashboard in Stackdriver Monitoring Console to view them.
- C. Schedule BigQuery load jobs to ingest analytics files uploaded to Cloud Storage every ten minutes, and visualize the results in Google Data Studio.
- D. Insert the KPIs into Cloud Datastore entities, and run ad hoc analysis and visualizations of them in Cloud Datalab.

Answer: A

Explanation:

<https://cloud.google.com/monitoring/api/v3/metrics-details#metric-kinds>

NEW QUESTION 69

- (Exam Topic 5)

You need to ensure reliability for your application and operations by supporting reliable task scheduling for compute on GCP. Leveraging Google best practices, what should you do?

- A. Using the Cron service provided by App Engine, publishing messages directly to a message-processing utility service running on Compute Engine instances.
- B. Using the Cron service provided by App Engine, publish messages to a Cloud Pub/Sub topic
- C. Subscribe to that topic using a message-processing utility service running on Compute Engine instances.

- D. Using the Cron service provided by Google Kubernetes Engine (GKE), publish messages directly to a message-processing utility service running on Compute Engine instances.
- E. Using the Cron service provided by GKE, publish messages to a Cloud Pub/Sub topic.
- F. Subscribe to that topic using a message-processing utility service running on Compute Engine instances.

Answer: B

Explanation:

<https://cloud.google.com/solutions/reliable-task-scheduling-compute-engine>

NEW QUESTION 72

- (Exam Topic 5)

You deploy your custom Java application to Google App Engine. It fails to deploy and gives you the following stack trace:

```
java.lang.SecurityException : SHA1 digest

    at com.google.appengine.runtime.Request.pr

    At

    Sun.securityutil.manifestEntryVerifier.ver

    At java.net.URLClassLoader.defineCla

    At sun.reflect.GeneratedMethodAccessors

    At

    Sun.reflect.DelegatingMethodAccessorImpl.

    At java.lang.reflect.Method.invoke
```

- A. Recompile the CLoakedServlet class using MD5 hash instead of SHA1
- B. Digitally sign all of your JAR files and redeploy your application.
- C. Upload missing JAR files and redeploy your application

Answer: B

NEW QUESTION 74

- (Exam Topic 5)

You set up an autoscaling instance group to serve web traffic for an upcoming launch. After configuring the instance group as a backend service to an HTTP(S) load balancer, you notice that virtual machine (VM) instances are being terminated and re-launched every minute. The instances do not have a public IP address. You have verified the appropriate web response is coming from each instance using the curl command. You want to ensure the backend is configured correctly. What should you do?

- A. Ensure that a firewall rule exists to allow source traffic on HTTP/HTTPS to reach the load balancer.
- B. Assign a public IP to each instance and configure a firewall rule to allow the load balancer to reach the instance public IP.
- C. Ensure that a firewall rule exists to allow load balancer health checks to reach the instances in the instance group.
- D. Create a tag on each instance with the name of the load balancer
- E. Configure a firewall rule with the name of the load balancer as the source and the instance tag as the destination.

Answer: C

Explanation:

<https://cloud.google.com/vpc/docs/using-firewalls>

The best practice when configuring a health check is to check health and serve traffic on the same port. However, it is possible to perform health checks on one port, but serve traffic on another. If you do use two different ports, ensure that firewall rules and services running on instances are configured appropriately. If you run health checks and serve traffic on the same port, but decide to switch ports at some point, be sure to update both the backend service and the health check. Backend services that do not have a valid global forwarding rule referencing it will not be health checked and will have no health status.

References: <https://cloud.google.com/compute/docs/load-balancing/http/backend-service>

NEW QUESTION 77

- (Exam Topic 5)

Your company is designing its data lake on Google Cloud and wants to develop different ingestion pipelines to collect unstructured data from different sources. After the data is stored in Google Cloud, it will be processed in several data pipelines to build a recommendation engine for end users on the website. The structure of the data retrieved from the source systems can change at any time. The data must be stored exactly as it was retrieved for reprocessing purposes in case the data structure is incompatible with the current processing pipelines. You need to design an architecture to support the use case after you retrieve the data. What should you do?

- A. Send the data through the processing pipeline, and then store the processed data in a BigQuery table for reprocessing.
- B. Store the data in a BigQuery table.
- C. Design the processing pipelines to retrieve the data from the table.
- D. Send the data through the processing pipeline, and then store the processed data in a Cloud Storage bucket for reprocessing.
- E. Store the data in a Cloud Storage bucket.
- F. Design the processing pipelines to retrieve the data from the bucket.

Answer: D

NEW QUESTION 80

- (Exam Topic 5)

You have created several preemptible Linux virtual machine instances using Google Compute Engine. You want to properly shut down your application before the virtual machines are preempted. What should you do?

- A. Create a shutdown script named k99.shutdown in the /etc/rc.6.d/ directory.
- B. Create a shutdown script registered as a xinetd service in Linux and configure a Stackdriver endpoint check to call the service.
- C. Create a shutdown script and use it as the value for a new metadata entry with the key shutdown-script in the Cloud Platform Console when you create the new virtual machine instance.
- D. Create a shutdown script, registered as a xinetd service in Linux, and use the gcloud compute instances add-metadata command to specify the service URL as the value for a new metadata entry with the key shutdown-script-url.

Answer: C

NEW QUESTION 82

- (Exam Topic 5)

Your team needs to create a Google Kubernetes Engine (GKE) cluster to host a newly built application that requires access to third-party services on the internet. Your company does not allow any Compute Engine instance to have a public IP address on Google Cloud. You need to create a deployment strategy that adheres to these guidelines. What should you do?

- A. Create a Compute Engine instance, and install a NAT Proxy on the instance.
- B. Configure all workloads on GKE to pass through this proxy to access third-party services on the Internet.
- C. Configure the GKE cluster as a private cluster, and configure Cloud NAT Gateway for the cluster subnet.
- D. Configure the GKE cluster as a route-based cluster.
- E. Configure Private Google Access on the Virtual Private Cloud (VPC).
- F. Configure the GKE cluster as a private cluster.
- G. Configure Private Google Access on the Virtual Private Cloud (VPC).

Answer: B

Explanation:

A Cloud NAT gateway can perform NAT for nodes and Pods in a private cluster, which is a type of VPC-native cluster. The Cloud NAT gateway must be configured to apply to at least the following subnet IP address ranges for the subnet that your cluster uses:
Subnet primary IP address range (used by nodes)
Subnet secondary IP address range used for Pods in the cluster
Subnet secondary IP address range used for Services in the cluster
The simplest way to provide NAT for an entire private cluster is to configure a Cloud NAT gateway to apply to all of the cluster's subnet's IP address ranges.
<https://cloud.google.com/nat/docs/overview>

NEW QUESTION 85

- (Exam Topic 5)

Your company's test suite is a custom C++ application that runs tests throughout each day on Linux virtual machines. The full test suite takes several hours to complete, running on a limited number of on-premises servers reserved for testing. Your company wants to move the testing infrastructure to the cloud, to reduce the amount of time it takes to fully test a change to the system, while changing the tests as little as possible. Which cloud infrastructure should you recommend?

- A. Google Compute Engine unmanaged instance groups and Network Load Balancer
- B. Google Compute Engine managed instance groups with auto-scaling
- C. Google Cloud Dataproc to run Apache Hadoop jobs to process each test
- D. Google App Engine with Google Stackdriver for logging

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instance-groups/>
Google Compute Engine enables users to launch virtual machines (VMs) on demand. VMs can be launched from the standard images or custom images created by users.
Managed instance groups offer autoscaling capabilities that allow you to automatically add or remove instances from a managed instance group based on increases or decreases in load. Autoscaling helps your applications gracefully handle increases in traffic and reduces cost when the need for resources is lower.

NEW QUESTION 90

- (Exam Topic 5)

Your company acquired a healthcare startup and must retain its customers' medical information for up to 4 more years, depending on when it was created. Your corporate policy is to securely retain this data, and then delete it as soon as regulations allow. Which approach should you take?

- A. Store the data in Google Drive and manually delete records as they expire.
- B. Anonymize the data using the Cloud Data Loss Prevention API and store it indefinitely.
- C. Store the data using the Cloud Storage and use lifecycle management to delete files when they expire.
- D. Store the data in Cloud Storage and run a nightly batch script that deletes all expired data.

Answer: C

Explanation:

<https://cloud.google.com/storage/docs/lifecycle>

NEW QUESTION 91

- (Exam Topic 5)

You are developing a globally scaled frontend for a legacy streaming backend data API. This API expects events in strict chronological order with no repeat data for proper processing.

Which products should you deploy to ensure guaranteed-once FIFO (first-in, first-out) delivery of data?

- A. Cloud Pub/Sub alone
- B. Cloud Pub/Sub to Cloud DataFlow
- C. Cloud Pub/Sub to Stackdriver
- D. Cloud Pub/Sub to Cloud SQL

Answer: B

Explanation:

Reference <https://cloud.google.com/pubsub/docs/ordering>

NEW QUESTION 94

- (Exam Topic 5)

You have been asked to select the storage system for the click-data of your company's large portfolio of websites. This data is streamed in from a custom website analytics package at a typical rate of 6,000 clicks per minute, with bursts of up to 8,500 clicks per second. It must be stored for future analysis by your data science and user experience teams. Which storage infrastructure should you choose?

- A. Google Cloud SQL
- B. Google Cloud Bigtable
- C. Google Cloud Storage
- D. Google cloud Datastore

Answer: C

Explanation:

<https://cloud.google.com/bigquery/docs/loading-data-cloud-storage>

NEW QUESTION 99

- (Exam Topic 5)

You have been engaged by your client to lead the migration of their application infrastructure to GCP. One of their current problems is that the on-premises high performance SAN is requiring frequent and expensive upgrades to keep up with the variety of workloads that are identified as follows: 20TB of log archives retained for legal reasons; 500 GB of VM boot/data volumes and templates; 500 GB of image thumbnails; 200 GB of customer session state data that allows customers to restart sessions even if off-line for several days.

Which of the following best reflects your recommendations for a cost-effective storage allocation?

- A. Local SSD for customer session state dat
- B. Lifecycle-managed Cloud Storage for log archives, thumbnails, and VM boot/data volumes.
- C. Memcache backed by Cloud Datastore for the customer session state dat
- D. Lifecycle- managed Cloud Storage for log archives, thumbnails, and VM boot/data volumes.
- E. Memcache backed by Cloud SQL for customer session state dat
- F. Assorted local SSD-backed instances for VM boot/data volume
- G. Cloud Storage for log archives and thumbnails.
- H. Memcache backed by Persistent Disk SSD storage for customer session state dat
- I. Assorted local SSDbacked instances for VM boot/data volume
- J. Cloud Storage for log archives and thumbnails.

Answer: D

Explanation:

<https://cloud.google.com/compute/docs/disks>

NEW QUESTION 100

- (Exam Topic 5)

Your application needs to process credit card transactions. You want the smallest scope of Payment Card Industry (PCI) compliance without compromising the ability to analyze transactional data and trends relating to which payment methods are used. How should you design your architecture?

- A. Create a tokenizer service and store only tokenized data.
- B. Create separate projects that only process credit card data.
- C. Create separate subnetworks and isolate the components that process credit card data.
- D. Streamline the audit discovery phase by labeling all of the virtual machines (VMs) that process PCI data.
- E. Enable Logging export to Google BigQuery and use ACLs and views to scope the data shared with the auditor.

Answer: A

Explanation:

<https://cloud.google.com/solutions/pci-dss-compliance-in-gcp>

NEW QUESTION 104

- (Exam Topic 5)

You are working at an institution that processes medical data. You are migrating several workloads onto Google Cloud. Company policies require all workloads to run on physically separated hardware, and workloads from different clients must also be separated. You created a sole-tenant node group and added a node for each client. You need to deploy the workloads on these dedicated hosts. What should you do?

- A. Add the node group name as a network tag when creating Compute Engine instances in order to host each workload on the correct node group.
- B. Add the node name as a network tag when creating Compute Engine instances in order to host each workload on the correct node.
- C. Use node affinity labels based on the node group name when creating Compute Engine instances in order to host each workload on the correct node group.
- D. Use node affinity labels based on the node name when creating Compute Engine instances in order to host each workload on the correct node.

Answer: C

Explanation:

https://cloud.google.com/compute/docs/nodes/provisioning-sole-tenant-vms#provision_a_sole-tenant_vm

https://cloud.google.com/compute/docs/nodes/provisioning-sole-tenant-vms#gcloud_2

When you create a VM, you request sole-tenancy by specifying node affinity or anti-affinity, referencing one or more node affinity labels. You specify custom node affinity labels when you create a node template, and Compute Engine automatically includes some default affinity labels on each node. By specifying affinity when you create a VM, you can schedule VMs together on a specific node or nodes in a node group. By specifying anti-affinity when you create a VM, you can ensure that certain VMs are not scheduled together on the same node or nodes in a node group.

NEW QUESTION 105

- (Exam Topic 5)

Auditors visit your teams every 12 months and ask to review all the Google Cloud Identity and Access Management (Cloud IAM) policy changes in the previous 12 months. You want to streamline and expedite the analysis and audit process. What should you do?

- A. Create custom Google Stackdriver alerts and send them to the auditor.
- B. Enable Logging export to Google BigQuery and use ACLs and views to scope the data shared with the auditor.
- C. Use cloud functions to transfer log entries to Google Cloud SQL and use ACLS and views to limit an auditor's view.
- D. Enable Google Cloud Storage (GCS) log export to audit logs into a GCS bucket and delegate access to the bucket.

Answer: D

Explanation:

Export the logs to Google Cloud Storage bucket - Archive Storage, as it will not be used for 1 year, price for which is \$0.004 per GB per Month. The price for long term storage in BigQuery is \$0.01 per GB per Month (250% more). Also for analysis purpose, whenever Auditors are there (once per year), you can use BigQuery and use GCS bucket as external data source. BigQuery supports querying Cloud Storage data from these storage classes:

Standard Nearline Coldline Archive

NEW QUESTION 110

- (Exam Topic 5)

Your company wants to try out the cloud with low risk. They want to archive approximately 100 TB of their log data to the cloud and test the analytics features available to them there, while also retaining that data as a long-term disaster recovery backup. Which two steps should they take? Choose 2 answers

- A. Load logs into Google BigQuery.
- B. Load logs into Google Cloud SQL.
- C. Import logs into Google Stackdriver.
- D. Insert logs into Google Cloud Bigtable.
- E. Upload log files into Google Cloud Storage.

Answer: AE

NEW QUESTION 115

- (Exam Topic 5)

Your organization has stored sensitive data in a Cloud Storage bucket. For regulatory reasons, your company must be able to rotate the encryption key used to encrypt the data in the bucket. The data will be processed in Dataproc. You want to follow Google-recommended practices for security. What should you do?

- A. Create a key with Cloud Key Management Service (KMS). Encrypt the data using the encrypt method of Cloud KMS.
- B. Create a key with Cloud Key Management Service (KMS). Set the encryption key on the bucket to the Cloud KMS key.
- C. Generate a GPG key pair.
- D. Encrypt the data using the GPG key.
- E. Upload the encrypted data to the bucket.
- F. Generate an AES-256 encryption key.
- G. Encrypt the data in the bucket using the customer-supplied encryption keys feature.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys#add-object-key> <https://cloud.google.com/storage/docs/encryption/using-customer-managed-keys>

NEW QUESTION 120

- (Exam Topic 5)

The database administration team has asked you to help them improve the performance of their new database server running on Google Compute Engine. The database is for importing and normalizing their performance statistics and is built with MySQL running on Debian Linux. They have an n1-standard-8 virtual machine with 80 GB of SSD persistent disk. What should they change to get better performance from this system?

- A. Increase the virtual machine's memory to 64 GB.
- B. Create a new virtual machine running PostgreSQL.
- C. Dynamically resize the SSD persistent disk to 500 GB.
- D. Migrate their performance metrics warehouse to BigQuery.

E. Modify all of their batch jobs to use bulk inserts into the database.

Answer: C

NEW QUESTION 125

- (Exam Topic 5)

You need to migrate Hadoop jobs for your company's Data Science team without modifying the underlying infrastructure. You want to minimize costs and infrastructure management effort. What should you do?

- A. Create a Dataproc cluster using standard worker instances.
- B. Create a Dataproc cluster using preemptible worker instances.
- C. Manually deploy a Hadoop cluster on Compute Engine using standard instances.
- D. Manually deploy a Hadoop cluster on Compute Engine using preemptible instances.

Answer: B

Explanation:

Reference: <https://cloud.google.com/architecture/hadoop/hadoop-gcp-migration-jobs>

NEW QUESTION 130

- (Exam Topic 5)

You are designing an application for use only during business hours. For the minimum viable product release, you'd like to use a managed product that automatically "scales to zero" so you don't incur costs when there is no activity. Which primary compute resource should you choose?

- A. Cloud Functions
- B. Compute Engine
- C. Kubernetes Engine
- D. AppEngine flexible environment

Answer: A

Explanation:

<https://cloud.google.com/serverless-options>

NEW QUESTION 132

- (Exam Topic 5)

You are implementing the infrastructure for a web service on Google Cloud. The web service needs to receive and store the data from 500,000 requests per second. The data will be queried later in real time, based on exact matches of a known set of attributes. There will be periods where the web service will not receive any requests. The business wants to keep costs low. Which web service platform and database should you use for the application?

- A. Cloud Run and BigQuery
- B. Cloud Run and Cloud Bigtable
- C. A Compute Engine autoscaling managed instance group and BigQuery
- D. A Compute Engine autoscaling managed instance group and Cloud Bigtable

Answer: B

Explanation:

<https://cloud.google.com/run/docs/about-instance-autoscaling> <https://cloud.google.com/blog/topics/developers-practitioners/bigtable-vs-bigquery-whats-difference>

NEW QUESTION 137

- (Exam Topic 5)

Your company just finished a rapid lift and shift to Google Compute Engine for your compute needs. You have another 9 months to design and deploy a more cloud-native solution. Specifically, you want a system that is no-ops and auto-scaling. Which two compute products should you choose? Choose 2 answers

- A. Compute Engine with containers
- B. Google Kubernetes Engine with containers
- C. Google App Engine Standard Environment
- D. Compute Engine with custom instance types
- E. Compute Engine with managed instance groups

Answer: BC

Explanation:

B: With Container Engine, Google will automatically deploy your cluster for you, update, patch, secure the nodes.

Kubernetes Engine's cluster autoscaler automatically resizes clusters based on the demands of the workloads you want to run.

C: Solutions like Datastore, BigQuery, AppEngine, etc are truly NoOps.

App Engine by default scales the number of instances running up and down to match the load, thus providing consistent performance for your app at all times while minimizing idle instances and thus reducing cost.

Note: At a high level, NoOps means that there is no infrastructure to build out and manage during usage of the platform. Typically, the compromise you make with NoOps is that you lose control of the underlying infrastructure.

References:

<https://www.quora.com/How-well-does-Google-Container-Engine-support-Google-Cloud-Platform%E2%80%99s>

NEW QUESTION 141

- (Exam Topic 5)

You have an outage in your Compute Engine managed instance group: all instance keep restarting after 5 seconds. You have a health check configured, but autoscaling is disabled. Your colleague, who is a Linux expert, offered to look into the issue. You need to make sure that he can access the VMs. What should you do?

- A. Grant your colleague the IAM role of project Viewer
- B. Perform a rolling restart on the instance group
- C. Disable the health check for the instance group
- D. Add his SSH key to the project-wide SSH keys
- E. Disable autoscaling for the instance group
- F. Add his SSH key to the project-wide SSH Keys

Answer: C

Explanation:

<https://cloud.google.com/compute/docs/instance-groups/autohealing-instances-in-migs>

Health checks used for autohealing should be conservative so they don't preemptively delete and recreate your instances. When an autohealer health check is too aggressive, the autohealer might mistake busy instances for failed instances and unnecessarily restart them, reducing availability

NEW QUESTION 145

- (Exam Topic 5)

Your customer is moving their corporate applications to Google Cloud Platform. The security team wants detailed visibility of all projects in the organization. You provision the Google Cloud Resource Manager and set up yourself as the org admin. What Google Cloud Identity and Access Management (Cloud IAM) roles should you give to the security team?

- A. Org viewer, project owner
- B. Org viewer, project viewer
- C. Org admin, project browser
- D. Project owner, network admin

Answer: B

Explanation:

<https://cloud.google.com/iam/docs/using-iam-securely>

NEW QUESTION 147

- (Exam Topic 5)

Your architecture calls for the centralized collection of all admin activity and VM system logs within your project. How should you collect these logs from both VMs and services?

- A. All admin and VM system logs are automatically collected by Stackdriver.
- B. Stackdriver automatically collects admin activity logs for most service
- C. The Stackdriver Logging agent must be installed on each instance to collect system logs.
- D. Launch a custom syslogd compute instance and configure your GCP project and VMs to forward all logs to it.
- E. Install the Stackdriver Logging agent on a single compute instance and let it collect all audit and access logs for your environment.

Answer: B

Explanation:

<https://cloud.google.com/logging/docs/agent/default-logs>

NEW QUESTION 152

- (Exam Topic 5)

A lead software engineer tells you that his new application design uses websockets and HTTP sessions that are not distributed across the web servers. You want to help him ensure his application will run properly on Google Cloud Platform. What should you do?

- A. Help the engineer to convert his websocket code to use HTTP streaming.
- B. Review the encryption requirements for websocket connections with the security team.
- C. Meet with the cloud operations team and the engineer to discuss load balancer options.
- D. Help the engineer redesign the application to use a distributed user session service that does not rely on websockets and HTTP sessions.

Answer: C

Explanation:

Google Cloud Platform (GCP) HTTP(S) load balancing provides global load balancing for HTTP(S) requests destined for your instances. The HTTP(S) load balancer has native support for the WebSocket protocol.

NEW QUESTION 156

- (Exam Topic 5)

You need to evaluate your team readiness for a new GCP project. You must perform the evaluation and create a skills gap plan incorporates the business goal of cost optimization. Your team has deployed two GCP projects successfully to date. What should you do?

- A. Allocate budget for team training
- B. Set a deadline for the new GCP project.
- C. Allocate budget for team training
- D. Create a roadmap for your team to achieve Google Cloud certification based on job role.
- E. Allocate budget to hire skilled external consultant
- F. Set a deadline for the new GCP project.
- G. Allocate budget to hire skilled external consultant
- H. Create a roadmap for your team to achieve Google Cloud certification based on job role.

Answer: B

Explanation:

https://services.google.com/fh/files/misc/cloud_center_of_excellence.pdf

NEW QUESTION 157

- (Exam Topic 5)

Your company is using Google Cloud. You have two folders under the Organization: Finance and Shopping. The members of the development team are in a Google Group. The development team group has been assigned the Project Owner role on the Organization. You want to prevent the development team from creating resources in projects in the Finance folder. What should you do?

- A. Assign the development team group the Project Viewer role on the Finance folder, and assign the development team group the Project Owner role on the Shopping folder.
- B. Assign the development team group only the Project Viewer role on the Finance folder.
- C. Assign the development team group the Project Owner role on the Shopping folder, and remove the development team group Project Owner role from the Organization.
- D. Assign the development team group only the Project Owner role on the Shopping folder.

Answer: C

Explanation:

<https://cloud.google.com/resource-manager/docs/cloud-platform-resource-hierarchy>

"Roles are always inherited, and there is no way to explicitly remove a permission for a lower-level resource that is granted at a higher level in the resource hierarchy. Given the above example, even if you were to remove the Project Editor role from Bob on the "Test GCP Project", he would still inherit that role from the "Dept Y" folder, so he would still have the permissions for that role on "Test GCP Project"."

Reference: <https://cloud.google.com/resource-manager/docs/creating-managing-folders>

NEW QUESTION 159

- (Exam Topic 5)

A small number of API requests to your microservices-based application take a very long time. You know that each request to the API can traverse many services. You want to know which service takes the longest in those cases. What should you do?

- A. Set timeouts on your application so that you can fail requests faster.
- B. Send custom metrics for each of your requests to Stackdriver Monitoring.
- C. Use Stackdriver Monitoring to look for insights that show when your API latencies are high.
- D. Instrument your application with Stackdriver Trace in order to break down the request latencies at each microservice.

Answer: D

Explanation:

<https://cloud.google.com/trace/docs/overview>

NEW QUESTION 160

- (Exam Topic 5)

Your company is migrating its on-premises data center into the cloud. As part of the migration, you want to integrate Kubernetes Engine for workload orchestration. Parts of your architecture must also be PCI DSScompliant. Which of the following is most accurate?

- A. App Engine is the only compute platform on GCP that is certified for PCI DSS hosting.
- B. Kubernetes Engine cannot be used under PCI DSS because it is considered shared hosting.
- C. Kubernetes Engine and GCP provide the tools you need to build a PCI DSS-compliant environment.
- D. All Google Cloud services are usable because Google Cloud Platform is certified PCI-compliant.

Answer: D

Explanation:

<https://cloud.google.com/security/compliance/pci-dss>

NEW QUESTION 163

- (Exam Topic 5)

Your web application must comply with the requirements of the European Union's General Data Protection Regulation (GDPR). You are responsible for the technical architecture of your web application. What should you do?

- A. Ensure that your web application only uses native features and services of Google Cloud Platform,because Google already has various certifications and provides "pass-on" compliance when you use native features.
- B. Enable the relevant GDPR compliance setting within the GCPConsole for each of the services in use within your application.
- C. Ensure that Cloud Security Scanner is part of your test planning strategy in order to pick up any compliance gaps.
- D. Define a design for the security of data in your web application that meets GDPR requirements.

Answer: D

Explanation:

<https://cloud.google.com/security/gdpr/?tab=tab4>

Reference: <https://www.mobiloud.com/blog/gdpr-compliant-mobile-app/>

NEW QUESTION 166

- (Exam Topic 5)

Your company wants you to build a highly reliable web application with a few public APIs as the backend. You don't expect a lot of user traffic, but traffic could spike occasionally. You want to leverage Cloud Load Balancing, and the solution must be cost-effective for users. What should you do?

- A. Store static content such as HTML and images in Cloud CD
- B. Host the APIs on App Engine and store the user data in Cloud SQL.
- C. Store static content such as HTML and images in a Cloud Storage bucket
- D. Host the APIs on a zonal Google Kubernetes Engine cluster with worker nodes in multiple zones, and save the user data in Cloud Spanner.
- E. Store static content such as HTML and images in Cloud CD
- F. Use Cloud Run to host the APIs and save the user data in Cloud SQL.
- G. Store static content such as HTML and images in a Cloud Storage bucket
- H. Use Cloud Functions to host the APIs and save the user data in Firestore.

Answer: D

Explanation:

<https://cloud.google.com/load-balancing/docs/https/setting-up-https-serverless#gcloud:-cloud-functions> <https://cloud.google.com/blog/products/networking/better-load-balancing-for-app-engine-cloud-run-and-functions>

NEW QUESTION 171

- (Exam Topic 5)

Your company wants to start using Google Cloud resources but wants to retain their on-premises Active Directory domain controller for identity management. What should you do?

- A. Use the Admin Directory API to authenticate against the Active Directory domain controller.
- B. Use Google Cloud Directory Sync to synchronize Active Directory usernames with cloud identities and configure SAML SSO.
- C. Use Cloud Identity-Aware Proxy configured to use the on-premises Active Directory domain controller as an identity provider.
- D. Use Compute Engine to create an Active Directory (AD) domain controller that is a replica of the on-premises AD domain controller using Google Cloud Directory Sync.

Answer: B

Explanation:

https://cloud.google.com/solutions/federating-gcp-with-active-directory-introduction#implementing_federation

NEW QUESTION 173

- (Exam Topic 5)

You are using Cloud CDN to deliver static HTTP(S) website content hosted on a Compute Engine instance group. You want to improve the cache hit ratio. What should you do?

- A. Customize the cache keys to omit the protocol from the key.
- B. Shorten the expiration time of the cached objects.
- C. Make sure the HTTP(S) header "Cache-Region" points to the closest region of your users.
- D. Replicate the static content in a Cloud Storage bucket
- E. Point CloudCDN toward a load balancer on that bucket

Answer: A

Explanation:

Reference https://cloud.google.com/cdn/docs/bestpractices#using_custom_cache_keys_to_improve_cache_hit_ratio

NEW QUESTION 177

- (Exam Topic 5)

Your company has an application deployed on Anthos clusters (formerly Anthos GKE) that is running multiple microservices. The cluster has both Anthos Service Mesh and Anthos Config Management configured. End users inform you that the application is responding very slowly. You want to identify the microservice that is causing the delay. What should you do?

- A. Use the Service Mesh visualization in the Cloud Console to inspect the telemetry between the microservices.
- B. Use Anthos Config Management to create a ClusterSelector selecting the relevant cluster
- C. On the Google Cloud Console page for Google Kubernetes Engine, view the Workloads and filter on the cluster
- D. Inspect the configurations of the filtered workloads.
- E. Use Anthos Config Management to create a namespaceSelector selecting the relevant cluster namespace
- F. On the Google Cloud Console page for Google Kubernetes Engine, visit the workloads and filter on the namespace
- G. Inspect the configurations of the filtered workloads.
- H. Reinstall Istio using the default Istio profile in order to collect request latency
- I. Evaluate the telemetry between the microservices in the Cloud Console.

Answer: A

Explanation:

The Anthos Service Mesh pages in the Google Cloud Console provide both summary and in-depth metrics, charts, and graphs that enable you to observe service behavior. You can monitor the overall health of your services, or drill down on a specific service to set a service level objective (SLO) or troubleshoot an issue.

<https://cloud.google.com/service-mesh/docs/observability/explore-dashboard>

<https://cloud.google.com/anthos/service-mesh>

NEW QUESTION 182

- (Exam Topic 5)

Your company is running its application workloads on Compute Engine. The applications have been deployed in production, acceptance, and development environments. The production environment is business-critical and is used 24/7, while the acceptance and development environments are only critical during office hours. Your CFO has asked you to optimize these environments to achieve cost savings during idle times. What should you do?

- A. Create a shell script that uses the gcloud command to change the machine type of the development and acceptance instances to a smaller machine type outside of office hour
- B. Schedule the shell script on one of the production instances to automate the task.
- C. Use Cloud Scheduler to trigger a Cloud Function that will stop the development and acceptance environments after office hours and start them just before office hours.
- D. Deploy the development and acceptance applications on a managed instance group and enable autoscaling.
- E. Use regular Compute Engine instances for the production environment, and use preemptible VMs for the acceptance and development environments.

Answer: B

Explanation:

Reference: <https://cloud.google.com/blog/products/it-ops/best-practices-for-optimizing-your-cloud-costs>

NEW QUESTION 186

- (Exam Topic 5)

Your team will start developing a new application using microservices architecture on Kubernetes Engine. As part of the development lifecycle, any code change that has been pushed to the remote develop branch on your GitHub repository should be built and tested automatically. When the build and test are successful, the relevant microservice will be deployed automatically in the development environment. You want to ensure that all code deployed in the development environment follows this process. What should you do?

- A. Have each developer install a pre-commit hook on their workstation that tests the code and builds the container when committing on the development branch
- B. After a successful commit, have the developer deploy the newly built container image on the development cluster.
- C. Install a post-commit hook on the remote git repository that tests the code and builds the container when code is pushed to the development branch
- D. After a successful commit, have the developer deploy the newly built container image on the development cluster.
- E. Create a Cloud Build trigger based on the development branch that tests the code, builds the container, and stores it in Container Registry
- F. Create a deployment pipeline that watches for new images and deploys the new image on the development cluster
- G. Ensure only the deployment tool has access to deploy new versions.
- H. Create a Cloud Build trigger based on the development branch to build a new container image and store it in Container Registry
- I. Rely on Vulnerability Scanning to ensure the code tests succeed
- J. As the final step of the Cloud Build process, deploy the new container image on the development cluster
- K. Ensure only Cloud Build has access to deploy new versions.

Answer: C

Explanation:

<https://cloud.google.com/container-registry/docs/overview>

Create a Cloud Build trigger based on the development branch that tests the code, builds the container, and stores it in Container Registry. Create a deployment pipeline that watches for new images and deploys the new image on the development cluster. Ensure only the deployment tool has access to deploy new versions.

NEW QUESTION 189

- (Exam Topic 5)

Your company places a high value on being responsive and meeting customer needs quickly. Their primary business objectives are release speed and agility. You want to reduce the chance of security errors being accidentally introduced. Which two actions can you take? Choose 2 answers

- A. Ensure every code check-in is peer reviewed by a security SME.
- B. Use source code security analyzers as part of the CI/CD pipeline.
- C. Ensure you have stubs to unit test all interfaces between components.
- D. Enable code signing and a trusted binary repository integrated with your CI/CD pipeline.
- E. Run a vulnerability security scanner as part of your continuous-integration /continuous-delivery (CI/CD) pipeline.

Answer: BE

Explanation:

<https://docs.microsoft.com/en-us/vsts/articles/security-validation-cicd-pipeline?view=vsts>

NEW QUESTION 192

- (Exam Topic 5)

You want to allow your operations team to store logs from all the production projects in your Organization, without duplicating logs from other projects. All of the production projects are contained in a folder. You want to ensure that all logs for existing and new production projects are captured automatically. What should you do?

- A. Create an aggregated export on the Production folder
- B. Set the log sink to be a Cloud Storage bucket in an operations project
- C. Create an aggregated export on the Organization resource
- D. Set the log sink to be a Cloud Storage bucket in an operations project.
- E. Create log exports in the production project
- F. Set the log sinks to be a Cloud Storage bucket in an operations project.
- G. Create log exports in the production project
- H. Set the log sinks to be BigQuery datasets in the production projects and grant IAM access to the operations team to run queries on the datasets

Answer: B

NEW QUESTION 195

- (Exam Topic 5)

You are designing a large distributed application with 30 microservices. Each of your distributed microservices needs to connect to a database back-end. You want to store the credentials securely. Where should you store the credentials?

- A. In the source code

- B. In an environment variable
- C. In a secret management system
- D. In a config file that has restricted access through ACLs

Answer: C

Explanation:

https://cloud.google.com/docs/authentication/production#providing_credentials_to_your_application

NEW QUESTION 199

- (Exam Topic 5)

During a high traffic portion of the day, one of your relational databases crashes, but the replica is never promoted to a master. You want to avoid this in the future. What should you do?

- A. Use a different database.
- B. Choose larger instances for your database.
- C. Create snapshots of your database more regularly.
- D. Implement routinely scheduled failovers of your databases.

Answer: D

Explanation:

<https://cloud.google.com/solutions/dr-scenarios-planning-guide>

NEW QUESTION 203

- (Exam Topic 5)

Your company has an application running on Google Cloud that is collecting data from thousands of physical devices that are globally distributed. Data is publish to Pub/Sub and streamed in real time into an SSO Cloud Bigtable cluster via a Dataflow pipeline. The operations team informs you that your Cloud Bigtable cluster has a hot-spot and queries are taking longer man expected You need to resolve the problem and prevent it from happening in the future What should you do?

- A. Advise your clients to use HBase APIs instead of NodeJS APIs.
- B. Review your RowKey strategy and ensure that keys are evenly spread across the alphabet.
- C. Delete records older than 30 days.
- D. Double the number of nodes you currently have.

Answer: B

NEW QUESTION 204

- (Exam Topic 5)

Your company's user-feedback portal comprises a standard LAMP stack replicated across two zones. It is deployed in the us-central1 region and uses autoscaled managed instance groups on all layers, except the database. Currently, only a small group of select customers have access to the portal. The portal meets a 99.99% availability SLA under these conditions However next quarter, your company will be making the portal available to all users, including unauthenticated users. You need to develop a resiliency testing strategy to ensure the system maintains the SLA once they introduce additional user load. What should you do?

- A. Capture existing users input, and replay captured user load until autoscale is triggered on all layer
- B. At the same time, terminate all resources in one of the zones.
- C. Create synthetic random user input, replay synthetic load until autoscale logic is triggered on at least one layer, and introduce "chaos" to the system by terminating random resources on both zones.
- D. Expose the new system to a larger group of users, and increase group ' size each day until autoscale logic is tnggered on all layer
- E. At the same time, terminate random resources on both zones.
- F. Capture existing users input, and replay captured user load until resource utilization crosses 80%. Also, derive estimated number of users based on existing users usage of the app, and deploy enough resources to handle 200% of expected load.

Answer: A

NEW QUESTION 205

- (Exam Topic 5)

A development manager is building a new application He asks you to review his requirements and identify what cloud technologies he can use to meet them. The application must

- * 1. Be based on open-source technology for cloud portability
- * 2. Dynamically scale compute capacity based on demand
- * 3. Support continuous software delivery
- * 4. Run multiple segregated copies of the same application stack
- * 5. Deploy application bundles using dynamic templates
- * 6. Route network traffic to specific services based on URL

Which combination of technologies will meet all of his requirements?

- A. Google Container Engine, Jenkins, and Helm
- B. Google Container Engine and Cloud Load Balancing
- C. Google Compute Engine and Cloud Deployment Manager
- D. Google Compute Engine, Jenkins, and Cloud Load Balancing

Answer: A

Explanation:

Helm for managing Kubernetes

Kubernetes can base on the URL to route traffic to different location (path) <https://cloud.google.com/kubernetes-engine/docs/tutorials/http-balancer> eg.apiVersion: networking.k8s.io/v1beta1

kind: Ingress metadata:

name: fanout-ingress spec:
rules:
- http: paths:
- path: /* backend: serviceName: web servicePort: 8080
- path: /v2/* backend: serviceName: web2 servicePort: 8080

NEW QUESTION 208

- (Exam Topic 5)

Your company is developing a web-based application. You need to make sure that production deployments are linked to source code commits and are fully auditable. What should you do?

- A. Make sure a developer is tagging the code commit with the date and time of commit
- B. Make sure a developer is adding a comment to the commit that links to the deployment.
- C. Make the container tag match the source code commit hash.
- D. Make sure the developer is tagging the commits with :latest

Answer: C

Explanation:

From: <https://cloud.google.com/architecture/best-practices-for-building-containers> Under: Tagging using the Git commit hash (bottom of page almost)

"In this case, a common way of handling version numbers is to use the Git commit SHA-1 hash (or a short version of it) as the version number. By design, the Git commit hash is immutable and references a specific version of your software.

You can use this commit hash as a version number for your software, but also as a tag for the Docker image built from this specific version of your software. Doing so makes Docker images traceable: because in this case the image tag is immutable, you instantly know which specific version of your software is running inside a given container."

NEW QUESTION 209

- (Exam Topic 5)

Your company is running a stateless application on a Compute Engine instance. The application is used heavily during regular business hours and lightly outside of business hours. Users are reporting that the application is slow during peak hours. You need to optimize the application's performance. What should you do?

- A. Create a snapshot of the existing dis
- B. Create an instance template from the snapsho
- C. Create an autoscaled managed instance group from the instance template.
- D. Create a snapshot of the existing dis
- E. Create a custom image from the snapsho
- F. Create an autoscaled managed instance group from the custom image.
- G. Create a custom image from the existing dis
- H. Create an instance template from the custom image.Create an autoscaled managed instance group from the instance template.
- I. Create an instance template from the existing dis
- J. Create a custom image from the instance template.Create an autoscaled managed instance group from the custom image.

Answer: B

Explanation:

<https://cloud.google.com/compute/docs/instance-templates/create-instance-templates>

NEW QUESTION 214

- (Exam Topic 5)

You are building a continuous deployment pipeline for a project stored in a Git source repository and want to ensure that code changes can be verified deploying to production. What should you do?

- A. Use Spinnaker to deploy builds to production using the red/black deployment strategy so that changes can easily be rolled back.
- B. Use Spinnaker to deploy builds to production and run tests on production deployments.
- C. Use Jenkins to build the staging branches and the master branc
- D. Build and deploy changes to production for 10% of users before doing a complete rollout.
- E. Use Jenkins to monitor tags in the repositor
- F. Deploy staging tags to a staging environment for testing.After testing, tag the repository for production and deploy that to the production environment.

Answer: D

Explanation:

Reference: [https://github.com/GoogleCloudPlatform/continuous-deployment-on-kubernetes/blob/master/ README.md](https://github.com/GoogleCloudPlatform/continuous-deployment-on-kubernetes/blob/master/README.md)

NEW QUESTION 215

- (Exam Topic 5)

Your operations team currently stores 10 TB of data m an object storage service from a third-party provider. They want to move this data to a Cloud Storage bucket as quickly as possible, following

Google-recommended practices. They want to minimize the cost of this data migration. When approach should they use?

- A. Use the gsutil mv command lo move the data
- B. Use the Storage Transfer Service to move the data
- C. Download the data to a Transfer Appliance and ship it to Google
- D. Download the data to the on-premises data center and upload it to the Cloud Storage bucket

Answer: B

Explanation:

<https://cloud.google.com/architecture/migration-to-google-cloud-transferring-your-large-datasets#transfer-optio> <https://cloud.google.com/storage-transfer-service>

NEW QUESTION 218

- (Exam Topic 5)

You need to set up Microsoft SQL Server on GCP. Management requires that there's no downtime in case of a data center outage in any of the zones within a GCP region. What should you do?

- A. Configure a Cloud SQL instance with high availability enabled.
- B. Configure a Cloud Spanner instance with a regional instance configuration.
- C. Set up SQL Server on Compute Engine, using Always On Availability Groups using Windows Failover Clusterin
- D. Place nodes in different subnets.
- E. Set up SQL Server Always On Availability Groups using Windows Failover Clusterin
- F. Place nodes in different zones.

Answer: D

Explanation:

<https://cloud.google.com/sql/docs/sqlserver/configure-ha>

NEW QUESTION 222

- (Exam Topic 5)

Your web application has several VM instances running within a VPC. You want to restrict communications between instances to only the paths and ports you authorize, but you don't want to rely on static IP addresses or subnets because the app can autoscale. How should you restrict communications?

- A. Use separate VPCs to restrict traffic
- B. Use firewall rules based on network tags attached to the compute instances
- C. Use Cloud DNS and only allow connections from authorized hostnames
- D. Use service accounts and configure the web application particular service accounts to have access

Answer: B

NEW QUESTION 223

- (Exam Topic 5)

Your company is using BigQuery as its enterprise data warehouse. Data is distributed over several Google Cloud projects. All queries on BigQuery need to be billed on a single project. You want to make sure that no query costs are incurred on the projects that contain the data. Users should be able to query the datasets, but not edit them.

How should you configure users' access roles?

- A. Add all users to a grou
- B. Grant the group the role of BigQuery user on the billing project and BigQuery dataViewer on the projects that contain the data.
- C. Add all users to a grou
- D. Grant the group the roles of BigQuery dataViewer on the billing project and BigQuery user on the projects that contain the data.
- E. Add all users to a grou
- F. Grant the group the roles of BigQuery jobUser on the billing project and BigQuery dataViewer on the projects that contain the data.
- G. Add all users to a grou
- H. Grant the group the roles of BigQuery dataViewer on the billing project and BigQuery jobUser on the projects that contain the data.

Answer: A

Explanation:

Reference: <https://cloud.google.com/bigquery/docs/running-queries>

NEW QUESTION 227

- (Exam Topic 5)

Your company has an application running on multiple Compute Engine instances. You need to ensure that the application can communicate with an on-premises service that requires high throughput via internal IPs, while minimizing latency. What should you do?

- A. Use OpenVPN to configure a VPN tunnel between the on-premises environment and Google Cloud.
- B. Configure a direct peering connection between the on-premises environment and Google Cloud.
- C. Use Cloud VPN to configure a VPN tunnel between the on-premises environment and Google Cloud.
- D. Configure a Cloud Dedicated Interconnect connection between the on-premises environment and Google Cloud.

Answer: C

Explanation:

Reference <https://cloud.google.com/architecture/setting-up-private-access-to-cloud-apis-through-vpn-tunnels>

NEW QUESTION 229

- (Exam Topic 5)

Your solution is producing performance bugs in production that you did not see in staging and test environments. You want to adjust your test and deployment procedures to avoid this problem in the future. What should you do?

- A. Deploy fewer changes to production.
- B. Deploy smaller changes to production.
- C. Increase the load on your test and staging environments.
- D. Deploy changes to a small subset of users before rolling out to production.

Answer: C

NEW QUESTION 232

- (Exam Topic 5)

All compute Engine instances in your VPC should be able to connect to an Active Directory server on specific ports. Any other traffic emerging from your instances is not allowed. You want to enforce this using VPC firewall rules.

How should you configure the firewall rules?

- A. Create an egress rule with priority 1000 to deny all traffic for all instance
- B. Create another egress rule with priority 100 to allow the Active Directory traffic for all instances.
- C. Create an egress rule with priority 100 to deny all traffic for all instance
- D. Create another egress rule with priority 1000 to allow the Active Directory traffic for all instances.
- E. Create an egress rule with priority 1000 to allow the Active Directory traffi
- F. Rely on the implied deny egress rule with priority 100 to block all traffic for all instances.
- G. Create an egress rule with priority 100 to allow the Active Directory traffi
- H. Rely on the implied deny egress rule with priority 1000 to block all traffic for all instances.

Answer: B

Explanation:

<https://cloud.google.com/vpc/docs/firewalls>

NEW QUESTION 237

- (Exam Topic 5)

Your web application uses Google Kubernetes Engine to manage several workloads. One workload requires a consistent set of hostnames even after pod scaling and relaunches.

Which feature of Kubernetes should you use to accomplish this?

- A. StatefulSets
- B. Role-based access control
- C. Container environment variables
- D. Persistent Volumes

Answer: A

Explanation:

<https://kubernetes.io/docs/tutorials/stateful-application/basic-stateful-set/>

NEW QUESTION 242

- (Exam Topic 5)

You are working at a financial institution that stores mortgage loan approval documents on Cloud Storage.

Any change to these approval documents must be uploaded as a separate approval file, so you want to ensure that these documents cannot be deleted or overwritten for the next 5 years. What should you do?

- A. Create a retention policy on the bucket for the duration of 5 year
- B. Create a lock on the retention policy.
- C. Create the bucket with uniform bucket-level access, and grant a service account the role of Object Write
- D. Use the service account to upload new files.
- E. Use a customer-managed key for the encryption of the bucke
- F. Rotate the key after 5 years.
- G. Create the bucket with fine-grained access control, and grant a service account the role of Object Writer. Use the service account to upload new files.

Answer: A

Explanation:

Reference: <https://cloud.google.com/storage/docs/using-bucket-lock>

NEW QUESTION 246

- (Exam Topic 5)

Your organization wants to control IAM policies for different departments independently, but centrally. Which approach should you take?

- A. Multiple Organizations with multiple Folders
- B. Multiple Organizations, one for each department
- C. A single Organization with Folder for each department
- D. A single Organization with multiple projects, each with a central owner

Answer: C

Explanation:

Folders are nodes in the Cloud Platform Resource Hierarchy. A folder can contain projects, other folders, or a combination of both. You can use folders to group projects under an organization in a hierarchy. For example, your organization might contain multiple departments, each with its own set of GCP resources. Folders allow you to group these resources on a per-department basis. Folders are used to group resources that share common IAM policies. While a folder can contain multiple folders or resources, a given folder or resource can have exactly one parent.

References: <https://cloud.google.com/resource-manager/docs/creating-managing-folders>

NEW QUESTION 247

- (Exam Topic 5)

You have an application that runs in Google Kubernetes Engine (GKE). Over the last 2 weeks, customers have reported that a specific part of the application returns errors very frequently. You currently have no logging or monitoring solution enabled on your GKE cluster. You want to diagnose the problem, but you have not been able to replicate the issue. You want to cause minimal disruption to the application. What should you do?

- A. * 1. Update your GKE cluster to use Cloud Operations for GKE.* 2. Use the GKE Monitoring dashboard to investigate logs from affected Pods.
- B. * 1. Create a new GKE cluster with Cloud Operations for GKE enabled.* 2. Migrate the affected Pods to the new cluster, and redirect traffic for those Pods to the new cluster.* 3. Use the GKE Monitoring dashboard to investigate logs from affected Pods.
- C. * 1. Update your GKE cluster to use Cloud Operations for GKE, and deploy Prometheus.* 2. Set an alert to trigger whenever the application returns an error.
- D. * 1. Create a new GKE cluster with Cloud Operations for GKE enabled, and deploy Prometheus.* 2. Migrate the affected Pods to the new cluster, and redirect traffic for those Pods to the new cluste
- E. * 3. Set an alert to trigger whenever the application returns an error.

Answer: A

Explanation:

Reference: <https://cloud.google.com/blog/products/management-tools/using-logging-your-apps-running-kubernetes-engine>

NEW QUESTION 251

- (Exam Topic 5)

An application development team has come to you for advice.They are planning to write and deploy an HTTP(S) API using Go 1.12. The API will have a very unpredictable workload and must remain reliable during peaks in traffic. They want to minimize operational overhead for this application. What approach should you recommend?

- A. Use a Managed Instance Group when deploying to Compute Engine
- B. Develop an application with containers, and deploy to Google Kubernetes Engine (GKE)
- C. Develop the application for App Engine standard environment
- D. Develop the application for App Engine Flexible environment using a custom runtime

Answer: C

Explanation:

<https://cloud.google.com/appengine/docs/the-appengine-environments>

NEW QUESTION 254

- (Exam Topic 5)

You created a pipeline that can deploy your source code changes to your infrastructure in instance groups for self healing. One of the changes negatively affects your key performance indicator. You are not sure how to fix it and investigation could take up to a week. What should you do

- A. Log in to a server, and iterate a fix locally
- B. Change the instance group template to the previous one, and delete all instances.
- C. Revert the source code change and rerun the deployment pipeline
- D. Log into the servers with the bad code change, and swap in the previous code

Answer: C

NEW QUESTION 257

- (Exam Topic 5)

You need to design a solution for global load balancing based on the URL path being requested. You need to ensure operations reliability and end-to-end in-transit encryption based on Google best practices. What should you do?

- A. Create a cross-region load balancer with URL Maps.
- B. Create an HTTPS load balancer with URL maps.
- C. Create appropriate instance groups and instance
- D. Configure SSL proxy load balancing.
- E. Create a global forwarding rul
- F. Configure SSL proxy balancing.

Answer: B

Explanation:

Reference <https://cloud.google.com/load-balancing/docs/https/url-map>

NEW QUESTION 259

- (Exam Topic 5)

Your development team has installed a new Linux kernel module on the batch servers in Google Compute Engine (GCE) virtual machines (VMs) to speed up the nightly batch process. Two days after the installation, 50% of web application deployed in the same nightly batch run. You want to collect details on the failure to pass back to the development team. Which three actions should you take? Choose 3 answers

- A. Use Stackdriver Logging to search for the module log entries.
- B. Read the debug GCE Activity log using the API or Cloud Console.
- C. Use gcloud or Cloud Console to connect to the serial console and observe the logs.
- D. Identify whether a live migration event of the failed server occurred, using in the activity log.
- E. Adjust the Google Stackdriver timeline to match the failure time, and observe the batch server metrics.
- F. Export a debug VM into an image, and run the image on a local server where kernel log messages will be displayed on the native screen.

Answer: ACE

Explanation:

<https://www.flexera.com/blog/cloud/2013/12/google-compute-engine-live-migration-passes-the-test/> "With live migration, the virtual machines are moved without any downtime or noticeable service degradation"

NEW QUESTION 263

- (Exam Topic 5)

You are creating a solution to remove backup files older than 90 days from your backup Cloud Storage bucket. You want to optimize ongoing Cloud Storage spend. What should you do?

- A. Write a lifecycle management rule in XML and push it to the bucket with gsutil.
- B. Write a lifecycle management rule in JSON and push it to the bucket with gsutil.
- C. Schedule a cron script using gsutil ls -lr gs://backups/** to find and remove items older than 90 days.
- D. Schedule a cron script using gsutil ls -1 gs://backups/** to find and remove items older than 90 days and schedule it with cron.

Answer: B

Explanation:

<https://cloud.google.com/storage/docs/gsutil/commands/lifecycle>

NEW QUESTION 268

- (Exam Topic 5)

Your company is developing a new application that will allow globally distributed users to upload pictures and share them with other selected users. The application will support millions of concurrent users. You want to allow developers to focus on just building code without having to create and maintain the underlying infrastructure. Which service should you use to deploy the application?

- A. App Engine
- B. Cloud Endpoints
- C. Compute Engine
- D. Google Kubernetes Engine

Answer: A

Explanation:

Reference: <https://cloud.google.com/terms/services> <https://cloud.google.com/appengine/docs/standard/go/how-requests-are-handled>

NEW QUESTION 271

- (Exam Topic 5)

The application reliability team at your company has added a debug feature to their backend service to send all server events to Google Cloud Storage for eventual analysis. The event records are at least 50 KB and at most 15 MB and are expected to peak at 3,000 events per second. You want to minimize data loss. Which process should you implement?

- A. • Append metadata to file body. • Compress individual files. • Name files with serverName-Timestamp. • Create a new bucket if bucket is older than 1 hour and save individual files to the new bucket
- B. Otherwise, save files to existing bucket
- C. • Batch every 10,000 events with a single manifest file for metadata. • Compress event files and manifest file into a single archive file. • Name files using serverName-EventSequence. • Create a new bucket if bucket is older than 1 day and save the single archive file to the new bucket
- D. Otherwise, save the single archive file to existing bucket.
- E. • Compress individual files. • Name files with serverName-EventSequence. • Save files to one bucket • Set custom metadata headers for each object after saving.
- F. • Append metadata to file body. • Compress individual files. • Name files with a random prefix pattern. • Save files to one bucket

Answer: D

Explanation:

In order to maintain a high request rate, avoid using sequential names. Using completely random object names will give you the best load distribution. Randomness after a common prefix is effective under the prefix <https://cloud.google.com/storage/docs/request-rate>

NEW QUESTION 276

- (Exam Topic 5)

The operations manager asks you for a list of recommended practices that she should consider when migrating a J2EE application to the cloud. Which three practices should you recommend? Choose 3 answers

- A. Port the application code to run on Google App Engine.
- B. Integrate Cloud Dataflow into the application to capture real-time metrics.
- C. Instrument the application with a monitoring tool like Stackdriver Debugger.
- D. Select an automation framework to reliably provision the cloud infrastructure.
- E. Deploy a continuous integration tool with automated testing in a staging environment.
- F. Migrate from MySQL to a managed NoSQL database like Google Cloud Datastore or Bigtable.

Answer: AEF

Explanation:

References: <https://cloud.google.com/appengine/docs/standard/java/tools/uploadinganapp> <https://cloud.google.com/appengine/docs/standard/java/building-app/cloud-sql>

NEW QUESTION 278

- (Exam Topic 5)

Your operations team has asked you to help diagnose a performance issue in a production application that runs on Compute Engine. The application is dropping requests that reach it when under heavy load. The process list for affected instances shows a single application process that is consuming all available CPU, and autoscaling has reached the upper limit of instances. There is no abnormal load on any other related systems, including the database. You want to allow production traffic to be served again as quickly as possible. Which action should you recommend?

- A. Change the autoscaling metric to agent.googleapis.com/memory/percent_used.
- B. Restart the affected instances on a staggered schedule.
- C. SSH to each instance and restart the application process.
- D. Increase the maximum number of instances in the autoscaling group.

Answer: D

Explanation:

Reference: <https://cloud.google.com/blog/products/sap-google-cloud/best-practices-for-sap-app-server-autoscaling-on-google-cloud>

NEW QUESTION 279

- (Exam Topic 5)

Your company has a networking team and a development team. The development team runs applications on Compute Engine instances that contain sensitive data. The development team requires administrative permissions for Compute Engine. Your company requires all network resources to be managed by the networking team. The development team does not want the networking team to have access to the sensitive data on the instances. What should you do?

- A. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use Cloud VPN to join the two VPCs.
- B. * 1. Create a project with a standalone Virtual Private Cloud (VPC), assign the Network Admin role to the networking team, and assign the Compute Admin role to the development team.
- C. * 1. Create a project with a Shared VPC and assign the Network Admin role to the networking team.* 2. Create a second project without a VPC, configure it as a Shared VPC service project, and assign the Compute Admin role to the development team.
- D. * 1. Create a project with a standalone VPC and assign the Network Admin role to the networking team.* 2. Create a second project with a standalone VPC and assign the Compute Admin role to the development team.* 3. Use VPC Peering to join the two VPCs.

Answer: C

Explanation:

In this scenario, a large organization has a central team that manages security and networking controls for the entire organization. Developers do not have permissions to make changes to any network or security settings defined by the security and networking team but they are granted permission to create resources such as virtual machines in shared subnets. To facilitate this the organization makes use of a shared VPC (Virtual Private Cloud). A shared VPC allows creation of a VPC network of RFC 1918 IP spaces that associated projects (service projects) can then use. Developers using the associated projects can create VM instances in the shared VPC network spaces. The organization's network and security admins can create subnets, VPNs, and firewall rules usable by all the projects in the VPC network.

https://cloud.google.com/iam/docs/job-functions/networking#single_team_manages_security_network_for_orga

Reference: <https://cloud.google.com/vpc/docs/shared-vpc>

NEW QUESTION 281

- (Exam Topic 5)

Your company has a support ticketing solution that uses App Engine Standard. The project that contains the App Engine application already has a Virtual Private Cloud(VPC) network fully connected to the company's on-premises environment through a Cloud VPN tunnel. You want to enable App Engine application to communicate with a database that is running in the company's on-premises environment. What should you do?

- A. Configure private services access
- B. Configure private Google access for on-premises hosts only
- C. Configure serverless VPC access
- D. Configure private Google access

Answer: C

Explanation:

<https://cloud.google.com/appengine/docs/standard/python3/connecting-vpc> https://cloud.google.com/appengine/docs/flexible/python/using-third-party-databases#on_premises

NEW QUESTION 286

- (Exam Topic 5)

You are developing an application using different microservices that should remain internal to the cluster. You want to be able to configure each microservice with a specific number of replicas. You also want to be able to address a specific microservice from any other microservice in a uniform way, regardless of the number of replicas the microservice scales to. You need to implement this solution on Google Kubernetes Engine. What should you do?

- A. Deploy each microservice as a Deployment
- B. Expose the Deployment in the cluster using a Service, and use the Service DNS name to address it from other microservices within the cluster.
- C. Deploy each microservice as a Deployment
- D. Expose the Deployment in the cluster using an Ingress, and use the Ingress IP address to address the Deployment from other microservices within the cluster.
- E. Deploy each microservice as a Pod
- F. Expose the Pod in the cluster using a Service, and use the Service DNS name to address the microservice from other microservices within the cluster.
- G. Deploy each microservice as a Pod
- H. Expose the Pod in the cluster using an Ingress, and use the Ingress IP address name to address the Pod from other microservices within the cluster.

Answer: A

Explanation:

<https://kubernetes.io/docs/concepts/services-networking/ingress/>

NEW QUESTION 288

- (Exam Topic 5)

You want your Google Kubernetes Engine cluster to automatically add or remove nodes based on CPUload. What should you do?

- A. Configure a HorizontalPodAutoscaler with a target CPU usag
- B. Enable the Cluster Autoscaler from the GCP Console.
- C. Configure a HorizontalPodAutoscaler with a target CPU usag
- D. Enable autoscaling on the managed instance group for the cluster using the gcloud command.
- E. Create a deployment and set the maxUnavailable and maxSurge propertie
- F. Enable the Cluster Autoscaler using the gcloud command.
- G. Create a deployment and set the maxUnavailable and maxSurge propertie
- H. Enable autoscaling on the cluster managed instance group from the GCP Console.

Answer: B

NEW QUESTION 290

- (Exam Topic 5)

Your customer is receiving reports that their recently updated Google App Engine application is taking approximately 30 seconds to load for some of their users. This behavior was not reported before the update. What strategy should you take?

- A. Work with your ISP to diagnose the problem.
- B. Open a support ticket to ask for network capture and flow data to diagnose the problem, then roll back your application.
- C. Roll back to an earlier known good release initially, then use Stackdriver Trace and logging to diagnose the problem in a development/test/staging environment.
- D. Roll back to an earlier known good release, then push the release again at a quieter period to investigate. Then use Stackdriver Trace and logging to diagnose the problem.

Answer: C

Explanation:

Stackdriver Logging allows you to store, search, analyze, monitor, and alert on log data and events from Google Cloud Platform and Amazon Web Services (AWS). Our API also allows ingestion of any custom log data from any source. Stackdriver Logging is a fully managed service that performs at scale and can ingest application and system log data from thousands of VMs. Even better, you can analyze all that log data in real time.

References: <https://cloud.google.com/logging/>

NEW QUESTION 291

- (Exam Topic 5)

You are implementing a single Cloud SQL MySQL second-generation database that contains business-critical transaction data. You want to ensure that the minimum amount of data is lost in case of catastrophic failure. Which two features should you implement? (Choose two.)

- A. Sharding
- B. Read replicas
- C. Binary logging
- D. Automated backups
- E. Semisynchronous replication

Answer: CD

Explanation:

Backups help you restore lost data to your Cloud SQL instance. Additionally, if an instance is having a problem, you can restore it to a previous state by using the backup to overwrite it. Enable automated backups for any instance that contains necessary data. Backups protect your data from loss or damage.

Enabling automated backups, along with binary logging, is also required for some operations, such as clone and replica creation.

Reference: <https://cloud.google.com/sql/docs/mysql/backup-recovery/backups>

NEW QUESTION 292

- (Exam Topic 5)

You are running a cluster on Kubernetes Engine to serve a web application. Users are reporting that a specific part of the application is not responding anymore. You notice that all pods of your deployment keep restarting after 2 seconds. The application writes logs to standard output. You want to inspect the logs to find the cause of the issue. Which approach can you take?

- A. Review the Stackdriver logs for each Compute Engine instance that is serving as a node in the cluster.
- B. Review the Stackdriver logs for the specific Kubernetes Engine container that is serving the unresponsive part of the application.
- C. Connect to the cluster using gcloud credentials and connect to a container in one of the pods to read the logs.
- D. Review the Serial Port logs for each Compute Engine instance that is serving as a node in the cluster.

Answer: B

NEW QUESTION 296

- (Exam Topic 5)

Your company captures all web traffic data in Google Analytics 260 and stores it in BigQuery. Each country has its own dataset. Each dataset has multiple tables. You want analysts from each country

to be able to see and query only the data for their respective countries. How should you configure the access rights?

- A. Create a group per countr
- B. Add analysts to their respective country-group
- C. Create a single group 'all_analysts', and add all country-groups as member
- D. Grant the 'all-analysis' group the IAM role of BigQuery jobUse
- E. Share the appropriate dataset with view access with each respective analyst country-group.
- F. Create a group per countr
- G. Add analysts to their respective country-group
- H. Create a single group 'all_analysts', and add all country-groups as member
- I. Grant the 'all-analysis' group the IAM role of BigQuery jobUse
- J. Share the appropriate tables with view access with each respective analystcountrygroup.
- K. Create a group per countr

- L. Add analysts to their respective country-group
- M. Create a single group 'all_analysts', and add all country-groups as member
- N. Grant the 'all-analysis' group the IAM role of BigQuery dataView
- O. Share the appropriate dataset with view access with each respective analyst country-group.
- P. Create a group per countr
- Q. Add analysts to their respective country-group
- R. Create a single group 'all_analysts', and add all country-groups as member
- S. Grant the 'all-analysis' group the IAM role of BigQuery dataView
- T. Share the appropriate table with view access with each respective analyst countrygroup.

Answer: A

NEW QUESTION 299

- (Exam Topic 5)

You are moving an application that uses MySQL from on-premises to Google Cloud. The application will run on Compute Engine and will use Cloud SQL. You want to cut over to the Compute Engine deployment of the application with minimal downtime and no data loss to your customers. You want to migrate the application with minimal modification. You also need to determine the cutover strategy. What should you do?

- A. * 1. Set up Cloud VPN to provide private network connectivity between the Compute Engine application and the on-premises MySQL server.* 2. Stop the on-premises application.* 3. Create a mysqldump of the on-premises MySQL serve
- B. * 4.Upload the dump to a Cloud Storage bucket.* 5. Import the dump into Cloud SQL.* 6. Modify the source code of the application to write queries to both databases and read from its local database.* 7. Start the Compute Engine applicatio
- C. 8.Stop the on-premises application.
- D. * 1. Set up Cloud SQL proxy and MySQL proxy.* 2. Create a mysqldump of the on-premises MySQL serve
- E. * 3. Upload the dump to a Cloud Storage bucket.* 4. Import the dump into Cloud SQ
- F. * 5. Stop the on-premises applicatio
- G. * 6. Start the Compute Engine application.
- H. * 1. Set up Cloud VPN to provide private network connectivity between the Compute Engine applicationand the on-premises MySQL serve
- I. * 2. Stop the on-premises application.* 3. Start the Compute Engine application, configured to read and write to the on-premises MySQL serve
- J. * 4. Create the replication configuration in Cloud SQL.* 5. Configure the source database server to accept connections from the Cloud SQL replic
- K. * 6. Finalize the Cloud SQL replica configuration.* 7. When replication has been completed, stop the Compute Engine applicatio
- L. * 8. Promote the Cloud SQL replica to a standalone instance.* 9. Restart the Compute Engine application, configured to read and write to the Cloud SQL standalone instance.
- M. * 1. Stop the on-premises application.* 2. Create a mysqldump of the on-premises MySQL serve
- N. * 3. Upload the dump to a Cloud Storage bucket.* 4. Import the dump into Cloud SQL.* 5. Start the application on Compute Engine.

Answer: C

Explanation:

External replica promotion migration In the migration strategy of external replica promotion, you create an external database replica and synchronize the existing data to that replica. This can happen with minimal downtime to the existing database. When you have a replica database, the two databases have different roles that are referred to in this document as primary and replica. After the data is synchronized, you promote the replica to be the primary in order to move the management layer with minimal impact to database uptime. In Cloud SQL, an easy way to accomplish the external replica promotion is to use the automated migration workflow. This process automates many of the steps that are needed for this type of migration.

<https://cloud.google.com/architecture/migrating-mysql-to-cloudsql-concept>

- The best option for migrating your MySQL database is to use an external replica promotion. In this strategy, you create a replica database and set your existing database as the primary. You wait until the two databases are in sync, and you then promote your MySQL replica database to be the primary. This process minimizes database downtime related to the database migration. https://cloud.google.com/architecture/migrating-mysql-to-cloudsql-concept#external_replica_promotion_migrat

NEW QUESTION 303

- (Exam Topic 5)

You have deployed an application to Kubernetes Engine, and are using the Cloud SQL proxy container to make the Cloud SQL database available to the services running on Kubernetes. You are notified that the application is reporting database connection issues. Your company policies require a post-mortem. What should you do?

- A. Use gcloud sql instances restart.
- B. Validate that the Service Account used by the Cloud SQL proxy container still has the Cloud Build Editor role.
- C. In the GCP Console, navigate to Stackdriver Login
- D. Consult logs for Kubernetes Engine and Cloud SQL.
- E. In the GCP Console, navigate to Cloud SQ
- F. Restore the latest backu
- G. Use kubect1 to restart all pods.

Answer: C

NEW QUESTION 304

- (Exam Topic 5)

An application development team believes their current logging tool will not meet their needs for their new cloud-based product. They want a better tool to capture errors and help them analyze their historical log data. You want to help them find a solution that meets their needs, what should you do?

- A. Direct them to download and install the Google StackDriver logging agent.
- B. Send them a list of online resources about logging best practices.
- C. Help them define their requirements and assess viable logging tools.
- D. Help them upgrade their current tool to take advantage of any new features.

Answer: C

Explanation:

Help them define their requirements and assess viable logging tools. They know the requirements and the existing tools' problems. While it's true StackDriver

Logging and Error Reporting possibly meet all their requirements, there might be other tools also meet their need. They need you to provide expertise to make assessment for new tools, specifically, logging tools that can "capture errors and help them analyze their historical log data".

References: <https://cloud.google.com/logging/docs/agent/installation>

NEW QUESTION 306

- (Exam Topic 5)

You want to establish a Compute Engine application in a single VPC across two regions. The application must communicate over VPN to an on-premises network. How should you deploy the VPN?

- A. Use VPC Network Peering between the VPC and the on-premises network.
- B. Expose the VPC to the on-premises network using IAM and VPC Sharing.
- C. Create a global Cloud VPN Gateway with VPN tunnels from each region to the on-premises peer gateway.
- D. Deploy Cloud VPN Gateway in each regio
- E. Ensure that each region has at least one VPN tunnel to the on-premises peer gateway.

Answer: C

Explanation:

<https://cloud.google.com/vpn/docs/how-to/creating-static-vpns>

NEW QUESTION 308

- (Exam Topic 5)

Your organization has a 3-tier web application deployed in the same network on Google Cloud Platform. Each tier (web, API, and database) scales independently of the others Network traffic should flow through the web to the API tier and then on to the database tier. Traffic should not flow between the web and the database tier. How should you configure the network?

- A. Add each tier to a different subnetwork.
- B. Set up software based firewalls on individual VMs.
- C. Add tags to each tier and set up routes to allow the desired traffic flow.
- D. Add tags to each tier and set up firewall rules to allow the desired traffic flow.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/aws/building-three-tier-architectures-with-security-groups/>

Google Cloud Platform(GCP) enforces firewall rules through rules and tags. GCP rules and tags can be defined once and used across all regions.

References: <https://cloud.google.com/docs/compare/openstack/> <https://aws.amazon.com/it/blogs/aws/building-three-tier-architectures-with-security-groups/>

NEW QUESTION 310

- (Exam Topic 5)

Your company and one of its partners each have a Google Cloud project in separate organizations. Your company's project (prj-a) runs in Virtual Private Cloud (vpc-a). The partner's project (prj-b) runs in vpc-b. There are two instances running on vpc-a and one instance running on vpc-b Subnets defined in both VPCs are not overlapping. You need to ensure that all instances communicate with each other via internal IPs minimizing latency and maximizing throughput. What should you do?

- A. Set up a network peering between vpc-a and vpc-b
- B. Set up a VPN between vpc-a and vpc-b using Cloud VPN
- C. Configure IAP TCP forwarding on the instance in vpc b and then launch the following gcloud command from one of the instance in vpc-gcloud:
* 1. Create an additional instance in vpc-a* 2. Create an additional instance n vpc-b* 3. Install OpenVPN in newly created instances* 4. Configure a VPN tunnel between vpc-a and vpc-b with the help of OpenVPN

Answer: C

NEW QUESTION 313

- (Exam Topic 5)

One of your primary business objectives is being able to trust the data stored in your application. You want to log all changes to the application data. How can you design your logging system to verify authenticity of your logs?

- A. Write the log concurrently in the cloud and on premises.
- B. Use a SQL database and limit who can modify the log table.
- C. Digitally sign each timestamp and log entry and store the signature.
- D. Create a JSON dump of each log entry and store it in Google Cloud Storage.

Answer: C

Explanation:

<https://cloud.google.com/storage/docs/access-logs>

References: <https://cloud.google.com/logging/docs/reference/tools/gcloud-logging>

NEW QUESTION 317

- (Exam Topic 5)

Your company is forecasting a sharp increase in the number and size of Apache Spark and Hadoop jobs being run on your local datacenter You want to utilize the cloud to help you scale this upcoming demand with the least amount of operations work and code change. Which product should you use?

- A. Google Cloud Dataflow
- B. Google Cloud Dataproc
- C. Google Compute Engine
- D. Google Container Engine

Answer: B

Explanation:

Google Cloud Dataproc is a fast, easy-to-use, low-cost and fully managed service that lets you run the Apache Spark and Apache Hadoop ecosystem on Google Cloud Platform. Cloud Dataproc provisions big or small clusters rapidly, supports many popular job types, and is integrated with other Google Cloud Platform services, such as Google Cloud Storage and Stackdriver Logging, thus helping you reduce TCO.

References: <https://cloud.google.com/dataproc/docs/resources/faq>

NEW QUESTION 318

- (Exam Topic 5)

You are helping the QA team to roll out a new load-testing tool to test the scalability of your primary cloud services that run on Google Compute Engine with Cloud Bigtable. Which three requirements should they include? Choose 3 answers

- A. Ensure that the load tests validate the performance of Cloud Bigtable.
- B. Create a separate Google Cloud project to use for the load-testing environment.
- C. Schedule the load-testing tool to regularly run against the production environment.
- D. Ensure all third-party systems your services use are capable of handling high load.
- E. Instrument the production services to record every transaction for replay by the load-testing tool.
- F. Instrument the load-testing tool and the target services with detailed logging and metrics collection.

Answer: ABF

NEW QUESTION 319

- (Exam Topic 5)

You want to optimize the performance of an accurate, real-time, weather-charting application. The data comes from 50,000 sensors sending 10 readings a second, in the format of a timestamp and sensor reading. Where should you store the data?

- A. Google BigQuery
- B. Google Cloud SQL
- C. Google Cloud Bigtable
- D. Google Cloud Storage

Answer: C

Explanation:

It is time-series data, So Big Table. <https://cloud.google.com/bigtable/docs/schema-design-time-series>

Google Cloud Bigtable is a scalable, fully-managed NoSQL wide-column database that is suitable for both real-time access and analytics workloads.

Good for:

- Low-latency read/write access
- High-throughput analytics
- Native time series support
- Common workloads:
- IoT, finance, adtech
- Personalization, recommendations
- Monitoring
- Geospatial datasets
- Graphs

References: <https://cloud.google.com/storage-options/>

NEW QUESTION 323

- (Exam Topic 5)

You are migrating your on-premises solution to Google Cloud in several phases. You will use Cloud VPN to maintain a connection between your on-premises systems and Google Cloud until the migration is completed.

You want to make sure all your on-premises systems remain reachable during this period. How should you organize your networking in Google Cloud?

- A. Use the same IP range on Google Cloud as you use on-premises
- B. Use the same IP range on Google Cloud as you use on-premises for your primary IP range and use a secondary range that does not overlap with the range you use on-premises
- C. Use an IP range on Google Cloud that does not overlap with the range you use on-premises
- D. Use an IP range on Google Cloud that does not overlap with the range you use on-premises for your primary IP range and use a secondary range with the same IP range as you use on-premises

Answer: C

NEW QUESTION 327

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Cloud-Architect Practice Exam Features:

- * Professional-Cloud-Architect Questions and Answers Updated Frequently
- * Professional-Cloud-Architect Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Cloud-Architect Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Cloud-Architect Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Cloud-Architect Practice Test Here](#)